



January
2013

Drum and Rotor Catalog



Import and Domestic

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

ACURA

CL

FRONT

03-01		Vented	Rotor	300 mm	47.2 mm	5 -114.3 mm	BR31275
99-98	V6	Vented	Rotor	281.7 mm	47.3 mm	4 -114.3 mm	BR31248
	L4	Vented	Rotor	260 mm	47 mm	4 -114.3 mm	BR31243
1997	L4	Vented	Rotor	259.5 mm	34 mm	4 -114.3 mm	BR3287
	V6	Vented	Rotor	282 mm	34.5 mm	4 -114.3 mm	BR3292

REAR

03-01		Solid	Rotor	282 mm	66.1 mm	5 -114.3 mm	BR31302
99-98		Solid	Rotor	259.8 mm	48.2 mm	4 -114.3 mm	BR31244
1997		Solid	Rotor	260 mm	48.6 mm	4 -114.3 mm	BR31038

CSX (CANADA)

FRONT

11-07	Except Type S	Vented	Rotor	282 mm	47 mm	5 -114.3 mm	BR31257
10-07	Type S	Vented	Rotor	299.3 mm	47.6 mm	5 -110 mm	BR31347
2006		Vented	Rotor	282 mm	47 mm	5 -114.3 mm	BR31257

REAR

11-09		Solid	Rotor	259.9 mm	42.2 mm	5 -114.3 mm	BR900648
08-06		Solid	Rotor	259.6 mm	42.2 mm	5 -114.3 mm	BR31227

EL (CANADA)

FRONT

05-97		Vented	Rotor	262 mm	48.2 mm	4 -100 mm	BR3295
-------	--	--------	-------	--------	---------	-----------	--------

REAR

05-01		Solid	Rotor	259.7 mm	48.26 mm	4 -100 mm	BR31380
00-97		Floating	Drum	239 mm	59 mm	4 -100 mm	BD3569

ILX

FRONT

2013	300mm Front Rotor	Vented	Rotor	299.3 mm	47.6 mm	5 -110 mm	BR901080
------	-------------------	--------	-------	----------	---------	-----------	----------

REAR

2013		Solid	Rotor	259.9 mm	42.2 mm	5 -114.3 mm	BR900648
------	--	-------	-------	----------	---------	-------------	----------

INTEGRA

FRONT

01-97	TYPE-R	Vented	Rotor	281.6 mm	47.1 mm	5 -114.3 mm	BR3296
01-90	Exc. 97-01 TYPE-R	Vented	Rotor	262 mm	48.2 mm	4 -100 mm	BR3295
89-86		Vented	Rotor	242 mm	44 mm	4 -100 mm	BR3178

REAR

01-97	TYPE-R	Solid	Rotor	259.7 mm	48.26 mm	5 -114.3 mm	BR31245
	Exc. Type R	Solid	Rotor	239 mm	48.2 mm	4 -100 mm	BR31149
96-95		Solid	Rotor	239 mm	48.2 mm	4 -100 mm	BR31149
94-90		Solid	Rotor	239 mm	48.2 mm	4 -100 mm	BR3258
89-86		Solid	Rotor	238.7 mm	33.65 mm	4 -100 mm	BR31066

LEGEND

FRONT

95-94	GS Sedan	Vented	Rotor	282 mm	47 mm	5 -114.3 mm	BR31119
95-93	Coupe	Vented	Rotor	282 mm	47 mm	5 -114.3 mm	BR31119
	Exc. GS; Sedan	Vented	Rotor	281.6 mm	47.1 mm	5 -114.3 mm	BR3296

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

ACURA

LEGEND

FRONT

92-91		Vented	Rotor	281.6 mm	47.1 mm	5 -114.3 mm	BR3296
90-88		Vented	Rotor	282 mm	51.3 mm	4 -114.3 mm	BR3184
1987	Exc. LS; Sedan	Vented	Rotor	261.6 mm	51.1 mm	4 -114.3 mm	BR3180
	Coupe	Vented	Rotor	282 mm	51.3 mm	4 -114.3 mm	BR3184
1986		Vented	Rotor	261.6 mm	51.1 mm	4 -114.3 mm	BR3180

REAR

95-91		Solid	Rotor	282 mm	61.15 mm	5 -114.3 mm	BR31105
90-89		Solid	Rotor	260 mm	53 mm	4 -114.3 mm	BR31088
88-87	Coupe	Solid	Rotor	260 mm	53 mm	4 -114.3 mm	BR31088
	Sedan	Solid	Rotor	260 mm	43 mm	4 -114.3 mm	BR31070
1986		Solid	Rotor	260 mm	43 mm	4 -114.3 mm	BR31070

MDX

FRONT

13-07		Vented	Rotor	318 mm	48.9 mm	5 -114.3 mm	BR900530
06-01		Vented	Rotor	300 mm	47.2 mm	5 -114.3 mm	BR31275

REAR

13-07		Vented	Rotor	346 mm	64 mm	5 -114.3 mm	BR900532
06-01		Solid	Rotor	313 mm	55.8 mm	5 -114.3 mm	BR31318

NSX

FRONT

96-91		Vented	Rotor	282 mm	36 mm	5 -114.3 mm	BR31107
-------	--	--------	-------	--------	-------	-------------	---------

RDX

FRONT

12-07		Vented	Rotor	296 mm	47.6 mm	5 -114.3 mm	BR900388
-------	--	--------	-------	--------	---------	-------------	----------

REAR

13-07		Solid	Rotor	320 mm	47.6 mm	5 -114.3 mm	BR900390
-------	--	-------	-------	--------	---------	-------------	----------

RL

FRONT

12-05		Vented	Rotor	319 mm	50 mm	5 -120 mm	BR900836
04-99		Vented	Rotor	300 mm	47.56 mm	5 -114.3 mm	BR31283
98-96		Vented	Rotor	281.6 mm	47.1 mm	5 -114.3 mm	BR3296

REAR

12-05		Vented	Rotor	309 mm	67 mm	5 -120 mm	BR900838
04-02		Solid	Rotor	282 mm	57.1 mm	5 -114.3 mm	BR31303
01-99		Solid	Rotor	282 mm	60 mm	5 -114.3 mm	BR31290
98-96		Solid	Rotor	282 mm	61.15 mm	5 -114.3 mm	BR31105

RSX

FRONT

06-02	Exc. S	Vented	Rotor	261.5 mm	47 mm	5 -114.3 mm	BR31311
	Type S	Vented	Rotor	299.3 mm	47.6 mm	5 -110 mm	BR31347

REAR

06-02		Solid	Rotor	259.7 mm	48.26 mm	5 -114.3 mm	BR31245
-------	--	-------	-------	----------	----------	-------------	---------

SLX

FRONT

99-96	Replaces BR31115	Vented	Rotor	280 mm	36 mm	6 -108 mm	BR31163
	Sellout and Reorder BR31163	Vented	Rotor	280 mm	36 mm	6 -108mm	BR31115

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

ACURA

SLX

REAR

99-96		Vented	Rotor	313.5 mm	80.2 mm	6 -139.7 mm	BR31084
-------	--	--------	-------	----------	---------	-------------	---------

TL

FRONT

12-09		Vented	Rotor	303 mm	48 mm	5 -120 mm	BR900832
08-06	Automatic Transmission; 300mm O.D.	Vented	Rotor	300 mm	47.2 mm	5 -114.3 mm	BR31275
08-04	TL & TLS w/ Brembo Calipers; 310mm O.D.	Vented	Rotor	310 mm	45.4 mm	5 -114.3 mm	BR900844
05-04	w/ Automatic Transmission; 300mm O.D.	Vented	Rotor	300 mm	45.4 mm	5 -114.3 mm	BR31354
03-99		Vented	Rotor	300 mm	47.2 mm	5 -114.3 mm	BR31275
98-96	V6	Vented	Rotor	281.6 mm	47.1 mm	5 -114.3 mm	BR3296
98-95	L5	Vented	Rotor	281.7 mm	34.2 mm	4 -114.3 mm	BR31114

REAR

12-09		Solid	Rotor	333 mm	61 mm	5 -120 mm	BR900834
08-04		Solid	Rotor	282 mm	58.72 mm	5 -114.3 mm	BR31316
03-99		Solid	Rotor	282.5 mm	58.6 mm	5 -114.3 mm	BR31286
98-96	V6	Solid	Rotor	259.7 mm	79.8 mm	5 -114.3 mm	BR31202
98-95	L5	Solid	Rotor	259.8 mm	63.6 mm	4 -114.3 mm	BR31200

TSX

FRONT

12-09		Vented	Rotor	300 mm	47.2 mm	5 -114.3 mm	BR31275
08-04		Vented	Rotor	300 mm	45.4 mm	5 -114.3 mm	BR31354

REAR

12-09		Solid	Rotor	282 mm	51.5 mm	5 -114.3 mm	BR900520
08-04		Solid	Rotor	260 mm	48.8 mm	5 -114.3 mm	BR31315

VIGOR

FRONT

94-92		Vented	Rotor	281.7 mm	34.2 mm	4 -114.3 mm	BR31114
-------	--	--------	-------	----------	---------	-------------	---------

REAR

94-92		Solid	Rotor	260 mm	63.6 mm	4 -114.3 mm	BR31083
-------	--	-------	-------	--------	---------	-------------	---------

ZDX

FRONT

12-10		Vented	Rotor	318 mm	48.9 mm	5 -114.3 mm	BR900530
-------	--	--------	-------	--------	---------	-------------	----------

REAR

12-10		Vented	Rotor	346 mm	64 mm	5 -114.3 mm	BR900532
-------	--	--------	-------	--------	-------	-------------	----------

AM GENERAL

HUMMER

FRONT

06-02		Vented	Rotor	10.47"	1.36"	6 -4.33"	BR5701
03-92	exc.12100 lb GVW	Vented	Rotor	10.47"	1.36"	6 -4.33"	BR5701

REAR

06-02		Vented	Rotor	10.47"	1.36"	6 -4.33"	BR5701
03-92	exc.12100 lb GVW	Vented	Rotor	10.47"	1.36"	6 -4.33"	BR5701

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

AMERICAN MOTORS

AMBASSADOR

REAR

1974	Sedan; w/ composite	Floating	Drum	12.52"	4.13"	5 -4.5"	BD8838
	Sedan; w/ Full Cast	Floating	Drum	11.77"	3.25"	5 -4.5"	BD8924
73-71	Sedan	Floating	Drum	12.52"	4.13"	5 -4.5"	BD8838
1972	Sedan; Finned	Floating	Drum	12.52"	4.13"	5 -4.5"	BD8838

AMX

FRONT

80-79		Vented	Rotor	10.83"	4.8"	5 -4.5"	BR5106
-------	--	--------	-------	--------	------	---------	--------

REAR

80-78	Composite	Floating	Drum	12.52"	4.13"	5 -4.5"	BD8838
	Full Cast	Floating	Drum	11.77"	3.25"	5 -4.5"	BD8924
74-73	Full Cast	Floating	Drum	11.77"	3.25"	5 -4.5"	BD8924
	Composite	Floating	Drum	12.52"	4.13"	5 -4.5"	BD8838

CONCORD

FRONT

83-79	Except 79-81 4 cyl	Vented	Rotor	10.83"	4.8"	5 -4.5"	BR5106
-------	--------------------	--------	-------	--------	------	---------	--------

REAR

83-80		Floating	Drum	11.77"	3.25"	5 -4.5"	BD8924
1979	5.0L	Floating	Drum	12.52"	4.13"	5 -4.5"	BD8838
	2.0L, 4.2L	Floating	Drum	11.77"	3.25"	5 -4.5"	BD8924
1978	Full Cast	Floating	Drum	11.77"	3.25"	5 -4.5"	BD8924
	Composite	Floating	Drum	12.52"	4.13"	5 -4.5"	BD8838

EAGLE

FRONT

88-80		Vented	Rotor	11.02"	3.02"	5 -4.5"	BR5108
-------	--	--------	-------	--------	-------	---------	--------

REAR

88-80		Floating	Drum	11.77"	3.25"	5 -4.5"	BD8924
-------	--	----------	------	--------	-------	---------	--------

GREMLIN

REAR

78-77	Composite	Floating	Drum	12.52"	4.13"	5 -4.5"	BD8838
78-73	Full Cast	Floating	Drum	11.77"	3.25"	5 -4.5"	BD8924

HORNET

REAR

77-73	Full Cast with 1 3/4 Inch Shoe	Floating	Drum	11.77"	3.25"	5 -4.5"	BD8924
	Composite Drum: Double Finned	Floating	Drum	12.52"	4.13"	5 -4.5"	BD8838
1973	Composite Drum: Single Finned: Flange	Floating	Drum	12.6"	4.33"	5 -4.5"	BD80003

JAVELIN

REAR

1974	Composite Drum: Double Finned	Floating	Drum	12.52"	4.13"	5 -4.5"	BD8838
	Full Cast with 1 3/4 Inch Shoe	Floating	Drum	11.77"	3.25"	5 -4.5"	BD8924

MATADOR

REAR

78-77		Floating	Drum	12.6"	4.33"	5 -4.5"	BD80003
76-75	Sedan; Composite	Floating	Drum	12.52"	4.13"	5 -4.5"	BD8838
	Sedan; Full Cast	Floating	Drum	11.77"	3.25"	5 -4.5"	BD8924
	Wagon	Floating	Drum	12.6"	4.33"	5 -4.5"	BD80003
1974	Full Cast; w/ 1 3/4 Inch Brake Shoe	Floating	Drum	11.77"	3.25"	5 -4.5"	BD8924

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

AMERICAN MOTORS

MATADOR

REAR

73-71	Finned	Floating	Drum	12.52"	4.13"	5 -4.5"	BD8838
-------	--------	----------	------	--------	-------	---------	--------

PACER

REAR

80-76	Composite	Floating	Drum	12.52"	4.13"	5 -4.5"	BD8838
	Full Cast	Floating	Drum	11.77"	3.25"	5 -4.5"	BD8924

SPIRIT

FRONT

83-79		Vented	Rotor	10.83"	4.8"	5 -4.5"	BR5106
-------	--	--------	-------	--------	------	---------	--------

REAR

1983	GT; 10 Inch Rear Drum Brake	Floating	Drum	11.77"	3.25"	5 -4.5"	BD8924
81-80	10 Inch Rear Drum Brake	Floating	Drum	11.77"	3.25"	5 -4.5"	BD8924
1979	Full Cast	Floating	Drum	11.77"	3.25"	5 -4.5"	BD8924
	Composite	Floating	Drum	12.52"	4.13"	5 -4.5"	BD8838

AUDI

100

FRONT

94-92		Vented	Rotor	288 mm	46.4 mm	5 -112 mm	BR34055
91-89	ATE Frt. Cal. & Hydraulic Booster; Girling Frt. Cal. & Vacuum Booster	Solid	Rotor	275 mm	38 mm	4 -101.6 mm	BR3462

REAR

94-92		Solid	Rotor	245 mm	63.9 mm	5 -112 mm	BR34023
91-89	ATE Frt. Cal. & Hydraulic Booster; Girling Frt. Cal. & Vacuum Booster	Solid	Rotor	245 mm	65.2 mm	4 -108 mm	BR34106

100 QUATTRO

FRONT

94-92		Vented	Rotor	288 mm	46.4 mm	5 -112 mm	BR34055
91-89	w/ ATE or Girling Front Caliper	Solid	Rotor	275 mm	38 mm	4 -101.6 mm	BR3462

REAR

94-92		Solid	Rotor	245 mm	63.9 mm	5 -112 mm	BR34023
-------	--	-------	-------	--------	---------	-----------	---------

200

FRONT

91-89		Vented	Rotor	276 mm	46.3 mm	5 -112 mm	BR34000
-------	--	--------	-------	--------	---------	-----------	---------

REAR

91-89		Solid	Rotor	245 mm	59.1 mm	5 -112 mm	BR3433
-------	--	-------	-------	--------	---------	-----------	--------

200 QUATTRO

FRONT

91-90	Exc. 20V; w/ ATE & Girling Front Calipers	Vented	Rotor	276 mm	46.3 mm	5 -112 mm	BR34000
1989	ATE Front Calipers	Vented	Rotor	276 mm	46.3 mm	5 -112 mm	BR34000

REAR

1991	20V	Vented	Rotor	269 mm	46 mm	5 -112 mm	BR3449
91-90	Exc. 20V; Wagon; w/ ATE & Girling Front Calipers	Vented	Rotor	269 mm	46 mm	5 -112 mm	BR3449
1989	Wagon; ATE Front Calipers	Vented	Rotor	269 mm	46 mm	5 -112 mm	BR3449

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

AUDI

4000

FRONT

83-80		Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416
-------	--	-------	-------	--------	---------	-----------	--------

REAR

83-80		Hub/ Bearing	Drum	240 mm	82 mm	4 -100 mm	BD3814
-------	--	-----------------	------	--------	-------	-----------	--------

4000CS QUATTRO

FRONT

87-86		Vented	Rotor	256 mm	41.7 mm	4 -108 mm	BR3400
-------	--	--------	-------	--------	---------	-----------	--------

REAR

87-86		Solid	Rotor	245 mm	39.8 mm	4 -108 mm	BR34035
-------	--	-------	-------	--------	---------	-----------	---------

4000S

FRONT

87-85		Vented	Rotor	239 mm	38.6 mm	4 -100 mm	BR3460
84-7 /84	From 7/84	Vented	Rotor	239 mm	38.6 mm	4 -100 mm	BR3460
7 /84-84	To 7/84	Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416

REAR

87-84		Hub/ Bearing	Drum	240 mm	82 mm	4 -100 mm	BD3814
-------	--	-----------------	------	--------	-------	-----------	--------

4000S QUATTRO

FRONT

85-84		Vented	Rotor	256 mm	41.7 mm	4 -108 mm	BR3400
-------	--	--------	-------	--------	---------	-----------	--------

REAR

85-84		Solid	Rotor	245 mm	39.8 mm	4 -108 mm	BR34035
-------	--	-------	-------	--------	---------	-----------	---------

5000

FRONT

88-86	CS; 5 Lug	Vented	Rotor	276 mm	46.3 mm	5 -112 mm	BR34000
88-78	Exc. CS; S TURBO; TURBO; 4 Lug	Solid	Rotor	275 mm	38 mm	4 -101.6 mm	BR3462

REAR

88-82	Exc. Turbo; 4 Lug	Solid	Rotor	245 mm	59.33 mm	4 -108 mm	BR3435
88-81	TURBO; 5 Lug	Solid	Rotor	245 mm	59.1 mm	5 -112 mm	BR3433

5000CS QUATTRO

FRONT

88-86		Vented	Rotor	276 mm	46.3 mm	5 -112 mm	BR34000
-------	--	--------	-------	--------	---------	-----------	---------

5000S QUATTRO

FRONT

88-87		Vented	Rotor	276 mm	46.3 mm	5 -112 mm	BR34000
-------	--	--------	-------	--------	---------	-----------	---------

80

FRONT

92-88		Solid	Rotor	275 mm	38 mm	4 -101.6 mm	BR3462
-------	--	-------	-------	--------	-------	-------------	--------

REAR

92-88		Solid	Rotor	245 mm	59.33 mm	4 -108 mm	BR3435
-------	--	-------	-------	--------	----------	-----------	--------

80 QUATTRO

FRONT

92-88		Solid	Rotor	275 mm	38 mm	4 -101.6 mm	BR3462
-------	--	-------	-------	--------	-------	-------------	--------

REAR

92-88		Solid	Rotor	245 mm	39.8 mm	4 -108 mm	BR34035
-------	--	-------	-------	--------	---------	-----------	---------

90

FRONT

95-93	276mm Rotor	Vented	Rotor	276 mm	56.3 mm	4 -108 mm	BR34001
91-88	275mm Rotor	Solid	Rotor	275 mm	38 mm	4 -101.6 mm	BR3462

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
AUDI							
90 REAR							
95-93	276mm Rotor	Solid	Rotor	245 mm	59.33 mm	4 -108 mm	BR3435
91-88	275mm Rotor	Solid	Rotor	245 mm	59.33 mm	4 -108 mm	BR3435
90 QUATTRO FRONT							
94-90	276mm Rotor	Vented	Rotor	276 mm	56.3 mm	4 -108 mm	BR34001
89-88	275mm Rotor	Solid	Rotor	275 mm	38 mm	4 -101.6 mm	BR3462
REAR							
95-93	w/ 16 Inch Wheels (5 Lug)	Solid	Rotor	245 mm	39.89 mm	5 -112 mm	BR900676
94-88	w/ 15 Inch Wheels (4 Lug)	Solid	Rotor	245 mm	39.8 mm	4 -108 mm	BR34035
A1 (MEXICO) FRONT							
12-11	256mm Rotor	Vented	Rotor	256 mm	36.3 mm	5 -100 mm	BR34222
	288 mm Rotor	Vented	Rotor	288 mm	34.2 mm	5 -100 mm	BR34168
REAR							
12-11		Solid	Rotor	232 mm	39.5 mm	5 -100 mm	BR34144
A2 (MEXICO) FRONT							
09-00	w/ 256mm Front Rotors	Vented	Rotor	256 mm	36.3 mm	5 -100 mm	BR34222
A3 FRONT							
13-05	312mm Front Rotor	Vented	Rotor	312 mm	49.8 mm	5 -112 mm	BR900468
12-11	288mm Front Rotor	Vented	Rotor	288 mm	49.75 mm	5 -112 mm	BR900412
04-98	288mm Rotor	Vented	Rotor	288 mm	34.2 mm	5 -100 mm	BR34168
	279mm Rotor	Vented	Rotor	279.7 mm	36.7 mm	5 -100 mm	BR34143
REAR							
12-11	272mm Rear Rotor	Solid	Rotor	272 mm	49 mm	5 -112 mm	BR900930
12-10	TDI ; 252mm Rotor	Solid	Rotor	252.8 mm	51.6 mm	5 -112 mm	BR901124
12-05	286mm Rear Rotor	Solid	Rotor	286 mm	48.4 mm	5 -112 mm	BR900466
04-98	232mm Rear Rotor	Solid	Rotor	232 mm	39.5 mm	5 -100 mm	BR34144
A4 FRONT							
13-12		Vented	Rotor	320 mm	52.6 mm	5 -112 mm	BR901126
11-10	w/ 320mm x 52.5 mm Front Rotor	Vented	Rotor	320 mm	52.5 mm	5 -112 mm	BR900806
2009	Sedan ; 320 mm x 52.5 mm Rotor	Vented	Rotor	320 mm	52.5 mm	5 -112 mm	BR900806
	Cabriolet: 320mm x 46.71mm Rotor	Vented	Rotor	319.8 mm	46.71 mm	5 -112 mm	BR900686
08-1 /05	2.0L & 3.2L; 320 mm x 46.7 mm Rotor ; From 1/05	Vented	Rotor	319.8 mm	46.71 mm	5 -112 mm	BR900686
08-01	280mm Rotor - Mexico Only	Vented	Rotor	280 mm	46.4 mm	5 -112 mm	BR34257
06-02	1.8L (288mm Front Rotor)	Vented	Rotor	288 mm	46.4 mm	5 -112 mm	BR34055
05-02	3.0L ; 312 mm Rotor	Vented	Rotor	312 mm	46.3 mm	5 -112 mm	BR34215
01-96	288mm Rotor	Vented	Rotor	288 mm	46.4 mm	5 -112 mm	BR34055

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

AUDI

A4

REAR

13-10	w/ 300mm Rear Rotor	Solid	Rotor	300 mm	36.7 mm	5 -112 mm	BR900808
2009	Sedan ; 300 mm Rotor	Solid	Rotor	300 mm	36.7 mm	5 -112 mm	BR900808
	Convertible ; 288 mm Rotor	Solid	Rotor	288 mm	36 mm	5 -112.2 mm	BR900434
08-1 /05	2.0L & 3.2L ; 288 mm Rotor ; From 1/2005	Solid	Rotor	288 mm	36 mm	5 -112.2 mm	BR900434
06-02	1.8L (245mm Rotor)	Solid	Rotor	245 mm	39.89 mm	5 -112 mm	BR900676
1 /05-02	w/ 255mm Rear Rotors; 3.0L V6; To 1/05	Solid	Rotor	255 mm	39.8 mm	5 -112 mm	BR34217
01-96	245mm Rotor	Solid	Rotor	245 mm	83.6 mm	5 -112 mm	BR34188

A4 QUATTRO

FRONT

13-12		Vented	Rotor	320 mm	52.6 mm	5 -112 mm	BR901126
11-10	w/ 320mm Front Rotor	Vented	Rotor	320 mm	52.5 mm	5 -112 mm	BR900806
2009	Sedan & Wagon; 320 mm O.D. x 52.5 mm Height	Vented	Rotor	320 mm	52.5 mm	5 -112 mm	BR900806
	Convertible; 319mm O.D. x 47 mm Height	Vented	Rotor	319.8 mm	46.71 mm	5 -112 mm	BR900686
08-05	2.0L , 3.1L & 3.2L ; w/ 288 mm Rear Rotor	Vented	Rotor	319.8 mm	46.71 mm	5 -112 mm	BR900686
06-02	3.0L; w/ 312mm Front Rotor	Vented	Rotor	312 mm	46.3 mm	5 -112 mm	BR34215
04-02	1.8L; 288mm Front Rotor	Vented	Rotor	288 mm	46.4 mm	5 -112 mm	BR34055
01-96		Vented	Rotor	288 mm	46.4 mm	5 -112 mm	BR34055

REAR

13-10	w/ 300mm Rear Rotor	Solid	Rotor	300 mm	36.7 mm	5 -112 mm	BR900808
2009	Sedan & Wagon; w/ 300 mm Rotor	Solid	Rotor	300 mm	36.7 mm	5 -112 mm	BR900808
	Convertible ; w/ 288mm Rotor	Solid	Rotor	288 mm	36 mm	5 -112.2 mm	BR900434
08-05	2.0L , 3.1L & 3.2L ; w/ 288 mm Rear Rotor	Solid	Rotor	288 mm	36 mm	5 -112.2 mm	BR900434
06-02	3.0L w/ 255 mm Rear Rotor	Solid	Rotor	255 mm	39.8 mm	5 -112 mm	BR34217
05-02	1.8 L Turbo w/ 245mm Rear Rotors	Solid	Rotor	245 mm	39.89 mm	5 -112 mm	BR900676
01-96		Solid	Rotor	245 mm	47.5 mm	5 -112 mm	BR34167

A5

FRONT

2012		Vented	Rotor	320 mm	52.6 mm	5 -112 mm	BR901126
11-08	w/ 320mm Front Rotor	Vented	Rotor	320 mm	52.5 mm	5 -112 mm	BR900806

REAR

12-08	w/ 300mm Rear Rotor	Solid	Rotor	300 mm	36.7 mm	5 -112 mm	BR900808
-------	---------------------	-------	-------	--------	---------	-----------	----------

A6

FRONT

13-12	w/ 320mm Front Rotor	Vented	Rotor	320 mm	52.6 mm	5 -112 mm	BR901126
11-09	w/ 347mm Front Rotors	Vented	Rotor	347 mm	60.17 mm	5 -112 mm	BR900682
11-06	w/ 321mm Front Rotor	Vented	Rotor	321 mm	59.93 mm	5 -112 mm	BR900678

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

AUDI

A6

FRONT

04-02		Vented	Rotor	312 mm	46.3 mm	5 -112 mm	BR34215
01-99	w/ 16 Inch Wheels	Vented	Rotor	312 mm	46.3 mm	5 -112 mm	BR34215
	w/ 15 Inch Wheels	Vented	Rotor	288 mm	46.4 mm	5 -112 mm	BR34055
1998		Vented	Rotor	288 mm	46.4 mm	5 -112 mm	BR34055
97-95		Vented	Rotor	288 mm	46.4 mm	5 -112 mm	BR34055

REAR

13-12	300mm Rotor	Solid	Rotor	300 mm	36.7 mm	5 -112 mm	BR900808
11-05	w/ 302mm Solid Rear Rotors	Solid	Rotor	301.65 mm	49.64 mm	5 -112 mm	BR900680
	w/ 330mm Vented Rear Rotors	Vented	Rotor	329.8 mm	49.5 mm	5 -112 mm	BR900684
04-95		Solid	Rotor	245 mm	63.9 mm	5 -112 mm	BR34023

A6 QUATTRO

FRONT

11-05	w/ 347mm Dia. Front Rotors	Vented	Rotor	347 mm	60.17 mm	5 -112 mm	BR900682
	w/ 321mm Dia. Front Rotors	Vented	Rotor	321 mm	59.93 mm	5 -112 mm	BR900678
04-02	2.7L TURBO; Single Piston Front Caliper	Vented	Rotor	319.8 mm	46.71 mm	5 -112 mm	BR900686
	3.0L	Vented	Rotor	312 mm	46.3 mm	5 -112 mm	BR34215
	2.7L TURBO; Dual Piston Front Caliper	Vented	Rotor	320 mm	52.4 mm	5 -112 mm	BR34229
04-00	4.2L	Vented	Rotor	320 mm	52.4 mm	5 -112 mm	BR34229
01-6 /99	w/ 16 Inch Wheels; 2.8L; From 6/99	Vented	Rotor	312 mm	46.3 mm	5 -112 mm	BR34215
	2.7L; Turbo; From 6/99	Vented	Rotor	319.8 mm	46.71 mm	5 -112 mm	BR900686
	w/ 15 Inch Wheels; 2.8L; From 6/99	Vented	Rotor	288 mm	46.4 mm	5 -112 mm	BR34055
6 /99-98	w/ 15 Inch Wheels; To 6/99	Vented	Rotor	288 mm	46.4 mm	5 -112 mm	BR34055
	w/ 16 Inch Wheels; To 6/99	Vented	Rotor	312 mm	46.3 mm	5 -112 mm	BR34215
97-95		Vented	Rotor	288 mm	46.4 mm	5 -112 mm	BR34055

REAR

11-05	w/ 330mm Dia. Rear Rotors	Vented	Rotor	329.8 mm	49.5 mm	5 -112 mm	BR900684
	w/ 302mm Dia. Rear Rotors	Solid	Rotor	301.65 mm	49.64 mm	5 -112 mm	BR900680
04-02	w/ 255mm Dia.; Exc. Avant	Solid	Rotor	255 mm	48 mm	5 -112 mm	BR34182
04-00	4.2L	Vented	Rotor	269 mm	54 mm	5 -112 mm	BR34275
04-98	Avant	Solid	Rotor	255 mm	53.7 mm	5 -112 mm	BR34176
01-98	w/ 15 Inch Wheel; 245mm Dia. Rotor	Solid	Rotor	245 mm	53.8 mm	5 -112 mm	BR34181
	w/ 16 Inch Wheel; 255mm Dia. Rotor	Solid	Rotor	255 mm	48 mm	5 -112 mm	BR34182
97-95		Solid	Rotor	245 mm	63.9 mm	5 -112 mm	BR34023

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

AUDI

A7 QUATTRO

REAR

2012	300mm Rotor	Solid	Rotor	300 mm	36.7 mm	5 -112 mm	BR900808
------	-------------	-------	-------	--------	---------	-----------	----------

A8

FRONT

8 /99-97	To 8/99	Vented	Rotor	312 mm	46.3 mm	5 -112 mm	BR34215
----------	---------	--------	-------	--------	---------	-----------	---------

A8 QUATTRO

FRONT

8 /99-97	To 8/99; To Chassis 4D-Y-005 000	Vented	Rotor	312 mm	46.3 mm	5 -112 mm	BR34215
----------	----------------------------------	--------	-------	--------	---------	-----------	---------

REAR

04-01	w/ Rear 280mm Rotors	Vented	Rotor	280 mm	46.4 mm	5 -112 mm	BR34257
03-8 /99	To Chassis # 4D-3-004-999; 269mm Rotor; From 8/99	Vented	Rotor	269 mm	46.4 mm	5 -112 mm	BR34261

ALLROAD QUATTRO

FRONT

2013		Vented	Rotor	320 mm	52.6 mm	5 -112 mm	BR901126
05-01	Except 04-05 V8	Vented	Rotor	321 mm	46.2 mm	5 -112 mm	BR34204

REAR

2013		Solid	Rotor	300 mm	36.7 mm	5 -112 mm	BR900808
05-01	Except 04-05 V8	Solid	Rotor	255 mm	48 mm	5 -112 mm	BR34182

CABRIOLET

FRONT

98-94		Vented	Rotor	276 mm	56.3 mm	4 -108 mm	BR34001
-------	--	--------	-------	--------	---------	-----------	---------

REAR

98-94		Solid	Rotor	245 mm	59.33 mm	4 -108 mm	BR3435
-------	--	-------	-------	--------	----------	-----------	--------

COUPE

FRONT

87-86		Vented	Rotor	256 mm	41.7 mm	4 -108 mm	BR3400
1983		Vented	Rotor	239 mm	38.6 mm	4 -100 mm	BR3460
82-81		Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416

REAR

83-81		Hub/ Bearing	Drum	240 mm	82 mm	4 -100 mm	BD3814
-------	--	-----------------	------	--------	-------	-----------	--------

COUPE QUATTRO

FRONT

91-90		Vented	Rotor	276 mm	56.3 mm	4 -108 mm	BR34001
-------	--	--------	-------	--------	---------	-----------	---------

REAR

91-90		Solid	Rotor	245 mm	39.8 mm	4 -108 mm	BR34035
-------	--	-------	-------	--------	---------	-----------	---------

FOX

FRONT

79-73		Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416
-------	--	-------	-------	--------	---------	-----------	--------

REAR

79-73		Hub/ Bearing	Drum	240 mm	82 mm	4 -100 mm	BD3814
-------	--	-----------------	------	--------	-------	-----------	--------

Q5

FRONT

12-6 /11	w/ 320mm Front Rotor; From 6/20/2011	Vented	Rotor	320 mm	52.6 mm	5 -112 mm	BR901126
11-09	w/ 345mm Front Rotor	Vented	Rotor	345 mm	52.4 mm	5 -112 mm	BR900802
6 /11-09	w/ 320mm Front Rotor; To 6/20/2011	Vented	Rotor	320 mm	52.5 mm	5 -112 mm	BR900806

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
AUDI							
Q5				REAR			
12-09	w/ 300mm Rear Rotor	Solid	Rotor	300 mm	36.7 mm	5 -112 mm	BR900808
11-09	w/ 330mm Rear Rotor	Vented	Rotor	330 mm	36 mm	5 -112 mm	BR900804
Q7				FRONT LEFT			
13-07		Vented	Rotor	350 mm	69 mm	5 -130 mm	BR900474
				FRONT RIGHT			
13-07		Vented	Rotor	350 mm	69 mm	5 -130 mm	BR900476
				REAR			
13-07		Vented	Rotor	330 mm	74.8 mm	5 -130 mm	BR900478
QUATTRO				REAR			
85-83		Solid	Rotor	245 mm	59.1 mm	5 -112 mm	BR3433
S3 (MEXICO)				FRONT			
11-08		Vented	Rotor	345 mm	50 mm	5 -112 mm	BR900818
				REAR			
11-08		Vented	Rotor	310 mm	49 mm	5 -112 mm	BR900820
S4				FRONT			
12-10	w/ 345 mm Front Rotor	Vented	Rotor	345 mm	52.4 mm	5 -112 mm	BR900802
09-04		Vented	Rotor	345 mm	47.3 mm	5 -112 mm	BR900606
02-00		Vented	Rotor	319.8 mm	46.71 mm	5 -112 mm	BR900686
94-92		Vented	Rotor	276 mm	59.5 mm	5 -112 mm	BR34066
				REAR			
11-10	w/ 330 mm Rear Rotor	Vented	Rotor	330 mm	36 mm	5 -112 mm	BR900804
	w/ 300 mm Rear Rotor	Solid	Rotor	300 mm	36.7 mm	5 -112 mm	BR900808
09-04		Vented	Rotor	300 mm	36.3 mm	5 -112 mm	BR900810
02-00		Vented	Rotor	256 mm	47.8 mm	5 -112 mm	BR34218
94-92		Vented	Rotor	268 mm	59.2 mm	5 -112 mm	BR34025
S5				FRONT			
11-08		Vented	Rotor	345 mm	52.4 mm	5 -112 mm	BR900802
				REAR			
11-08	w/ 330mm Rear Rotor	Vented	Rotor	330 mm	36 mm	5 -112 mm	BR900804
	w/ 300mm Rear Rotor	Solid	Rotor	300 mm	36.7 mm	5 -112 mm	BR900808
S6				FRONT			
2011		Vented	Rotor	347 mm	60.17 mm	5 -112 mm	BR900682
03-02		Vented	Rotor	288 mm	46.4 mm	5 -112 mm	BR34055
97-95		Vented	Rotor	276 mm	59.5 mm	5 -112 mm	BR34066
				REAR			
03-02		Vented	Rotor	269 mm	54 mm	5 -112 mm	BR34275
97-95		Vented	Rotor	268 mm	59.2 mm	5 -112 mm	BR34025
S8				REAR			
03-01		Vented	Rotor	280 mm	46.4 mm	5 -112 mm	BR34257

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

AUDI

TT

FRONT

10-07		Vented	Rotor	312 mm	49.8 mm	5 -112 mm	BR900468
06-00		Vented	Rotor	312 mm	34.2 mm	5 -100 mm	BR34193

REAR

10-07	w/ 285mm Rear Solid Rotor	Solid	Rotor	286 mm	59 mm	5 -112 mm	BR900816
06-00		Solid	Rotor	232 mm	39.5 mm	5 -100 mm	BR34144

TT QUATTRO

FRONT

13-09	w/ 312mm Front Rotor	Vented	Rotor	312 mm	49.8 mm	5 -112 mm	BR900468
12-08	w/ 340mm Front Rotor	Vented	Rotor	340 mm	50.1 mm	5 -112 mm	BR900812
06-00	1.8L	Vented	Rotor	312 mm	34.2 mm	5 -100 mm	BR34193

REAR

13-08	w/ 310mm Rear Rotor	Vented	Rotor	310 mm	59 mm	5 -112 mm	BR900814
	w/ 285mm Rear Solid Rotor	Solid	Rotor	286 mm	59 mm	5 -112 mm	BR900816
06-00	w/ Solid Rear Rotors	Solid	Rotor	239 mm	33.4 mm	5 -100 mm	BR34221
	w/ Vented Rear Rotors	Vented	Rotor	256 mm	36.3 mm	5 -100 mm	BR34222

V8 QUATTRO

FRONT

94-90	Girling Front Calipers	Vented	Rotor	276 mm	59.5 mm	5 -112 mm	BR34066
-------	------------------------	--------	-------	--------	---------	-----------	---------

REAR

94-90	ATE Front Calipers & Girling Front Calipers	Vented	Rotor	268 mm	59.2 mm	5 -112 mm	BR34025
-------	---	--------	-------	--------	---------	-----------	---------

BERTONE

X-1/9

FRONT

89-84		Solid	Rotor	227 mm	45.7 mm	4 -98 mm	BR3422
-------	--	-------	-------	--------	---------	----------	--------

REAR

89-84		Solid	Rotor	227 mm	45.7 mm	4 -98 mm	BR3422
-------	--	-------	-------	--------	---------	----------	--------

BLUEBIRD BUS

TC2000

FRONT

04-90	2 Piston Caliper, 6 Hole, Hat Shaped	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606
	2 Piston Caliper, 5 Hole, Hat Shaped	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
	w/ 4 Piston Caliper, Hat Shaped	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906

REAR

04-90	w/ 4 Piston Caliper, Hat Shaped	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
	2 Piston Caliper, 6 Hole, Hat Shaped	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606

BMW

120I (MEXICO)

FRONT

10-05	3 Door	Vented	Rotor	299.8 mm	73.3 mm	5 -120 mm	BR900602
	Coupe & Convertible	Vented	Rotor	299.8 mm	73.3 mm	5 -120 mm	BR900602

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
BMW							
125I (MEXICO)				FRONT			
10-09		Vented	Rotor	299.8 mm	73.3 mm	5 -120 mm	BR900602
				REAR			
10-09		Vented	Rotor	300 mm	76.5 mm	5 -120 mm	BR900776
128I				FRONT			
13-08		Vented	Rotor	299.8 mm	73.3 mm	5 -120 mm	BR900602
				REAR			
13-08		Vented	Rotor	300 mm	76.5 mm	5 -120 mm	BR900776
130I (MEXICO)				FRONT			
10-06		Vented	Rotor	329.7 mm	72.6 mm	5 -120 mm	BR900666
				REAR			
10-06		Vented	Rotor	299.8 mm	66.7 mm	5 -120 mm	BR900774
135I				FRONT			
13-08	w/ Performance Package; Crossdrilled & Slotted; Can be used on vehicles w/o Performance Package; Includes Aluminum Carrier Hat	Vented	Rotor	337 mm	73 mm	5 -120 mm	BR900986
	w/o Performance Package; Includes Aluminum Carrier Hat	Vented	Rotor	337 mm	73 mm	5 -120 mm	BR900724
				REAR			
13-08	w/o Performance Package; Includes Aluminum Carrier Hat	Vented	Rotor	323 mm	77 mm	5 -120 mm	BR900726
	w/ Performance Package: Dimpled & Slotted	Vented	Rotor	323 mm	77 mm	5 -120 mm	BR900988
2.8 BAVARIA				REAR			
1971		Solid	Rotor	272 mm	61.6 mm	5 -120 mm	BR3403
2500				REAR			
71-68		Solid	Rotor	272 mm	61.6 mm	5 -120 mm	BR3403
2800				REAR			
74-68		Solid	Rotor	272 mm	61.6 mm	5 -120 mm	BR3403
3.0S				REAR			
74-71		Solid	Rotor	272 mm	61.6 mm	5 -120 mm	BR3403
3.0SI				REAR			
76-75		Solid	Rotor	272 mm	61.6 mm	5 -120 mm	BR3403
1971		Solid	Rotor	272 mm	61.6 mm	5 -120 mm	BR3403
318I				FRONT			
98-92	E36	Vented	Rotor	286 mm	51.7 mm	5 -120 mm	BR34064
1991	E30	Vented	Rotor	260 mm	35.2 mm	4 -100 mm	BR3469
85-84		Solid	Rotor	260 mm	35.1 mm	4 -100 mm	BR3471
				REAR			
98-92	E36	Solid	Rotor	280 mm	60.1 mm	5 -120 mm	BR34007
1991	E30	Solid	Rotor	258 mm	60 mm	4 -100 mm	BR3480

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

BMW

318IC

FRONT

97-92	E36	Vented	Rotor	286 mm	51.7 mm	5 -120 mm	BR34064
1991	E30	Vented	Rotor	260 mm	35.2 mm	4 -100 mm	BR3469

REAR

97-92	E36	Solid	Rotor	280 mm	60.1 mm	5 -120 mm	BR34007
1991	E30	Solid	Rotor	258 mm	60 mm	4 -100 mm	BR3480

318IS

FRONT

97-92	E36	Vented	Rotor	286 mm	51.7 mm	5 -120 mm	BR34064
1991	E30	Vented	Rotor	260 mm	35.2 mm	4 -100 mm	BR3469

REAR

97-92	E36	Solid	Rotor	280 mm	60.1 mm	5 -120 mm	BR34007
1991	E30	Solid	Rotor	258 mm	60 mm	4 -100 mm	BR3480

318TI

FRONT

99-95		Solid	Rotor	286 mm	51.7 mm	5 -120 mm	BR34120
-------	--	-------	-------	--------	---------	-----------	---------

REAR

99-95		Solid	Rotor	272 mm	78.1 mm	5 -120 mm	BR34130
-------	--	-------	-------	--------	---------	-----------	---------

320I

FRONT

06-01		Vented	Rotor	286 mm	51.7 mm	5 -120 mm	BR34064
83-77		Solid	Rotor	255 mm	68.11 mm	4 -100 mm	BR3470

REAR

06-01		Vented	Rotor	276 mm	60 mm	5 -120 mm	BR34228
83-77		Floating	Drum	285 mm	62.5 mm	4 -100 mm	BD3822

323I

FRONT

2000	Touring	Vented	Rotor	300 mm	51.5 mm	5 -120 mm	BR34173
	Exc. Touring (Wagon)	Vented	Rotor	286 mm	51.7 mm	5 -120 mm	BR34064
99-98		Vented	Rotor	286 mm	51.7 mm	5 -120 mm	BR34064

REAR

2000	Touring	Vented	Rotor	294 mm	59.7 mm	5 -120 mm	BR34220
	Convertible , Coupe , Sedan & Hatchback	Vented	Rotor	276 mm	60 mm	5 -120 mm	BR34228
99-98	Convertible	Vented	Rotor	276 mm	60 mm	5 -120 mm	BR34228
	Coupe , Sedan & Hatchback	Solid	Rotor	280 mm	60.1 mm	5 -120 mm	BR34007

325

FRONT

88-87		Vented	Rotor	260 mm	35.2 mm	4 -100 mm	BR3469
-------	--	--------	-------	--------	---------	-----------	--------

REAR

88-87		Solid	Rotor	258 mm	60 mm	4 -100 mm	BR3480
-------	--	-------	-------	--------	-------	-----------	--------

325CI

FRONT

06-01		Vented	Rotor	300 mm	51.5 mm	5 -120 mm	BR34173
-------	--	--------	-------	--------	---------	-----------	---------

REAR

06-01		Vented	Rotor	294 mm	59.7 mm	5 -120 mm	BR34220
-------	--	--------	-------	--------	---------	-----------	---------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
BMW							
325E							
FRONT							
87-84		Vented	Rotor	260 mm	35.2 mm	4 -100 mm	BR3469
REAR							
87-84		Solid	Rotor	258 mm	60 mm	4 -100 mm	BR3480
325I							
FRONT							
2006		Vented	Rotor	299.8 mm	73.3 mm	5 -120 mm	BR900602
05-01		Vented	Rotor	300 mm	51.5 mm	5 -120 mm	BR34173
93-92		Vented	Rotor	286 mm	51.7 mm	5 -120 mm	BR34064
91-90	E36	Vented	Rotor	286 mm	51.7 mm	5 -120 mm	BR34064
90-87	E30	Vented	Rotor	260 mm	35.2 mm	4 -100 mm	BR3469
REAR							
05-01		Vented	Rotor	294 mm	59.7 mm	5 -120 mm	BR34220
93-92		Solid	Rotor	280 mm	60.1 mm	5 -120 mm	BR34172
91-90	E36	Solid	Rotor	280 mm	60.1 mm	5 -120 mm	BR34007
90-87	E30	Solid	Rotor	258 mm	60 mm	4 -100 mm	BR3480
325IS							
FRONT							
91-90	E36	Vented	Rotor	286 mm	51.7 mm	5 -120 mm	BR34064
90-89	E30	Vented	Rotor	260 mm	35.2 mm	4 -100 mm	BR3469
88-87		Vented	Rotor	260 mm	35.2 mm	4 -100 mm	BR3469
REAR							
91-90	E36	Solid	Rotor	280 mm	60.1 mm	5 -120 mm	BR34007
90-89	E30	Solid	Rotor	258 mm	60 mm	4 -100 mm	BR3480
88-87		Solid	Rotor	258 mm	60 mm	4 -100 mm	BR3480
325IX							
FRONT							
91-88		Vented	Rotor	260 mm	35.2 mm	4 -100 mm	BR3469
325XI & XDRIVE							
FRONT							
2006		Vented	Rotor	299.8 mm	73.3 mm	5 -120 mm	BR900602
05-01	Exc. SPORT WAGON	Vented	Rotor	300 mm	51.5 mm	5 -120 mm	BR34173
REAR							
2006		Vented	Rotor	299.8 mm	66.7 mm	5 -120 mm	BR900774
05-01		Vented	Rotor	294 mm	60.8 mm	5 -120 mm	BR900778
328 XI & XDRIVE							
FRONT							
13-9 /07	w/ 312mm Front Rotors; From 9/07	Vented	Rotor	312 mm	74 mm	5 -112 mm	BR900780
2009	XDRIVE w/ 348mm Front Rotor	Vented	Rotor	348 mm	74 mm	5 -120 mm	BR900728
9 /07-07	To 9/07	Vented	Rotor	299.8 mm	73.3 mm	5 -120 mm	BR900602
REAR							
13-07	w/ 300 mm Rear Rotor	Vented	Rotor	299.8 mm	66.7 mm	5 -120 mm	BR900774
2009	w/ 336 mm Rear Rotor	Vented	Rotor	336 mm	66.8 mm	5 -120 mm	BR900604

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

BMW

328I

FRONT

13-12	2.0L w/ Sport Package (348mm Rotor)	Vented	Rotor	348 mm	74 mm	5 -120 mm	BR900728
13-9 /07	From 9/07	Vented	Rotor	312 mm	74 mm	5 -112 mm	BR900780
9 /07-07	To 9/07	Vented	Rotor	299.8 mm	73.3 mm	5 -120 mm	BR900602
00-99		Vented	Rotor	300 mm	51.5 mm	5 -120 mm	BR34173
98-96		Vented	Rotor	286 mm	51.7 mm	5 -120 mm	BR34064

REAR

13-9 /07	Coupe & Sedan; From 9/07	Vented	Rotor	299.8 mm	65.4 mm	5 -120 mm	BR900662
	Convertible & Wagon; From 9/07	Vented	Rotor	299.8 mm	66.7 mm	5 -120 mm	BR900774
9 /07-07	To 9/07	Vented	Rotor	299.8 mm	65.4 mm	5 -120 mm	BR900662
00-99		Vented	Rotor	294 mm	59.7 mm	5 -120 mm	BR34220
98-96		Solid	Rotor	280 mm	60.1 mm	5 -120 mm	BR34007

328IC

FRONT

00-99		Vented	Rotor	300 mm	51.5 mm	5 -120 mm	BR34173
98-96		Vented	Rotor	286 mm	51.7 mm	5 -120 mm	BR34064

REAR

00-99		Vented	Rotor	294 mm	59.7 mm	5 -120 mm	BR34220
98-97		Vented	Rotor	276 mm	60 mm	5 -120 mm	BR34228
1996		Solid	Rotor	280 mm	60.1 mm	5 -120 mm	BR34007

328IS

FRONT

1999		Vented	Rotor	300 mm	51.5 mm	5 -120 mm	BR34173
98-96		Vented	Rotor	286 mm	51.7 mm	5 -120 mm	BR34064

REAR

1999		Vented	Rotor	294 mm	59.7 mm	5 -120 mm	BR34220
98-96		Solid	Rotor	280 mm	60.1 mm	5 -120 mm	BR34007

330CI

FRONT

06-01	E46	Vented	Rotor	325 mm	52.7 mm	5 -120 mm	BR34211
-------	-----	--------	-------	--------	---------	-----------	---------

REAR

06-01	E46	Vented	Rotor	320 mm	60.5 mm	5 -120 mm	BR34219
-------	-----	--------	-------	--------	---------	-----------	---------

330I

FRONT

2006		Vented	Rotor	329.7 mm	72.6 mm	5 -120 mm	BR900666
05-02	E46	Vented	Rotor	325 mm	52.7 mm	5 -120 mm	BR34211

REAR

2006	E90	Vented	Rotor	336 mm	66.8 mm	5 -120 mm	BR900604
05-02	E46	Vented	Rotor	320 mm	60.5 mm	5 -120 mm	BR34219

330XI & XDRIVE

FRONT

2006		Vented	Rotor	329.7 mm	72.6 mm	5 -120 mm	BR900666
05-01		Vented	Rotor	325 mm	52.7 mm	5 -120 mm	BR34211

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
BMW							
330XI & XDRIVE			REAR				
2006		Vented	Rotor	336 mm	66.8 mm	5 -120 mm	BR900604
05-01		Vented	Rotor	320 mm	60.5 mm	5 -120 mm	BR34219
335D, 335I , 335XI & XDRIVE			FRONT				
13-07		Vented	Rotor	348 mm	74 mm	5 -120 mm	BR900728
			REAR				
13-07		Vented	Rotor	336 mm	66.8 mm	5 -120 mm	BR900604
524TD			FRONT				
86-85		Vented	Rotor	284 mm	76.2 mm	5 -120 mm	BR3467
			REAR				
86-85		Solid	Rotor	284 mm	61.1 mm	5 -120 mm	BR3409
525I			FRONT				
07-10/06	From 10/06	Vented	Rotor	310 mm	77 mm	5 -120 mm	BR900732
9 /06-06	To 9/06	Vented	Rotor	323 mm	77 mm	5 -120 mm	BR900730
05-04	w/ Automatic Transmission	Vented	Rotor	323 mm	77 mm	5 -120 mm	BR900730
	w/ Standard Transmission	Vented	Rotor	310 mm	77 mm	5 -120 mm	BR900732
03-01		Vented	Rotor	296 mm	76 mm	5 -120 mm	BR34161
95-89		Vented	Rotor	302 mm	76.4 mm	5 -120 mm	BR3441
			REAR				
07-04		Vented	Rotor	320 mm	63 mm	5 -120 mm	BR900734
03-01		Vented	Rotor	298 mm	61 mm	5 -120 mm	BR34162
95-89		Vented	Rotor	300 mm	61.1 mm	5 -120 mm	BR34065
525IT			FRONT				
95-93		Vented	Rotor	302 mm	76.4 mm	5 -120 mm	BR3441
			REAR				
95-93		Vented	Rotor	300 mm	61.1 mm	5 -120 mm	BR34065
525XI & XDRIVE			FRONT				
07-06		Vented	Rotor	323 mm	77 mm	5 -120 mm	BR900730
			REAR				
07-06		Vented	Rotor	320 mm	86 mm	5 -120 mm	BR900736
528E			FRONT				
88-82		Vented	Rotor	284 mm	76.2 mm	5 -120 mm	BR3467
			REAR				
88-82		Solid	Rotor	284 mm	61.1 mm	5 -120 mm	BR3409
528I			FRONT				
13-11	Includes Aluminum Carrier Hat	Vented	Rotor	330 mm	66 mm	5 -120 mm	BR900982
2010		Vented	Rotor	323 mm	77 mm	5 -120 mm	BR900730
09-08		Vented	Rotor	323 mm	77 mm	5 -120 mm	BR900730
00-97		Vented	Rotor	296 mm	76 mm	5 -120 mm	BR34161
			REAR				
13-11	Includes Aluminum Carrier Hat	Vented	Rotor	330 mm	69 mm	5 -120 mm	BR900984

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

BMW

528I

REAR

2010		Vented	Rotor	320 mm	86 mm	5 -120 mm	BR900736
09-08		Vented	Rotor	320 mm	63 mm	5 -120 mm	BR900734
00-97		Vented	Rotor	298 mm	61 mm	5 -120 mm	BR34162
81-79		Solid	Rotor	272 mm	61.6 mm	5 -120 mm	BR3403

528XI & XDRIVE

FRONT

13-12	Includes Aluminum Carrier Hat	Vented	Rotor	330 mm	66 mm	5 -120 mm	BR900982
10-08		Vented	Rotor	323 mm	77 mm	5 -120 mm	BR900730

REAR

13-12	Includes Aluminum Carrier Hat	Vented	Rotor	330 mm	69 mm	5 -120 mm	BR900984
10-08		Vented	Rotor	320 mm	86 mm	5 -120 mm	BR900736

530I

FRONT

07-04		Vented	Rotor	323 mm	77 mm	5 -120 mm	BR900730
03-01		Vented	Rotor	324 mm	73.8 mm	5 -120 mm	BR34214
95-94		Vented	Rotor	302 mm	76.4 mm	5 -120 mm	BR3441

REAR

07-04		Vented	Rotor	320 mm	63 mm	5 -120 mm	BR900734
03-01		Vented	Rotor	298 mm	61 mm	5 -120 mm	BR34162
95-94		Vented	Rotor	300 mm	61.1 mm	5 -120 mm	BR34065
78-75		Solid	Rotor	272 mm	61.6 mm	5 -120 mm	BR3403

530IT

FRONT

95-94		Vented	Rotor	302 mm	76.4 mm	5 -120 mm	BR3441
-------	--	--------	-------	--------	---------	-----------	--------

REAR

95-94		Vented	Rotor	300 mm	61.1 mm	5 -120 mm	BR34065
-------	--	--------	-------	--------	---------	-----------	---------

530XI & XDRIVE

FRONT

07-06		Vented	Rotor	323 mm	77 mm	5 -120 mm	BR900730
-------	--	--------	-------	--------	-------	-----------	----------

REAR

07-06		Vented	Rotor	320 mm	86 mm	5 -120 mm	BR900736
-------	--	--------	-------	--------	-------	-----------	----------

533I

FRONT

84-83		Vented	Rotor	284 mm	76.2 mm	5 -120 mm	BR3467
-------	--	--------	-------	--------	---------	-----------	--------

REAR

84-83		Solid	Rotor	284 mm	61.1 mm	5 -120 mm	BR3409
-------	--	-------	-------	--------	---------	-----------	--------

535I

FRONT

10-08		Vented	Rotor	347.8 mm	77.3 mm	5 -120 mm	BR900934
93-89		Vented	Rotor	302 mm	76.4 mm	5 -120 mm	BR3441
88-85		Vented	Rotor	282 mm	76.1 mm	5 -120 mm	BR3407

REAR

12-11	Includes Aluminum Carrier Hat	Vented	Rotor	330 mm	69 mm	5 -120 mm	BR900984
93-89		Vented	Rotor	300 mm	61.1 mm	5 -120 mm	BR34065
88-85		Solid	Rotor	284 mm	61.1 mm	5 -120 mm	BR3409

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
BMW							
535IS							
FRONT							
1988		Vented	Rotor	282 mm	76.1 mm	5 -120 mm	BR3407
REAR							
1988		Solid	Rotor	284 mm	61.1 mm	5 -120 mm	BR3409
535XI & XDRIVE							
FRONT							
10-08		Vented	Rotor	323 mm	77 mm	5 -120 mm	BR900730
REAR							
12-11	Includes Aluminum Carrier Hat	Vented	Rotor	330 mm	69 mm	5 -120 mm	BR900984
10-08		Vented	Rotor	320 mm	86 mm	5 -120 mm	BR900736
540I							
FRONT							
03-01		Vented	Rotor	324 mm	73.8 mm	5 -120 mm	BR34214
00-97		Vented	Rotor	324 mm	77.1 mm	5 -120 mm	BR34003
95-94		Vented	Rotor	302 mm	76.1 mm	5 -120 mm	BR3457
REAR							
03-97		Vented	Rotor	298 mm	61 mm	5 -120 mm	BR34162
540IT							
FRONT							
00-99		Vented	Rotor	324 mm	77.1 mm	5 -120 mm	BR34003
REAR							
00-99		Vented	Rotor	298 mm	61 mm	5 -120 mm	BR34162
545I							
FRONT							
06-04	Includes Aluminum Carrier Hat	Vented	Rotor	347.8 mm	77.3 mm	5 -120 mm	BR900934
550I							
FRONT							
10-07	Includes Aluminum Carrier Hat	Vented	Rotor	347.8 mm	77.3 mm	5 -120 mm	BR900934
633CSI							
FRONT							
84-82		Vented	Rotor	282 mm	76.1 mm	5 -120 mm	BR3407
REAR							
84-82		Solid	Rotor	284 mm	61.1 mm	5 -120 mm	BR3409
635CSI							
FRONT							
89-85		Vented	Rotor	282 mm	76.1 mm	5 -120 mm	BR3407
REAR							
89-85		Solid	Rotor	284 mm	61.1 mm	5 -120 mm	BR3409
645I							
FRONT							
05-04	Includes Aluminum Carrier Hat	Vented	Rotor	347.8 mm	77.3 mm	5 -120 mm	BR900934
650I							
FRONT							
10-06	Includes Aluminum Carrier Hat	Vented	Rotor	347.8 mm	77.3 mm	5 -120 mm	BR900934
730I							
FRONT							
93-92		Vented	Rotor	302 mm	76.4 mm	5 -120 mm	BR3441
REAR							
93-92		Solid	Rotor	300 mm	68.1 mm	5 -120 mm	BR34005
733I							
FRONT							
84-9 /82	From 9/82	Vented	Rotor	280 mm	78.1 mm	5 -120 mm	BR3411

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

BMW

735I

FRONT

92-87		Vented	Rotor	302 mm	76.1 mm	5 -120 mm	BR3457
86-85		Vented	Rotor	280 mm	78.1 mm	5 -120 mm	BR3411

REAR

92-87		Solid	Rotor	300 mm	68.1 mm	5 -120 mm	BR34005
86-85		Solid	Rotor	284 mm	68 mm	5 -120 mm	BR3413

735IL

FRONT

92-88		Vented	Rotor	302 mm	76.1 mm	5 -120 mm	BR3457
-------	--	--------	-------	--------	---------	-----------	--------

REAR

92-88		Solid	Rotor	300 mm	68.1 mm	5 -120 mm	BR34005
-------	--	-------	-------	--------	---------	-----------	---------

740I

FRONT

01-95		Vented	Rotor	324 mm	77.1 mm	5 -120 mm	BR34003
94-93		Vented	Rotor	302 mm	76.1 mm	5 -120 mm	BR3457

REAR

01-95		Solid	Rotor	324 mm	61.2 mm	5 -120 mm	BR34008
-------	--	-------	-------	--------	---------	-----------	---------

740IL

FRONT

01-95		Vented	Rotor	324 mm	77.1 mm	5 -120 mm	BR34003
94-93		Vented	Rotor	302 mm	76.1 mm	5 -120 mm	BR3457

REAR

01-94		Solid	Rotor	324 mm	61.2 mm	5 -120 mm	BR34008
-------	--	-------	-------	--------	---------	-----------	---------

745I , 745LI

FRONT

05-02		Vented	Rotor	348 mm	81.7 mm	5 -120 mm	BR34250
-------	--	--------	-------	--------	---------	-----------	---------

REAR

05-02		Vented	Rotor	345 mm	67 mm	5 -120 mm	BR34249
-------	--	--------	-------	--------	-------	-----------	---------

750IL

FRONT

08-06		Vented	Rotor	348 mm	81.7 mm	5 -120 mm	BR34250
94-88		Vented	Rotor	302 mm	76.1 mm	5 -120 mm	BR3457

760I, 760LI

FRONT

08-03		Vented	Rotor	348 mm	81.7 mm	5 -120 mm	BR34250
-------	--	--------	-------	--------	---------	-----------	---------

840CI

REAR

97-94		Solid	Rotor	324 mm	61.2 mm	5 -120 mm	BR34179
-------	--	-------	-------	--------	---------	-----------	---------

850CI

FRONT

1993		Vented	Rotor	324 mm	77.1 mm	5 -120 mm	BR34003
------	--	--------	-------	--------	---------	-----------	---------

REAR

97-93		Solid	Rotor	324 mm	61.2 mm	5 -120 mm	BR34008
-------	--	-------	-------	--------	---------	-----------	---------

850CSI

FRONT

95-94		Vented	Rotor	324 mm	77.1 mm	5 -120 mm	BR34003
-------	--	--------	-------	--------	---------	-----------	---------

REAR

95-94		Solid	Rotor	324 mm	61.2 mm	5 -120 mm	BR34008
-------	--	-------	-------	--------	---------	-----------	---------

850I

FRONT

92-91		Vented	Rotor	324 mm	77.1 mm	5 -120 mm	BR34003
-------	--	--------	-------	--------	---------	-----------	---------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
BMW							
850I			REAR				
92-91		Solid	Rotor	324 mm	61.2 mm	5 -120 mm	BR34008
ACTIVEHYBRID 5			REAR				
2012	Includes Aluminum Carrier Hat	Vented	Rotor	330 mm	69 mm	5 -120 mm	BR900984
BAVARIA			REAR				
74-72		Solid	Rotor	272 mm	61.6 mm	5 -120 mm	BR3403
L7			FRONT				
1987		Vented	Rotor	302 mm	76.1 mm	5 -120 mm	BR3457
1986		Vented	Rotor	280 mm	78.1 mm	5 -120 mm	BR3411
			REAR				
1987		Solid	Rotor	300 mm	68.1 mm	5 -120 mm	BR34005
M3			REAR LEFT				
99-95	Left	Vented	Rotor	312 mm	61.2 mm	5 -120 mm	BR34223
			REAR RIGHT				
99-95	Right	Vented	Rotor	312 mm	61.2 mm	5 -120 mm	BR34224
M5			REAR				
1988		Solid	Rotor	284 mm	61.1 mm	5 -120 mm	BR3409
M6			REAR				
88-87		Solid	Rotor	284 mm	61.1 mm	5 -120 mm	BR3409
X1			FRONT				
2012	2.8i; 348mm Front & 336mm Rear Rotor	Vented	Rotor	348 mm	74 mm	5 -120 mm	BR900728
12-10	1.8d & 2.0d; 312mm Front & 300mm Rear Rotor	Vented	Rotor	312 mm	74 mm	5 -112 mm	BR900780
11-10	xDrive28i; 336mm Front & 330mm Rear Rotor	Vented	Rotor	329.7 mm	72.6 mm	5 -120 mm	BR900666
			REAR				
2012	2.8i; 348mm Front & 336mm Rear Rotor	Vented	Rotor	336 mm	66.8 mm	5 -120 mm	BR900604
12-10	1.8d & 2.0d; 312mm Front & 300mm Rear Rotor	Vented	Rotor	299.8 mm	66.7 mm	5 -120 mm	BR900774
11-10	xDrive28i; 336mm Front & 330mm Rear Rotor	Vented	Rotor	336 mm	66.8 mm	5 -120 mm	BR900604
X3			FRONT				
12-11		Vented	Rotor	327 mm	73 mm	5 -120 mm	BR901050
10-04		Vented	Rotor	325 mm	62.3 mm	5 -120 mm	BR900556
			REAR				
12-11		Vented	Rotor	330 mm	71 mm	5 -120 mm	BR901052
10-04		Vented	Rotor	320 mm	79.6 mm	5 -120 mm	BR900558
X5			FRONT				
12-09	4.8i, 4.8 xDrive & xDrive 35d	Vented	Rotor	347.8 mm	62.1 mm	5 -104 mm	BR900702
12-07	3.0si & 3.0i AND 3.5i xDRIVE	Vented	Rotor	332 mm	62.5 mm	5 -120 mm	BR900936
08-07	4.8i	Vented	Rotor	347.8 mm	62.1 mm	5 -104 mm	BR900702

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

BMW

X5

FRONT

06-02	4.6is & 4.8is	Vented	Rotor	356 mm	62 mm	5 -120 mm	BR900738
06-00	3.0L & 4.4L	Vented	Rotor	332 mm	62.1 mm	5 -120 mm	BR34184

REAR

12-09	4.8i, 4.8 xDrive & xDrive 35d	Vented	Rotor	344.8 mm	78.8 mm	5 -120 mm	BR900940
12-07	3.0si & 3.0i AND 3.5i xDRIVE	Vented	Rotor	319.8 mm	78.8 mm	5 -120 mm	BR900938
08-07	4.8i	Vented	Rotor	344.8 mm	78.8 mm	5 -120 mm	BR900940
06-02	4.4i w/ Vented Rear Rotors & 4.8is	Vented	Rotor	324 mm	80 mm	5 -120 mm	BR900740
06-00	Solid Rear Rotors	Solid	Rotor	324 mm	80.1 mm	5 -120 mm	BR34180

X6

FRONT

12-11	3.5i xDRIVE	Vented	Rotor	332 mm	62.5 mm	5 -120 mm	BR900936
10-08	xDrive35i	Vented	Rotor	347.8 mm	62.1 mm	5 -104 mm	BR900702

REAR

12-10	3.5i xDRIVE	Vented	Rotor	319.8 mm	78.8 mm	5 -120 mm	BR900938
	Active Hybrid & 5.0xDrive	Vented	Rotor	344.8 mm	78.8 mm	5 -120 mm	BR900940

Z3

FRONT

02-01	3.0L	Vented	Rotor	300 mm	51.5 mm	5 -120 mm	BR34173
00-97	Exc. M , L6	Vented	Rotor	286 mm	51.7 mm	5 -120 mm	BR34064
98-96	ROADSTER; L4	Solid	Rotor	286 mm	51.7 mm	5 -120 mm	BR34120

REAR

02-96		Solid	Rotor	272 mm	83.2 mm	5 -120 mm	BR34122
-------	--	-------	-------	--------	---------	-----------	---------

Z4

FRONT

13-09	Exc. xDrive3.5is (330mm Front Rotor)	Vented	Rotor	330 mm	73 mm	5 -120 mm	BR901054
08-06	3.0si	Vented	Rotor	325 mm	52.7 mm	5 -120 mm	BR34211
08-03	3.0i	Vented	Rotor	300 mm	51.5 mm	5 -120 mm	BR34173
1 /06-03	2.5i; To 1/06	Vented	Rotor	286 mm	51.7 mm	5 -120 mm	BR34064

REAR

13-09	Exc.xDrive3.5is (300mm Rear Rotor)	Vented	Rotor	300 mm	54 mm	5 -120 mm	BR901056
08-03	294mm Rear Vented Rotor	Vented	Rotor	294 mm	75 mm	5 -120 mm	BR901042
1 /06-03	2.5i; To 1/06	Solid	Rotor	280 mm	75 mm	5 -120 mm	BR901038

BUICK

ALLURE- CANADA

FRONT

12-10	17" Wheels (12.6" Rotor)	Vented	Rotor	12.6"	2.02"	5 -4.75"	BR900748
	16" Wheels (11.65" Rotor)	Vented	Rotor	11.65"	2.02"	5 -4.75"	BR900914
09-08	Super	Vented	Rotor	12.75"	2.06"	5 -4.5"	BR900386
09-05	Exc. Super	Vented	Rotor	11.69"	2.06"	5 -4.5"	BR55087

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

BUICK

ALLURE- CANADA

REAR

12-10		Vented	Rotor	12.4 "	1.9 "	5 -4.75 "	BR900900
09-08	Super	Solid	Rotor	10.9"	2.0"	5 -4.5"	BR55125
09-05	Exc. Super	Solid	Rotor	10.63"	1.46"	5 -4.5"	BR55085

APOLLO

FRONT

1975		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
74-73	w/ Front Disc Brakes	Vented	Rotor	11"	4"	5 -4.75"	BR5514
	w/ Front Drum Brakes	Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799

REAR

1975		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
74-73		Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798

CENTURION

FRONT

73-71	Sedan & Wagon	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
-------	---------------	--------	-------	--------	-------	-------	--------

REAR

73-71	Sedan; w/ 12.95 Inch Drum Brakes	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
	Sedan; w/ 14 Inch Drum Brakes	Floating	Drum	14"	4.31"	5 -5"	BD8873

CENTURY

FRONT

05-97		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
96-93		Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
92-90	Coupe & Sedan	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
92-88	CUSTOM, ESTATE WAGON; Wagon; HD JA2	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
89-85	Light Duty JA1 (100mm Bolt Circle)	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
87-85	Medium & Heavy Duty JA2 & JA8 (115mm Bolt Circle)	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
1984	Exc. ESTATE WAGON; Coupe & Sedan; (100mm Bolt Circle, JA1 & JA8)	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
	Wagon, Coupe & Sedan; (115mm Bolt Circle, JA2)	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
1983	Heavy Duty JA2 (115mm Bolt Circle)	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
	Light & Medium Duty JA1 & JA8 (100mm Bolt Circle)	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
1982	9-3/4 Inch Dia.	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
	w/ Heavy Duty Brakes	Vented	Rotor	10.24"	1.97"	5 -3.94"	BR5561
81-79		Vented	Rotor	10.5"	4.31"	5 -4.75"	BR5549
1978		Vented	Rotor	10.5"	3.92"	5 -4.75"	BR5530
77-73		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
BUICK							
CENTURY				REAR			
05-04		Solid	Rotor	10.94"	1.98"	5 -4.65"	BR55039
03-93		Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
92-90	Coupe & Sedan; Finned	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
	Coupe & Sedan; Plain	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
92-88	Exc. SPECIAL; Wagon; HD JA2	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
89-88	ESTATE WAGON; Wagon; Medium Duty JA8	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
	Exc. ESTATE WAGON; Sedan; Medium & Heavy Duty JA2 & JA8 115mm Bolt Circle)	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
89-85	Light Duty JA1 (100mm Bolt Circle)	Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928
1987	Exc. LIMITED; Wagon; Medium & Heavy Duty JA2, JA3 & JA8 (115mm Bolt Circle)	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
	Exc. ESTATE WAGON; Coupe & Sedan; Medium & Heavy Duty JA2, JA3 & JA8 115mm Bolt Circle)	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
86-85	Exc. ESTATE WAGON; Coupe & Sedan; Medium & Heavy Duty JA2 & JA8 (115mm Bolt Circle)	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
	CUSTOM, ESTATE WAGON; Wagon; Medium & Heavy Duty JA2 & JA8 (115mm Bolt Circle)	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
1984	ESTATE WAGON; Wagon	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
	Exc. ESTATE WAGON; Coupe & Sedan; (100mm Bolt Circle, JA1 & JA8)	Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928
	Exc. ESTATE WAGON; Coupe & Sedan; (115mm Bolt Circle, JA2)	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
1983	Heavy Duty JA2 (115mm Bolt Circle)	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
	Light & Medium Duty JA1 & JA8 (100mm Bolt Circle)	Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928
1982		Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928
81-78		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
77-76	Sedan	Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
75-73	Wagon; w/ 12.76 Inch Drum Brakes	Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
	Sedan; w/ 11.81 Inch Drum Brakes	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

BUICK

ELECTRA

FRONT

90-86	Exc. Estate Wagon	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
87-86	Estate Wagon	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
85-78	RWD w/ 11.86 Inch Disc Brakes	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
	RWD w/ 11.01 Inch Disc Brakes	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5542
1977		Vented	Rotor	11.89"	4.65"	5 -5"	BR5524
76-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516

REAR

90-87	Exc. Estate Wagon	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
1987	Estate Wagon	Floating	Drum	14"	4.31"	5 -5"	BD8873
86-77	Exc. Estate Wagon; 14 Inch Drum Brakes	Floating	Drum	14"	4.31"	5 -5"	BD8873
	Exc. Estate Wagon; 12.95 Inch Drum Brakes	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
85-80	Estate Wagon; 14 Inch Drum Brakes	Floating	Drum	14"	4.31"	5 -5"	BD8873
85-77	RWD w/ 11.81 Inch Drum Brakes	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
79-77	w/ Rear Disc Brakes	Vented	Rotor	11.16"	2.2"	5 -5"	BR5529
76-71	Sedan; w/ 12.95 Inch Drum Brakes	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
	Sedan; w/ 14 Inch Drum Brakes	Floating	Drum	14"	4.31"	5 -5"	BD8873

ENCLAVE

FRONT

13-08		Vented	Rotor	12.8"	2.25"	6 -5.25"	BR900322
-------	--	--------	-------	-------	-------	----------	----------

REAR

13-08		Vented	Rotor	13"	2.12"	6 -5.25"	BR900378
-------	--	--------	-------	-----	-------	----------	----------

ESTATE WAGON

FRONT

89-87		Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
83-79	9 1/2 Inch Rear Drum Brake	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5542
83-78	12 Inch Front Rotor Brake	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
78-77	9 1/2 Inch Rear Drum Brake	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
1977	11 Inch Rear Drum Brake	Vented	Rotor	11.89"	4.65"	5 -5"	BR5524
76-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516

REAR

89-87		Floating	Drum	14"	4.31"	5 -5"	BD8873
83-77	11 Inch Rear Drum Brake; 23 lb.	Floating	Drum	14"	4.31"	5 -5"	BD8873
	11 Inch Rear Drum Brake; 17 lb.	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
	9 1/2 Inch Rear Drum Brake	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

GRAN SPORT

FRONT

1967	Front Drum Brakes; Composite	Floating	Drum	11.56"	3.5"	5 -4.75"	BD8718
	Front Disc Brakes; w/ 2 Piston Caliper	Vented	Rotor	11"	4"	5 -4.75"	BR5514

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

BUICK

GRAN SPORT

FRONT

66-65		Floating	Drum	11.56"	3.5"	5 -4.75"	BD8718
-------	--	----------	------	--------	------	----------	--------

REAR

67-65		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
-------	--	----------	------	--------	-------	----------	--------

LACROSSE

FRONT

13-12	17" Wheels (12.6" Rotor)	Vented	Rotor	12.6"	2.02"	5 -4.75"	BR900748
	16" Wheels (11.65" Rotor)	Vented	Rotor	11.65"	2.02"	5 -4.75"	BR900914
11-10		Vented	Rotor	12.6"	2.02"	5 -4.75"	BR900748
09-08	Exc. Super	Vented	Rotor	11.69"	2.06"	5 -4.5"	BR55087
	Super	Vented	Rotor	12.75"	2.06"	5 -4.5"	BR900386
07-05		Vented	Rotor	11.69"	2.06"	5 -4.5"	BR55087

REAR

2013	17" Wheels (12.4" Rotor)	Vented	Rotor	12.4 "	1.9 "	5 -4.75 "	BR900900
	16" Wheels (11.5" Rotor)	Solid	Rotor	11.5"	1.9"	5 -4.75"	BR900916
12-10		Vented	Rotor	12.4 "	1.9 "	5 -4.75 "	BR900900
09-08	Exc. Super	Solid	Rotor	10.63"	1.46"	5 -4.5"	BR55085
	Super	Solid	Rotor	10.9"	2.0"	5 -4.5"	BR55125
07-05		Solid	Rotor	10.63"	1.46"	5 -4.5"	BR55085

LESABRE

FRONT

2005	w/ 16 Inch Wheels; From Vin 59143076	Vented	Rotor	11.93"	2.0"	5 -4.65"	BR900312
05-00	w/ 16 Inch Wheels; to Vin 59143075	Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
	w/ 15 Inch Wheels	Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
99-98		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
97-92		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
91-86	FWD	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
90-88	Estate Wagon	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
86-79	RWD w/Std Brakes	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5542
86-78	RWD w/HD Brakes	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
78-77	Std Brakes	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
1977	HD Brakes	Vented	Rotor	11.89"	4.65"	5 -5"	BR5524
76-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516

REAR

05-00		Solid	Rotor	11.07"	1.52"	5 -4.53"	BR55065
99-86	FWD	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
90-88	Estate Wagon	Floating	Drum	14"	4.31"	5 -5"	BD8873
86-77	RWD w/ 11 Inch Rear Drum Brake; 23 lb.	Floating	Drum	14"	4.31"	5 -5"	BD8873
	RWD w/ 11 Inch Rear Drum Brake; 17 lb.	Floating	Drum	12.95"	3.32"	5 -5"	BD8870

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
BUICK							
LESABRE				REAR			
86-77	RWD w/9 Inch Rear Drum Brake	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
76-71	17 lb.	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
	23 lb.	Floating	Drum	14"	4.31"	5 -5"	BD8873
LUCERNE				FRONT			
2011	w/ 11.93" Front Rotor	Vented	Rotor	11.93"	1.97"	5 -4.5"	BR55126
	w/ 12.75" Front Rotor	Vented	Rotor	12.75"	2.06"	5 -4.5"	BR900386
2010	CX	Vented	Rotor	12.75"	2.06"	5 -4.5"	BR900386
10-09	CXL & SUPER	Vented	Rotor	12.75"	2.06"	5 -4.5"	BR900386
2009	CX	Vented	Rotor	11.93"	1.97"	5 -4.5"	BR55126
08-06	CX,CXL-3.8 L V6	Vented	Rotor	11.93"	1.97"	5 -4.5"	BR55126
	CXL, CXS, SUPER 4.6L	Vented	Rotor	12.75"	2.06"	5 -4.5"	BR900386
				REAR			
2011		Solid	Rotor	11.48"	2.0"	5 -4.5"	BR900276
10-06		Solid	Rotor	11.48"	2.0"	5 -4.5"	BR900276
PARK AVENUE				FRONT			
05-03	Base Model	Vented	Rotor	11.93"	2.0"	5 -4.65"	BR900312
	Ultra Model	Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
02-97		Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
96-91		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
				REAR			
05-03	Ultra Model	Solid	Rotor	11.72"	1.53"	5 -4.65"	BR55051
	Base Model	Solid	Rotor	11.07"	1.52"	5 -4.53"	BR5599
02-00		Solid	Rotor	11.07"	1.52"	5 -4.53"	BR55065
99-97		Solid	Rotor	11.07"	1.52"	5 -4.53"	BR5599
96-91		Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
RAINIER				FRONT			
07-06	4.2L	Vented	Rotor	11.9	2.17	6 -5"	BR55112
	5.3L	Vented	Rotor	12.8"	2.14"	6 -5"	BR55079
05-04	4.2L	Vented	Rotor	12.01"	2.15"	6 -5"	BR55069
	5.3L	Vented	Rotor	12.8"	2.14"	6 -5"	BR55079
				REAR			
07-04		Vented	Rotor	12.8"	3.35"	6 -5"	BR55073
REATTA				FRONT			
91-88		Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
				REAR			
91-88		Solid	Rotor	10.02"	1.51"	5 -4.5"	BR5559
REGAL				FRONT			
13-12	14" Rotor (Brembo Calipers)	Vented	Rotor	14"	2"	5 -4.75"	BR900762
13-11	12.6" Front Rotors	Vented	Rotor	12.6"	2.02"	5 -4.75"	BR900748

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

BUICK

REGAL

FRONT

13-11	11.65" Front Rotors	Vented	Rotor	11.65"	2.02"	5 -4.75"	BR900914
04-03		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
02-97		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
1996	Full Cast Replacement	Vented	Rotor	11.23"	1.52"	5 -4.5"	BR55013
1995	286mm Dia.; Full Cast Replacement	Vented	Rotor	11.23"	1.52"	5 -4.5"	BR55013
	267mm Dia.	Vented	Rotor	10.5"	1.44"	5 -4.5"	BR5566
94-88		Vented	Rotor	10.5"	1.44"	5 -4.5"	BR5566
87-82		Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
81-79		Vented	Rotor	10.5"	4.31"	5 -4.75"	BR5549
1978		Vented	Rotor	10.5"	3.92"	5 -4.75"	BR5530
77-73		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519

REAR

13-12	12.4" Rotor	Vented	Rotor	12.4 "	1.9 "	5 -4.75 "	BR900900
13-11	11.5" Rotor	Solid	Rotor	11.5"	1.9"	5 -4.75"	BR900916
04-03		Solid	Rotor	10.94"	1.98"	5 -4.65"	BR55039
02-97		Solid	Rotor	10.94"	1.98"	5 -4.65"	BR55039
96-94		Solid	Rotor	10.94"	1.1"	5 -4.5"	BR55018
93-88		Solid	Rotor	10.1"	1.12"	5 -4.5"	BR5567
87-78		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
77-76		Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
75-74	Sedan; w/ 11.81 Inch Rear Drum Brakes	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
74-73	w/ 12.76 Inch Rear Drum Brakes	Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828

RENDEZVOUS

FRONT

07-02	2WD	Vented	Rotor	10.83"	2.04"	5 -4.5"	BR55070
06-02	AWD	Vented	Rotor	11.81"	2.05"	5 -4.5"	BR55074

REAR

07-02		Solid	Rotor	11.42"	1.83"	5 -4.5"	BR55078
-------	--	-------	-------	--------	-------	---------	---------

RIVIERA

FRONT

99-97		Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
96-95		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
93-92		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
91-86		Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
85-79		Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
1978		Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
1977		Vented	Rotor	11.89"	4.65"	5 -5"	BR5524
76-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
BUICK							
RIVIERA				REAR			
99-95		Solid	Rotor	11.07"	1.52"	5 -4.53"	BR5599
93-92		Solid	Rotor	11.07"	1.52"	5 -4.53"	BR5599
91-86		Solid	Rotor	10.02"	1.51"	5 -4.5"	BR5559
85-79	Rear Disc Brake	Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
	Rear Drum Brake	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
1979	Exc. S	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
78-77	17 lb. / 3 1/4 Inch wide	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
	23 lb. / 4 Inch Wide	Floating	Drum	14"	4.31"	5 -5"	BD8873
		Vented	Rotor	11.16"	2.2"	5 -5"	BR5529
76-71	23 lb. / 4 Inch Wide	Floating	Drum	14"	4.31"	5 -5"	BD8873
	17 lb. / 3 1/4 Inch wide	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
ROADMASTER				FRONT			
96-91		Vented	Rotor	11.86"	4.62"	5 -5"	BR5577
				REAR			
96-91		Floating	Drum	14"	4.31"	5 -5"	BD8873
SKYHAWK				FRONT			
89-85		Vented	Rotor	9.69"	1.89"	5 -3.94"	BR5558
84-82		Vented	Rotor	9.72"	1.81"	5 -3.94"	BR5543
80-76		Vented	Rotor	9.74"	3.97"	4 -4"	BR5525
				REAR			
89-82		Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
SKYLARK				FRONT			
98-91		Vented	Rotor	10.2"	1.89"	5 -3.94"	BR5580
1990	Performance Pkg.	Vented	Rotor	10.2"	1.89"	5 -3.94"	BR5580
	Exc. Performance Pkg.	Vented	Rotor	9.69"	1.89"	5 -3.94"	BR5558
89-88		Vented	Rotor	9.69"	1.89"	5 -3.94"	BR5558
87-86		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
1985	Skylark X Body	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
84-80		Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
1979		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5542
78-75		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
72-69		Vented	Rotor	11"	4"	5 -4.75"	BR5514
72-68	CUSTOM; Front Drum Brake	Floating	Drum	11.56"	3.5"	5 -4.75"	BD8718
72-64	Exc. CUSTOM	Floating	Drum	11.56"	3.5"	5 -4.75"	BD8718
1968	CUSTOM; Front Disc Brake; w/ 2 Piston Cal.	Vented	Rotor	11"	4"	5 -4.75"	BR5514
68-67	Exc. CUSTOM; w/ 2 Piston Cal.	Vented	Rotor	11"	4"	5 -4.75"	BR5514

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

BUICK

SKYLARK

REAR

98-88		Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
87-86		Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
1985	Skylark X Body	Floating	Drum	9.84"	2.87"	5 -3.94"	BD8921
84-82		Floating	Drum	9.84"	2.87"	5 -3.94"	BD8921
81-80	Finned	Floating	Drum	9.84"	2.87"	5 -3.94"	BD8921
	Plain	Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
79-76		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
1975		Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798
72-64		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

SOMERSET

FRONT

1987	LIMITED; 9.69" Drum	Vented	Rotor	9.69"	1.89"	5 -3.94"	BR5558
	Exc. LIMITED; 10.87" Drum	Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
1986		Vented	Rotor	9.69"	1.89"	5 -3.94"	BR5558
1985	Somerset Regal N Body	Vented	Rotor	9.69"	1.89"	5 -3.94"	BR5558

REAR

1987	LIMITED; 9.69" Drum	Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
	Exc. LIMITED; 10.87" Drum	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
1986		Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
1985	Somerset Regal N Body	Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898

SPECIAL

FRONT

1969	Front Disc Brake	Vented	Rotor	11"	4"	5 -4.75"	BR5514
69-67	Front Drum Brake; Replacement For OE Iron Drum (3 1/2 Inch High)	Floating	Drum	11.56"	3.5"	5 -4.75"	BD8718
68-67	Front Disc Brake; w/ 2 Piston Cal.	Vented	Rotor	11"	4"	5 -4.75"	BR5514
66-64	Replacement For OE Iron Drum (3 1/2 Inch High)	Floating	Drum	11.56"	3.5"	5 -4.75"	BD8718

REAR

69-64		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
-------	--	----------	------	--------	-------	----------	--------

SPORTWAGON

FRONT

72-69	Front Drum Brake; Replacement For OE Iron Drum (3 1/2 Inch High)	Floating	Drum	11.56"	3.5"	5 -4.75"	BD8718
	Front Disc Brake	Vented	Rotor	11"	4"	5 -4.75"	BR5514
1967	Front Drum Brake; Replacement For OE Iron Drum (3 1/2 Inch High)	Floating	Drum	11.56"	3.5"	5 -4.75"	BD8718
66-65	Replacement For OE Iron Drum (3 1/2 Inch High)	Floating	Drum	11.56"	3.5"	5 -4.75"	BD8718
1964	Exc. Estate Wagon; Replacement For OE Iron Drum (3 1/2 Inch High)	Floating	Drum	11.56"	3.5"	5 -4.75"	BD8718

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

BUICK

SPORTWAGON

REAR

72-70		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
1964	Exc. Estate Wagon	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

TERRAZA

FRONT

07-06		Vented	Rotor	11.69"	2.059"	6 -4.5"	BR55118
2005		Vented	Rotor	11.69"	2.06"	5 -4.5"	BR55087

REAR

07-06		Solid	Rotor	11.8"	1.41"	6 -4.5"	BR55119
2006	FWD Except Special Suspension	Solid	Rotor	11.8"	1.41"	6 -4.5"	BR55119
	AWD and FWD W/Special Suspension	Solid	Rotor	11.82"	1.28"	6 -4.5"	BR900302
2005	FWD Except Special Suspension	Solid	Rotor	11.8"	1.45"	5 -4.5"	BR900316
	AWD AND FWD w/ Special Suspension	Solid	Rotor	11.81"	1.25"	5 -4.5"	BR900370

VERANO

FRONT

2012	10.87" Rotor	Vented	Rotor	10.87	1.8	5 -4.25"	BR900920
------	--------------	--------	-------	-------	-----	----------	----------

REAR

2012	10.55" Rotor	Solid	Rotor	10.55	1.79	5 -4.25"	BR900922
------	--------------	-------	-------	-------	------	----------	----------

CADILLAC

ALLANTE

FRONT

1993		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
92-87		Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552

REAR

1993		Solid	Rotor	11.07"	1.52"	5 -4.53"	BR5599
92-87		Solid	Rotor	10.02"	1.51"	5 -4.5"	BR5559

BLS (MEXICO)

FRONT

09-07	2.0T ; 285mm Rotor	Vented	Rotor	285 mm	42.1 mm	5 -110 mm	BR900432
	2.8L ; 302mm Rotor	Vented	Rotor	302 mm	45.1 mm	5 -110 mm	BR34267

REAR

09-07	2.0T; 278mm Rotor	Solid	Rotor	278 mm	41.5 mm	5 -110 mm	BR34268
	2.8L ; 297mm Rotor	Vented	Rotor	292 mm	41.5 mm	5 -110 mm	BR900430

BROUGHAM

FRONT

92-91	w/ 2" Wide Rear Shoes	Vented	Rotor	11.86"	4.62"	5 -5"	BR5577
	w/ 2 3/4" Rear Shoes	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
1990	w/ 12" Rear Drum	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
	w/ 11" Rear Drum	Vented	Rotor	11.86"	4.65"	5 -5"	BR5579
89-87	w/ 4.88 Inch High Rotor (Limo)	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
	w/ 4.63 Inch High Rotor (Exc. Limo)	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546

REAR

92-91	w/ 2 3/4" Rear Shoes	Floating	Drum	13.35"	5.32"	5 -5"	BD80001
-------	----------------------	----------	------	--------	-------	-------	---------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CADILLAC

BROUGHAM

REAR

92-91	w/ 2" Wide Rear Shoes: 3.25" Tall	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
	w/ 2" Wide Rear Shoes: 4" Tall	Floating	Drum	14"	4.31"	5 -5"	BD8873
1990	w/ 11" Rear Drum	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
	w/ 12" Rear Drum	Floating	Drum	14.49"	5.05"	5 -5"	BD8504
89-87	w/ 12 Inch Rear Drums	Floating	Drum	14.49"	5.05"	5 -5"	BD8504
	w/ 11 Inch Rear Drums	Floating	Drum	12.95"	3.32"	5 -5"	BD8870

CALAIS

FRONT

76-72		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
68-67	w/ 14.49 Inch Front Drum Brakes	Floating	Drum	14.49"	5.05"	5 -5"	BD8504
66-65		Floating	Drum	14.49"	5.05"	5 -5"	BD8504

REAR

76-65		Floating	Drum	14.49"	5.05"	5 -5"	BD8504
-------	--	----------	------	--------	-------	-------	--------

CATERA

FRONT

01-97		Vented	Rotor	11.65"	2.3"	5 -110 mm	BR55041
-------	--	--------	-------	--------	------	-----------	---------

REAR

2001	Solid	Solid	Rotor	11.25"	2.7"	5 -110 mm	BR55042
	Vented	Vented	Rotor	11.2"	2.7"	5 -110 mm	BR55071
00-97		Solid	Rotor	11.25"	2.7"	5 -110 mm	BR55042

CIMARRON

FRONT

88-85		Vented	Rotor	9.69"	1.89"	5 -3.94"	BR5558
84-82		Vented	Rotor	9.72"	1.81"	5 -3.94"	BR5543

REAR

88-82		Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
-------	--	----------	------	-------	------	----------	--------

CONCOURS

FRONT

99-98	Rear Disc Brake; 11.92" Rotor	Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
	Rear Drum Brake; 11.66" Rotor	Vented	Rotor	11.66"	2.34"	6 -4.75"	BR55048
1997		Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
96-94		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014

REAR

99-98	Rear Disc Brake; 11.92" Rotor	Solid	Rotor	11.07"	1.52"	5 -4.53"	BR5599
97-94		Solid	Rotor	11.07"	1.52"	5 -4.53"	BR5599

CTS

FRONT

12-08	Exc. V; Exc.Heavy Duty Brakes	Vented	Rotor	12.44"	2.06"	5 -4.75"	BR900504
	Exc. V ; Heavy Duty Brakes	Vented	Rotor	13.62"	2.03"	5 -4.75"	BR900508
07-06	Exc. V; w/Sport Suspension Package	Vented	Rotor	12.72"	2.05"	5 -4.5"	BR55105
07-03	Exc. V; w/ Std Suspension Package	Vented	Rotor	11.93"	2.06"	5 -4.5"	BR55082
05-03	Exc. V; w/ Sport Suspension Package	Vented	Rotor	11.93"	2.05"	5 -4.5"	BR55096

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CADILLAC

CTS

REAR

12-08	Exc. V ; Heavy Duty Brakes w/ 18 Inch Wheels	Vented	Rotor	13.35"	1.9"	5 -4.75"	BR900510
	Std Duty Brakes & HD Brakes w/ 17 Inch Wheels	Vented	Rotor	12.4"	2.64"	5 -4.75"	BR900506
07-06	Exc. V; w/Sport Suspension Package	Vented	Rotor	12.9"	1.91"	5 -4.5"	BR900372
07-03	Exc V; w/ Standard Suspension Package	Vented	Rotor	11.7"	1.9"	5 -4.5"	BR55098

CTS-V

FRONT

12-09		Vented	Rotor	14.58 "	1.99"	5 -4.75"	BR900890
07-04		Vented	Rotor	13.95 "	1.96"	6 -4.5"	BR900554

REAR

12-09		Vented	Rotor	14.3"	1.88"	5 -4.75"	BR900746
07-04		Vented	Rotor	14.37 "	1.77"	6 -4.5"	BR900830

DEVILLE

FRONT

05-04	From Vin# 59143076	Vented	Rotor	11.93"	2.0"	5 -4.65"	BR900312
	To Vin# 59143075	Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
05-00	HD ; 8 Lug ; Superseded	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55056
	HD ; 8 Lug ; Re-order	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
03-00	Std.	Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
99-97	Heavy Duty Brakes (6 Lug)	Vented	Rotor	11.66"	2.34"	6 -4.75"	BR55048
	Std Brakes (5 Lug)	Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
96-94		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
93-91		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
1990	HD	Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
	Std.	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
89-85		Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
84-78		Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
1977		Vented	Rotor	11.89"	4.65"	5 -5"	BR5524
76-72		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
70-61	w/ Front Drum Brakes	Floating	Drum	14.49"	5.05"	5 -5"	BD8504

REAR

05-00	Std.	Solid	Rotor	11.72"	1.53"	5 -4.65"	BR55051
	HD ; 8 Lug	Vented	Rotor	12.8"	3.37"	8 -6.5"	BR55077
99-97	Std Brakes (5 Lug)	Solid	Rotor	11.07"	1.52"	5 -4.53"	BR5599
96-94		Solid	Rotor	11.07"	1.52"	5 -4.53"	BR5599
93-90	Std.	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
	HD	Floating	Drum	13.74"	4.22"	5 -4.5"	BD8982
89-85		Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CADILLAC

DEVILLE

REAR

84-77	w/ Rear Drum Brakes	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
76-59	w/ Rear Drum Brakes	Floating	Drum	14.49"	5.05"	5 -5"	BD8504

DTS

FRONT

11-06	Exc.Heavy Duty Brakes	Vented	Rotor	12.75"	2.06"	5 -4.5"	BR900386
	Hearse and Limo Heavy Duty Brakes; 8 Lug	Vented	Rotor	12.99"	3.3"	8 -6.5"	BR901022

REAR

11-06	Exc.Heavy Duty Brakes	Solid	Rotor	11.48"	2.0"	5 -4.5"	BR900276
	Hearse and Limo Heavy Duty Brakes; 8 Lug	Vented	Rotor	12.8"	3.37"	8 -6.5"	BR55077

ELDORADO

FRONT

02-97		Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
96-92		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
91-86		Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
85-79		Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
78-69		Vented	Rotor	11"	2.28"	5 -5"	BR5512
1967		Floating	Drum	12.6"	3.39"	5 -5"	BD8779

REAR

02-92		Solid	Rotor	11.07"	1.52"	5 -4.53"	BR5599
91-86		Solid	Rotor	10.02"	1.51"	5 -4.5"	BR5559
85-79		Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
78-76		Vented	Rotor	11"	2.28"	5 -5"	BR5512
75-67		Floating	Drum	12.6"	3.39"	5 -5"	BD8779

ESCALADE

FRONT

13-07		Vented	Rotor	12.99"	2.17"	6 -5.5"	BR55097
06-02		Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054
01-99		Vented	Rotor	11.61"	2.62"	6 -5.5"	BR5569

REAR

13-07		Vented	Rotor	13 9/16"	3 3/8"	6 -5.5"	BR55133
06-02		Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
01-99		Floating	Drum	13.62"	3.83"	6 -5.5"	BD8999

FLEETWOOD

FRONT

96-93	RWD; w/ 2 Inch Rear Shoe	Vented	Rotor	11.86"	4.62"	5 -5"	BR5577
92-91	FWD	Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
1990	FWD; Heavy Duty	Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
90-85	FWD; Standard	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
86-78	RWD w/Std Brakes	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
86-77	RWD w/ HD Brakes	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
1977	Std Brakes	Vented	Rotor	11.89"	4.65"	5 -5"	BR5524

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CADILLAC

FLEETWOOD

FRONT

76-73	Exc. 60 SPECIAL BROUGHAM	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
1972	60 SPECIAL, 75; Exc. Commercial Chassis	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
70-68	60 SPECIAL, 75, BROUGHAM	Floating	Drum	14.49"	5.05"	5 -5"	BD8504
70-67	Exc. 60 SPECIAL, 75, BROUGHAM; Front Drum Brake	Floating	Drum	14.49"	5.05"	5 -5"	BD8504
66-65		Floating	Drum	14.49"	5.05"	5 -5"	BD8504

REAR

96-94	ABS; w/ 2 Inch Rear Shoe	Floating	Drum	14"	4.31"	5 -5"	BD8873
1993	ABS; w/ 2 Inch Rear Shoe; 23 lb.	Floating	Drum	14"	4.31"	5 -5"	BD8873
	ABS; w/ 2 Inch Rear Shoe; 17 lb.	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
92-85	FWD Std.	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
86-77	RWD w/12 Inch Rear Drum Brake	Floating	Drum	14.49"	5.05"	5 -5"	BD8504
	RWD w/ 11 Inch Rear Drum Brake	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
76-65		Floating	Drum	14.49"	5.05"	5 -5"	BD8504

SERIES 60 FLEETWOOD

FRONT

64-59		Floating	Drum	14.49"	5.05"	5 -5"	BD8504
-------	--	----------	------	--------	-------	-------	--------

REAR

64-59		Floating	Drum	14.49"	5.05"	5 -5"	BD8504
-------	--	----------	------	--------	-------	-------	--------

SERIES 62

FRONT

64-61		Floating	Drum	14.49"	5.05"	5 -5"	BD8504
-------	--	----------	------	--------	-------	-------	--------

REAR

64-59		Floating	Drum	14.49"	5.05"	5 -5"	BD8504
-------	--	----------	------	--------	-------	-------	--------

SERIES 75 FLEETWOOD

FRONT

64-59		Floating	Drum	14.49"	5.05"	5 -5"	BD8504
-------	--	----------	------	--------	-------	-------	--------

REAR

64-59		Floating	Drum	14.49"	5.05"	5 -5"	BD8504
-------	--	----------	------	--------	-------	-------	--------

SEVILLE

FRONT

04-03		Vented	Rotor	11.93"	2.05"	5 -4.5"	BR55096
02-97		Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
96-92		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
91-86		Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
85-80		Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
79-78		Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
1977		Vented	Rotor	11.89"	4.65"	5 -5"	BR5524
1976		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519

REAR

04-98		Solid	Rotor	11.72"	1.53"	5 -4.65"	BR55051
97-92		Solid	Rotor	11.07"	1.52"	5 -4.53"	BR5599

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CADILLAC

SEVILLE

REAR

91-86		Solid	Rotor	10.02"	1.51"	5 -4.5"	BR5559
85-80		Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
79-77		Vented	Rotor	11.16"	2.2"	5 -5"	BR5529
1976		Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828

SRX

FRONT

13-10		Vented	Rotor	13.57"	2.03"	6 -4.75"	BR900840
09-04		Vented	Rotor	12.72"	2.05"	6 -4.5"	BR55102

REAR

13-10		Vented	Rotor	12.4"	1.9"	6 -4.75"	BR900842
09-04		Vented	Rotor	12.56"	1.96"	6 -4.5"	BR900374

STS

FRONT

11-09	Exc. V Model	Vented	Rotor	12.45 "	2.04"	5 -4.5"	BR900822
11-06	V Model & HD (J56) Brakes (Brembo Calipers)	Vented	Rotor	13.95 "	1.96"	6 -4.5"	BR900554
08-05	Exc.V; w/ Sport Suspension ; (JE5); 12.72" Rotor	Vented	Rotor	12.72"	2.05"	5 -4.5"	BR55105
	Exc. V; w/o Sport Suspension; (JL9); 11.93" Rotor	Vented	Rotor	11.93"	2.05"	5 -4.5"	BR55096

REAR

11-06	V Model & HD (J56) Brakes (Brembo Calipers)	Vented	Rotor	14.37 "	1.77"	6 -4.5"	BR900830
11-05	Exc. V; Exc Sport Suspension (JL9)	Vented	Rotor	11.7"	1.9"	5 -4.5"	BR55098
	JE5 Performance Brakes exc V Model	Vented	Rotor	12.9"	1.91"	5 -4.5"	BR900372

XLR

FRONT

09-06		Vented	Rotor	13.39"	1.8"	5 -4.75"	BR900970
09-05	Except XLR-V	Vented	Rotor	12.75"	1.83"	5 -4.5"	BR55101

FRONT LEFT

2004	Exc. V	Vented	Rotor	12.79"	1.79"	5 -4.75"	BR55043
------	--------	--------	-------	--------	-------	----------	---------

FRONT RIGHT

2004	Exc. V	Vented	Rotor	12.79"	1.79"	5 -4.75"	BR55044
------	--------	--------	-------	--------	-------	----------	---------

REAR

09-06		Vented	Rotor	13.0	1.95	5 -4.75"	BR900972
09-04	Exc. V Model (Non-Directional)	Vented	Rotor	12.02"	1.95"	5 -4.75"	BR900772

REAR LEFT

09-04	Exc. V	Vented	Rotor	12.01"	1.91"	5 -4.75"	BR55045
-------	--------	--------	-------	--------	-------	----------	---------

REAR RIGHT

09-04	Exc. V	Vented	Rotor	12.01"	1.91"	5 -4.75"	BR55046
-------	--------	--------	-------	--------	-------	----------	---------

XTS

FRONT

2013	HD Chassis -13" Rotor (6 Lug)	Vented	Rotor	12.99"	2.17"	6 -5.5"	BR55097
------	---------------------------------	--------	-------	--------	-------	---------	---------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CADILLAC

XTS

REAR

2013	Exc. HD Chassis - 12.4" Rotor (5 Lug)	Vented	Rotor	12.4 "	1.9 "	5 -4.75 "	BR900900
------	---	--------	-------	--------	-------	-----------	----------

CHECKER

MARATHON

FRONT

78-71	Exc. DELUXE	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
-------	-------------	--------	-------	--------	-------	-------	--------

REAR

78-72	Exc. DELUXE	Floating	Drum	14"	4.31"	5 -5"	BD8873
-------	-------------	----------	------	-----	-------	-------	--------

CHEVROLET

ASTRA (MEXICO)

FRONT

08-00	308mm Rotor ; 5 Lug	Vented	Rotor	308 mm	42.1 mm	5 -110 mm	BR34248
	264mm Rotor ; 5 Lug	Solid	Rotor	264 mm	42.2 mm	5 -110 mm	BR901064

REAR

08-00	286mm Rotor ; 5 Lug	Solid	Rotor	286 mm	69.2 mm	5 -110 mm	BR34126
-------	---------------------	-------	-------	--------	---------	-----------	---------

ASTRO

FRONT

05-03		Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054
02-96	2WD	Vented	Rotor	11.85"	4.64"	5 -5"	BR5578
02-90	4WD	Vented	Rotor	11.61"	3.31"	5 -5"	BR55015
95-90	2WD; 4 Whl. ABS	Vented	Rotor	11.85"	4.64"	5 -5"	BR5578
	2WD; Rear ABS	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
89-85		Vented	Rotor	11.86"	4.63"	5 -5"	BR5546

REAR

05-03		Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066
02-85		Floating	Drum	11.97"	3.16"	5 -5"	BD8949

AVALANCHE 1500

FRONT

13-07	6 Lug	Vented	Rotor	12.99"	2.17"	6 -5.5"	BR55097
06-02		Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054

REAR

13-07	6 Lug	Vented	Rotor	13 9/16"	3 3/8"	6 -5.5"	BR55133
06-03		Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
2002	w/ 2 Piston Rear Caliper	Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
	w/ 1 Piston Rear Caliper	Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066

AVALANCHE 2500

FRONT

09-03	8 Lug ; Re-Order	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
	8 Lug; Superseded	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55056
2002		Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054

REAR

09-08	8 Lug	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
2007	8 Lug	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
06-03		Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

AVALANCHE 2500

REAR

2002	4.84 Inch Center Hole	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
	4.63 Inch Center Hole	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057

AVEO

FRONT

12-04		Vented	Rotor	10.0"	1.61"	4 -100 mm	BR900314
-------	--	--------	-------	-------	-------	-----------	----------

REAR

12-07		Floating	Drum	230 mm	57.3 mm	4 -100 mm	BD920110
06-04	w/ ABS From VIN # 426447; 57mm overall Height; Floating Drum (non-bearing style)	Floating	Drum	230 mm	57.3 mm	4 -100 mm	BD920110

B6P042

FRONT

91-80	10 Hole w/Bendix Calipers	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	5 Hole w/ Dayton Calipers- 5.4 Inch Pilot Dia.	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
	6 Hole w/ Dayton Calipers- 5.4 Inch Pilot Dia.	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5588

REAR

91-80	6 Hole w/ Dayton Calipers- 5.4 Inch Pilot Dia.	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5588
	5 Hole w/ Dayton Calipers- 5.4 Inch Pilot Dia.	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
	Bendix Calipers- w/o Cast Flange	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583

B7T042

FRONT

02-93	10 Hole w/ Bendix Calipers w/o ABS	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	5 Hole w/ Bendix Calipers w/ ABS	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR901130
	5 Hole w/ Dayton Calipers	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584

REAR

02-93	5 Hole w/ Dayton Calipers	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
	5 Hole w/ Bendix Calipers w/ ABS	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR901130
	10 Hole w/ Bendix Calipers w/o ABS	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583

BEL AIR

FRONT

1981	11.86" Rotor	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
	11.01" Rotor	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5542
75-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
66-60	Exc. Heavy Duty Brake w/ Metallic Lining	Floating	Drum	12.72"	4.05"	5 -4.75"	BD8124
1959		Floating	Drum	12.72"	4.05"	5 -4.75"	BD8124
58-51		Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

BEL AIR

REAR

1981	9-1/2 Inch Rear Drum Brake	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
	11 Inch Rear Drum Brake; 17 lb.	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
	11 Inch Rear Drum Brake; 23 lb.	Floating	Drum	14"	4.31"	5 -5"	BD8873
75-74	Exc. Wagon & Sedan	Floating	Drum	14"	4.31"	5 -5"	BD8873
	Exc. Wagon & Sedan	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
73-71	Sedan; Exc. Police & Taxi	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
70-65		Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101
1967	Front Disc Brake; w/ 4 Piston Caliper & Single Piston Caliper	Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101
64-60	Exc. Heavy Duty Brake w/ Metallic Lining	Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101
59-51		Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101

BERETTA

FRONT

96-92		Vented	Rotor	10.2"	1.89"	5 -3.94"	BR5580
91-87		Vented	Rotor	9.69"	1.89"	5 -3.94"	BR5558

REAR

96-87		Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
-------	--	----------	------	-------	------	----------	--------

BISCAYNE

FRONT

72-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
66-60	Exc. Heavy Duty Brake w/ Metallic Lining	Floating	Drum	12.72"	4.05"	5 -4.75"	BD8124
1959		Floating	Drum	12.72"	4.05"	5 -4.75"	BD8124
1958		Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101

REAR

72-71	Sedan; Exc. Police & Taxi	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
70-58		Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101

BLAZER

FRONT

05-98		Vented	Rotor	10.76"	2.15"	5 -4.75"	BR55047
1997	4WD w/ Rear Disc Brakes	Vented	Rotor	10.76"	2.15"	5 -4.75"	BR55047
	2WD	Vented	Rotor	10.47"	4.31"	5 -4.75"	BR31254
97-95	w/ Rear Drum Brakes	Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
96-95	4wd	Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
	2WD	Vented	Rotor	10.47"	4.31"	5 -4.75"	BR31254
94-92		Vented	Rotor	11.61"	2.62"	6 -5.5"	BR5569
91-83	Hub & Rotor	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004
91-76	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
82-78	2WD	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
	4WD; Hub & Rotor	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004
1978	2WD; Hub & Rotor	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

BLAZER

FRONT

77-76	Hub & Rotor	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
1975	2WD; ROTOR ONLY	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
	4WD; 4.9 - 5.6M GVW; Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
73-71	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
	Hub & Rotor	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
70-69		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

REAR

05-98	2WD	Vented	Rotor	11.61"	2.87"	5 -4.75"	BR55049
	4WD	Vented	Rotor	11.61"	3.74"	5 -4.75"	BR55038
1997	Rear Disc Brake	Vented	Rotor	11.61"	3.74"	5 -4.75"	BR55038
97-95	w/ Rear Drum Brakes	Floating	Drum	11.97"	3.2"	5 -4.75"	BD8988
94-92		Floating	Drum	11.93"	3.66"	6 -5.5"	BD8973
91-87	4WD	Floating	Drum	13.35"	4"	6 -5.5"	BD8985
86-76	4WD	Floating	Drum	13.35"	4.0"	6 -5.5"	BD8846
82-76	2WD; 11 5/32 X 2/34 Inch BRAKES	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
75-74	11-5/32 Inch x 2-3/4 Inch Brakes	Floating	Drum	13.35"	4"	6 -5.5"	BD8985
	11 x 2 Inch Rear Drum Brake	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
73-71	2WD; 5 Lug	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
	4WD; 6 Lug	Floating	Drum	13.39"	3.58"	6 -5.5"	BD8821
70-69		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

BROOKWOOD

FRONT

72-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
-------	--	--------	-------	--------	-------	-------	--------

REAR

72-71	Sedan; Exc. Police & Taxi	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
70-69		Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101

C10 PICKUP

FRONT

86-85	w/ 2 Inch Shoe (JB1 & JB3)	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
	w/ 2-3/4 Inch Shoe (JB5 & JD5)	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
84-81	All w/ 2 3/4 Inch Rear Shoe	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
	Diesel Engine, w/ 2 Inch Rear Shoes	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
	Gas Engine, w/ 2 Inch Rear Shoes	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
80-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
68-61		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

REAR

86-85	w/ 2 Inch Shoe (JB1 & JB3)	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
	w/ 2-3/4 Inch Shoe (JB5 & JD5)	Floating	Drum	13.23"	3.87"	5 -5"	BD8874

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

C10 PICKUP

REAR

84-81	w/ 2-3/4 Inch Shoe (JB5 & JD5)	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
	w/ 2 Inch Rear Shoe	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
1980	2 Inch Rear Shoe (JB1, JB3 & JD3)	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
	2-3/4 Inch Shoe (JB5, JD5)	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
79-74	HD Opt. & GVW Over 6000 lb.	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
	4.9 - 5.6M GVW	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
1976	Heavy Duty Opt. & GVW Over 6000 lb.	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
73-71		Floating	Drum	13.35"	3.69"	5 -5"	BD8819
70-61		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

C10 SUBURBAN

FRONT

86-76		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
75-74	5400lb. GVW & 6000 to 7000lb. GVW	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
73-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
70-68	w/ 2 Inch Front Shoe	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

REAR

86-76		Floating	Drum	13.23"	3.87"	5 -5"	BD8874
75-74	6000 to 7000lb. GVW	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
	5400lb. GVW	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
73-71		Floating	Drum	13.35"	3.69"	5 -5"	BD8819
70-68		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

C1500 PICKUP

FRONT

99-95		Vented	Rotor	11.61"	4.51"	5 -5"	BR5595
94-92		Vented	Rotor	11.61"	4.51"	5 -5"	BR5594
91-90	Std. Cab HD Ch., Extended Cab; Performance Pkg. SS	Vented	Rotor	11.61"	4.51"	5 -5"	BR5594
	Std. Cab Std. Ch.; Exc. SS 454	Vented	Rotor	11.62"	4.18"	5 -5"	BR5570
91-88	Std. Cab Std. Ch.	Vented	Rotor	11.62"	4.18"	5 -5"	BR5570
89-88	Std. Cab HD Ch. & Extended Cab; w/ PB	Vented	Rotor	11.61"	4.51"	5 -5"	BR5594

REAR

99-88		Floating	Drum	11.89"	3.61"	5 -5"	BD8972
-------	--	----------	------	--------	-------	-------	--------

C1500 SUBURBAN

FRONT

1999	11 Inch Rear Drum Brake	Vented	Rotor	11.61"	4.51"	5 -5"	BR5595
99-94	13 Inch Rear Drum Brake	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
1998		Vented	Rotor	11.61"	4.51"	5 -5"	BR5595
97-94	11 Inch Rear Drum Brake	Vented	Rotor	11.61"	4.51"	5 -5"	BR5595
93-92		Vented	Rotor	11.61"	4.51"	5 -5"	BR5595

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

C1500 SUBURBAN

REAR

99-97	13 Inch Rear Drum Brake	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
99-94	11 Inch Rear Drum Brake	Floating	Drum	13.59"	3.83"	5 -5"	BD8998
96-94	13 Inch Rear Drum Brake; 4-5/8 Inch Hub Hole	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	13 Inch Rear Drum Brake; 4.82 Inch Hub Hole	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
93-92		Floating	Drum	13.59"	3.83"	5 -5"	BD8998

C20 PICKUP

FRONT

86-73		Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
72-71	Rear Coil Spring; w/ GM Rear Axle & Rear Leaf Spring; w/ Dana Rear Axle	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
70-69	Rear Coil Spring; w/ GM Rear Axle & Rear Leaf Spring; w/ Dana Rear Axle	Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739

REAR

86-85	11 Inch Rear Drum Brake; (JB6 & JD6)	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
	13 Inch Rear Drum Brake; (JB7 & JD7); 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	13 Inch Rear Drum Brake; (JB7 & JD7); 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
84-81	13 Inch Rear Drum Brake; (JB7 & JD7) 10 1/2 Inch Ring Gear	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	11 Inch Rear Drum Brake; (JB6 & JD6); 6-3/8 Inch Tall	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
80-74	13 Inch Rear Drum Brake; (JB7)	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	11 Inch Rear Drum Brake; (JB6)	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
1973	Crew Cab; HD	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	Exc. Crew Cab; Exc. HD	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
72-71	Rear Leaf Spring; w/ Dana Rear Axle	Floating	Drum	13.98"	5.33"	8 -6.5"	BD8911

C20 SUBURBAN

FRONT

86-73		Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
72-71	Rear Coil Spring; w/ GM Rear Axle & Rear w/ Leaf Springs; w/ Dana Rear Axle	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
70-69	Rear Coil Spring; w/ GM Rear Axle & Rear w/ Leaf Springs; w/ Dana Rear Axle	Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739
1968		Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

C20 SUBURBAN

REAR

86-85	13 Inch Rear Drum Brake; (JB7 & JD7); 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	11 Inch Rear Drum Brake	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
	13 Inch Rear Drum Brake; (JB7 & JD7); 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
84-81	13 Inch Rear Drum Brake; (JB7 & JD7)	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	11 Inch Rear Drum Brake; 6-3/8 Inch Tall	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
80-74	13 Inch Rear Drum Brake; 7500 - 8200lb. GVW (JB7)	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	11 Inch Rear Drum Brake	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
1973	Heavy Duty	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	Exc. Heavy Duty	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
72-71	Rear w/ Leaf Springs; w/ Dana Rear Axle	Floating	Drum	13.98"	5.33"	8 -6.5"	BD8911

C2500 PICKUP

FRONT

00-97	11 Inch Rear Drum Brake	Vented	Rotor	11.61"	4.5"	6 -5.5"	BR55026
	13 Inch Rear Drum Brake	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
97-95	8600 lb. GVW (JB7)	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
	7200 lb. GVW	Vented	Rotor	11.61"	4.5"	6 -5.5"	BR55026
94-89	8600 lb. GVW (JB7)	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5574
1992	7200 lb. GVW	Vented	Rotor	11.61"	4.51"	6 -5.5"	BR5596
92-89	7200 lb. GVW (JB5)	Vented	Rotor	11.61"	4.51"	6 -5.5"	BR5572
1988		Vented	Rotor	11.61"	4.51"	6 -5.5"	BR5572

REAR

00-97	13 Inch Rear Drum Brake; 4-5/8 Inch Hub Hole & 6-1/4 Inch Tall	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	13 Inch Rear Drum Brake; 4-5/8 Inch Hub Hole & 6-5/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	13 Inch Rear Drum Brake; 4-5/8 Inch Hub Hole & 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	13 Inch Rear Drum Brake; 4.82 Inch Hub Hole	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
00-92	11 Inch Rear Drum Brake	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
96-92	13 Inch Rear Drum Brake; 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	13 Inch Rear Drum Brake; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
91-89	13 Inch Rear Drum Brake; 8600 lb. GVW; 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	11 Inch Rear Drum Brake; 7200 lb. GVW	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

C2500 PICKUP

REAR

1988		Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
------	--	----------	------	--------	-------	---------	--------

C2500 SUBURBAN

FRONT

99-92		Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
-------	--	--------	-------	--------	-------	---------	--------

REAR

99-92	w/ 13 X 3 1/2 Inch Rear Shoe; 4-5/8 Inch Hub Hole	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	w/ 13 X 3 1/2 Inch Rear Shoe; 4.82 Inch Hub Hole	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
96-92	w/ 13 X 2 1/2 Inch Rear Shoe; 6-3/8 Inch Tall, w/ 3 Inch Friction Surface	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	w/ 13 X 2 1/2 Inch Rear Shoe; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851

C30 PICKUP

FRONT

86-81	SRW	Vented	Rotor	12.5"	5.17"	8 -6.5"	BR5521
	DRW	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
80-74	JB8; SRW	Vented	Rotor	12.5"	5.17"	8 -6.5"	BR5521
	JB8; DRW	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
	JB7	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
1973	SRW	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
72-71	13 Inch Rear Drum Brake; 8600 lb. GVW; SRW	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
	15 Inch Rear Drum Brake; DRW	Vented	Rotor	12.49"	2.8"	8 -6.5"	BR5523
70-67		Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739
66-61	Exc. Heavy Duty Front Axle	Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739

REAR

86-81	SRW	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
80-74	JB8; DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
	JB7	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	JB8; SRW	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996

C3500 PICKUP

FRONT

02-01		Vented	Rotor	13.85"	2.93"	5 -6.34"	BR55029
00-97	SRW; Extended Cab	Vented	Rotor	12.5"	8.2"	8 -6.5"	BR55032
	SRW; Exc. Extended Cab Pickup	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
00-95	DRW : Rear Drum Brakes	Vented	Rotor	12.5"	8.2"	8 -6.5"	BR55032
00-94	DRW; Rear Disc Brakes; From Chassis # RJ107933	Vented	Rotor	13.85"	2.93"	5 -6.34"	BR55029
96-92	SRW	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
94-91	DRW; Rear Disc Brakes; To Chassis # RJ107932	Vented	Rotor	14.24"	3.2"	8 -6.5"	BR55001

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

C3500 PICKUP

FRONT

94-90	DRW : Rear Drum Brakes	Vented	Rotor	12.5"	8.2"	8 -6.5"	BR55023
91-88	SRW	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5574
89-88	DRW	Vented	Rotor	12.5"	8.19"	8 -6.5"	BR5573

REAR

02-01		Vented	Rotor	13.58"	4.37"	10-7.25"	BR55031
00-97	SRW w/ 4.6 Inch Hub Hole	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	DRW; Rear Drum Brake	Floating	Drum	15"	7.29"	8 -6.5"	BD8997
	SRW w/ 4.8 Inch Hub Hole	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
00-94	DRW; Rear Disc Brakes; From Chassis # RJ107933	Vented	Rotor	13.58"	4.37"	10-7.25"	BR55031
96-92	SRW w/ 13 x 2-1/2 Inch Shoes; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	SRW w/ 13 x 3-1/2 Inch Shoes	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
96-90	SRW w/ 13 x 2-1/2 Inch Shoes; 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
94-91	DRW; Rear Disc Brakes; To Chassis # RJ107932	Vented	Rotor	13.74"	4.38"	10-7.25"	BR55003
94-90	DRW; Rear Drum Brake	Floating	Drum	15"	7.29"	8 -6.5"	BD8997
91-90	SRW; Exc. 9000-9200 LB GVW; 13 X 2 1/2" Brake Shoes; 5 1/2" Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
89-88	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
	SRW; 6 1/2 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945

C4500

FRONT

10-03	w/ 10 Hole Rotor	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
	w/ 5 Hole Rotor	Vented	Rotor	15 "	4.12 "	5 -6.75 "	BR900904

REAR

10-03	w/ 5 Hole Rotor ; w/o Drum in Hat Rear Rotor	Vented	Rotor	15 "	4.12 "	5 -6.75 "	BR900904
	w/ 10 Hole Rotor	Vented	Rotor	15.35 in	4.37 in	10-7.79 in	BR901104

C5500 , C5H042, KODIAK

FRONT

10-03	5 Hole	Vented	Rotor	15 "	4.12 "	5 -6.75 "	BR900904
	10 Hole ; 8000lb Axle	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
02-90		Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584

REAR

10-04	10 Hole ; 13,500LB Axle	Vented	Rotor	15.35 in	4.37 in	10-7.79 in	BR901104
10-03	5 Hole	Vented	Rotor	15 "	4.12 "	5 -6.75 "	BR900904
	10 Hole ; 15,000-19,000LB Axle	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
02-90	w/o Flange- 10 Hole	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	w/o Flange- 5 Hole	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

C5D042,C5D064

FRONT

90-88	6 Hole	Vented	Rotor	14 1/4"	2 15/16"	6 -6"	BR5590
-------	--------	--------	-------	---------	----------	-------	--------

REAR

90-88	6 Hole	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5588
	5 Hole	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584

C6500, C6H042, KODIAK

FRONT

10-03	w/ 10 Hole Rotor	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
02-90	10 Hole with 5 Exciter Ring Installation Holes	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR901130
	10 Hole w/ Bendix Calipers	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	5 Hole w/ Dayton Calipers	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584

REAR

10-03	w/ 10 Hole Rotor ; Exc. w/ 21,000 lb Axle	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
02-90	10 Hole with 5 Exciter Ring Installation Holes	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR901130
	w/o Flange - 10 Hole- 15 3/8 Inch Dia.	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	w/o Flange - 5 Hole	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
	w/o Flange - 10 Hole- 14.75 Inch Dia.	Vented	Rotor	14 3/4"	3 11/16"	10-7.25"	BR5592

C6D042

FRONT

90-88	6 Hole w/ Bendix Calipers- 4.6 Inch Pilot Dia.	Vented	Rotor	14 1/4"	2 15/16"	6 -6"	BR5590
	6 Hole w/ Dayton Calipers- 5.4 Inch Pilot Dia.	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5588
87-83		Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584

REAR

90-88	w/o Flange w/ Bendix Calipers	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	6 Hole w/ Dayton Calipers- 5.4 Inch Pilot Dia.	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5588
	5 Hole w/ Dayton Calipers	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
87-83		Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583

C7500, C7H042 KODIAK, C7H064 KODIAK

FRONT

10-03	w/ 10 Hole Rotor	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
02-90	10 Hole w/ Bendix Calipers	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	10 Hole with 5 Exciter Ring Installation Holes	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR901130
	5 Hole w/ Dayton Calipers	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584

REAR

10-03	w/ 10 Hole Rotor ; Exc. w/ 21,000 lb Axle	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
02-90	10 Hole with 5 Exciter Ring Installation Holes	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR901130

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

C7500, C7H042 KODIAK, C7H064 KODIAK

REAR

02-90	w/o Flange - 10 Hole - 15 3/8 Inch Dia.	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	w/o Flange - 5 Hole	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
	w/o Flange - 10 Hole - 14.75 Dia.	Vented	Rotor	14 3/4"	3 11/16"	10-7.25"	BR5592

C7D042, C7D064

FRONT

90-88	Single Piston Bendix Calipers	Vented	Rotor	14 1/4"	2 15/16"	6 -6"	BR5590
	Dayton Calipers w/ 5.4 Inch Pilot Hole- 6 Hole	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5588
	Dayton Calipers w/ 5.4 Inch Pilot Hole- 5 Hole	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
	Dual Piston Bendix Calipers	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
87-83	Bendix Calipers	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	Dayton Calipers	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584

REAR

90-88	w/o Flange -Bendix Calipers	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	5 Hole w/ Dayton Calipers	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
	6 Hole w/ Dayton Calipers	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5588
87-83		Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583

CAMARO

FRONT

13-10	V6 LS & LT	Vented	Rotor	12.6"	2.02"	5 -4.75"	BR900748
	V8 SS	Vented	Rotor	14"	2"	5 -4.75"	BR900762
02-98		Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
97-93		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
92-85	w/ Performance Pkg.	Vented	Rotor	11.85"	4.65"	5 -4.75"	BR55008
	w/o Performance Pkg.	Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
84-82		Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
81-79		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5542
78-70	Exc. Z28	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
69-68	11 Inch Front Disc Brakes	Vented	Rotor	11"	4"	5 -4.75"	BR5514
1967		Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799

REAR

13-10	V8 SS & ZL1	Vented	Rotor	14.3"	1.88"	5 -4.75"	BR900746
	V6 LS & LT	Vented	Rotor	12.4"	2.64"	5 -4.75"	BR900506
02-98		Vented	Rotor	12.01"	2.41"	5 -4.65"	BR55050
97-93	Rear Drum Brakes	Floating	Drum	11.97"	3.2"	5 -4.75"	BD8988
	Rear Disc Brake	Vented	Rotor	11.54"	1.87"	5 -4.65"	BR55027
92-89		Vented	Rotor	11.67"	1.97"	5 -4.75"	BR55022
92-82	Rear Drum Brake	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
88-85	w/ Performance Pkg.	Vented	Rotor	11.67"	1.97"	5 -4.75"	BR55022

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

CAMARO

REAR

88-85	w/o Performance Pkg.	Vented	Rotor	10.5"	2.4"	5 -4.75"	BR5551
84-82	Rear Disc Brake	Vented	Rotor	10.5"	2.4"	5 -4.75"	BR5551
81-75		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
74-67	Exc. Z28	Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798
69-68	11.75 Inch Rear Disc Brakes	Vented	Rotor	11.75"	3.08"	5 -4.75"	BR5541

CAPRICE

FRONT

13-11		Vented	Rotor	13.57"	2"	5 -4.75"	BR901024
96-91		Vented	Rotor	11.86"	4.62"	5 -5"	BR5577
90-79	11 Inch Front Rotor Brake	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5542
90-78	12 Inch Front Rotor Brake	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
78-77	11 Inch Front Rotor Brake	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
1977	12 Inch Front Rotor Brake	Vented	Rotor	11.89"	4.65"	5 -5"	BR5524
76-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
67-66	Exc. Heavy Duty Brake w/ Metallic Lining	Floating	Drum	12.72"	4.05"	5 -4.75"	BD8124

REAR

13-11		Vented	Rotor	12.75"	2.2"	5 -4.75"	BR900514
96-94	CLASSIC, CLASSIC LS, LS; Rear Disc Brake	Vented	Rotor	11.61"	2.33"	5 -5"	BR55017
	CLASSIC, CLASSIC LS, LS; Sedan; 9 1/2 Inch Rear Drum Brake; Exc. Police, HD & Taxi	Floating	Drum	11.97"	3.16"	5 -5"	BD8981
1993	CLASSIC, CLASSIC LS, CLASSIC LTZ; 11 Inch Rear Drum Brake	Floating	Drum	14"	4.31"	5 -5"	BD8873
93-91	Sedan; 9 1/2 Inch Rear Drum Brake	Floating	Drum	11.97"	3.16"	5 -5"	BD8981
92-81	11 Inch Rear Drum Brake; 17 lb.	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
	11 Inch Rear Drum Brake; 23 lb.	Floating	Drum	14"	4.31"	5 -5"	BD8873
90-77	9 1/2 Inch Rear Brake	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
82-80	11 Inch Rear Drum Brake; Appox. 3 1/4 Inch Wide	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
	11 Inch Rear Drum Brake; Appox. 4 Inch Wide	Floating	Drum	14"	4.31"	5 -5"	BD8873
	9 1/2 Inch Rear Drum Brake; Cast Iron Replacement, Aluminum Drums Must Be Replaced In Pairs	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
80-77	11 Inch Rear Drum Brake	Floating	Drum	14"	4.31"	5 -5"	BD8873
76-74	Sedan / Exc. Wagon	Floating	Drum	14"	4.31"	5 -5"	BD8873
	Sedan / Exc. Wagon	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
73-71	Sedan; Exc. Police & Taxi	Floating	Drum	12.95"	3.32"	5 -5"	BD8870

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

CAPRICE

REAR

70-66		Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101
-------	--	----------	------	--------	-------	----------	--------

CAPTIVA / CAPTIVA SPORT

FRONT

12-08		Vented	Rotor	11.65"	2.05"	5 -4.5"	BR900320
-------	--	--------	-------	--------	-------	---------	----------

REAR

12-08		Vented	Rotor	11.93"	2.84"	5 -4.5"	BR900306
-------	--	--------	-------	--------	-------	---------	----------

CAVALIER

FRONT

05-92		Vented	Rotor	10.2"	1.89"	5 -3.94"	BR5580
91-85		Vented	Rotor	9.69"	1.89"	5 -3.94"	BR5558
84-82	w/ Vented Rotor	Vented	Rotor	9.72"	1.81"	5 -3.94"	BR5543
1982	w/ Solid Front Rotors	Solid	Rotor	9.7"	1.89"	5 -3.94"	BR5557

REAR

05-03		Floating	Drum	10.67"	2.76"	5 -3.94"	BD80107
02-96	200mm Rear Drum Brake	Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
	225mm Rear Drum Brake	Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928
95-82		Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898

CELEBRITY

FRONT

1990		Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
89-88	Sedan; Heavy Duty JA2 & JA8 (115mm Bolt Circle)	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
	Sedan; Light Duty JA1 (100mm Bolt Circle)	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
1987	Heavy Duty JA3 & JA8 (115mm Bolt Circle)	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
	Light Duty JA1 (100mm Bolt Circle)	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
86-85	Sedan; Light Duty JA1 (100mm Bolt Circle)	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
	Sedan; Heavy Duty JA2 & JA8 (115mm Bolt Circle)	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
1984	Sedan; Heavy Duty JA2 & JA3 (115mm Bolt Circle)	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
	Sedan; Light Duty JA1 & JA8 (100mm Bolt Circle)	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
1983	Light Duty	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
	Heavy Duty (JA2 & JA3, 115mm Bolt Circle)	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
1982	w/ Heavy Duty Brakes	Vented	Rotor	10.24"	1.97"	5 -3.94"	BR5561
		Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548

REAR

1990		Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
89-88	Sedan; Light Duty JA1 (100mm Bolt Circle)	Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

CELEBRITY

REAR

89-88	Sedan; Heavy Duty JA2 & JA8 (115mm Bolt Circle)	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
1987	Sedan; Heavy Duty JA3 & JA8 (115mm Bolt Circle)	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
	Wagon; Heavy Duty JA3 & JA8 (115mm Bolt Circle)	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
	Light Duty JA1 (100mm Bolt Circle)	Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928
86-85	Sedan; Light Duty JA1 (100mm Bolt Circle)	Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928
	Sedan; Heavy Duty JA2 & JA8 (115mm Bolt Circle)	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
1984	Sedan; Heavy Duty JA2 & JA3 (115mm Bolt Circle)	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
	Sedan; Light Duty JA1 & JA8 (100mm Bolt Circle)	Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928
1983	Light Duty	Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928
	Heavy Duty (JA2 & JA3, 115mm Bolt Circle)	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
1982		Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928

CHEVELLE

FRONT

1973	Sedan & Wagon	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
72-70	Exc. SS; Front Drum Brake	Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799
72-67	w/ Front Disc Brakes	Vented	Rotor	11"	4"	5 -4.75"	BR5514
69-68	Front Drum Brake; Finned	Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799
	Front Drum Brake; Plain	Floating	Drum	11.34"	3.6"	5 -4.75"	BD8720
1967	w/ Front Drum Brakes	Floating	Drum	11.34"	3.6"	5 -4.75"	BD8720
	EX. 4 PISTON CALIPER	Vented	Rotor	11"	4"	5 -4.75"	BR5514
66-65	Exc. SS	Floating	Drum	11.34"	3.6"	5 -4.75"	BD8720
1964		Floating	Drum	11.34"	3.6"	5 -4.75"	BD8720

REAR

1973	Sedan w/ 11.81" Rear Drum	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
	Wagon w/ 12.76" Rear Drum	Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
72-70	Exc. SS; with Chevy Type Axle, Round Axle Cover	Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798
69-67	9 1/2 Inch Rear Drum Brake	Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798
1967	11 Inch Rear Drum Brake	Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101
67-65	Exc. SS	Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798
1964		Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
CHEVROLET							
CHEVETTE							
FRONT							
87-78		Solid	Rotor	9.69"	3.61"	4 -3.94"	BR5545
REAR							
87-76		Floating	Drum	9.13"	2.6"	4 -3.94"	BD8895
CHEVROLET							
FRONT							
68-61		Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739
CHEVY / CHEVY P/U (MEXICO)							
FRONT							
10-94		Vented	Rotor	236 mm	41 mm	4 -100 mm	BR31017
CHEVY II							
FRONT							
69-67	Front Disc Brake	Vented	Rotor	11"	4"	5 -4.75"	BR5514
68-67	Front Drum Brake; Finned	Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799
	Front Drum Brake; Plain	Floating	Drum	11.34"	3.6"	5 -4.75"	BD8720
66-64	Plain	Floating	Drum	11.34"	3.6"	5 -4.75"	BD8720
	Finned	Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799
REAR							
69-64		Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798
CITATION							
FRONT							
1985		Solid	Rotor	9.69"	3.61"	4 -3.94"	BR5545
84-80		Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
REAR							
1985		Floating	Drum	9.13"	2.6"	4 -3.94"	BD8895
84-82		Floating	Drum	9.84"	2.87"	5 -3.94"	BD8921
81-80	Finned; 9.84" Drum	Floating	Drum	9.84"	2.87"	5 -3.94"	BD8921
	Plain; 9.13" Drum	Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
COBALT							
FRONT							
10-09	LT w/ 16 Inch Wheels (5 Lug); 11" Rotor	Vented	Rotor	11"	1.85"	5 -4.34"	BR900498
	w/ 15 Inch Wheels (4 Lug); 10.07" Rotor	Vented	Rotor	10.07"	1.84"	4 -3.94"	BR900646
10-08	2.0L Supercharged SS (5 Lug); 12.4" Rotor	Vented	Rotor	12.4"	1.7"	5 -4.25"	BR900598
2008	Sport (5 Lug); 11.65" Rotor	Vented	Rotor	11.65"	1.71"	5 -4.34"	BR55093
08-07	LS and LT w/ 15 Inch Wheels (4 Lug); 10.08" Rotor	Vented	Rotor	10.08"	1.86"	4 -3.94"	BR55083
	LTZ and LT w/ 16 Inch Wheels (5 Lug); 11" Rotor	Vented	Rotor	11"	1.85"	5 -4.34"	BR900498
07-05	SS (5 Lug); 11.65" Rotor	Vented	Rotor	11.65"	1.71"	5 -4.34"	BR55093
06-05	Exc. SS (4 Lug); 10.08" Rotor	Vented	Rotor	10.08"	1.86"	4 -3.94"	BR55083
REAR							
10-09	Exc. Aluminum Wheels (4 Lug)	Floating	Drum	10.79"	2.83"	4 -3.94"	BD920138
	Aluminum Wheels (5 Lug)	Floating	Drum	10.78"	2.83"	5 -4.34"	BD920142
	SS (5 Lug)	Vented	Rotor	11.5"	2.48"	5 -4.25"	BR900744

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

COBALT

REAR

08-07	LTZ and LT w/ 16 Inch Wheels (5 Lug)	Floating	Drum	10.65"	2.87"	5 -4.34"	BD920108
	LS and LT w/ 15 Inch Wheels (4 Lug)	Floating	Drum	10.67"	2.89"	4 -3.94"	BD80109
08-05	SS & Sport (5 Lug)	Solid	Rotor	10.63"	1.78"	5 -4.34"	BR55094
06-05	Exc. SS (4 Lug)	Floating	Drum	10.67"	2.89"	4 -3.94"	BD80109

COLORADO

FRONT

12-09		Vented	Rotor	11.73"	1.59"	6 -4.5"	BR900634
08-04		Vented	Rotor	11.02"	1.57"	6 -4.5"	BR55090

REAR

12-04		Floating	Drum	13.14"	3.17"	6 -5.5"	BD80120
-------	--	----------	------	--------	-------	---------	---------

CORSICA

FRONT

96-92		Vented	Rotor	10.2"	1.89"	5 -3.94"	BR5580
91-87		Vented	Rotor	9.69"	1.89"	5 -3.94"	BR5558

REAR

96-87		Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
-------	--	----------	------	-------	------	----------	--------

CORVAIR

FRONT

69-65		Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798
-------	--	----------	------	--------	-------	----------	--------

REAR

69-65		Floating	Drum	11.34"	3.6"	5 -4.75"	BD8720
-------	--	----------	------	--------	------	----------	--------

CORVETTE

FRONT

12-05	Z51 & Heavy Duty Brakes; 13" Rotor	Vented	Rotor	13.39"	1.8"	5 -4.75"	BR900970
	Exc.Z06 & Z51 Package; 12.75" Rotor	Vented	Rotor	12.75"	1.83"	5 -4.5"	BR55101
95-93	Exc. HD Susp.	Vented	Rotor	12.01"	2.19"	5 -4.75"	BR55011
92-88	Exc. HD Suspension	Vented	Rotor	12.01"	2.19"	5 -4.75"	BR55011
87-84	Replace In Pairs Only	Vented	Rotor	11.5"	2.52"	5 -4.75"	BR5555
82-67		Vented	Rotor	11.74"	3.08"	5 -4.75"	BR5544
66-63	Front Disc Brake	Vented	Rotor	11.74"	3.08"	5 -4.75"	BR5544
	Front Drum Brake; Exc. Heavy Duty Brake w/ Metallic Lining	Floating	Drum	12.72"	4.05"	5 -4.75"	BD8124
62-53		Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101

FRONT LEFT

04-97		Vented	Rotor	12.79"	1.79"	5 -4.75"	BR55043
1996		Vented	Rotor	12.99"	2.2"	5 -4.75"	BR55009
95-88	HD Susp.	Vented	Rotor	12.99"	2.2"	5 -4.75"	BR55009

FRONT RIGHT

04-97		Vented	Rotor	12.79"	1.79"	5 -4.75"	BR55044
1996		Vented	Rotor	12.99"	2.2"	5 -4.75"	BR55010
95-88	HD Susp.	Vented	Rotor	12.99"	2.2"	5 -4.75"	BR55010

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

CORVETTE

REAR

12-05	Exc.GS , ZR1 ,Z06 & Z51 Package (Non-Directional) 12.02" Rotor	Vented	Rotor	12.02"	1.95"	5 -4.75"	BR900772
	Z51 & Heavy Duty Brakes; 13" Rotor	Vented	Rotor	13.0	1.95	5 -4.75"	BR900972
96-88		Vented	Rotor	12.01"	1.97"	5 -4.75"	BR55012
87-84	Replace In Pairs Only	Vented	Rotor	11.5"	2.51"	5 -4.75"	BR5556
82-67		Vented	Rotor	11.75"	3.08"	5 -4.75"	BR5541
66-63	Rear Disc Brake	Vented	Rotor	11.75"	3.08"	5 -4.75"	BR5541
	Rear Drum Brake; Exc. Heavy Duty Brake w/ Metallic Lining	Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101
62-53		Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101

REAR LEFT

12-05	Exc.ZR1, Z06 & Z51 Package (Directional); 12.01" Rotor	Vented	Rotor	12.01"	1.91"	5 -4.75"	BR55045
04-97		Vented	Rotor	12.01"	1.91"	5 -4.75"	BR55045

REAR RIGHT

12-05	Exc.ZR1, Z06 & Z51 Package (Directional); 12.01" Rotor	Vented	Rotor	12.01"	1.91"	5 -4.75"	BR55046
04-97		Vented	Rotor	12.01"	1.91"	5 -4.75"	BR55046

CRUZE

FRONT

12-11		Vented	Rotor	10.87	1.8	5 -4.25"	BR900920
-------	--	--------	-------	-------	-----	----------	----------

REAR

12-11	w/ Rear Disc Brakes	Solid	Rotor	10.55	1.79	5 -4.25"	BR900922
	w/ Rear Drum Brakes	Floating	Drum	11.74"	2.75"	5 -4.25"	BD920154

DEL RAY

FRONT

1958		Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101
------	--	----------	------	--------	-------	----------	--------

REAR

1958		Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101
------	--	----------	------	--------	-------	----------	--------

EL CAMINO

FRONT

87-82	Exc. Vin J	Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
1982	Vin J	Vented	Rotor	10.5"	4.31"	5 -4.75"	BR5549
81-79		Vented	Rotor	10.5"	4.31"	5 -4.75"	BR5549
1978		Vented	Rotor	10.5"	3.92"	5 -4.75"	BR5530
77-73		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
72-69	Front Disc Brakes	Vented	Rotor	11"	4"	5 -4.75"	BR5514
	Front Drum Brakes	Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799
68-67	Front Drum Brakes; Finned	Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799
68-64	9 1/2 Inch Front Drum Brakes	Floating	Drum	11.34"	3.6"	5 -4.75"	BD8720
66-64	11 Inch Rear Drum Brakes	Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

EL CAMINO

REAR

87-78		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
77-76	17 lb.	Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
75-73	9 1/2 Inch Rear Drum Brakes	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
72-70	w/ Pontiac Type RA (Cut Out Axle Cover)	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
	w/ Chevrolet Type RA (Round Axle Cover)	Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798
69-68	9 1/2 Inch Rear Drum Brakes	Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798
69-64	9 1/2 Inch Rear Drum Brakes	Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798
66-64	11 Inch Rear Drum Brakes	Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101

EPICA (CANADA & MEXICO)

FRONT

09-04	256mm Rotor	Vented	Rotor	10"	1.85"	4 -114.3 mm	BR31390
	278mm Rotor	Vented	Rotor	278 mm	47.3 mm	4 -114.3 mm	BR900628

REAR

09-04		Solid	Rotor	10 7/8"	2.25"	4 -114.3 mm	BR900644
-------	--	-------	-------	---------	-------	-------------	----------

EQUINOX

FRONT

13-10		Vented	Rotor	12.6"	2.02"	5 -4.75"	BR900748
09-07		Vented	Rotor	11.65"	2.05"	5 -4.5"	BR900320
06-05		Vented	Rotor	11.65"	2.03"	5 -4.5"	BR55080

REAR

13-10		Vented	Rotor	11.9"	2.8"	5 -4.75"	BR900824
09-07		Vented	Rotor	11.93"	2.84"	5 -4.5"	BR900306
06-05		Floating	Drum	11.65"	2.91"	5 -4.5"	BD80105

EXPRESS 1500

FRONT

13-09		Vented	Rotor	12.99"	2.17"	6 -5.5"	BR55097
08-03		Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054
02-99		Vented	Rotor	11.61"	4.51"	5 -5"	BR5595

REAR

13-03		Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
02-99		Floating	Drum	13.59"	3.83"	5 -5"	BD8998

EXPRESS 2500

FRONT

13-08		Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
07-03	8 Lug 8500 lb. - 8600 lb. GVW	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
	6 Lug 7300 lb. GVW	Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054
02-01	Turbo; 8 Lug 7700 - 8600 lb. GVW	Vented	Rotor	12.5"	4.95"	8 -6.5"	BR55081
02-99	6 Lug 7300 lb. GVW	Vented	Rotor	11.61"	4.5"	6 -5.5"	BR55026
	Non-Turbo; 8 Lug 7700 - 8600 lb. GVW	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

EXPRESS 2500

REAR

13-09	GAS ENGINE (Electronic Stability Control)	Vented	Rotor	12.99"	3.41"	8 -6.5"	BR900562
13-06	8500lb. GVW Panel: 8600lb. Pass. Gas Eng.(Exc.Electronic Stability Control)	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
	8500lb. GVW Panel: 8600lb. Pass. Diesel Eng.	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
07-03	6 Lug 7300 lb. GVW	Vented	Rotor	12.99"	3.43"	6 -5.5"	BR55092
05-03	8 Lug 8500 lb. - 8600 lb. GVW	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
02-01	Turbo; 8 Lug 7700 - 8600 lb. GVW	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
02-99	6 Lug 7300 lb. GVW	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
	Non-Turbo; 8 Lug 7700 - 8600 lb. GVW	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945

EXPRESS 3500

FRONT

2013		Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55062
12-03	Over 9600 lb GVW	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55062
	8600-9600 lb GVW	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
2002	SRW	Vented	Rotor	12.5"	4.95"	8 -6.5"	BR55081
02-99	DRW	Vented	Rotor	12.5"	8.2"	8 -6.5"	BR55032
2001	SRW, exc G315 CAB & Chassis w/ 139 Inch wheelbase	Vented	Rotor	12.5"	4.95"	8 -6.5"	BR55081
00-99	SRW	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598

REAR

13-09	GAS ENGINE (Electronic Stability Control)	Vented	Rotor	12.99"	3.41"	8 -6.5"	BR900562
	Cutaway	Vented	Rotor	13.6"	5.77"	8 -6.5"	BR900660
	DIESEL	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
09-05	SRW EXC LIMITED SLIP DIFFERENTIAL 330MM	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
08-04	SRW w/ 86mm High Rotor	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
08-03	DRW	Vented	Rotor	12.8"	5.18"	8 -6.5"	BR55075
07-03	SRW w/ 91mm High Rotor	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
02-01	SRW	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
02-99	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8997
00-99	SRW; w/ 2-1/2 Inch Shoe	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	SRW; w/ 3-1/2 Inch Shoe	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000

EXPRESS 4500

FRONT

13-09		Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55062
-------	--	--------	-------	--------	-------	---------	---------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

EXPRESS 4500

REAR

13-09	SRW; 3.38" Tall	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
	SRW; 3.6" Tall	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
	DRW	Vented	Rotor	13.6"	5.77"	8 -6.5"	BR900660

G10 VAN

FRONT

97-96		Vented	Rotor	11.61"	4.51"	5 -5"	BR5595
95-93	Hydro Boost	Vented	Rotor	11 55/64"	4 15/16"	5 -5"	BR55016
	w/ ABS and Vacuum Boost	Vented	Rotor	11 7/8"	4 15/16"	5 -5"	BR55019
92-75	Vacuum Boost Exc ABS	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
74-71	Front Disc Brake; 2400 lb. RA & 3000 lb. RA	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
1971	Front Drum Brake; 3000 lb. RA	Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101
70-64		Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799

REAR

97-96		Floating	Drum	13.59"	3.83"	5 -5"	BD8998
95-90		Floating	Drum	13.35"	4.05"	5 -5"	BD8986
89-88	2 Inch Rear Shoe (JB3)	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
89-76	2-3/4 Inch Rear Shoe (JB5)	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
87-76	2 Inch Rear Shoe (JB1 & JB3)	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
1975		Floating	Drum	13.35"	3.69"	5 -5"	BD8819
1971	9 1/2 Inch Rear Drum Brake; w/ 2400lb. Rear Axle	Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798
	11 Inch Rear Drum Brake; with 3000 lb. Rear Axle	Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101
70-67		Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798
66-65	Rear Drum Brake; From Late 1965; w/ 9-1/2 Inch x 2 Inch ; 2400 lb. RA	Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798
	Rear Drum Brake; From Late 1965; w/ 9-1/2 Inch x 2-1/2 Inch; 2900 lb. RA	Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799
65-64	Rear Drum Brake; To Early 1965; w/ 9-1/2 Inch x 2-1/2 Inch ; 2900 lb. RA	Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799
	Rear Drum Brake; To Early 1965; w/ 9-1/2 Inch x 2 Inch ; 2400 lb. RA	Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798

G1500 VAN

FRONT

1998		Vented	Rotor	11.61"	4.51"	5 -5"	BR5595
------	--	--------	-------	--------	-------	-------	--------

REAR

1998		Floating	Drum	13.59"	3.83"	5 -5"	BD8998
------	--	----------	------	--------	-------	-------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

G20 VAN

FRONT

97-96	8 Lug 7700 - 8600 lb. GVW	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
	6 Lug 7300 lb. GVW	Vented	Rotor	11.61"	4.5"	6 -5.5"	BR55026
1995	4 Wheel ABS w/ Vacuum Booster (Mexico)	Vented	Rotor	11 7/8"	4 15/16"	5 -5"	BR55019
	4 Wheel ABS w/ Hydro Booster (Mexico)	Vented	Rotor	11 55/64"	4 15/16"	5 -5"	BR55016
95-93	Rear ABS	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
92-83	DIESEL	Vented	Rotor	11.86"	4.94"	5 -5"	BR5565
92-72	GAS,LPG	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
1971	Front Disc Brake; 5 lug	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516

REAR

97-96	6 Lug 7300 lb. GVW	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
	8 Lug 7700 - 8600 lb. GVW	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
95-90		Floating	Drum	13.35"	4.05"	5 -5"	BD8986
89-74		Floating	Drum	13.23"	3.87"	5 -5"	BD8874
73-72		Floating	Drum	13.35"	3.69"	5 -5"	BD8819
1971	Front Disc Brake; 5 lug	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
	6 Lug	Floating	Drum	13.39"	3.58"	6 -5.5"	BD8821
71-67	5 Lug	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
70-67	6 Lug	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

G2500 VAN

FRONT

1998	6 Lug 7300 lb. GVW	Vented	Rotor	11.61"	4.5"	6 -5.5"	BR55026
	8 Lug 7700 - 8600 lb. GVW	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598

REAR

1998	8 Lug 7700 - 8600 lb. GVW	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	6 Lug 7300 lb. GVW	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970

G30 VAN

FRONT

97-96	SRW	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
	DRW	Vented	Rotor	12.5"	8.2"	8 -6.5"	BR55032
95-93	SRW 13 x 2-1/2 Inch Rear Shoes	Vented	Rotor	12.5"	4.75"	8 -6.5"	BR55020
	DRW	Vented	Rotor	12.5"	7.69"	8 -6.5"	BR55025
1992	SRW 13 x 2-1/2 Inch Rear Shoes	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
92-74	DRW	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
91-74	SRW	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
73-72		Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
1971	Front Disc Brake	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
	Front Drum Brake	Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

G30 VAN

REAR

97-96	SRW; w/ 2-1/2 Inch Shoe	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	SRW; w/ 3-1/2 Inch Shoe	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
97-92	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8997
95-92	SRW 13 x 2-1/2 Inch Rear Shoes; 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	SRW 13 x 2-1/2 Inch Rear Shoes; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
91-90	SRW; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	DRW; w/ 10.5 Inch RG	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
	DRW; w/ 9-3/4 Inch RG	Floating	Drum	15"	7.29"	8 -6.5"	BD8997
91-85	SRW; 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
89-81	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
84-83	SRW	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
82-81	SRW	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
80-76	SRW JB6	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
	DRW (JB8)	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
75-74	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
	SRW	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851

G3500 VAN

FRONT

1998	DRW	Vented	Rotor	12.5"	8.2"	8 -6.5"	BR55032
	SRW	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598

REAR

1998	SRW; w/ 2-1/2 Inch Shoe	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8997
	SRW; w/ 3-1/2 Inch Shoe	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000

HHR

FRONT

11-06	Exc. SS (J41/JM4 Brake Code)	Vented	Rotor	10.86"	1.74"	5 -112 mm	BR55122
10-09	SS w/ Brembo Calipers	Vented	Rotor	12.4"	1.7"	5 -4.25"	BR900598
	SS w/o Brembo Calipers	Vented	Rotor	11.65"	1.71"	5 -4.34"	BR55093
2008	SS (JL9 Brake Code)	Vented	Rotor	11.65"	1.71"	5 -4.34"	BR55093

REAR

11-09	Exc. SS	Floating	Drum	10.78"	2.83"	5 -4.34"	BD920142
10-08	SS	Solid	Rotor	10.63"	1.78"	5 -4.34"	BR55094
08-06	Exc. SS	Floating	Drum	10.65"	2.87"	5 -4.34"	BD920108

IMPALA

FRONT

13-12	Police & Taxi (12.75" Rotor)	Vented	Rotor	12.75"	2.06"	5 -4.5"	BR900386
13-09	Superseded ; 11.93" Rotor	Vented	Rotor	11.93"	2.0"	5 -4.5"	BR900652

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

IMPALA

FRONT

13-06	Reorder ; 11.93" Rotor	Vented	Rotor	11.93"	1.97"	5 -4.5"	BR55126
2005	From Vin 59143076 w/ABS or 59148924 w/o ABS ;2nd Design	Vented	Rotor	11.93"	2.0"	5 -4.65"	BR900312
	to Vin 59143075 w/ABS or 59148923 w/o ABS	Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
04-00		Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
85-79	11 Inch Front Rotor Brake	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5542
85-78	12 Inch Front Rotor Brake	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
78-77	11 Inch Front Rotor Brake	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
1977	12 Inch Front Rotor Brake	Vented	Rotor	11.89"	4.65"	5 -5"	BR5524
76-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
70-67	Front Drum Brake	Floating	Drum	12.72"	4.05"	5 -4.75"	BD8124
66-60	Exc. Heavy Duty Brake w/ Metallic Lining	Floating	Drum	12.72"	4.05"	5 -4.75"	BD8124
1959		Floating	Drum	12.72"	4.05"	5 -4.75"	BD8124

REAR

13-11		Solid	Rotor	10.63"	1.46"	5 -4.5"	BR55085
10-09	Superseded; 10.9" Rotor	Solid	Rotor	10.95"	2.0"	5 -4.5"	BR900650
10-06	10.9" Rotor	Solid	Rotor	10.9"	2.0"	5 -4.5"	BR55125
05-00		Solid	Rotor	10.94"	1.98"	5 -4.65"	BR55039
85-81	11 Inch Rear Drum Brake; 17 lb.	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
	11 Inch Rear Drum Brake; 23 lb.	Floating	Drum	14"	4.31"	5 -5"	BD8873
85-77	9 1/2 Inch Rear Drum Brake	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
80-77	11 Inch Rear Drum Brake	Floating	Drum	14"	4.31"	5 -5"	BD8873
76-74	Exc. Police & Taxi; 23 lb.	Floating	Drum	14"	4.31"	5 -5"	BD8873
	Exc. Police & Taxi; 17 lb.	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
73-71	Exc. Police & Taxi	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
70-68	Exc. Heavy Duty	Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101
67-65		Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101
64-60	Exc. Heavy Duty Brake w/ Metallic Lining	Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101
1959		Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101

IMPALA SS

FRONT

96-94		Vented	Rotor	11.86"	4.62"	5 -5"	BR5577
-------	--	--------	-------	--------	-------	-------	--------

REAR

96-94		Vented	Rotor	11.61"	2.33"	5 -5"	BR55017
-------	--	--------	-------	--------	-------	-------	---------

K10 PICKUP

FRONT

86-78	Hub & Rotor	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004
86-76	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

K10 PICKUP

FRONT

75-74	Heavy Duty Option 5800 to 6400 lb. GVW & Std. Duty 5200 to 5600 lb. GVW; Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
73-71	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
63-61		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

REAR

86-76		Floating	Drum	13.35"	4.0"	6 -5.5"	BD8846
75-74	Heavy Duty Option 5800 to 6400 lb. GVW	Floating	Drum	13.35"	4.0"	6 -5.5"	BD8846
	Std. Duty 5200 to 5600 lb. GVW	Floating	Drum	13.39"	3.58"	6 -5.5"	BD8821
73-71		Floating	Drum	13.39"	3.58"	6 -5.5"	BD8821
70-67		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106
66-64	Rear Coil Spring	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106
63-61		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

K10 SUBURBAN

FRONT

86-78	Hub & Rotor	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004
86-75	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
1974	5600lb. GVW & 5800 to 7150lb. GVW; Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
73-71	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522

REAR

86-75		Floating	Drum	13.35"	4.0"	6 -5.5"	BD8846
1974	5800 to 7150lb. GVW	Floating	Drum	13.35"	4.0"	6 -5.5"	BD8846
	5600lb. GVW	Floating	Drum	13.39"	3.58"	6 -5.5"	BD8821
73-71		Floating	Drum	13.39"	3.58"	6 -5.5"	BD8821
70-68		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

K1500 PICKUP

FRONT

99-92		Vented	Rotor	11.61"	2.62"	6 -5.5"	BR5569
91-88	Extended Cab; Heavy Duty Chassis,	Vented	Rotor	11.61"	2.62"	6 -5.5"	BR5569
	2 Door; Except Heavy Duty Chassis	Vented	Rotor	11.61"	2.43"	6 -5.5"	BR5568

REAR

99-92	11 Inch Rear Drum Brake	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
	10 Inch Rear Drum Brake	Floating	Drum	11.93"	3.66"	6 -5.5"	BD8973
91-88		Floating	Drum	11.93"	3.66"	6 -5.5"	BD8973

K1500 SUBURBAN

FRONT

99-94	11 Inch Rear Drum Brake	Vented	Rotor	11.61"	2.62"	6 -5.5"	BR5569
	13 Inch Rear Drum Brake; (8 Lug)	Vented	Rotor	12.5"	2.76"	8 -6.5"	BR5593
93-92		Vented	Rotor	11.61"	2.62"	6 -5.5"	BR5569

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
CHEVROLET							
K1500 SUBURBAN				REAR			
99-97	13 Inch Rear Drum Brake; (8 Lug)	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
99-94	11 Inch Rear Drum Brake	Floating	Drum	13.62"	3.83"	6 -5.5"	BD8999
96-94	13 Inch Rear Drum Brake; (8 Lug); 4-5/8 Inch Hub Hole	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	13 Inch Rear Drum Brake; (8 Lug); 4.82 Inch Hub Hole	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
93-92		Floating	Drum	13.62"	3.83"	6 -5.5"	BD8999
K20 PICKUP				FRONT			
86-72	Rotor Only	Vented	Rotor	12.49"	2.8"	8 -6.5"	BR5523
1971		Vented	Rotor	12.49"	2.8"	8 -6.5"	BR5523
				REAR			
86-85	11 Inch Rear Drum Brake; (JB6 & JD6)	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
	13 Inch Rear Drum Brake; (JB7 & JD7)	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
84-81	13 Inch Rear Drum Brake; (JB7); 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	11 Inch Rear Drum Brake; (JB6 & JD6); 6-3/8 Inch Tall	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
80-74	11 Inch Rear Drum Brake; (JB6)	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
	13 Inch Rear Drum Brake; (JB7)	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
73-72	Crew Cab; HD (JB7)	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	Exc. Crew Cab; Exc. HD (JB6)	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
1971	Dana RA	Floating	Drum	13.98"	5.33"	8 -6.5"	BD8911
K20 SUBURBAN				FRONT			
86-72	Rotor Only	Vented	Rotor	12.49"	2.8"	8 -6.5"	BR5523
1971		Vented	Rotor	12.49"	2.8"	8 -6.5"	BR5523
				REAR			
86-81	11 Inch Rear Drum Brake; 6-3/8 Inch Tall	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
	13 Inch Rear Drum Brake; (JB7); 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
80-74	13 Inch Rear Drum Brake; (JB7)	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	11 Inch Rear Drum Brake	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
73-72	Exc. Heavy Duty (JB6)	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
1971	Dana RA	Floating	Drum	13.98"	5.33"	8 -6.5"	BD8911
K2500 PICKUP				FRONT			
2000	13 Inch Rear Drum Brake; (JB7)	Vented	Rotor	12.5"	2.76"	8 -6.5"	BR5593
	Heavy Duty ; 11 Inch Rear Drum Brake	Vented	Rotor	11.61"	2.62"	6 -5.5"	BR5569

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

K2500 PICKUP

FRONT

99-98	8600 lb. GVW	Vented	Rotor	12.5"	2.76"	8 -6.5"	BR5593
1998	13 Inch Rear Drum Brake; (JB7)	Vented	Rotor	12.5"	2.76"	8 -6.5"	BR5593
	11 Inch Rear Drum Brake & 7200 lb. GVW	Vented	Rotor	11.61"	2.62"	6 -5.5"	BR5569
97-89	6 Lug	Vented	Rotor	11.61"	2.62"	6 -5.5"	BR5569
	8 Lug	Vented	Rotor	12.5"	2.76"	8 -6.5"	BR5593
1988		Vented	Rotor	11.61"	2.62"	6 -5.5"	BR5569

REAR

00-98	11 Inch Rear Drum Brake	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
00-97	13 Inch Rear Drum Brake; 8600 lb. GVW; 6-1/4 Inch Tall	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	13 Inch Rear Drum Brake; 8600 lb. GVW; 6-5/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	13 Inch Rear Drum Brake; 8600 lb. GVW; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
1997	11 Inch Rear Drum Brake; 7200 lb. GVW	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
96-94	11 Inch Rear Drum Brake	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
	13 Inch Rear Drum Brake; 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	13 Inch Rear Drum Brake; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
93-92	13 Inch Rear Drum Brake; 8600 lb. GVW; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	13 Inch Rear Drum Brake; 8600 lb. GVW; 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	11 Inch Rear Drum Brake; 7200 lb. GVW	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
91-90	11 Inch Rear Drum Brake; 7200 lb. GVW (JB6 & JD6)	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
	13 Inch Rear Drum Brake; 8600 lb. GVW (JB7 & JD7); 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	13 Inch Rear Drum Brake; 8600 lb. GVW (JB7 & JD7); 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
1989	13 Inch Rear Drum Brake; 8600 lb. GVW	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	11 Inch Rear Drum Brake; 7200 lb. GVW	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
1988		Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970

K2500 SUBURBAN

FRONT

99-92		Vented	Rotor	12.5"	2.76"	8 -6.5"	BR5593
-------	--	--------	-------	-------	-------	---------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

K2500 SUBURBAN

REAR

99-97	4-5/8 Inch Hub Hole	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	4.82 Inch Hub Hole	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
96-92	w/ 13 X 3 1/2 Inch Rear Shoe; 4.82 Inch Hub Hole	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
	w/ 13 X 2 1/2 Inch Rear Shoe; 6- 3/8 Inch Tall, w/ 4 Inch Friction Surface	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	w/ 13 X 3 1/2 Inch Rear Shoe; 4- 5/8 Inch Hub Hole	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	w/ 13 X 2 1/2 Inch Rear Shoe; 6- 3/8 Inch Tall, w/ 3 Inch Friction Surface	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	w/ 13 X 2 1/2 Inch Rear Shoe; 5- 1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851

K30 PICKUP

FRONT

86-77	DRW	Vented	Rotor	12.87"	3.08"	8 -6.5"	BR5564
	SRW	Vented	Rotor	12.87"	3.08"	8 -6.5"	BR5563

REAR

86-77	SRW	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850

K3500 PICKUP

FRONT

00-97	SRW; Exc. Extended Cab Pickup	Vented	Rotor	12.5"	2.76"	8 -6.5"	BR5593
	SRW ; Extended Cab	Vented	Rotor	12.87"	3.08"	8 -6.5"	BR5564
00-92	DRW w/ 12.87" Front Rotors	Vented	Rotor	12.87"	3.08"	8 -6.5"	BR5564
00-90	DRW w/ 12.49" Front Rotors	Vented	Rotor	12.49"	2.76"	8 -6.5"	BR55028
96-88	SRW	Vented	Rotor	12.5"	2.76"	8 -6.5"	BR5593
89-88	DRW	Vented	Rotor	12.5"	2.76"	8 -6.5"	BR5593

REAR

00-98	Exc. Extended Cab Pickup; SRW; 4-5/8 Inch Hub Hole	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	Exc. Extended Cab Pickup; SRW; 4.82 Inch Hub Hole	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
00-90	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8997
1997	Exc. Extended Cab; SRW; 4-5/8 Inch Hub Hole	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	Exc. Extended Cab; SRW; 4.82 Inch Hub Hole	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
96-92	SRW 13 x 2-1/2 Inch Rear Shoes	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
95-94	SRW 13 x 3 1/2 Inch Rear Shoes	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
91-90	SRW; 5-1/2 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
89-88	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

K3500 PICKUP

REAR

89-88	SRW; 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
-------	----------------------	----------	------	--------	-------	---------	--------

KINGSWOOD

FRONT

72-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
70-69	Front Drum Brake	Floating	Drum	12.72"	4.05"	5 -4.75"	BD8124

REAR

70-69	Exc. HD Brake	Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101
-------	---------------	----------	------	--------	-------	----------	--------

LAGUNA

FRONT

76-73		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
-------	--	--------	-------	--------	-------	----------	--------

REAR

1976		Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
75-74	w/ 11.81 Inch OD Drum	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
74-73	w/ 12.76 Inch OD Drum	Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828

LLV (POSTAL VEHICLE)

FRONT

95-94		Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
92-87		Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547

REAR

95-94		Floating	Drum	11.97"	3.2"	5 -4.75"	BD8988
92-89		Floating	Drum	11.97"	3.2"	5 -4.75"	BD8988
88-87	w/ RA Tube Stamped PCG, PZT, RNS, SYZ	Floating	Drum	11.97"	3.2"	5 -4.75"	BD8988
	w/ RA Tube Stamped HTJ or HTK	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

LUMINA

FRONT

01-96	Full Cast Replacement	Vented	Rotor	11.23"	1.52"	5 -4.5"	BR55013
1995	286mm Dia.; Full Cast Replacement	Vented	Rotor	11.23"	1.52"	5 -4.5"	BR55013
	267mm Dia.	Vented	Rotor	10.5"	1.44"	5 -4.5"	BR5566
94-90		Vented	Rotor	10.5"	1.44"	5 -4.5"	BR5566

REAR

01-00		Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
99-95	Rear Drum Brake	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
	Rear Disc Brake	Solid	Rotor	10.94"	1.1"	5 -4.5"	BR55018
1994	Rear Disc Brake	Solid	Rotor	10.1"	1.12"	5 -4.5"	BR5567
93-90		Solid	Rotor	10.1"	1.12"	5 -4.5"	BR5567

LUMINA APV

FRONT

96-92		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
91-90		Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552

REAR

96-90		Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
-------	--	----------	------	--------	-------	---------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

LUV PICKUP

FRONT

06-97		Vented	Rotor	257.5 mm	36 mm	6 -108 mm	BR3233
75-72		Floating	Drum	11.55"	2.71"	6 -139.7 mm	BD3517

REAR

06-97	w/ Rear Drum	Floating	Drum	11.55"	2.71"	6 -139.7 mm	BD3517
	w/ Rear Disc	Solid	Rotor	265.3 mm	47.5 mm	6 -139.7 mm	BR31135
82-72		Floating	Drum	11.55"	2.71"	6 -139.7 mm	BD3517

MALIBU

FRONT

2013	17" Wheels; J61 ; 12.6" Front Rotor ; Vented Rear Rotor	Vented	Rotor	12.6"	2.02"	5 -4.75"	BR900748
	16" Wheels; J60 ; 11.65" Front Rotor ; Solid Rear Rotor	Vented	Rotor	11.65"	2.02"	5 -4.75"	BR900914
12-08	Exc. Classic	Vented	Rotor	11.65"	1.71"	5 -4.34"	BR55093
2008	Classic	Vented	Rotor	10.87	1.71	5 -4.34"	BR55095
07-05	3.5L Sedan / 3.9L w/ Rear Disc Brakes; RPO JL9	Vented	Rotor	11.65"	1.71"	5 -4.34"	BR55093
07-04	Maxx & SS	Vented	Rotor	11.65"	1.71"	5 -4.34"	BR55093
	w/10.87 Inch Front Rotor: w/ Rear Drum Brakes OR RPO 67 Brake optiojn	Vented	Rotor	10.87	1.71	5 -4.34"	BR55095
05-04	Base Model with RPO J41 Brake Code; 11.65" Rotor	Vented	Rotor	11.65"	1.71"	5 -4.34"	BR55093
05-97	Classic Body	Vented	Rotor	10.94"	1.92"	5 -4.65"	BR55040
83-82		Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
81-79		Vented	Rotor	10.5"	4.31"	5 -4.75"	BR5549
1978		Vented	Rotor	10.5"	3.92"	5 -4.75"	BR5530
77-73		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
1967	Front Disc Brake	Vented	Rotor	11"	4"	5 -4.75"	BR5514
	Front Drum Brake	Floating	Drum	11.34"	3.6"	5 -4.75"	BD8720
1964		Floating	Drum	11.34"	3.6"	5 -4.75"	BD8720

REAR

2013	17" Wheels; J61 ; 12.6" Front Rotor ; Vented Rear Rotor	Vented	Rotor	12.4 "	1.9 "	5 -4.75 "	BR900900
	16" Wheels; J60 ; 11.65" Front Rotor ; Solid Rear Rotor	Solid	Rotor	11.5"	1.9"	5 -4.75"	BR900916
12-08	Exc. Classic	Solid	Rotor	10.63"	1.78"	5 -4.34"	BR55094
2008	Classic	Solid	Rotor	10.63"	1.78"	5 -4.34"	BR55094
07-04	w/ Rear Disc Brakes	Solid	Rotor	10.63"	1.78"	5 -4.34"	BR55094
	New Body With Rear Drum Brakes	Floating	Drum	10.65"	2.87"	5 -4.34"	BD920108
05-97	Classic Body	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
83-78		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

MALIBU

REAR

77-76	17 lb.	Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
75-73	Sedan; 11.81 Inch Rear Drum Brakes	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
	Wagon; 12.76 Inch Rear Drum Brakes	Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
1967		Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798
1964		Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798

METRO

FRONT

01-98		Vented	Rotor	231.2 mm	50 mm	4 -114.3 mm	BR31015
1992		Vented	Rotor	231.2 mm	50 mm	4 -114.3 mm	BR31015

REAR

2001		Floating	Drum	245 mm	56.6 mm	4 -114.3 mm	BD35018
00-98	ABS; 2 Door	Floating	Drum	222 mm	51 mm	4 -114.3 mm	BD35031
	w/o ABS; 2 Door	Hub/ Bearing	Drum	221.8 mm	74 mm	4 -114.3 mm	BD35003
	4 Door	Floating	Drum	245 mm	56.6 mm	4 -114.3 mm	BD35018
1999	w/o ABS; 2 DR	Hub/ Bearing	Drum	221.8 mm	74 mm	4 -114.3 mm	BD35003
	ABS; 2 DR	Floating	Drum	222 mm	51 mm	4 -114.3 mm	BD35031
1992		Hub/ Bearing	Drum	221.8 mm	74 mm	4 -114.3 mm	BD35003

MONTE CARLO

FRONT

07-06		Vented	Rotor	11.93"	1.97"	5 -4.5"	BR55126
2005	to Vin 59143075 w/ABS or 59148923 w/o ABS	Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
	From Vin 59143076 w/ABS or 59148924 w/o ABS	Vented	Rotor	11.93"	2.0"	5 -4.65"	BR900312
04-00		Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
99-96	Full Cast Replacement	Vented	Rotor	11.23"	1.52"	5 -4.5"	BR55013
1995	286mm Dia.; Full Cast Replacement	Vented	Rotor	11.23"	1.52"	5 -4.5"	BR55013
	267mm Dia.	Vented	Rotor	10.5"	1.44"	5 -4.5"	BR5566
88-82	Exc. SS	Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
81-79		Vented	Rotor	10.5"	4.31"	5 -4.75"	BR5549
1978		Vented	Rotor	10.5"	3.92"	5 -4.75"	BR5530
77-73		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
72-70		Vented	Rotor	11"	4"	5 -4.75"	BR5514

REAR

07-06		Solid	Rotor	10.9"	2.0"	5 -4.5"	BR55125
05-00		Solid	Rotor	10.94"	1.98"	5 -4.65"	BR55039
99-95	Exc. LS	Solid	Rotor	10.94"	1.1"	5 -4.5"	BR55018

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

MONTE CARLO

REAR

99-95	Rear Drum Brake	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
88-78	Exc. SS	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
77-76		Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
75-73		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
72-70	Cast Iron Replacement	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
	w/ Chevrolet Type RA (Round Axle Cover)	Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798

MONZA

FRONT

80-76		Vented	Rotor	9.74"	3.97"	4 -4"	BR5525
-------	--	--------	-------	-------	-------	-------	--------

NOVA

FRONT

1988	SOHC Eng.	Solid	Rotor	243 mm	47.4 mm	4 -100 mm	BR3199
	DOHC Eng.	Vented	Rotor	243 mm	47 mm	4 -100 mm	BR3251
87-85		Solid	Rotor	243 mm	47.4 mm	4 -100 mm	BR3199
1979		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5542
78-75		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
74-70	Front Disc Brake	Vented	Rotor	11"	4"	5 -4.75"	BR5514
	Front Drum Brakes	Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799
1967	Front Drum Brakes; Plain	Floating	Drum	11.34"	3.6"	5 -4.75"	BD8720
	Front Disc Brakes	Vented	Rotor	11"	4"	5 -4.75"	BR5514
66-64	Plain	Floating	Drum	11.34"	3.6"	5 -4.75"	BD8720
	Finned	Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799

REAR

1988	DOHC Eng.	Solid	Rotor	242 mm	36 mm	4 -100 mm	BR3268
	SOHC Eng.	Floating	Drum	235 mm	66.5 mm	4 -100 mm	BD3589
87-85		Floating	Drum	235 mm	66.5 mm	4 -100 mm	BD3589
79-75		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
74-70		Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798
67-64		Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798

OPTRA (CANADA & MEXICO)

FRONT

10-04		Vented	Rotor	10"	1.85"	4 -114.3 mm	BR31390
-------	--	--------	-------	-----	-------	-------------	---------

REAR

10-04		Solid	Rotor	10"	2.25"	4 -114.3 mm	BR900630
-------	--	-------	-------	-----	-------	-------------	----------

ORLANDO

FRONT

2012	276mm Rotor	Vented	Rotor	10.87	1.8	5 -4.25"	BR900920
	300mm Rotor	Vented	Rotor	11.81"	1.81"	5 -4.65"	BR901032

REAR

2012	268mm Rotor	Solid	Rotor	10.55	1.79	5 -4.25"	BR900922
	292mm Rotor	Solid	Rotor	11.5"	1.8"	5 -4.65"	BR901034

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

P10 SERIES

FRONT

67-62		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106
-------	--	----------	------	--------	-------	---------	--------

REAR

67-62		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106
-------	--	----------	------	--------	-------	---------	--------

P10 VAN

FRONT

80-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
70-68	Exc. HD	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

REAR

80-75		Floating	Drum	13.23"	3.87"	5 -5"	BD8874
1974	HD Opt. & 6,000 lb. GVW	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
	4.9, 5.2 & 5.6M lb. GVW (JB3)	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
73-71		Floating	Drum	13.35"	3.69"	5 -5"	BD8819
70-68		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

P20 VAN

FRONT

89-71		Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
70-68		Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739

REAR

89-81	11 Inch Rear Drum Brake; (JB6 & JD6)	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
	13 Inch Rear Drum Brake; (JB7 & JD7); 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	13 Inch Rear Drum Brake; (JB7 & JD7); 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
80-74	13 Inch Rear Drum Brake; (JB7)	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	11 Inch Rear Drum Brake; (JB6)	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
70-68	DRW	Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739

P30 VAN

FRONT

99-98	4 Whl. ABS; SRW 3 1/2 Inch Rear Shoe	Vented	Rotor	12.5"	5.19"	8 -6.5"	BR55030
99-97	w/ Rear Disc Brakes; w/ 13.85 Inch Front Rotor	Vented	Rotor	13.85"	2.93"	5 -6.34"	BR55029
	IFS; DRW; w/ Rear Drum Brakes	Vented	Rotor	12.5"	7.69"	8 -6.5"	BR55025
1997	SRW 2 1/2 & 3 1/2 Inch Rear Shoe: RWAL	Vented	Rotor	12.5"	5.17"	8 -6.5"	BR5521
1996	DRW (JB8); w/ IFS	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
	w/o 4 Whl. ABS; DRW (JB8); I Beam Axle	Vented	Rotor	12.48"	7.74"	8 -6.5"	BR55033
96-94	Front Disc Brake; (JF9)	Vented	Rotor	14.24"	3.2"	8 -6.5"	BR55001
96-80	SRW JB8	Vented	Rotor	12.5"	5.17"	8 -6.5"	BR5521
95-85	DRW with 13 x 3 1/2 shoe Except 5000 lb. I Beam Axle	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
	I Beam Axle, 5000 lb. Axle with 13 X 3 1/2 Shoe	Vented	Rotor	12.48"	7.74"	8 -6.5"	BR55033

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

P30 VAN

FRONT

1993	Front Disc Brake; w/ 14 1/4 Inch Rotor	Vented	Rotor	14.24"	3.2"	8 -6.5"	BR55001
92-91	Front Disc Brake; (JF9)	Vented	Rotor	14.24"	3.2"	8 -6.5"	BR55001
1991	Rear Drum Brake; w/ DRW; w/ I Beam Axle	Vented	Rotor	12.48"	7.74"	8 -6.5"	BR55033
	Rear Drum Brake; w/ DRW; w/ IFS	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
90-80	Front Disc Brake; w/ 14 1/4 Inch Rotor	Vented	Rotor	14.24"	3.2"	8 -6.5"	BR55001
	SRW JB7 & JD7	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
84-80	DRW (JB8)	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
1979	JB7 & JB8; DRW	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
	JB8; SRW	Vented	Rotor	12.5"	5.17"	8 -6.5"	BR5521
	JB7; SRW	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
78-76	Motor Home Chassis, Dana Axle 14 1/4 Inch Rotor & JB9 15 x 4 Inch Rear Shoes	Vented	Rotor	14.24"	3.2"	8 -6.5"	BR55001
78-75	JB7 13 x 2 1/2 Inch Rear Shoes	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
1976	Rear Disc Brake; JB9	Vented	Rotor	14.24"	3.2"	8 -6.5"	BR55001
1975	JB9 15 x 4 Inch Rear Shoes	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
73-71	Motor Home Chassis w/ 13 & 15 Inch Rear Brakes	Vented	Rotor	12.49"	2.8"	8 -6.5"	BR5523
	13 Inch Rear Drum Brake; Exc. Motor Home Chassis; SRW	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
72-71	w/ 13 Inch Rear Brakes, Exc. Motor Home Chassis; SRW	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
	13 & 15 Inch Rear Drum Brake; Motor Home Chassis & 178 Inch WB	Vented	Rotor	12.49"	2.8"	8 -6.5"	BR5523
70-68		Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739

REAR

99-97	w/ Rear Disc	Vented	Rotor	13.58"	4.37"	10-7.25"	BR55031
	SRW 3 1/2 Inch Rear Shoe	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
1997	SRW 2 1/2 Inch Rear Shoe	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
1996	DRW (JB8)	Floating	Drum	15"	7.29"	8 -6.5"	BD8997
96-94	Rear Disc Brake; (JF9)	Vented	Rotor	13.74"	4.38"	10-7.25"	BR55003
96-90	SRW JB8	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
95-93	Rear Drum Brake; DRW (JB8)	Floating	Drum	15"	7.29"	8 -6.5"	BD8997
93-91	Rear Disc Brake; (JF9)	Vented	Rotor	13.74"	4.38"	10-7.25"	BR55003
92-91	Rear Drum Brake; DRW (JB8); 7.6 Inch Tall	Floating	Drum	15"	7.29"	8 -6.5"	BD8997

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

P30 VAN

REAR

92-91	Rear Drum Brake; DRW (JB8); 6.3 Inch Tall	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
1991	(JF9); w/ 11 x 2 Inch Parking Brake Drum	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106
1990	DRW w/ Frt. I Beam Axle & Independent Susp (JB8)	Floating	Drum	15"	7.29"	8 -6.5"	BD8997
	Rear Disc Brake; DRW w/ Frt. Independent Susp. (JF9)	Vented	Rotor	13.74"	4.38"	10-7.25"	BR55003
90-80	SRW JB7 & JD7	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
89-85	Rear Disc Brake; DRW w/ Frt. I Beam Axle (JF9)	Vented	Rotor	13.74"	4.38"	10-7.25"	BR55003
	DRW w/ Frt. I Beam Axle & Independent Susp (JB8)	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
89-80	SRW JB8	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
84-80	DRW (JB8)	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
1979	JB8; DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
	JB7	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	JB8; SRW	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
78-76	Rear Disc Brake; JB9	Vented	Rotor	13.74"	4.38"	10-7.25"	BR55003
78-75	JB7 13 x 2 1/2 Inch Rear Shoes	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851

P4T042

FRONT

96-88	w/ Dayton Calipers; 5 Hole	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
87-84		Vented	Rotor	14.24"	3.2"	8 -6.5"	BR55001

REAR

96-88	w/ Dayton Calipers; 5 Hole	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
	6 Hole	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5588

PRIZM

FRONT

02-98		Vented	Rotor	255 mm	48.3 mm	4 -100 mm	BR31056
-------	--	--------	-------	--------	---------	-----------	---------

REAR

02-98		Floating	Drum	235 mm	65.5 mm	4 -100 mm	BD3578
-------	--	----------	------	--------	---------	-----------	--------

R10 PICKUP

FRONT

1987	2 Inch Rear Shoe (JB1 & JB3)	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
	2-3/4 Inch Rear Shoes (JB5 & JD5)	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516

REAR

1987	2 Inch Rear Shoe (JB1 & JB3)	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
	2-3/4 Inch Rear Shoes (JB5 & JD5)	Floating	Drum	13.23"	3.87"	5 -5"	BD8874

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
CHEVROLET							
R10 SUBURBAN				FRONT			
88-87		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
				REAR			
88-87		Floating	Drum	13.23"	3.87"	5 -5"	BD8874
R1500 SUBURBAN				FRONT			
91-89		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
				REAR			
91-90		Floating	Drum	13.35"	4.05"	5 -5"	BD8986
1989		Floating	Drum	13.23"	3.87"	5 -5"	BD8874
R20 PICKUP				FRONT			
88-87		Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
				REAR			
88-87	13 Inch Rear Drum Brake; 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	13 Inch Rear Drum Brake; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
1987	11 Inch Rear Drum Brake	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
R20 SUBURBAN				FRONT			
88-87		Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
				REAR			
88-87	13 Inch Rear Drum Brake; (JB7 & JD7); 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	13 Inch Rear Drum Brake; (JB7 & JD7); 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
1987	11 Inch Rear Drum Brake	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
R2500 SUBURBAN				FRONT			
91-89		Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
				REAR			
91-89	6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
R30 PICKUP				FRONT			
88-87	SRW	Vented	Rotor	12.5"	5.17"	8 -6.5"	BR5521
	DRW	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
				REAR			
88-87	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
	SRW	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
R3500 PICKUP				FRONT			
91-89	DRW	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
	SRW	Vented	Rotor	12.5"	5.17"	8 -6.5"	BR5521
				REAR			
91-89	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
	SRW	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

S10 BLAZER

FRONT

94-92	2WD; Rear ABS; Does Not Include ABS Ring	Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
94-91	2wd w/ 4 Whl. ABS	Vented	Rotor	10.47"	4.31"	5 -4.75"	BR31254
94-83	4WD	Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
1991	2wd w/o 4 Whl. ABS	Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
90-83	2WD; Rear ABS; Does Not Include ABS Ring	Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547

REAR

94-92		Floating	Drum	11.97"	3.2"	5 -4.75"	BD8988
91-83		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

S10 PICKUP

FRONT

04-98	4WD	Vented	Rotor	10.76"	2.15"	5 -4.75"	BR55047
03-96	2WD w/ AWAL	Vented	Rotor	10.47"	4.31"	5 -4.75"	BR31254
98-96	2WD w/Rear Wheel ABS	Vented	Rotor	10.47"	4.31"	5 -4.75"	BR55091
97-83	4WD & 1997 FWD Electric	Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
95-94	2WD w/ABS	Vented	Rotor	10.47"	4.31"	5 -4.75"	BR31254
95-82	2WD; non ABS & Rear ABS; Does Not Include ABS Ring	Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547

REAR

04-98	4WD	Vented	Rotor	11.61"	3.74"	5 -4.75"	BR55038
04-97	2WD w/ Rear Drum Brakes	Floating	Drum	11.97"	3.2"	5 -4.75"	BD8988
2003	2WD w/ Rear Disc Brakes	Vented	Rotor	11.61"	2.87"	5 -4.75"	BR55049
96-92		Floating	Drum	11.97"	3.2"	5 -4.75"	BD8988
91-82		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

SILVERADO 1500

FRONT

13-07	Except 2007 Classic Hybrid	Vented	Rotor	12.99"	2.17"	6 -5.5"	BR55097
07-04	HYBRID	Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054
2006	Exc. HYBRID & SS ; Regular and Extended Cab; Rear Drum Brake	Vented	Rotor	12.99"	2.17"	6 -5.5"	BR55097
06-05	LS & LT w/ Rear Disc Brakes	Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054
06-04	SS	Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054
2005	w/ Rear Drum Brakes	Vented	Rotor	12.99"	2.17"	6 -5.5"	BR55097
04-99		Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054

REAR

13-09	w/ Rear Drum Brakes	Floating	Drum	13.21"	3.82"	6 -5.5"	BD920150
13-07	w/ Rear Disc Brakes (6 Lug)	Vented	Rotor	13 9/16"	3 3/8"	6 -5.5"	BR55133
08-05	w/ Rear Drum Brakes (6 Lug)	Floating	Drum	13.22"	3.82"	6 -5.5"	BD80118
07-04	HYBRID	Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066
06-05	Base, LS, LT & WT w/ 12.8" Rear Rotor	Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
CHEVROLET							
SILVERADO 1500				REAR			
06-05	Base, LS, LT & WT w/ 12.98" Rear Rotor	Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
06-04	SS	Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
2004	Crew Cab	Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
	Extended Cab w/ 4 Wheel Steering	Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
	Extended Cab w/ 2 Wheel Steering	Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066
	Regular Cab	Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066
2003	Extended Cab w/ 4 Wheel Steering and 330 mm Disc (6 Lug)	Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
	w/ 325 mm Rear Disc Exc. Extended Cab w/ 4 Wheel Steering (6 Lug)	Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066
02-01	w/ 2 Wheel Steering	Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066
	w/ 4 Wheel Steering	Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
00-99		Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066
SILVERADO 1500 / HD				FRONT			
07-01		Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
				REAR			
07-06	w/ Quadrasteer (8 Lug)	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55086
	w/o Quadrasteer (8 Lug)	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
2005	Exc. 4 Wheel Steering	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
	4 Wheel Steering	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55086
2003	w/ Quadrasteer (8 Lug)	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55086
	w/o Quadrasteer (8 Lug)	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
02-01		Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
SILVERADO 2500 / HD				FRONT			
13-11		Vented	Rotor	14"	4"	8 -7.15"	BR901026
10-99		Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
				REAR			
13-11		Vented	Rotor	14.2"	4.7"	8 -7.15"	BR901028
10-05		Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
2004	HD w/ 2 Wheel Steering	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
	HD w/ 4 Wheel Steering	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55086
04-03	Exc. HD w/ 2 Wheel Steering; 4-5/8 Inch Hub Hole; Exc. 2 Inch Body Lift	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
	Exc. HD; w/ 2 Wheel Steering; 4.82 Inch Hub Hole; w/ 2 Inch Body Lift	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

SILVERADO 2500 / HD

REAR

2003	HD ; 12.99 inch Rotor ; 4.86 inch Hub Hole	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
	Exc. HD w/ 4 Wheel Steering	Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066
02-99	4-5/8 Inch Hub Hole	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
	4.82 Inch Hub Hole	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055

SILVERADO 3500

FRONT

13-11		Vented	Rotor	14"	4"	8 -7.15"	BR901026
10-06	GVW 12,000 Lbs.	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55062
	GVW 9,900 Lbs.	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
05-04	4WD; 9,900 Lb GVW	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
	4WD; 12,000 Lb GVW	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55062
	RWD	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55062
03-01		Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55062

REAR

13-11	SRW	Vented	Rotor	14.2"	4.7"	8 -7.15"	BR901028
	DRW	Vented	Rotor	14"	5.9"	8 -7.15"	BR901030
10-04	SRW	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
	DRW	Vented	Rotor	12.8"	5.18"	8 -6.5"	BR55075
03-01		Vented	Rotor	12.8"	5.18"	8 -6.5"	BR55075

SILVERADO SS

FRONT

06-03	SS	Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054
-------	----	--------	-------	--------	-------	---------	---------

REAR

06-03	SS	Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
-------	----	--------	-------	--------	-------	---------	---------

SONIC

FRONT

13-12		Vented	Rotor	10.87	1.8	5 -4.25"	BR900920
-------	--	--------	-------	-------	-----	----------	----------

SPARK

FRONT

13-11		Vented	Rotor	10.0"	1.61"	4 -100 mm	BR900314
-------	--	--------	-------	-------	-------	-----------	----------

REAR

13-11		Floating	Drum	230 mm	57.3 mm	4 -100 mm	BD920110
-------	--	----------	------	--------	---------	-----------	----------

SPECTRUM

FRONT

1988		Vented	Rotor	230 mm	43 mm	4 -100 mm	BR3242
1987	Non-Turbo	Vented	Rotor	230 mm	43 mm	4 -100 mm	BR3242
87-85	Turbo	Solid	Rotor	227 mm	42 mm	4 -100 mm	BR3102

REAR

88-85		Hub/ Bearing	Drum	214 mm	69.09 mm	4 -100 mm	BD3556
-------	--	-----------------	------	--------	----------	-----------	--------

SPRINT

FRONT

88-85		Solid	Rotor	215 mm	33 mm	4 -102 mm	BR3294
-------	--	-------	-------	--------	-------	-----------	--------

SSR

FRONT

07-06		Vented	Rotor	11.9	2.17	6 -5"	BR55112
-------	--	--------	-------	------	------	-------	---------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
CHEVROLET							
SSR				FRONT			
05-03		Vented	Rotor	12.8"	2.14"	6 -5"	BR55079
				REAR			
07-03		Vented	Rotor	12.8"	3.35"	6 -5"	BR55073
SUBURBAN				FRONT			
67-61		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106
				REAR			
67-61		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106
SUBURBAN 1500				FRONT			
13-07		Vented	Rotor	12.99"	2.17"	6 -5.5"	BR55097
06-00		Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054
				REAR			
13-07		Vented	Rotor	13 9/16"	3 3/8"	6 -5.5"	BR55133
06-03		Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
02-00	w/ 2 Piston Rear Caliper	Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
	w/ 1 Piston Rear Caliper	Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066
SUBURBAN 2500				FRONT			
13-00		Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
				REAR			
13-08		Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
2007		Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
06-00	w/ 2 Wheel Steering & 4.63 Inch Hub Hole	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
	w/ 2 Wheel Steering & 4.82 Inch Hub Hole	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
05-03	w/ 4 Wheel Steering	Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066
T5500, T6500, T7500, T8500 TILT CAB				FRONT			
10-04	w/ 10 Hole Rotor ; w/ 10,000 lb Axle	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
02-97	11-12000LB FA w/ Bendix Calipers	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	10 Hole with 5 Exciter Ring Installation Holes	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR901130
	8100LB FA w/ Dayton Calipers	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
				REAR			
10-04	w/ 10 Hole Rotor ; w/ 15,000-19,000 lb Axle	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
02-97	10 Hole with 5 Exciter Ring Installation Holes	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR901130
	w/o Flange w/ Bendix Calipers	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	5 Hole w/ Dayton Calipers	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
	10 Hole w/ Dayton Calipers	Vented	Rotor	14 3/4"	3 11/16"	10-7.25"	BR5592

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

TAHOE

FRONT

13-07		Vented	Rotor	12.99"	2.17"	6 -5.5"	BR55097
06-01		Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054
2000	w/ Rear Disc Brakes; 12.01" Rotor	Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054
	4WD; w/ Rear Drum Brakes; 11.61" Rotor	Vented	Rotor	11.61"	2.62"	6 -5.5"	BR5569
	2WD; w/ Rear Drum Brakes; 11.61" Rotor	Vented	Rotor	11.61"	4.51"	5 -5"	BR5595
99-95	2WD	Vented	Rotor	11.61"	4.51"	5 -5"	BR5595
	4WD	Vented	Rotor	11.61"	2.62"	6 -5.5"	BR5569

REAR

13-07		Vented	Rotor	13 9/16"	3 3/8"	6 -5.5"	BR55133
06-03	4WD	Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
06-01	2WD	Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
02-01	4WD w/ Limited Slip Axle	Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
	4WD w/o Limited Slip Axle	Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066
2000	4WD w/o Limited Slip Axle; 12.8" Rear Rotor	Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066
	2WD; w/ 12.98" Rear Disc Brakes	Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
	4WD w/ Limited Slip Axle ; w/ 12.98" Rear Disc Brakes	Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
00-98	2WD w/ Drum Brakes & Police / Performance Packages	Floating	Drum	13.59"	3.83"	5 -5"	BD8998
00-95	4WD w/ 11 Inch Rear Drums (4 Door)	Floating	Drum	13.62"	3.83"	6 -5.5"	BD8999
	2WD w/ Drum Brakes Exc. Police & Performance Packages	Floating	Drum	11.89"	3.61"	5 -5"	BD8972
99-95	4WD w/ 10 Inch Rear Drums (2 Door)	Floating	Drum	11.93"	3.66"	6 -5.5"	BD8973

TOWNSMAN

FRONT

72-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
70-69	Front Drum Brake; Cyl. Labeled Or Stamped NT / 2nd Design	Floating	Drum	12.72"	4.05"	5 -4.75"	BD8124

REAR

70-69		Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101
-------	--	----------	------	--------	-------	----------	--------

TRACKER

FRONT

04-00		Vented	Rotor	286.5 mm	29 mm	5 -139.7 mm	BR55060
1999		Vented	Rotor	286.5 mm	29 mm	5 -139.7 mm	BR55068
1998	4 Door	Vented	Rotor	287 mm	46 mm	5 -139.7 mm	BR31177
	2 Door	Solid	Rotor	290 mm	46.2 mm	5 -139.7 mm	BR3222

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

TRACKER

REAR

04-00		Floating	Drum	262.2 mm	64 mm	5 -139.7 mm	BD80084
1999		Floating	Drum	262 mm	64.9 mm	5 -139.7 mm	BD80083
1998	2 Door	Floating	Drum	262 mm	61.1 mm	5 -139.7 mm	BD35023
	4 Door	Floating	Drum	313.8 mm	67.6 mm	5 -139.7 mm	BD35030

TRAILBLAZER

FRONT

2009	Exc.SS; 11.9 Inch Rotor	Vented	Rotor	11.9	2.17	6 -5"	BR55112
09-06	6.0L; SS; 12.8 Inch Rotor	Vented	Rotor	12.8"	2.1"	6 -5"	BR900700
08-07	4.2L; 11.9 Inch Rotor	Vented	Rotor	11.9	2.17	6 -5"	BR55112
	5.3L	Vented	Rotor	12.8"	2.14"	6 -5"	BR55079
2006	4.2L EXT and all 5.3L ; 12.8 Inch Rotor	Vented	Rotor	12.8"	2.14"	6 -5"	BR55079
	4.2L Exc. EXT; 11.9 Inch Rotor	Vented	Rotor	11.9	2.17	6 -5"	BR55112
05-02	EXT, EXT LS, EXT LT; 7 Passenger w/ 129 Inch WB	Vented	Rotor	12.8"	2.14"	6 -5"	BR55079
	Exc. EXT, EXT LS, EXT LT; 5 Passenger w/ 113 Inch WB	Vented	Rotor	12.01"	2.15"	6 -5"	BR55069

REAR

09-02		Vented	Rotor	12.8"	3.35"	6 -5"	BR55073
-------	--	--------	-------	-------	-------	-------	---------

TRAVERSE

FRONT

13-09		Vented	Rotor	12.8"	2.25"	6 -5.25"	BR900322
-------	--	--------	-------	-------	-------	----------	----------

REAR

13-09		Vented	Rotor	13"	2.12"	6 -5.25"	BR900378
-------	--	--------	-------	-----	-------	----------	----------

UPLANDER

FRONT

08-06		Vented	Rotor	11.69"	2.059"	6 -4.5"	BR55118
2005		Vented	Rotor	11.69"	2.06"	5 -4.5"	BR55087

REAR

08-07		Solid	Rotor	11.8"	1.41"	6 -4.5"	BR55119
2006	Except Special Suspension	Solid	Rotor	11.8"	1.41"	6 -4.5"	BR55119
	w/ Special Suspension	Solid	Rotor	11.82"	1.28"	6 -4.5"	BR900302
2005	w/ Special Suspension	Solid	Rotor	11.81"	1.25"	5 -4.5"	BR900370
	FWD Except Special Suspension	Solid	Rotor	11.8"	1.45"	5 -4.5"	BR900316

V10 PICKUP

FRONT

1987	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
	Hub & Rotor	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004

REAR

1987		Floating	Drum	13.35"	4.0"	6 -5.5"	BD8846
------	--	----------	------	--------	------	---------	--------

V10 SUBURBAN

FRONT

88-87	Hub & Rotor	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004
	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

V10 SUBURBAN

REAR

88-87		Floating	Drum	13.35"	4.0"	6 -5.5"	BD8846
-------	--	----------	------	--------	------	---------	--------

V1500 SUBURBAN

FRONT

91-89	Hub & Rotor	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004
	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522

REAR

91-90		Floating	Drum	13.35"	4"	6 -5.5"	BD8985
1989		Floating	Drum	13.35"	4.0"	6 -5.5"	BD8846

V20 SUBURBAN

FRONT

88-87	Rotor Only	Vented	Rotor	12.49"	2.8"	8 -6.5"	BR5523
-------	------------	--------	-------	--------	------	---------	--------

REAR

88-87	11 Inch Rear Drum Brake	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
	13 Inch Rear Drum Brake; (JB7 & JD7)	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945

V2500 SUBURBAN

FRONT

91-89	Rotor Only	Vented	Rotor	12.49"	2.8"	8 -6.5"	BR5523
-------	------------	--------	-------	--------	------	---------	--------

REAR

91-89		Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
-------	--	----------	------	--------	-------	---------	--------

V30 PICKUP

FRONT

88-87	DRW	Vented	Rotor	12.87"	3.08"	8 -6.5"	BR5564
	SRW	Vented	Rotor	12.87"	3.08"	8 -6.5"	BR5563

REAR

88-87	SRW	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850

V3500 PICKUP

FRONT

91-89	SRW	Vented	Rotor	12.87"	3.08"	8 -6.5"	BR5563
	DRW	Vented	Rotor	12.87"	3.08"	8 -6.5"	BR5564

REAR

91-89	SRW	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850

VECTRA (MEXICO)

FRONT

08-03	2.2L	Vented	Rotor	302 mm	45.1 mm	5 -110 mm	BR34267
-------	------	--------	-------	--------	---------	-----------	---------

REAR

08-03	2.2L	Solid	Rotor	278 mm	41.5 mm	5 -110 mm	BR34268
	2.8L & 3.2L	Vented	Rotor	292 mm	41.5 mm	5 -110 mm	BR900430

VENTURE

FRONT

2005		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
04-02	2WD	Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
	AWD	Vented	Rotor	11.81"	2.05"	5 -4.5"	BR55074
01-97		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHEVROLET

VENTURE

REAR

2005		Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
04-02	AWD; Rear Disc Brake	Solid	Rotor	11.42"	1.83"	5 -4.5"	BR55078
	FWD w/ Rear Disc Brakes	Solid	Rotor	10.94"	1.98"	5 -4.65"	BR55039
04-97	2WD; Rear Drum Brake	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939

VOLT

FRONT

12-11		Vented	Rotor	11.81"	1.81"	5 -4.65"	BR901032
-------	--	--------	-------	--------	-------	----------	----------

REAR

12-11		Solid	Rotor	11.5"	1.8"	5 -4.65"	BR901034
-------	--	-------	-------	-------	------	----------	----------

W3500

FRONT

08-98	363mm Rotor : Over 14000 GVW	Vented	Rotor	363 mm	100.2 mm	12-136.7 mm	BR901122
08-10/97	10,000-14,000 GVW; From 10/97	Vented	Rotor	293.3 mm	57.3 mm	12-136 mm	BR31296
9 /97-95	To 9/97	Vented	Rotor	11 7/64"	2 1/2"	12-136 mm	BR55035

W4

FRONT

97-87		Vented	Rotor	11 7/64"	2 1/2"	12-136 mm	BR55035
-------	--	--------	-------	----------	--------	-----------	---------

W4500

FRONT

09-7 /99	10,000-14,000 GVW; From 7/99; 293mm Rotor	Vented	Rotor	293.3 mm	57.3 mm	12-136 mm	BR31296
09-2 /99	From 2/1999; 363mm Rotor; Over 14,000 GVW	Vented	Rotor	363 mm	100.2 mm	12-136.7 mm	BR901122

W5500

FRONT

09-00	363mm Rotor	Vented	Rotor	363 mm	100.2 mm	12-136.7 mm	BR901122
-------	-------------	--------	-------	--------	----------	-------------	----------

ZAFIRA (MEXICO)

FRONT

07-02	2.2L	Vented	Rotor	308 mm	42.1 mm	5 -110 mm	BR34248
-------	------	--------	-------	--------	---------	-----------	---------

REAR

07-02	2.2L	Solid	Rotor	264 mm	42.2 mm	5 -110 mm	BR901064
-------	------	-------	-------	--------	---------	-----------	----------

CHRYSLER

200

FRONT

13-11	294mm Rotor	Vented	Rotor	294 mm	46 mm	5 -114.3 mm	BR31346
	340mm Rotor	Vented	Rotor	340 mm	43.7 mm	5 -4.5"	BR900752

REAR

13-11	Code BRF w/ 262mm Rear Solid Rotor	Solid	Rotor	261.95 mm	60.56 mm	5 -4.5"	BR900334
	Code BRG w/ 302mm Rear Vented Rotor	Vented	Rotor	302 mm	59.8 mm	5 -4.5"	BR900750

300

FRONT

13-11	Rear Solid Disc Brake	Vented	Rotor	12.6"	2.15"	5 -4.5"	BR53022
13-05	Exc. C SRT8; Rear Vented Disc Brake	Vented	Rotor	13.58"	2.16"	5 -4.5"	BR53023
	C SRT-8	Vented	Rotor	14.1"	2.3"	5 -4.5"	BR900426
10-05	Exc. C SRT8; Rear Solid Disc Brake	Vented	Rotor	12.6"	2.15"	5 -4.5"	BR53022

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHRYSLER

300

REAR

13-11	Rear Solid Disc Brake	Solid	Rotor	12.6"	2.65"	5 -4.5"	BR901036
13-05	C SRT-8	Vented	Rotor	13.79"	2.7"	5 -4.5"	BR900560
	Exc. C SRT8; Rear Vented Disc Brake	Vented	Rotor	12.6"	2.65"	5 -4.5"	BR53024
10-05	Exc. C SRT8; Rear Solid Disc Brake	Solid	Rotor	12.6"	2.65"	5 -4.5"	BR53021
71-65		Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860

300M

FRONT

04-99	w/o Perf. Pkg.	Vented	Rotor	11.69"	2.12"	5 -4.5"	BR5386
	w/ Performance Pkg.	Vented	Rotor	11.69"	2.13"	5 -4.5"	BR5388

REAR

04-99		Solid	Rotor	10.64"	2.02"	5 -4.5"	BR5356
-------	--	-------	-------	--------	-------	---------	--------

ASPEN

FRONT

09-07		Vented	Rotor	13.23"	2.65"	5 -5.5"	BR53005
-------	--	--------	-------	--------	-------	---------	---------

REAR

09-07		Vented	Rotor	13.86"	2.84"	5 -5.5"	BR53006
-------	--	--------	-------	--------	-------	---------	---------

CIRRUS

FRONT

00-95	w/ 15 Inch Whls.	Vented	Rotor	11.1"	1.25"	5 -3.94"	BR5361
	w/ 14 Inch Whls.	Vented	Rotor	10.25"	1.25"	5 -3.94"	BR5362

REAR

00-95	w/ Rear Disc Brakes	Solid	Rotor	10.6"	2.1"	5 -3.94"	BR5370
	Rear Drum Brake	Floating	Drum	10.02"	2.42"	5 -3.94"	BD80013

CIRRUS (MEXICO)

FRONT

10-07		Vented	Rotor	294 mm	46 mm	5 -114.3 mm	BR31346
06-01		Vented	Rotor	11.1"	1.25"	5 -3.94"	BR5381

REAR

10-07		Solid	Rotor	261.95 mm	60.56 mm	5 -4.5"	BR900334
06-01		Solid	Rotor	10.6"	2.1"	5 -3.94"	BR5370

CONCORDE

FRONT

04-01	ABS	Vented	Rotor	11.69"	2.13"	5 -4.5"	BR5388
	w/o ABS	Vented	Rotor	11.69"	2.12"	5 -4.5"	BR5386
00-98	w/ 15 Inch Wheels	Vented	Rotor	11.11"	2.13"	5 -4.5"	BR5387
	w/ 16 Inch Wheels	Vented	Rotor	11.69"	2.12"	5 -4.5"	BR5386
97-93		Vented	Rotor	11.11"	2.05"	5 -4.5"	BR5355

REAR

04-98		Solid	Rotor	10.64"	2.02"	5 -4.5"	BR5356
1997	Rear Disc Brake	Solid	Rotor	10.64"	2.02"	5 -4.5"	BR5356
	Rear Drum Brake	Floating	Drum	9.87"	2.67"	5 -4.5"	BD80005
96-93		Solid	Rotor	10.64"	2.02"	5 -4.5"	BR5356

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHRYSLER

CONQUEST

REAR

89-87	5 Lug	Vented	Rotor	266 mm	47 mm	5 -114.3 mm	BR31028
-------	-------	--------	-------	--------	-------	-------------	---------

CORDOBA

FRONT

83-80		Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
79-78		Vented	Rotor	11.73"	4.84"	5 -4.5"	BR5311
77-12/75	From 12/75	Vented	Rotor	11.73"	4.84"	5 -4.5"	BR5311
11/75-75	To 11/75	Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
1975		Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314

REAR

83-80	10 Inch Rear Drum Brake; Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	10 Inch Rear Drum Brake; Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
83-75	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
79-77	10 Inch Rear Drum Brake	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
76-75	10 Inch Rear Drum Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878

CROSSFIRE

FRONT

08-04	Exc.SRT6	Vented	Rotor	300 mm	46.5 mm	5 -112 mm	BR34101
-------	----------	--------	-------	--------	---------	-----------	---------

REAR

08-04	Exc.SRT6	Solid	Rotor	278 mm	56 mm	5 -112 mm	BR34111
06-05	SRT-6	Vented	Rotor	300 mm	55.3 mm	5 -112 mm	BR900980

DAYTONA

FRONT

93-90	w/ 14 Inch Wheels	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
	Exc. IROC R/T; Rear Disc Brake; w/ 15 Inch Wheels	Vented	Rotor	11.11"	1.51"	5 -3.94"	BR5344
1992	IROC R/T; Rear Disc Brake	Vented	Rotor	11.11"	1.51"	5 -3.94"	BR5344
1989	Rear Vented Disc Brake	Vented	Rotor	11.11"	1.51"	5 -3.94"	BR5344
	Rear Solid Disc Brake	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
88-87	Exc. SHELBY Z	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
86-84	ATE & Kelsey-Hayes Front Calipers; 5 Lug	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
	ATE & Kelsey-Hayes Front Calipers; 4 Lug	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327

REAR

93-91	w/ Rear Disc Brakes	Vented	Rotor	11.27"	2.03"	5 -3.94"	BR5354
	w/ Rear Drum Brakes	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
1990	w/ Rear Drum Brakes	Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
	w/ Rear Disc Brakes	Solid	Rotor	10.62"	2.01"	5 -3.94"	BR5345
1989	Rear Solid Disc Brake	Solid	Rotor	10.62"	2.01"	5 -3.94"	BR5345
	Rear Vented Disc Brake	Vented	Rotor	11.27"	2.03"	5 -3.94"	BR5354
88-87	w/ Rear Disc Brakes	Solid	Rotor	10.82"	1.35"	5 -3.94"	BR5368
	w/ Rear Drum Brakes	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHRYSLER

DAYTONA

REAR

86-84	ATE & Kelsey-Hayes Front Calipers; 5 Lug	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
	ATE & Kelsey-Hayes Front Calipers; 4 Lug	Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931

DYNASTY

FRONT

93-88		Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
-------	--	--------	-------	--------	------	----------	--------

REAR

93-91	w/ Rear Disc Brakes	Solid	Rotor	10.62"	2.01"	5 -3.94"	BR5345
93-90	w/ Rear Drum Brakes	Floating	Drum	10.51"	2.68"	5 -5.94"	BD8980
1990	w/ Rear Disc Brakes	Solid	Rotor	10.1"	1.39"	5 -3.94"	BR5367
90-88	w/ Rear Disc Brakes	Solid	Rotor	10.1"	1.39"	5 -3.94"	BR5367
	w/ Rear Drum Brakes	Floating	Drum	10.51"	2.68"	5 -5.94"	BD8980

E CLASS

FRONT

84-83		Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
-------	--	--------	-------	--------	-------	----------	--------

REAR

84-83		Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931
-------	--	----------	------	-------	-------	----------	--------

EXECUTIVE LIMOUSINE

FRONT

1985	4 Lug	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
	5 Lug	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329

REAR

1985	4 Lug	Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931
	5 Lug	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948

EXECUTIVE SEDAN

FRONT

84-83		Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
-------	--	--------	-------	--------	-------	----------	--------

REAR

84-83		Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931
-------	--	----------	------	-------	-------	----------	--------

FIFTH AVENUE

FRONT

89-83		Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
-------	--	--------	-------	--------	-------	---------	--------

REAR

89-83	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	10 Inch Rear Drum Brake	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877

GRAND VOYAGER

FRONT

2000	w/ 15 Inch Wheels	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
	w/ 14 Inch Wheels	Vented	Rotor	10.09"	1.5"	5 -3.94"	BR5371

REAR

2000	w/ 14 Inch Wheels	Floating	Drum	12.11"	3.05"	5 -3.94"	BD80020
	w/ 15 Inch Wheels	Floating	Drum	12.11"	3.05"	5 -4.5"	BD80021

IMPERIAL

FRONT

93-90		Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
83-81		Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
75-74		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5315

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHRYSLER

IMPERIAL

REAR

93-91	Rear Disc Brake	Solid	Rotor	10.62"	2.01"	5 -3.94"	BR5345
1990	Rear Disc Brake	Solid	Rotor	10.1"	1.39"	5 -3.94"	BR5367
83-82	10 Inch Rear Drum Brake	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
83-81	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
1981	10 Inch Rear Drum Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878

LASER

FRONT

86-84	ATE & Kelsey-Hayes Front Calipers; 5 Lug	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
	ATE & Kelsey-Hayes Front Calipers; 4 Lug	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327

REAR

86-84	ATE & Kelsey-Hayes Front Calipers; 4 Lug	Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931
	ATE & Kelsey-Hayes Front Calipers; 5 Lug	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948

LEBARON

FRONT

1995	w/ 14" Wheels (10.24" Rotor)	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
	w/ 15" Wheels (11.11" Rotor)	Vented	Rotor	11.11"	1.51"	5 -3.94"	BR5344
94-91	Exc. GTC; with 11 Inch Brakes	Vented	Rotor	11.11"	1.51"	5 -3.94"	BR5344
94-90	Exc. GTC; With 10 Inch Brakes	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
94-89	GTC	Vented	Rotor	11.11"	1.51"	5 -3.94"	BR5344
90-89	Exc. GTC, GTS; 15 Inch or 16 Inch Wheels	Vented	Rotor	11.11"	1.51"	5 -3.94"	BR5344
	Exc. GTC, GTS; w/ 14 Inch Wheels	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
89-85	GTS	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
88-87	Sedan	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
86-84	Exc. GTS; 4 Lug	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
	Exc. GTS; 5 Lug	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
1983	Sedan	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
1982		Vented	Rotor	9.42"	1.51"	4 -3.94"	BR5325
81-77		Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314

REAR

1995		Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
	w/ 14" Wheels (10.62" Rotor)	Solid	Rotor	10.62"	2.01"	5 -3.94"	BR5345
	w/ 15" Wheels (11.27" Rotor)	Vented	Rotor	11.27"	2.03"	5 -3.94"	BR5354
94-92	Exc. GTC; Rear Disc Brake; w/ 15 Inch Wheels	Vented	Rotor	11.27"	2.03"	5 -3.94"	BR5354
94-91	Exc. GTC; Rear Disc Brake; w/ 14 Inch Wheels	Solid	Rotor	10.62"	2.01"	5 -3.94"	BR5345
94-90	Exc. GTC; Rear Drum Brake	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHRYSLER

LEBARON

REAR

94-89	GTC	Vented	Rotor	11.27"	2.03"	5 -3.94"	BR5354
1991	Exc. GTC; Rear Disc Brake; w/ 15 or 16 Inch Wheels	Vented	Rotor	11.27"	2.03"	5 -3.94"	BR5354
	Exc. GTC; Rear Drum Brake; w/ 14 Inch Wheels	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
90-89	Exc. GTC, GTS; 15 Inch or 16 Inch Wheels	Vented	Rotor	11.27"	2.03"	5 -3.94"	BR5354
	Exc. GTC, GTS; w/ 14 Inch Wheels	Solid	Rotor	10.62"	2.01"	5 -3.94"	BR5345
89-85	GTS	Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
1988	Exc. GTS; 220MM X 38MM Brake	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
	Exc. GTS; 200MM X 32.5MM Brake	Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
1987	Sedan	Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
86-84	Exc. GTS; 4 Lug	Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931
	Exc. GTS; 5 Lug	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
1983	Sedan	Floating	Drum	8.78"	2.38"	4 -3.94"	BD8930
81-80	10 Inch Rear Drum Brake; Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	10 Inch Rear Drum Brake; Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
79-77	Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878

LHS

FRONT

2001		Vented	Rotor	11.69"	2.12"	5 -4.5"	BR5386
00-99	w/ 15 Inch Wheels	Vented	Rotor	11.11"	2.13"	5 -4.5"	BR5387
	w/ 16 Inch Wheels	Vented	Rotor	11.69"	2.12"	5 -4.5"	BR5386
97-94		Vented	Rotor	11.11"	2.05"	5 -4.5"	BR5355

REAR

01-99		Solid	Rotor	10.64"	2.02"	5 -4.5"	BR5356
97-94		Solid	Rotor	10.64"	2.02"	5 -4.5"	BR5356

NEON (CANADA)

FRONT

02-00		Vented	Rotor	10.12"	1.5"	5 -3.94"	BR5397
-------	--	--------	-------	--------	------	----------	--------

REAR

02-00		Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
-------	--	----------	------	-------	-------	----------	--------

NEW YORKER

FRONT

96-95		Vented	Rotor	11.11"	2.05"	5 -4.5"	BR5355
93-88	Exc. LANDAU	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
87-84	5 Lug	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
	4 Lug	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHRYSLER

NEW YORKER

FRONT

1983		Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
1982		Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
81-79		Vented	Rotor	11.73"	4.84"	5 -4.5"	BR5311
78-74		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5315
73-72	Late w/ 2-5/8 Inch Seal	Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307

REAR

96-95		Solid	Rotor	10.64"	2.02"	5 -4.5"	BR5356
1994	Rear Disc Brake	Solid	Rotor	10.64"	2.02"	5 -4.5"	BR5356
93-92	Rear Drum Brake; C Body	Floating	Drum	10.51"	2.68"	5 -5.94"	BD8980
93-91	Rear Disc Brake	Solid	Rotor	10.62"	2.01"	5 -3.94"	BR5345
91-88	Exc. TURBO; Rear Drum Brake	Floating	Drum	10.51"	2.68"	5 -5.94"	BD8980
90-88	Rear Disc Brake	Solid	Rotor	10.1"	1.39"	5 -3.94"	BR5367
1988	TURBO; Rear Drum Brake	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
87-84	5 Lug	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
	4 Lug	Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931
1983		Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931
82-80	Exc. HD	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
82-79	Heavy Duty	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
1979	Exc. HD; Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	Exc. HD; Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
78-69		Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
1969	2-3/4 Inch Front Shoe; Exc. Motor Whl.	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860

NEWPORT

FRONT

81-79		Vented	Rotor	11.73"	4.84"	5 -4.5"	BR5311
78-74		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5315
1973		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307
1972	Late w/ 2-5/8 Inch Seal	Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307

REAR

1981	Exc. HD	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
81-79	Heavy Duty	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
80-79	Exc. HD; Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	Exc. HD; Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
78-72		Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
71-69	w/ 10 Inch Brakes	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860

PACIFICA

FRONT

08-04		Vented	Rotor	12.52"	1.87"	5 -5"	BR53019
-------	--	--------	-------	--------	-------	-------	---------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHRYSLER

PACIFICA

REAR

08-04		Solid	Rotor	12.28"	2.32"	5 -5"	BR53018
-------	--	-------	-------	--------	-------	-------	---------

PROWLER

FRONT

02-01		Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
-------	--	--------	-------	--------	------	---------	--------

PT CRUISER

FRONT

10-06	Exc. GT HO Turbo	Vented	Rotor	11.02"	1.54"	5 -3.94"	BR53000
09-08	Turbo	Vented	Rotor	11.02"	1.56"	5 -3.94"	BR53009
07-06	GT HO Turbo	Vented	Rotor	11.02"	1.56"	5 -3.94"	BR53009
05-03	Turbo	Vented	Rotor	11.02"	1.56"	5 -3.94"	BR53009
05-01	Non-Turbo	Vented	Rotor	11.02"	1.54"	5 -3.94"	BR53000

REAR

10-06	Exc. GT w/ Rear Disc Brakes; Superseded	Solid	Rotor	10.6"	2.1"	5 -3.94"	BR5375
	Exc. GT w/ Rear Disc Brakes; Re-Order	Solid	Rotor	10.6"	2.1"	5 -3.94"	BR5370
09-05	Rear Drum Brake	Floating	Drum	10.98"	2.78"	5 -3.94"	BD80113
07-06	GT	Solid	Rotor	10.62"	2.1"	5 -3.94"	BR53008
05-01	Exc. TURBO; Rear Disc Brake	Solid	Rotor	10.6"	2.1"	5 -3.94"	BR5370
2004	ABS; Rear Drum Brake	Floating	Drum	10.98"	2.78"	5 -3.94"	BD80113
	w/o ABS; Rear Drum Brake	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
2003	TURBO; Rear Disc Brake	Solid	Rotor	10.62"	2.1"	5 -3.94"	BR53008
03-01	Exc. TURBO; Rear Drum Brake	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948

SEBRING (CONVERTIBLE)

FRONT

10-08		Vented	Rotor	294 mm	46 mm	5 -114.3 mm	BR31346
06-01		Vented	Rotor	11.1"	1.25"	5 -3.94"	BR5381
00-96	Convertible	Vented	Rotor	10.25"	1.25"	5 -3.94"	BR5362

REAR

10-08	w/ 302mm Rear Rotor	Vented	Rotor	302 mm	59.8 mm	5 -4.5"	BR900750
	W/ Rear Disc Brakes w/ 262 mm Rear Rotor	Solid	Rotor	261.9 mm	60.2 mm	5 -114.3 mm	BR31147
09-08	w/ Rear Drum Brakes	Floating	Drum	268.12 mm	60.3 mm	5 -115 mm	BD920102
06-05	w/ Rear Drum Brakes	Floating	Drum	274.07 mm	65.79 mm	5 -3.94"	BD80108
06-96	w/ Rear Disc Brakes	Solid	Rotor	10.6"	2.1"	5 -3.94"	BR5370
00-96	w/ Rear Drum Brakes	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948

SEBRING (COUPE)

FRONT

05-01	4 cyl Coupe/ Rear Drum Brakes	Vented	Rotor	255.6 mm	45.3 mm	5 -114.3 mm	BR31179
	6 cyl Coupe/ Rear Disc Brakes	Vented	Rotor	276 mm	45.7 mm	5 -114.3 mm	BR5399
00-95	Coupe	Vented	Rotor	255.6 mm	45.3 mm	5 -114.3 mm	BR31179

REAR

05-01	6 cyl Coupe/ Rear Disc Brakes	Solid	Rotor	261.9 mm	60.2 mm	5 -114.3 mm	BR31147
	4 cyl Coupe/ Rear Drum Brakes	Floating	Drum	266.4 mm	62 mm	5 -114.3 mm	BD35016

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHRYSLER

SEBRING (COUPE)

REAR

00-95	Coupe w/ Rear Disc Brakes	Solid	Rotor	261.9 mm	60.2 mm	5 -114.3 mm	BR31147
99-95	Coupe w/ Rear Drum Brakes	Floating	Drum	266.4 mm	62 mm	5 -114.3 mm	BD35016

SEBRING (SEDAN)

FRONT

10-07	Sedan	Vented	Rotor	294 mm	46 mm	5 -114.3 mm	BR31346
06-01	Sedan	Vented	Rotor	11.1"	1.25"	5 -3.94"	BR5381

REAR

10-07	Sedan w/ Rear Disc Brakes w/ 262mm Rear Rotors	Solid	Rotor	261.95 mm	60.56 mm	5 -4.5"	BR900334
	Sedan w/ Rear Disc Brakes w/ 302mm Rear Rotors	Vented	Rotor	302 mm	59.8 mm	5 -4.5"	BR900750
09-07	w/ Rear Drum Brakes	Floating	Drum	268.12 mm	60.3 mm	5 -115 mm	BD920102
06-01	Sedan w/ Rear Drum Brakes	Floating	Drum	274.07 mm	65.79 mm	5 -3.94"	BD80108
	Sedan w/ Rear Disc Brakes; Re-Order	Solid	Rotor	10.6"	2.1"	5 -3.94"	BR5370
	Sedan w/ Rear Disc Brakes; Superseded	Solid	Rotor	10.6"	2.1"	5 -3.94"	BR5375

TC MASERATI

FRONT

90-89		Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
-------	--	--------	-------	--------	------	----------	--------

REAR

90-89		Solid	Rotor	10.82"	1.35"	5 -3.94"	BR5368
-------	--	-------	-------	--------	-------	----------	--------

TOWN & COUNTRY

FRONT

13-12	w/ 12.99" Front Rotor	Vented	Rotor	12.99"	1.52"	5 -5"	BR901088
13-08	w/ 11.81" Front Rotor	Vented	Rotor	11.88"	1.5"	5 -5"	BR900524
07-06		Vented	Rotor	11.06"	1.5"	5 -4.5"	BR53004
05-04	w/ Rear Disc Brake	Vented	Rotor	11.06"	1.5"	5 -4.5"	BR53004
05-03	w/ Rear Drum Brakes	Vented	Rotor	11.06"	1.5"	5 -4.5"	BR53002
03-01	3.8L	Vented	Rotor	11.06"	1.5"	5 -4.5"	BR53004
	3.3L	Vented	Rotor	11.06"	1.5"	5 -4.5"	BR53002
2000	11 Inch Front Disc Brake	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
	10 Inch Front Disc Brake	Vented	Rotor	10.09"	1.5"	5 -3.94"	BR5371
1999	AWD	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
99-98	Exc. SX; 2WD; 11 Inch Front Disc Brake	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
	Exc. SX; 2WD; 10 Inch Front Disc Brake	Vented	Rotor	10.09"	1.5"	5 -3.94"	BR5371
1998	LX, LXI; AWD; Rear Disc Brake	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
1997	with 15 Inch Wheels	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
97-96	2WD; 11 Inch Dia.	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
	2WD; 10 Inch Dia.	Vented	Rotor	10.09"	1.5"	5 -3.94"	BR5371
95-91	2WD; w/ 15 Inch Wheels (4 1/2 Inch Bolt Circle)	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHRYSLER

TOWN & COUNTRY

FRONT

95-91	2WD; w/ 14 Inch Wheels (100mm Bolt Circle)	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
1990	14 Inch Wheels (100mm Bolt Circle)	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5332
	15 Inch Wheels (4 1/2 Inch Bolt Circle)	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5342
88-87		Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
86-84	4 Lug	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
	5 Lug	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
1983		Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
1982		Vented	Rotor	9.42"	1.51"	4 -3.94"	BR5325
81-79		Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
78-77	10 Inch Rear Drum Brake	Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
	11 Inch Rear Drum Brake	Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5315
76-74		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5315
73-72	Late w/ 2-5/8 Inch Seal	Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307

REAR

13-12	w/ 12.91" Rear Rotor	Solid	Rotor	12.91"	1.31"	5 -5"	BR901090
13-08	w/ 12" Rear Rotor	Solid	Rotor	12"	1.32"	5 -5"	BR900526
07-03	w/ Rear Drum Brakes; Reorder	Floating	Drum	12.11"	3.05"	5 -4.5"	BD80021
	w/ Rear Drum Brakes; Superseded	Floating	Drum	12.11"	3.05"	5 -4.5"	BD80116
07-97	w/ Rear Disc Brakes	Solid	Rotor	11.41"	2.21"	5 -4.5"	BR5383
00-96	fwd; 2-3/4 Inch Hub Hole; 15 Inch Wheels	Floating	Drum	12.11"	3.05"	5 -4.5"	BD80021
	fwd; 2-1/4 Inch Hub Hole; 14 Inch Wheel	Floating	Drum	12.11"	3.05"	5 -3.94"	BD80020
95-91	2WD; w/ 14 Inch Wheels (100mm Bolt Circle)	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
	2WD; w/ 15 Inch Wheels (4 1/2 Inch Bolt Circle)	Floating	Drum	11.07"	4.15"	5 -4.5"	BD8968
1990	15 Inch Wheels (4 1/2 Inch Bolt Circle)	Floating	Drum	11.07"	4.15"	5 -4.5"	BD8968
	14 Inch Wheels (100mm Bolt Circle); Plain	Floating	Drum	10.39"	3.15"	5 -3.94"	BD8953
	14 Inch Wheels (100mm Bolt Circle); Finned	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
88-87		Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
86-84	5 Lug	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
	4 Lug	Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931
1983		Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

CHRYSLER

TOWN & COUNTRY

REAR

81-79	Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
78-77	10 Inch Rear Drum Brake; Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	10 Inch Rear Drum Brake; Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
76-72		Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
71-69	with 2 1/2 Inch Rear Shoes	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
1969	2-3/4 Inch Front Shoe	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860

VOYAGER

FRONT

03-01		Vented	Rotor	11.06"	1.5"	5 -4.5"	BR53002
2000	Exc. SE; w/ 15 Inch & 16 Inch Wheels	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
	w/ 14 Inch Wheels	Vented	Rotor	10.09"	1.5"	5 -3.94"	BR5371

REAR

03-01		Floating	Drum	12.11"	3.05"	5 -4.5"	BD80021
2000	w/ 15 Inch Wheels	Floating	Drum	12.11"	3.05"	5 -4.5"	BD80021
	w/ 14 Inch Wheels	Floating	Drum	12.11"	3.05"	5 -3.94"	BD80020

DAEWOO

LANOS

FRONT

02-99		Vented	Rotor	256 mm	41.1 mm	4 -100 mm	BR31073
-------	--	--------	-------	--------	---------	-----------	---------

REAR

02-99	w/ ABS	Floating	Drum	242 mm	67 mm	4 -100 mm	BD3518
	w/o ABS	Hub /Bearing	Drum	242 mm	82.30 mm	4 -100 mm	BD80095

LEGANZA

FRONT

02-99		Vented	Rotor	256 mm	47 mm	5 -114.3 mm	BR31278
-------	--	--------	-------	--------	-------	-------------	---------

REAR

02-99		Solid	Rotor	258 mm	64.4 mm	5 -114.3 mm	BR31280
-------	--	-------	-------	--------	---------	-------------	---------

NUBIRA

FRONT

02-99		Vented	Rotor	256 mm	47 mm	4 -100 mm	BR31279
-------	--	--------	-------	--------	-------	-----------	---------

REAR

02-99		Solid	Rotor	258 mm	64.4 mm	4 -100 mm	BR31281
-------	--	-------	-------	--------	---------	-----------	---------

DAIHATSU

CHARADE

FRONT

92-89	Exc. CES; 1.3L	Vented	Rotor	234 mm	46.99 mm	4 -100 mm	BR31212
92-88	1.0L	Solid	Rotor	234 mm	46.9 mm	4 -100 mm	BR31101

DODGE / RAM

400

FRONT

1983		Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
------	--	--------	-------	--------	-------	----------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

400

FRONT

1982		Vented	Rotor	9.42"	1.51"	4 -3.94"	BR5325
------	--	--------	-------	-------	-------	----------	--------

REAR

1983		Floating	Drum	8.78"	2.38"	4 -3.94"	BD8930
------	--	----------	------	-------	-------	----------	--------

600

FRONT

88-84	Exc. ES; 4 Lug	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
	Exc. ES; 5 Lug	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
86-84	ES, SE; 4 Door; 5 Lug	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
	ES, SE; 4 Door; 4 Lug	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
1984	ES; 2 Door; 4 Lug	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
	ES; 2 Door; 5 Lug	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
1983		Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327

REAR

88-84	Exc. ES; 4 Lug	Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931
	Exc. ES; 5 Lug	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
86-84	ES, SE; 4 Door; 5 Lug	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
	ES, SE; 4 Door; 4 Lug	Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931
1984	ES; 2 Door; 4 Lug	Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931
	ES; 2 Door; 5 Lug	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
1983		Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931

A100

REAR

70-64		Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
-------	--	----------	------	--------	------	---------	--------

ARIES

FRONT

89-88	Std; 240mm Dia.	Vented	Rotor	9.43"	1.5"	5 -3.94"	BR5331
	HD; 260mm Dia.	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
87-85	HD; 5 Lug	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
	Std; 4 Lug	Vented	Rotor	9.42"	1.51"	4 -3.94"	BR5325
	HD; 4 Lug	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
	Std; 5 Lug	Vented	Rotor	9.43"	1.5"	5 -3.94"	BR5331
84-83	Std	Vented	Rotor	9.42"	1.51"	4 -3.94"	BR5325
	HD	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
82-81		Vented	Rotor	9.42"	1.51"	4 -3.94"	BR5325

REAR

89-88	HD	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
	Std	Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
87-85	HD; 4 Lug	Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931
	Std; 5 Lug	Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
	HD; 5 Lug	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
	Std; 4 Lug	Floating	Drum	8.78"	2.38"	4 -3.94"	BD8930

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
DODGE / RAM							
ARIES			REAR				
84-83	HD	Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931
	Std	Floating	Drum	8.78"	2.38"	4 -3.94"	BD8930
ASPEN			FRONT				
80-76		Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
			REAR				
80-76	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	10 Inch Rear Drum Brake; Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	10 Inch Rear Drum Brake; Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
ATTITUDE (MEXICO)			FRONT				
12-06		Vented	Rotor	256 mm	46.83 mm	4 -100 mm	BR900292
			REAR				
12-06	w/ Rear Drum Brakes	Floating	Drum	243 mm	58 mm	4 -100 mm	BD920116
07-06	w/ Rear Disc Brakes	Solid	Rotor	262.1 mm	64.3 mm	4 -100 mm	BR900440
AVENGER			FRONT				
13-12	340mm Rotor	Vented	Rotor	340 mm	43.7 mm	5 -4.5"	BR900752
13-08	294mm Rotor	Vented	Rotor	294 mm	46 mm	5 -114.3 mm	BR31346
00-95		Vented	Rotor	255.6 mm	45.3 mm	5 -114.3 mm	BR31179
			REAR				
13-08	w/ Rear 262mm Discs	Solid	Rotor	261.95 mm	60.56 mm	5 -4.5"	BR900334
	w/ Rear 302mm Discs	Vented	Rotor	302 mm	59.8 mm	5 -4.5"	BR900750
10-08	w/ Rear Drum	Floating	Drum	268.12 mm	60.3 mm	5 -115 mm	BD920102
2000		Solid	Rotor	261.9 mm	60.2 mm	5 -114.3 mm	BR31147
99-95	Rear Disc Brake	Solid	Rotor	261.9 mm	60.2 mm	5 -114.3 mm	BR31147
	Exc. ES; Rear Drum Brake	Floating	Drum	266.4 mm	62 mm	5 -114.3 mm	BD35016
B100 VAN			FRONT				
80-74		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307
1973	Front Disc Brake	Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307
			REAR				
1980	10 Inch Rear Drum Brake; Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	10 Inch Rear Drum Brake; Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
80-74	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
79-74	10 Inch Rear Drum Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
73-71	Plain 10 Inch Brakes	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	Finned 10 Inch Brakes	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	with 11 Inch Brakes	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
B150 VAN			FRONT				
1994	4 Whl ABS.	Vented	Rotor	11.75"	4.98"	5 -5.5"	BR5364
	Rear ABS	Vented	Rotor	11.75"	4.99"	5 -5.5"	BR5333

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

B150 VAN

FRONT

93-85		Vented	Rotor	11.75"	4.99"	5 -5.5"	BR5333
84-82		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5315
1981		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307

REAR

94-90		Floating	Drum	13.61"	4.47"	5 -5.5"	BD8957
89-85	11 Inch Rear Drum Brake	Floating	Drum	13.61"	4.47"	5 -5.5"	BD8957
89-84	10 Inch Rear Drum Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
1984	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
83-82	Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
1981	10 Inch Rear Drum Brake; Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	10 Inch Rear Drum Brake; Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860

B1500 VAN

FRONT

1998		Vented	Rotor	11.75"	4.97"	5 -5.5"	BR5389
97-95	4 Whl ABS.	Vented	Rotor	11.75"	4.98"	5 -5.5"	BR5364
	Rear ABS	Vented	Rotor	11.75"	4.99"	5 -5.5"	BR5333

REAR

1998		Floating	Drum	12.87"	4.07"	5 -5.5"	BD80082
97-95		Floating	Drum	13.61"	4.47"	5 -5.5"	BD8957

B200 VAN

FRONT

80-73		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307
-------	--	--------	-------	--------	-------	---------	--------

REAR

80-79		Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
78-73	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	10 Inch Rear Drum Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
72-71		Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878

B250 VAN

FRONT

1994	4 Whl ABS.; 5 Lug	Vented	Rotor	11.75"	4.97"	5 -5.5"	BR5389
	4 Whl ABS.; 8 Lug	Vented	Rotor	12.82"	5.75"	8 -6.5"	BR5366
	Rear ABS; 8 Lug	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
	Rear ABS; 5 Lug	Vented	Rotor	11.75"	4.99"	5 -5.5"	BR5333
93-85		Vented	Rotor	11.75"	4.99"	5 -5.5"	BR5333
1986	Exc. SPORTSMAN; 10 Inch Rear Drum Brake	Vented	Rotor	11.75"	4.99"	5 -5.5"	BR5333
84-82		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5315
1981		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
DODGE / RAM							
B250 VAN		REAR					
1994	5 Lug	Floating	Drum	13.61"	4.47"	5 -5.5"	BD8957
	8 Lug; 4-3/4 Inch Hub Hole, 3.8 Inch Tall	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
	8 Lug; 4.84 Inch Hub Hole, 5.1 Inch Tall	Floating	Drum	14.07"	5.1"	8 -6.5"	BD80024
	8 Lug; 4-3/4 Inch Hub Hole, 4-1/8 Inch Tall	Floating	Drum	14.07"	4.23"	8 -6.5"	BD80025
	8 Lug; 4.84 Hub Hole, 4.35 Inch Tall	Floating	Drum	14.06"	4.46"	8 -6.5"	BD80026
93-90		Floating	Drum	13.61"	4.47"	5 -5.5"	BD8957
89-85	11 Inch Rear Drum Brake	Floating	Drum	13.61"	4.47"	5 -5.5"	BD8957
	10 Inch Rear Drum Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
1984	10 Inch Rear Drum Brake; Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	10 Inch Rear Drum Brake; Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
83-81	Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
B2500 VAN		FRONT					
1998		Vented	Rotor	12.81"	4.58"	8 -6.5"	BR5398
97-95	4 Whl ABS.; 8 Lug	Vented	Rotor	12.82"	5.75"	8 -6.5"	BR5366
	4 Whl ABS.; 5 Lug	Vented	Rotor	11.75"	4.98"	5 -5.5"	BR5364
	Rear ABS; 8 Lug	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
	Rear ABS; 5 Lug	Vented	Rotor	11.75"	4.99"	5 -5.5"	BR5333
		REAR					
1998		Floating	Drum	14.17"	5.08"	8 -6.5"	BD80037
97-95	8 Lug; 4.84 Hub Hole, 4.35 Inch Tall	Floating	Drum	14.06"	4.46"	8 -6.5"	BD80026
	8 Lug; 4-3/4 Inch Hub Hole, 4-1/8 Inch Tall	Floating	Drum	14.07"	4.23"	8 -6.5"	BD80025
	8 Lug; 4.84 Inch Hub Hole, 5.1 Inch Tall	Floating	Drum	14.07"	5.1"	8 -6.5"	BD80024
	8 Lug; 4-3/4 Inch Hub Hole, 3.8 Inch Tall	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
	5 Lug	Floating	Drum	13.61"	4.47"	5 -5.5"	BD8957
B300 VAN		FRONT					
80-79	2 & 2-1/2 Inch Rear Shoe; SRW w/ 3600 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
	2 & 2-1/2 Inch Rear Shoe; SRW w/ 3800 or 4000 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
	2 & 2-1/2 Inch Rear Shoe; DRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
1978	2 & 2-1/2 Inch Rear Shoe; w/ 3800 or 4000 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

B300 VAN

FRONT

1978	2-1/2 Inch Rear Shoe; 4000lb. FA & DRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
77-74	2-1/2 & 3 Inch Rear Shoe; DRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
	2-1/2 & 3 Inch Rear Shoe; SRW w/ 3800 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
	2-1/2 & 3 Inch Rear Shoe; SRW w/ 3300 lb. FA	Vented	Rotor	12.82"	5.71"	8 -6.5"	BR5313
1973	Front Disc Brake; SRW; 3300 lb. FA	Vented	Rotor	12.82"	5.71"	8 -6.5"	BR5313
	Front Disc Brake; DRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
	Front Disc Brake; SRW; 3800 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
72-71	Front Disc Brake; DRW & SRW; 3800 or 4000 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319

REAR

80-74	2-1/2 Inch Rear Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
77-74	3 Inch Rear Shoe	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
73-71	DRW	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
	SRW	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880

B350 VAN

FRONT

1994	w/ 3800, 4000 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
	4 Whl ABS.; 3600 lb. FA	Vented	Rotor	12.82"	5.75"	8 -6.5"	BR5366
	Rear ABS; 3600 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
93-91	SPORTSMAN; w/ 3600 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
	SPORTSMAN; w/ 3800 or 4000 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
93-82	2-1/2 & 3 Inch Rear Shoe; w/ 3800 or 4000 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
	2-1/2 & 3 Inch Rear Shoe; w/ 3600 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
1981	2 & 2-1/2 Inch Rear Shoe; SRW w/ 3600 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
	2 & 2-1/2 Inch Rear Shoe; SRW w/ 3800 or 4000 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
	2 & 2-1/2 Inch Rear Shoe; DRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318

REAR

1994	Chrysler 9.25 RA, w/ Raised Face	Floating	Drum	13.86"	3.95"	8 -6.5"	BD8978
	5500 lb. RA, Inboard Mount	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
	6200 lb. RA, Outboard Mount	Floating	Drum	14.07"	5.1"	8 -6.5"	BD80024
	Chrysler 9.25 RA, w/ Recessed Face	Floating	Drum	14.07"	4.23"	8 -6.5"	BD80025

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

B350 VAN

REAR

1994	5500 lb. RA, Outboard Mount	Floating	Drum	14.06"	4.46"	8 -6.5"	BD80026
	6200 lb. RA, Inboard Mount	Floating	Drum	13.94"	4.52"	8 -6.5"	BD80004
93-90	3 Inch Rear Shoe; w/ 6200lb. RA	Floating	Drum	13.94"	4.52"	8 -6.5"	BD80004
	2-1/2 & 3 Inch Rear Shoe; Dana 60 Or 5500 lb. RA	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
93-86	2-1/2 Inch Rear Shoe; w/ Chrysler RA	Floating	Drum	13.86"	3.95"	8 -6.5"	BD8978
89-88	3 Inch Rear Shoe	Floating	Drum	13.94"	4.52"	8 -6.5"	BD80004
89-86	2-1/2 Inch Rear Shoe; Exc. Chrysler RA	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
87-82	3 Inch Rear Shoe; 9000 lb. RA w/ 3.45, 3.73 & 4.10 Ratio	Floating	Drum	13.94"	4.52"	8 -6.5"	BD80004
	3 Inch Rear Shoe; Exc. 9000 lb. Rear Axle	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
85-84	2-1/2 Inch Rear Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
83-82	2-1/2 Inch Rear Shoe; Exc. 9000 lb. Rear Axle	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
	2-1/2 Inch Rear Shoe; 9000 lb. RA w/ 3.45, 3.73 & 4.10 Ratio	Floating	Drum	13.94"	4.52"	8 -6.5"	BD80004
1981	2-1/2 Inch Rear Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880

B3500 VAN

FRONT

1998		Vented	Rotor	12.81"	4.58"	8 -6.5"	BR5398
97-95	3800 lb FA or 4000 lb FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
	3600 lb FA & AWAL	Vented	Rotor	12.82"	5.75"	8 -6.5"	BR5366
	3600 lb FA & RWAL	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330

REAR

1998		Floating	Drum	14.17"	5.08"	8 -6.5"	BD80037
97-95	5500 lb RA , Outboard Mounting	Floating	Drum	14.06"	4.46"	8 -6.5"	BD80026
	w/ Chrysler 9.25 RA	Floating	Drum	14.07"	4.23"	8 -6.5"	BD80025
	6200 lb RA , Outboard Mounting	Floating	Drum	14.07"	5.1"	8 -6.5"	BD80024
	6200 lb RA , Inboard Mounting	Floating	Drum	13.94"	4.52"	8 -6.5"	BD80004
	5500 lb RA , Inboard Mounting	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880

C/V - CARGO VAN

FRONT

13-12		Vented	Rotor	11.88"	1.5"	5 -5"	BR900524
--------------	--	--------	-------	--------	------	-------	----------

REAR

13-12		Solid	Rotor	12"	1.32"	5 -5"	BR900526
--------------	--	-------	-------	-----	-------	-------	----------

CALIBER

FRONT

12-07	276 mm Rotor	Vented	Rotor	276 mm	45.7 mm	5 -114.3 mm	BR900610
	Exc. SRT-4 ; 294mm Rotor	Vented	Rotor	294 mm	46 mm	5 -114.3 mm	BR31346
09-08	SRT-4	Vented	Rotor	340 mm	43.7 mm	5 -4.5"	BR900752

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

CALIBER

REAR

12-07	w/ Rear Disc Exc. SRT-4	Solid	Rotor	261.95 mm	60.56 mm	5 -4.5"	BR900334
	w/ Rear Drum	Floating	Drum	268.12 mm	60.3 mm	5 -115 mm	BD920102
09-08	SRT-4	Vented	Rotor	302 mm	59.8 mm	5 -4.5"	BR900750

CARAVAN

FRONT

07-01	Rear Drum Brake (Externally Vented Rotor) (TRW Calipers)	Vented	Rotor	11.06"	1.5"	5 -4.5"	BR53002
	Rear Disc Brake (Internally Vented Rotor) (Continental Teves Caliper)	Vented	Rotor	11.06"	1.5"	5 -4.5"	BR53004
00-96	10 Inch Front Disc Brake	Vented	Rotor	10.09"	1.5"	5 -3.94"	BR5371
	11 Inch Front Disc Brake	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
95-91	2WD; w/ 15 Inch Wheels (4 1/2 Inch Bolt Circle)	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
	2WD; w/ 14 Inch Wheels (100mm Bolt Circle)	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
90-87	w/ 15 Inch Wheels (4 1/2 Inch Bolt Circle)	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5342
90-86	14 Inch Wheels (100mm Bolt Circle)	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5332
85-84		Vented	Rotor	10.24"	1.5"	4 -3.94"	BR5326

REAR

07-01	Rear Drum Brake	Floating	Drum	12.11"	3.05"	5 -4.5"	BD80021
07-00	w/ Rear Disc Brakes	Solid	Rotor	11.41"	2.21"	5 -4.5"	BR5383
2000	Rear Drum Brake; 2-3/4 Inch Hub Hole	Floating	Drum	12.11"	3.05"	5 -4.5"	BD80021
	Rear Drum Brake; 2-1/4 Inch Hub Hole	Floating	Drum	12.11"	3.05"	5 -3.94"	BD80020
00-96	2-1/4 Inch Hub Hole	Floating	Drum	12.11"	3.05"	5 -3.94"	BD80020
99-96	2-3/4 Inch Hub Hole	Floating	Drum	12.11"	3.05"	5 -4.5"	BD80021
95-91	2WD; w/ 14 Inch Wheels (100mm Bolt Circle)	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
95-87	w/ 15 Inch Wheels (4 1/2 Inch Bolt Circle)	Floating	Drum	11.07"	4.15"	5 -4.5"	BD8968
	Finned w/ 14 Inch Wheels (100mm Bolt Circle)	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
	Plain w/ 14 Inch Wheels (100mm Bolt Circle)	Floating	Drum	10.39"	3.15"	5 -3.94"	BD8953
1986	Plain	Floating	Drum	10.39"	3.15"	5 -3.94"	BD8953
	Finned	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
85-84	Finned	Floating	Drum	11"	3.91"	4 -3.94"	BD8942
	Plain	Floating	Drum	10.31"	3.18"	4 -3.94"	BD8941

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

CB300

FRONT

1980	SRW & 3600lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
	SRW & 4000lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
80-78	DRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
1979	SRW w/ 3800 or 4000 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
	SRW w/ 3600 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
1978	SRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319

REAR

1978	12 x 3 Inch	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
------	-------------	----------	------	--------	------	---------	--------

CHALLENGER

FRONT

13-09	SE & SXT; w/ Rear Solid Rotors (12.6" Rotor)	Vented	Rotor	12.6"	2.15"	5 -4.5"	BR53022
	R/T / SXT; w/ Rear Vented Rotors (13.58" Front & 12.6" Rear Rotors)	Vented	Rotor	13.58"	2.16"	5 -4.5"	BR53023
13-08	SRT-8	Vented	Rotor	14.1"	2.3"	5 -4.5"	BR900426
74-73		Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314

REAR

13-11	SE / SXT; Solid Rotor	Solid	Rotor	12.6"	2.65"	5 -4.5"	BR901036
13-09	R/T / SXT; w/ Rear Vented Rotors (13.58" Front & 12.6" Rear Rotors)	Vented	Rotor	12.6"	2.65"	5 -4.5"	BR53024
13-08	SRT-8	Vented	Rotor	13.79"	2.7"	5 -4.5"	BR900560
10-09	SE & SXT (Solid Rear Rotor)	Solid	Rotor	12.6"	2.65"	5 -4.5"	BR53021
74-73		Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
72-71		Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
1970	Exc. T/A	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878

CHARGER

FRONT

12-11	R/T; AWD; 13.58" Rotor	Vented	Rotor	13.58"	2.16"	5 -4.5"	BR53023
	RWD w/ Heavy Duty Brakes;Exc: SRT8; 13.58" Rotor	Vented	Rotor	13.58"	2.16"	5 -4.5"	BR53023
	R/T AND SE ; RWD Exc. Performance Brakes; 12.6" Rotor	Vented	Rotor	12.6"	2.15"	5 -4.5"	BR53022
12-06	SRT-8	Vented	Rotor	14.1"	2.3"	5 -4.5"	BR900426
10-06	5.7L	Vented	Rotor	13.58"	2.16"	5 -4.5"	BR53023
	SXT 3.5L w/ Performance Brakes	Vented	Rotor	13.58"	2.16"	5 -4.5"	BR53023
	2.7L & 3.5L Exc. w/ Performance Brakes	Vented	Rotor	12.6"	2.15"	5 -4.5"	BR53022
87-86	SHELBY; 5 Lug	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
	SHELBY; 4 Lug	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
1986	Submodel 2.2	Solid	Rotor	9.12"	1.5"	4 -3.94"	BR5328
1984	Exc. Shelby	Solid	Rotor	9.12"	1.5"	4 -3.94"	BR5328

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

CHARGER

FRONT

84-83	SHELBY	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
77-76		Vented	Rotor	11.73"	4.84"	5 -4.5"	BR5311
76-75	Exc. Sport; From 12/2/75	Vented	Rotor	11.73"	4.84"	5 -4.5"	BR5311
1975	To 12/1/75	Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
74-73		Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314

REAR

12-11	3.6L Exc. Heavy Duty Brakes; Solid Rotor	Solid	Rotor	12.6"	2.65"	5 -4.5"	BR901036
12-06	w/ Heavy Duty Brakes and Police Models; 13.79" Rear Non Slotted Rotor	Vented	Rotor	13.79"	2.6"	5 -4.5"	BR900944
	SRT-8	Vented	Rotor	13.79"	2.7"	5 -4.5"	BR900560
	5.7L w/ Standard Brake Package; 12.6" Rear Rotor	Vented	Rotor	12.6"	2.65"	5 -4.5"	BR53024
10-06	SXT 3.5L w/ Performance Brakes	Vented	Rotor	12.6"	2.65"	5 -4.5"	BR53024
	2.7L & 3.5L Exc. w/ Performance Brakes	Solid	Rotor	12.6"	2.65"	5 -4.5"	BR53021
87-86	SHELBY; 4 Lug	Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931
	SHELBY; 5 Lug	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
1986	2.2	Floating	Drum	8.78"	2.38"	4 -3.94"	BD8930
1984	Exc. Shelby	Floating	Drum	8.78"	2.38"	4 -3.94"	BD8930
84-83	SHELBY	Floating	Drum	8.78"	2.38"	4 -3.94"	BD8930
77-75	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	10 Inch Rear Drum Brake	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
1974	10 Inch Rear Drum Brake; Pin Type Calipers	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	11 Inch Rear Drum Brake; Pin & Slider Type Calipers	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
73-71	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
73-68	10 Inch Rear Drum Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
1969	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
1966		Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878

COLT

FRONT

1994	2 Door; Economy & Low Series	Solid	Rotor	234 mm	45.1 mm	4 -100 mm	BR31139
	Exc. 4X4, SE; 2 Door; Med. & High Series	Vented	Rotor	236 mm	45 mm	4 -100 mm	BR31133
94-93	4 Door	Vented	Rotor	236 mm	45 mm	4 -100 mm	BR31133
1993	2 Door	Solid	Rotor	234 mm	45.1 mm	4 -100 mm	BR31139
1992	2 Door; Made in Japan	Solid	Rotor	234 mm	34 mm	4 -104 mm	BR31102
	4 Door; Made in Japan	Vented	Rotor	236 mm	34 mm	4 -104 mm	BR31094

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

COLT

FRONT

1991	Exc. VISTA; Made in Japan	Solid	Rotor	234 mm	34 mm	4 -104 mm	BR31102
	Exc. VISTA; Made in USA	Vented	Rotor	236 mm	34 mm	4 -104 mm	BR31094
91-86	VISTA, VISTA CUSTOM; 4WD	Vented	Rotor	266 mm	45.1 mm	4 -114.3 mm	BR3288
91-85	VISTA, VISTA CUSTOM; 2WD	Vented	Rotor	242 mm	34 mm	4 -104 mm	BR3158
1990	GT; DOHC Eng.	Vented	Rotor	242 mm	34 mm	4 -104 mm	BR3158
90-89	Exc. 100 DL, 100 E, 100 LX, 200 DL, 200 E, 200 LX, VISTA; SOHC Eng.	Solid	Rotor	243 mm	34 mm	4 -104 mm	BR3160
88-85	DL, E, PREMIER; 1.5L	Solid	Rotor	243 mm	34 mm	4 -104 mm	BR3160
88-84	DL, PREMIER, VISTA; 1.6L, 2.0L	Vented	Rotor	242 mm	34 mm	4 -104 mm	BR3158

REAR

1994	Exc. 4X4, SE; 2 Door	Floating	Drum	214.7 mm	65 mm	4 -100 mm	BD35001
	4 Door; Rear Drum Brake	Floating	Drum	214.7 mm	65 mm	4 -100 mm	BD35002
94-93	4x4	Solid	Rotor	262 mm	60.1 mm	4 -114.3 mm	BR31129
1993	4 Door; Rear Disc Brake	Solid	Rotor	235.9 mm	41.1 mm	4 -100 mm	BR31199
	2 Door	Floating	Drum	214.7 mm	65 mm	4 -100 mm	BD35001
1991	Exc. VISTA; Made in USA	Floating	Drum	206 mm	65.02 mm	4 -114.3 mm	BD35004
91-85	VISTA, VISTA CUSTOM; 2WD	Hub/ Bearing	Drum	235 mm	72.39 mm	4 -114.3 mm	BD3563
1990	GT; DOHC Eng.	Solid	Rotor	265 mm	49 mm	4 -114.3 mm	BR31011
1989		Solid	Rotor	265 mm	49 mm	4 -114.3 mm	BR31011
84-80	Exc. VISTA	Hub / Bearing	Drum	216 mm	71 mm	4 -114.3	BD3567
1979	FWD	Hub / Bearing	Drum	216 mm	71 mm	4 -114.3	BD3567

CONQUEST

REAR

86-84	5 Lug	Vented	Rotor	266 mm	47 mm	5 -114.3 mm	BR31028
-------	-------	--------	-------	--------	-------	-------------	---------

CORONET

FRONT

76-12/75	Wagon & Sedan; From 12/75	Vented	Rotor	11.73"	4.84"	5 -4.5"	BR5311
11/75-75	Wagon & Sedan; To 11/75	Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
1975	Wagon & Sedan	Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
74-73	Pin & Sliding Type Caliper	Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314

REAR

76-75	Exc. BROUGHAM; Wagon	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	Exc. CRESTWOOD; Sedan	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
74-73	Pin & Sliding Type Caliper	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	Wagon; Pin & Sliding Type Caliper	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
72-71	w/ 11 Inch Brakes	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	w/ 10 Inch Rear Brakes	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

CORONET

REAR

71-68	Exc. BROUGHAM; CRESTWOOD; CUSTOM; 10 Inch Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
1969	Exc. 500; DELUXE	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
1967	Exc. 440, 500, R/T; Front Drum Brake; 10 Inch Rear Drum Brake; 2 1/2 Inch Rear Shoe	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
67-66	Exc. 440, 500, DELUXE, R/T; Front Disc Brake; 10 Inch Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
1966	Exc. 440, 500, DELUXE; Front Drum Brake; 10 Inch Rear Drum Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	Exc. 440, 500, DELUXE; Front Drum Brake; 11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
1965	Exc. 440; Exc. Heavy Duty	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878

CUSTOM

REAR

1965	Exc. Heavy Duty	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
------	-----------------	----------	------	--------	------	---------	--------

D100 PICKUP

FRONT

89-86		Vented	Rotor	11.75"	4.99"	5 -5.5"	BR5333
79-73		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307

REAR

89-88		Floating	Drum	13.61"	4.47"	5 -5.5"	BD8957
87-86	11 Inch Rear Drum Brake	Floating	Drum	13.61"	4.47"	5 -5.5"	BD8957
	10 Inch Rear Drum Brake; Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	10 Inch Rear Drum Brake; Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
1979	Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
78-73	10 Inch Rear Drum Brake; Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	10 Inch Rear Drum Brake; Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
1972		Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
71-70	10 Inch Rear Drum Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878

D150 PICKUP

FRONT

93-85		Vented	Rotor	11.75"	4.99"	5 -5.5"	BR5333
84-82		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5315
81-77		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307

REAR

93-88		Floating	Drum	13.61"	4.47"	5 -5.5"	BD8957
87-85	11 Inch Rear Drum Brake	Floating	Drum	13.61"	4.47"	5 -5.5"	BD8957

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

D150 PICKUP

REAR

87-85	10 Inch Rear Drum Brake; Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	10 Inch Rear Drum Brake; Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
1984		Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
83-82		Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
81-80	10 Inch Rear Drum Brake; Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	10 Inch Rear Drum Brake; Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
1979	Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
78-77	10 Inch Rear Drum Brake; Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	10 Inch Rear Drum Brake; Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878

D200 PICKUP

FRONT

80-79	2 Inch Rear Shoe; 3800 or 4000lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
	2 Inch Rear Shoe; 3300 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
1979	2-1/2 Inch Rear Shoe; 3800 or 4000lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
	2-1/2 Inch Rear Shoe; 3300 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
1978	2 & 2-1/2 Inch Rear Shoe; Exc. 4000 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
	2 & 2-1/2 Inch Rear Shoe; w/ 4000 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
77-74	2 & 2-1/2 Inch Rear Shoe; DRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
	2 & 2-1/2 Inch Rear Shoe; SRW Exc. 3300 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
	2 & 2-1/2 Inch Rear Shoe; SRW w/ 3300 lb. FA	Vented	Rotor	12.82"	5.71"	8 -6.5"	BR5313
1973	Front Disc Brake; 2 & 2 1/2 Inch Rear Shoe; SRW w/ 3300 lb. FA	Vented	Rotor	12.82"	5.71"	8 -6.5"	BR5313
	Front Disc Brake; 2 & 2 1/2 Inch Rear Shoe; DRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
	Front Disc Brake; 2 & 2 1/2 Inch Rear Shoe; SRW Exc. 3300 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319

REAR

79-74	2-1/2 Inch Rear Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
73-72	2 1/2 Inch Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
	3 Inch Shoe	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

D200 PICKUP

REAR

71-70	3 Inch Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
-------	-------------	----------	------	--------	-------	---------	--------

D250 PICKUP

FRONT

93-90	Diesel	Vented	Rotor	12.82"	2.99"	8 -6.5"	BR5352
	Gas	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
1989	3300 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
	3800 or 4000 lb. FA	Vented	Rotor	12.82"	2.99"	8 -6.5"	BR5352
88-86		Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
85-82	3300 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
	3800 or 4000lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
1981	2 & 2-1/2 Inch Rear Shoe; 3800 or 4000lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
	2 & 2-1/2 Inch Rear Shoe; 3300 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330

REAR

93-90	12 Inch Rear Drum Brake; 5.5 Or 5.8M lb. Dana or RA	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
	12 Inch Rear Drum Brake; 6200 lb. Dana 60 RA	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
	12 Inch Rear Drum Brake; w/ Chrysler RA w/o Hub	Floating	Drum	13.86"	3.95"	8 -6.5"	BD8978
93-88	11 Inch Rear Drum Brake	Floating	Drum	13.61"	4.47"	5 -5.5"	BD8957
89-88	12 Inch Rear Drum Brake; w/ 9 1/4 Inch Heavy Duty RA	Floating	Drum	13.86"	3.95"	8 -6.5"	BD8978
	12 Inch Rear Drum Brake; w/ 5500, 5800 lb. RA	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
87-86	12 Inch Rear Drum Brake; 2-1/2 Inch Wide Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
	12 Inch Rear Drum Brake; 3 Inch Wide Shoe	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
85-82	3 Inch Wide Shoe	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
	2-1/2 Inch Wide Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
1981	2-1/2 Inch Rear Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880

D300 PICKUP

FRONT

1980	DRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
	SRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
79-78	2 & 2-1/2 Inch Rear Shoe; SRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
	2 & 2-1/2 Inch Rear Shoe; DRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
77-74	DRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
	SRW w/ 3800 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
	SRW w/ 3300 lb. FA	Vented	Rotor	12.82"	5.71"	8 -6.5"	BR5313
1973	Front Disc Brake; DRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

D300 PICKUP

FRONT

73-72	Front Disc Brake; SRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
-------	-----------------------	--------	-------	--------	-------	---------	--------

REAR

1980		Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
77-72		Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892

D350 PICKUP

FRONT

93-90	Gas; 2-1/2 Inch Rear Shoe; w/ 3300, 3600 lb. Front Axle & 3 Inch Rear Shoe; SRW	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
	Diesel: 2-1/2 & 3 Inch Rear Shoe	Vented	Rotor	12.82"	2.99"	8 -6.5"	BR5352
93-88	3 Inch Rear Shoe; DRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
89-88	2-1/2 & 3 Inch Rear Shoe	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
87-86	3 Inch Rear Shoe; Exc. 4000 lb. Front Axle	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
	3 Inch Rear Shoe; w/ 3800, 4000 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
	2-1/2 Inch Rear Shoe; w/ 4000 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
87-84	2-1/2 Inch Rear Shoe; Exc. 4000 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
85-84	3 Inch Rear Shoe; SRW Exc. 4000 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
	2-1/2 & 3 Inch Rear Shoe; 4000 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
85-82	3 Inch Rear Shoe; DRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
83-82	2-1/2 Inch Rear Shoe; DRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
	2-1/2 & 3 Inch Rear Shoe; SRW w/ 3800 or 4000 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
	2-1/2 & 3 Inch Rear Shoe; SRW w/ 3300 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
1981	SRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
	DRW	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318

REAR

93-90	Diesel: 2-1/2 & 3 Inch Rear Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
	3 Inch Rear Shoe; DRW	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
89-86	2-1/2 Inch Rear Shoe; w/ 5500, 5800 lb. RA	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
	2-1/2 Inch Rear Shoe; w/ 9 1/4 Inch Heavy Duty RA	Floating	Drum	13.86"	3.95"	8 -6.5"	BD8978
89-82	3 Inch Rear Shoe	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
85-82	2-1/2 Inch Rear Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
1981		Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

D50 PICKUP

FRONT

82-81	104MM Bolt Dia	Solid	Rotor	255 mm	33.2 mm	6 -104 mm	BR3159
	108MM Bolt Dia	Vented	Rotor	255 mm	45 mm	6 -108 mm	BR3248
80-79		Solid	Rotor	255 mm	33.2 mm	6 -104 mm	BR3159

DAKOTA

FRONT

11-05		Vented	Rotor	12.28"	2.6"	5 -5.5"	BR53025
04-03		Vented	Rotor	12.13"	2.48"	6 -4.5"	BR53014
02-97		Vented	Rotor	11.3"	2.52"	6 -4.5"	BR5382
96-94	2WD / 4 Whl ABS.; Hub & Rotor	Vented	Rotor	11.3"	4.37"	6 -4.5"	BR5363
96-93	4WD / Rotor only	Vented	Rotor	11.3"	2.53"	6 -4.5"	BR5348
	2WD / Rear ABS; Hub & Rotor	Vented	Rotor	11.3"	4.36"	6 -4.5"	BR5347
92-91	4WD	Vented	Rotor	11.3"	2.53"	6 -4.5"	BR5348
	2WD	Vented	Rotor	11.3"	4.36"	6 -4.5"	BR5347
90-89	2WD	Vented	Rotor	11.37"	4.36"	5 -4.5"	BR5341
90-87	4WD	Vented	Rotor	11.3"	2.5"	5 -4.5"	BR5343
88-87	2WD / w/14 Inch Whls.	Vented	Rotor	10.7"	4.45"	5 -4.5"	BR5340
	2WD / w/15 Inch Whls.	Vented	Rotor	11.37"	4.36"	5 -4.5"	BR5341

REAR

11-05		Floating	Drum	14.25"	4.42"	5 -5.5"	BD920118
04-03	Rear Disc Brake	Solid	Rotor	12.28"	3.2"	6 -4.5"	BR53013
	Rear Drum Brake	Floating	Drum	12.99"	4.65"	6 -4.5"	BD80110
02-00	11 Inch Rear Drum Brake	Floating	Drum	12.91"	4.06"	6 -4.5"	BD80079
02-91	9 Inch Rear Drum Brake	Floating	Drum	11.03"	4.1"	6 -4.5"	BD8992
98-91	10 Inch Rear Drum Brake	Floating	Drum	12.6"	4.36"	6 -4.5"	BD8993
90-87	9 Inch Rear Drum Brake	Floating	Drum	11.02"	4.1"	5 -4.5"	BD8991
	10 Inch Rear Drum Brake	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877

DART

FRONT

76-73	Front Disc Brake	Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
1970	Front Drum Brake; Std.; Plain	Floating	Drum	10.39"	3.33"	5 -4"	BD8190
64-63		Floating	Drum	10.39"	3.33"	5 -4"	BD8190

REAR

76-74	Front Drum Brake; Plain	Floating	Drum	10.35"	2.83"	5 -4"	BD8191
	Front Disc Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
74-73	Exc. SPECIAL EDITION, SPORT 340, SPORT 360; Plain	Floating	Drum	10.35"	2.83"	5 -4"	BD8191
1973		Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
1970	Plain	Floating	Drum	10.35"	2.83"	5 -4"	BD8191
64-63		Floating	Drum	10.35"	2.83"	5 -4"	BD8191

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

DAYTONA

FRONT

93-92	Rear Disc Brake	Vented	Rotor	11.11"	1.51"	5 -3.94"	BR5344
	Rear Drum Brake	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
1991	Rear Drum Brake; w/ 14 Inch Wheels	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
91-90	Rear Disc Brake; w/ 15 Inch Wheels	Vented	Rotor	11.11"	1.51"	5 -3.94"	BR5344
1990		Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
1989	ES, SHELBY; Rear Solid Disc Brake	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
	ES, SHELBY; Rear Vented Disc Brake	Vented	Rotor	11.11"	1.51"	5 -3.94"	BR5344
88-87		Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
86-84	ATE & Kelsey-Hayes Front Calipers; 4 Lug	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
	ATE & Kelsey-Hayes Front Calipers; 5 Lug	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329

REAR

93-92	Exc. IROC, IROC R/T; Rear Drum Brake	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
93-91	IROC, IROC R/T, SHELBY; Rear Disc Brake	Vented	Rotor	11.27"	2.03"	5 -3.94"	BR5354
1991	Exc. IROC, SHELBY; Rear Drum Brake; w/ 14 Inch Wheels	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
1990	Exc. SHELBY; Rear Drum Brake	Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
	ES, SHELBY; Rear Disc Brake; w/ 14 & 15 Inch Wheels	Solid	Rotor	10.62"	2.01"	5 -3.94"	BR5345
1989	ES, SHELBY; Rear Solid Disc Brake	Solid	Rotor	10.62"	2.01"	5 -3.94"	BR5345
	ES, SHELBY; Rear Vented Disc Brake	Vented	Rotor	11.27"	2.03"	5 -3.94"	BR5354
88-87	PACIFICA, SHELBY Z; Rear Disc Brake	Solid	Rotor	10.82"	1.35"	5 -3.94"	BR5368
	Exc. PACIFICA, SHELBY Z; Rear Drum Brake	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
86-84	ATE & Kelsey-Hayes Front Calipers; 5 Lug	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
	ATE & Kelsey-Hayes Front Calipers; 4 Lug	Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931

DIPLOMAT

FRONT

89-77		Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
-------	--	--------	-------	--------	-------	---------	--------

REAR

89-77	Taxi & Police	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	Exc. Taxi & Police; Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	Exc. Taxi & Police; Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

DURANGO

FRONT

13-11	HD ; 350 mm Rotor	Vented	Rotor	350 mm	55 mm	5 -126.8 mm	BR900946
	Exc. HD ; 330 mm Rotor	Vented	Rotor	330 mm	55 mm	5 -126.8 mm	BR900950
09-04		Vented	Rotor	13.23"	2.65"	5 -5.5"	BR53005
2003		Vented	Rotor	12.13"	2.4"	6 -4.5"	BR53007
02-98		Vented	Rotor	11.3"	2.52"	6 -4.5"	BR5382

REAR

13-11	Exc. HD ; 330 mm Rotor	Solid	Rotor	330 mm	64 mm	5 -126.8 mm	BR900952
	HD ; 330 mm Rotor	Vented	Rotor	330 mm	64 mm	5 -126.8 mm	BR900948
09-04		Vented	Rotor	13.86"	2.84"	5 -5.5"	BR53006
2003		Vented	Rotor	12.5"	2.8"	6 -4.5"	BR53015
02-98		Floating	Drum	12.91"	4.06"	6 -4.5"	BD80079

DYNASTY

FRONT

93-88		Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
-------	--	--------	-------	--------	------	----------	--------

REAR

93-91	Rear Disc Brake	Solid	Rotor	10.62"	2.01"	5 -3.94"	BR5345
93-88	Rear Drum Brake	Floating	Drum	10.51"	2.68"	5 -5.94"	BD8980
90-88	Rear Disc Brake	Solid	Rotor	10.1"	1.39"	5 -3.94"	BR5367

GRAND CARAVAN

FRONT

13-12	12.99" Front Rotor	Vented	Rotor	12.99"	1.52"	5 -5"	BR901088
13-08	11.88" Front Rotor	Vented	Rotor	11.88"	1.5"	5 -5"	BR900524
07-06		Vented	Rotor	11.06"	1.5"	5 -4.5"	BR53004
05-01	w/ Rear Drum Brakes	Vented	Rotor	11.06"	1.5"	5 -4.5"	BR53002
	w/ Rear Disc Brakes	Vented	Rotor	11.06"	1.5"	5 -4.5"	BR53004
2000	10 Inch Front Disc Brake	Vented	Rotor	10.09"	1.5"	5 -3.94"	BR5371
	11 Inch Front Disc Brake	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
99-97	AWD	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
99-96	2WD; 11 Inch Front Disc Brake	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
	2WD; 10 Inch Front Disc Brake	Vented	Rotor	10.09"	1.5"	5 -3.94"	BR5371
97-96	2WD; 10 Inch Dia.	Vented	Rotor	10.09"	1.5"	5 -3.94"	BR5371
	2WD; 11 Inch Dia.	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
95-91	2WD; w/ 15 Inch Wheels (4 1/2 Inch Bolt Circle)	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
	2WD; w/ 14 Inch Wheels (100mm Bolt Circle)	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
1990	w/ 14 Inch Wheels Exc. Heavy Duty Tow Pkg, Ext. WB or Taxi Pkg. (100mm Bolt Circle)	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5332
	w/ 14 Inch Wheels (4 1/2 Inch Bolt Circle) w/ Heavy Duty Tow Pkg, Ext. WB, or Taxi Pkg. & All w/ 15 Inch Wheels	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5342

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

GRAND CARAVAN

FRONT

1989	14 Inch Wheels (4 1/2 Inch Bolt Circle) w/ HD Tow Pkg, Ext. WB, or Taxi Pkg. & All 15 Inch Wheels	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5342
	14 Inch Wheels Exc. HD Tow Pkg, Ext. WB or Taxi Pkg. (100mm Bolt Circle)	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5332
1988	14 Inch Wheels (100mm Bolt Circle)	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5332
	15 Inch Wheels (4 1/2 Inch Bolt Circle)	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5342

REAR

13-12	12.91" Rear Rotor	Solid	Rotor	12.91"	1.31"	5 -5"	BR901090
13-08	12" Rear Rotor	Solid	Rotor	12"	1.32"	5 -5"	BR900526
07-01	w/ Rear Disc Brakes	Solid	Rotor	11.41"	2.21"	5 -4.5"	BR5383
05-01	w/ Rear Drum Brakes	Floating	Drum	12.11"	3.05"	5 -4.5"	BD80021
2000	Rear Drum Brake; 2-1/4 Inch Hub Hole	Floating	Drum	12.11"	3.05"	5 -3.94"	BD80020
	Rear Drum Brake; 2-3/4 Inch Hub Hole	Floating	Drum	12.11"	3.05"	5 -4.5"	BD80021
	Rear Disc Brake	Solid	Rotor	11.41"	2.21"	5 -4.5"	BR5383
99-97	AWD; Rear Disc Brake	Solid	Rotor	11.41"	2.21"	5 -4.5"	BR5383
99-96	2WD; 2-3/4 Inch Hub Hole	Floating	Drum	12.11"	3.05"	5 -4.5"	BD80021
	2WD; 2-1/4 Inch Hub Hole	Floating	Drum	12.11"	3.05"	5 -3.94"	BD80020
95-91	2WD; w/ 15 Inch Wheels (4 1/2 Inch Bolt Circle)	Floating	Drum	11.07"	4.15"	5 -4.5"	BD8968
	2WD; w/ 14 Inch Wheels (100mm Bolt Circle)	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
1990	w/ 14 Inch Wheels Exc. Heavy Duty Tow Pkg, Ext. WB or Taxi Pkg. (100mm Bolt Circle); Finned	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
	w/ 14 Inch Wheels (4 1/2 Inch Bolt Circle) w/ Heavy Duty Tow Pkg, Ext. WB, or Taxi Pkg. & All w/ 15 Inch Wheels	Floating	Drum	11.07"	4.15"	5 -4.5"	BD8968
	w/ 14 Inch Wheels Exc. Heavy Duty Tow Pkg, Ext. WB or Taxi Pkg. (100mm Bolt Circle); Plain	Floating	Drum	10.39"	3.15"	5 -3.94"	BD8953
1989	14 Inch Wheels Exc. HD Tow Pkg, Ext. WB or Taxi Pkg. (100mm Bolt Circle); Plain	Floating	Drum	10.39"	3.15"	5 -3.94"	BD8953
	14 Inch Wheels (4 1/2 Inch Bolt Circle) w/ HD Tow Pkg, Ext. WB, or Taxi Pkg. & All 15 Inch Wheels	Floating	Drum	11.07"	4.15"	5 -4.5"	BD8968
	14 Inch Wheels Exc. HD Tow Pkg, Ext. WB or Taxi Pkg. (100mm Bolt Circle); Finned	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

GRAND CARAVAN

REAR

1988	14 Inch Wheels (100mm Bolt Circle); Finned	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
	15 Inch Wheels (4 1/2 Inch Bolt Circle)	Floating	Drum	11.07"	4.15"	5 -4.5"	BD8968
	14 Inch Wheels (100mm Bolt Circle); Plain	Floating	Drum	10.39"	3.15"	5 -3.94"	BD8953

INTREPID

FRONT

04-01	w/o Performance Package	Vented	Rotor	11.69"	2.12"	5 -4.5"	BR5386
	w/ Performance Package	Vented	Rotor	11.69"	2.13"	5 -4.5"	BR5388
2000	w/ 16 Inch Wheels, 17 Inch Wheels w/ Performance Package	Vented	Rotor	11.69"	2.13"	5 -4.5"	BR5388
	w/ 16 Inch Wheels, 17 Inch Wheels w/o Performance Package	Vented	Rotor	11.69"	2.12"	5 -4.5"	BR5386
00-98	w/ 15 Inch Wheels	Vented	Rotor	11.11"	2.13"	5 -4.5"	BR5387
99-98	w/ 16 Inch, 17 Wheels	Vented	Rotor	11.69"	2.12"	5 -4.5"	BR5386
97-93		Vented	Rotor	11.11"	2.05"	5 -4.5"	BR5355

REAR

04-98		Solid	Rotor	10.64"	2.02"	5 -4.5"	BR5356
97-93	Rear Disc Brake	Solid	Rotor	10.64"	2.02"	5 -4.5"	BR5356
	Rear Drum Brake	Floating	Drum	9.87"	2.67"	5 -4.5"	BD80005

JOURNEY

FRONT

2012	12.99" Front Rotor	Vented	Rotor	12.99"	1.52"	5 -5"	BR901088
12-09	11.88" Front Rotor	Vented	Rotor	11.88"	1.5"	5 -5"	BR900524

REAR

2012	12.91" Rear Rotor	Solid	Rotor	12.91"	1.31"	5 -5"	BR901090
12-09	12" Rear Rotor	Solid	Rotor	12"	1.32"	5 -5"	BR900526

LANCER

FRONT

89-88		Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
87-85	5 Lug	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
	4 Lug	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327

REAR

89-88		Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
87-85	5 Lug	Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
	4 Lug	Floating	Drum	8.78"	2.38"	4 -3.94"	BD8930

M300

FRONT

1974	M, RM300 w/ Single Piston Cal.	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
------	--------------------------------	--------	-------	--------	-------	---------	--------

REAR

1974	M, RM300, 350, 400	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
------	--------------------	----------	------	--------	------	---------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

M350

FRONT

1974	M, RM300 w/ Single Piston Cal.	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
------	--------------------------------	--------	-------	--------	-------	---------	--------

REAR

1974	M, RM300 w/ Single Piston Cal.	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
------	--------------------------------	----------	------	--------	------	---------	--------

MAGNUM

FRONT

08-06	SRT-8	Vented	Rotor	14.1"	2.3"	5 -4.5"	BR900426
08-05	2WD w/ Solid Rear Rotors	Vented	Rotor	12.6"	2.15"	5 -4.5"	BR53022
	SXT AWD & ALL R/T	Vented	Rotor	13.58"	2.16"	5 -4.5"	BR53023
79-78		Vented	Rotor	11.73"	4.84"	5 -4.5"	BR5311

REAR

08-06	SRT-8	Vented	Rotor	13.79"	2.7"	5 -4.5"	BR900560
08-05	w/ Heavy Duty Brake Package; Including Police	Vented	Rotor	13.79"	2.6"	5 -4.5"	BR900944
	R/T and SXT AWD w/ Standard Duty Brakes	Vented	Rotor	12.6"	2.65"	5 -4.5"	BR53024
	2WD w/ Solid Rear Rotors	Solid	Rotor	12.6"	2.65"	5 -4.5"	BR53021
79-78	HD	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	Exc. HD	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877

MINI RAM

FRONT

1988	15 Inch Wheels (4 1/2 Inch Bolt Circle)	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5342
	14 Inch Wheels (100mm Bolt Circle)	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5332
1987	Extended Wheelbase ATE Front Calipers (4 1/2 Inch Bolt)	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5342
	Std. WB (112 Inch) (100mm Bolt Circle) (Kelsey-Hayes Front Calipers)	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5332
1986		Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5332
85-84		Vented	Rotor	10.24"	1.5"	4 -3.94"	BR5326

REAR

1988	14 Inch Wheels (100mm Bolt Circle); Plain	Floating	Drum	10.39"	3.15"	5 -3.94"	BD8953
	15 Inch Wheels (4 1/2 Inch Bolt Circle)	Floating	Drum	11.07"	4.15"	5 -4.5"	BD8968
	14 Inch Wheels (100mm Bolt Circle); Finned	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
1987	Extended Wheelbase ATE Front Calipers (4 1/2 Inch Bolt)	Floating	Drum	11.07"	4.15"	5 -4.5"	BD8968
	Std. WB (112 Inch) (100mm Bolt Circle) (Kelsey-Hayes Front Calipers); Plain	Floating	Drum	10.39"	3.15"	5 -3.94"	BD8953
	Std. WB (112 Inch) (100mm Bolt Circle) (Kelsey-Hayes Front Calipers); Finned	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

MINI RAM

REAR

1986	Finned	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
	Plain	Floating	Drum	10.39"	3.15"	5 -3.94"	BD8953
85-84	Finned	Floating	Drum	11"	3.91"	4 -3.94"	BD8942
	Plain	Floating	Drum	10.31"	3.18"	4 -3.94"	BD8941

MIRADA

FRONT

83-80		Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
-------	--	--------	-------	--------	-------	---------	--------

REAR

83-80	Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878

MONACO

FRONT

92-91		Vented	Rotor	10.44"	1.36"	5 -4.25"	BR5117
1990		Vented	Rotor	10.43"	1.47"	5 -4.25"	BR5114
78-77		Vented	Rotor	11.73"	4.84"	5 -4.5"	BR5311
76-74	Exc. BROUGHAM	Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5315
1974	BROUGHAM	Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5315
1973		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307
1972	Front Disc Brake; Late w/ 2-5/8 Inch Seal	Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307

REAR

92-90	ES; Rear Disc Brake	Solid	Rotor	10.04"	1.21"	5 -4.25"	BR5116
	LE; Rear Drum Brake	Floating	Drum	10.16"	2.9"	5 -4.25"	BD80014
78-77	HD	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	Exc. HD	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
1976		Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
75-74	HD	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
1973	Wagon; HD	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
72-69	with 11 X 2 1/2 Inch Brakes	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860

NEON

FRONT

05-03	SRT-4	Vented	Rotor	11.02"	1.56"	5 -3.94"	BR53009
05-00	Except SRT-4	Vented	Rotor	10.12"	1.5"	5 -3.94"	BR5397
99-98	5 Lug	Vented	Rotor	10.12"	1.5"	5 -3.94"	BR5359
97-95	Rear Drum Brake; (4 Lug)	Vented	Rotor	9.42"	1.51"	4 -3.94"	BR5358
	Rear Disc Brake (5 Lug)	Vented	Rotor	10.12"	1.5"	5 -3.94"	BR5359

REAR

05-04	Exc. SRT4	Solid	Rotor	10.6"	2.1"	5 -3.94"	BR5370
05-03	SRT-4	Solid	Rotor	10.62"	2.1"	5 -3.94"	BR53008
05-97	Rear Drum Brake (5 Lug)	Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
03-95	Rear Disc Brake Exc. SRT4 (5 Lug)	Solid	Rotor	10.6"	2.1"	5 -3.94"	BR5370

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
DODGE / RAM							
NEON			REAR				
97-95	Rear Drum Brake; (4 Lug)	Floating	Drum	8.78"	2.38"	4 -3.94"	BD8930
NITRO			FRONT				
11-07	w/ 332mm Front Rotors (Heavy Duty)	Vented	Rotor	332 mm	64.37 mm	5 -4.5"	BR900768
	w/ 302mm Front Rotors (Std Duty)	Vented	Rotor	302 mm	64.37 mm	5 -4.5"	BR900328
			REAR				
11-07		Solid	Rotor	315.97 mm	76.7 mm	5 -4.5"	BR900330
OMNI			FRONT				
90-87		Solid	Rotor	9.12"	1.5"	4 -3.94"	BR5328
86-85	GLH; 5 Lug	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
	GLH; 4 Lug	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
86-83	Except GLH	Solid	Rotor	9.12"	1.5"	4 -3.94"	BR5328
84-83	Exc. CUSTOM, SE; w/ Solid Front Rotor	Solid	Rotor	9.12"	1.5"	4 -3.94"	BR5328
	GLH & w/ Vented Front Rotor	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
82-78		Solid	Rotor	9.12"	1.5"	4 -3.94"	BR5328
			REAR				
90-87		Floating	Drum	8.78"	2.38"	4 -3.94"	BD8930
86-85	Except GLH	Floating	Drum	8.78"	2.38"	4 -3.94"	BD8930
	GLH; 5 Lug	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
	GLH; 4 Lug	Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931
1984	SE	Floating	Drum	8.78"	2.38"	4 -3.94"	BD8930
84-83	Exc. SE	Floating	Drum	8.78"	2.38"	4 -3.94"	BD8930
82-78		Floating	Drum	9.06"	2.45"	4 -3.94"	BD8920
P200			REAR				
1972	3 Inch Rear Shoe	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
	2-1/2 Inch Rear Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
P300			REAR				
1972		Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
POLARA			FRONT				
1973		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307
1972	Front Disc Brake; Late w/ 2-5/8 Inch Seal	Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307
			REAR				
1973		Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
72-69	with 11 X 2 1/2 Inch Brakes	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
RAIDER			FRONT				
1989	V6	Vented	Rotor	277 mm	45.1 mm	6 -108 mm	BR3280
89-87	L4	Vented	Rotor	258 mm	45.2 mm	6 -108 mm	BR3279

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

RAIDER

REAR

89-87		Floating	Drum	303 mm	83 mm	6 -139.7 mm	BD3544
-------	--	----------	------	--------	-------	-------------	--------

RAM 1500 PICKUP

FRONT

2013		Vented	Rotor	13.23"	2.65"	5 -5.5"	BR53005
12-02	Exc. SRT10 & Mega Cab	Vented	Rotor	13.23"	2.65"	5 -5.5"	BR53005
08-06	Mega Cab	Vented	Rotor	13.9"	4.01"	8 -6.5"	BR53012
01-00	4WD	Vented	Rotor	12.11"	2.89"	5 -5.5"	BR5394
	2WD	Vented	Rotor	11.97"	2.75"	5 -5.5"	BR5395
99-94	2WD	Vented	Rotor	11.61"	4.51"	5 -5.5"	BR5357
	4WD	Vented	Rotor	11.61"	2.58"	5 -5.5"	BR5365

REAR

2013		Vented	Rotor	13.86"	2.84"	5 -5.5"	BR53006
12-02	Exc. SRT10 & Mega Cab	Vented	Rotor	13.86"	2.84"	5 -5.5"	BR53006
08-06	Mega Cab	Vented	Rotor	13.88"	5.16"	8 -6.5"	BR53011
01-00		Floating	Drum	12.87"	4.11"	5 -5.5"	BD80086
99-94		Floating	Drum	13.5"	3.78"	5 -5.5"	BD80009

RAM 1500 VAN

FRONT

2003		Vented	Rotor	12.72"	4.96"	5 -5.5"	BR900436
02-99		Vented	Rotor	11.75"	4.97"	5 -5.5"	BR5389

REAR

2003		Vented	Rotor	12.46"	2.80"	5 -5.5"	BR900942
02-99		Floating	Drum	12.87"	4.07"	5 -5.5"	BD80082

RAM 2500 PICKUP

FRONT

12-09		Vented	Rotor	14.1"	4"	8 -6.5"	BR900658
08-03		Vented	Rotor	13.9"	4.01"	8 -6.5"	BR53012
02-00		Vented	Rotor	12.85"	4.02"	8 -6.5"	BR5393
99-98	2WD	Vented	Rotor	12.51"	5.18"	8 -6.5"	BR5374
99-94	4WD 7500lb GVW	Vented	Rotor	12.5"	2.76"	8 -6.5"	BR5593
	4WD 8800 lb. GVW	Vented	Rotor	12.49"	2.76"	8 -6.5"	BR55028
97-94	2WD	Vented	Rotor	12.51"	5.18"	8 -6.5"	BR5374

REAR

12-09		Vented	Rotor	14.1"	4.9"	8 -6.5"	BR900698
08-03		Vented	Rotor	13.88"	5.16"	8 -6.5"	BR53011
02-01		Vented	Rotor	12.73"	5.15"	8 -6.5"	BR53003
2000	Rear Drum Brake	Behind the Hub	Drum	14.17"	6.29"	8 -6.5"	BD80087
99-94		Floating	Drum	15.51"	5.24"	8 -6.5"	BD80019

RAM 2500 VAN

FRONT

03-99	8 Lug	Vented	Rotor	12.81"	4.58"	8 -6.5"	BR5398
01-99	5 Lug	Vented	Rotor	11.75"	4.97"	5 -5.5"	BR5389

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
DODGE / RAM							
RAM 2500 VAN				REAR			
03-99	8 Lug	Floating	Drum	14.17"	5.08"	8 -6.5"	BD80037
RAM 3500 PICKUP				FRONT			
12-09		Vented	Rotor	14.1"	4"	8 -6.5"	BR900658
08-03		Vented	Rotor	13.9"	4.01"	8 -6.5"	BR53012
02-00		Vented	Rotor	12.85"	4.02"	8 -6.5"	BR5393
99-98	Exc. QUAD CAB; Rear Wheel ABS; w/ IFS	Vented	Rotor	12.5"	7.86"	8 -6.5"	BR5378
	Exc. QUAD CAB; 4 Whl. ABS; w/ IFS	Vented	Rotor	12.5"	7.86"	8 -6.5"	BR5379
99-94	Exc. QUAD CAB; w/ Solid Frt. Axle	Vented	Rotor	12.49"	2.76"	8 -6.5"	BR55028
1998	Exc. QUAD CAB; Rear Whl. ABS; w/ IFS	Vented	Rotor	12.5"	7.86"	8 -6.5"	BR5378
97-94	4 Whl ABS.; w/ IFS	Vented	Rotor	12.5"	7.86"	8 -6.5"	BR5379
	Rear ABS; w/ IFS	Vented	Rotor	12.5"	7.86"	8 -6.5"	BR5378
				REAR			
12-09		Vented	Rotor	14.1"	4.9"	8 -6.5"	BR900698
08-03		Vented	Rotor	13.88"	5.16"	8 -6.5"	BR53011
02-01	w/ Rear Disc Brakes	Vented	Rotor	12.73"	5.15"	8 -6.5"	BR53003
01-00	w/ Rear Drum Brakes	Behind the Hub	Drum	14.17"	9.02"	8 -6.5"	BD80088
99-94	Exc. QUAD CAB	Floating	Drum	15.67"	8.94"	8 -6.5"	BD80022
RAM 3500 VAN				FRONT			
03-99		Vented	Rotor	12.81"	4.58"	8 -6.5"	BR5398
				REAR			
03-99		Floating	Drum	14.17"	5.08"	8 -6.5"	BD80037
RAM 4000 (MEXICO)				FRONT			
12-09		Vented	Rotor	14.1"	4"	8 -6.5"	BR900658
08-05		Vented	Rotor	13.9"	4.01"	8 -6.5"	BR53012
02-00		Vented	Rotor	12.85"	4.02"	8 -6.5"	BR5393
99-98	w/o Ind. Susp.	Vented	Rotor	12.49"	2.76"	8 -6.5"	BR55028
	Ind. Susp.	Vented	Rotor	12.5"	7.86"	8 -6.5"	BR5378
				REAR			
12-09		Vented	Rotor	14.1"	4.9"	8 -6.5"	BR900698
08-05		Vented	Rotor	13.88"	5.16"	8 -6.5"	BR53011
02-01		Vented	Rotor	12.73"	5.15"	8 -6.5"	BR53003
2000		Behind the Hub	Drum	14.17"	9.02"	8 -6.5"	BD80088
RAM 4500				REAR			
12-08		Vented	Rotor	15.55"	4.87"	10-6.43"	BR900359

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

RAM 50

FRONT

93-87	4WD	Vented	Rotor	277 mm	45.1 mm	6 -108 mm	BR3280
	2WD	Vented	Rotor	258 mm	33.5 mm	6 -104 mm	BR3282
1986	CUSTOM; 2WD	Solid	Rotor	255 mm	33.2 mm	6 -104 mm	BR3159
85-84	CUSTOM, ROYAL, SPORT; Gas	Vented	Rotor	255 mm	45 mm	6 -108 mm	BR3248
1983	104MM Bolt Dia	Solid	Rotor	255 mm	33.2 mm	6 -104 mm	BR3159
	108MM Bolt Dia	Vented	Rotor	255 mm	45 mm	6 -108 mm	BR3248

REAR

93-83		Floating	Drum	303 mm	83 mm	6 -139.7 mm	BD3544
-------	--	----------	------	--------	-------	-------------	--------

RAM 5500

REAR

12-08		Vented	Rotor	15.55"	4.87"	10-6.43"	BR900359
-------	--	--------	-------	--------	-------	----------	----------

RAM SRT-10

FRONT

06-04	SRT-10	Vented	Rotor	14.96"	3.02"	5 -5.5"	BR900966
-------	--------	--------	-------	--------	-------	---------	----------

REAR

06-04	SRT-10	Vented	Rotor	13.78"	3.31"	5 -5.5"	BR900968
-------	--------	--------	-------	--------	-------	---------	----------

RAMCHARGER (INCLUDING MEXICO)

FRONT

01-00		Vented	Rotor	11.97"	2.75"	5 -5.5"	BR5395
1999	2wd	Vented	Rotor	11.61"	2.58"	5 -5.5"	BR5365
	4wd	Vented	Rotor	11.61"	4.51"	5 -5.5"	BR5357
93-85	2WD	Vented	Rotor	11.75"	4.99"	5 -5.5"	BR5333
93-82	4WD	Vented	Rotor	11.64"	2.61"	5 -5.5"	BR5324
84-82	2WD	Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5315
81-78	10 Inch Rear Drum Brake	Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307

REAR

01-00		Floating	Drum	12.87"	4.11"	5 -5.5"	BD80086
1999	2wd	Floating	Drum	13.5"	3.78"	5 -5.5"	BD80009
	4wd	Floating	Drum	13.5"	3.78"	5 -5.5"	BD80009
93-85		Floating	Drum	13.61"	4.47"	5 -5.5"	BD8957
1984	4WD	Floating	Drum	13.61"	4.47"	5 -5.5"	BD8957
	2WD	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
83-82	10 Inch x 2-1/2 Inch Rear Drum Brake	Floating	Drum	11.57"	3.67"	5 -5.5"	BD8919
83-79	10 Inch Rear Drum Brake; Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	10 Inch Rear Drum Brake; Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
81-78	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
1978	10 Inch Rear Drum Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
77-74		Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

RAMPAGE

FRONT

84-82		Solid	Rotor	9.12"	1.5"	4 -3.94"	BR5328
-------	--	-------	-------	-------	------	----------	--------

REAR

84-83		Floating	Drum	8.78"	2.38"	4 -3.94"	BD8930
-------	--	----------	------	-------	-------	----------	--------

ROYAL MINI RAM

FRONT

1987	Std. WB (112 Inch) (100mm Bolt Circle) (Kelsey-Hayes Front Calipers)	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5332
	Extended Wheelbase ATE Front Calipers (4 1/2 Inch Bolt)	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5342
1986		Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5332
85-84		Vented	Rotor	10.24"	1.5"	4 -3.94"	BR5326

REAR

1987	Std. WB (112 Inch) (100mm Bolt Circle) (Kelsey-Hayes Front Calipers); Finned	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
	Std. WB (112 Inch) (100mm Bolt Circle) (Kelsey-Hayes Front Calipers); Plain	Floating	Drum	10.39"	3.15"	5 -3.94"	BD8953
	Extended Wheelbase ATE Front Calipers (4 1/2 Inch Bolt)	Floating	Drum	11.07"	4.15"	5 -4.5"	BD8968
1986	Plain	Floating	Drum	10.39"	3.15"	5 -3.94"	BD8953
	Finned	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
85-84	Plain	Floating	Drum	10.31"	3.18"	4 -3.94"	BD8941
	Finned	Floating	Drum	11"	3.91"	4 -3.94"	BD8942

ROYAL MONACO

FRONT

1977		Vented	Rotor	11.73"	4.84"	5 -4.5"	BR5311
76-75		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5315

REAR

1977	HD	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	Exc. HD	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
1976		Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
1975	HD	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860

SHADOW

FRONT

94-91		Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
90-89	Exc. SHELBY; Rear Disc Brake	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
1989	SHELBY	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
1988	Kelsey-Hayes Caliper	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
	ATE Calipers	Vented	Rotor	9.43"	1.5"	5 -3.94"	BR5331
1987	HD, ATE Calipers	Vented	Rotor	9.43"	1.5"	5 -3.94"	BR5331
	HD	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

SHADOW

REAR

1994		Solid	Rotor	10.62"	2.01"	5 -3.94"	BR5345
92-91		Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
90-89	Exc. SHELBY; Rear Disc Brake; w/ 15 Inch Wheels	Solid	Rotor	10.62"	2.01"	5 -3.94"	BR5345
1989	SHELBY	Solid	Rotor	10.62"	2.01"	5 -3.94"	BR5345
1988		Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
1987		Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947

SPIRIT

FRONT

95-92	w/ 15 Inch Wheels	Vented	Rotor	11.11"	1.51"	5 -3.94"	BR5344
	w/ 14 Inch Wheels	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
91-90		Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
1989		Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5332

REAR

95-91	Rear Disc Brake; w/ 15 Inch Wheels	Vented	Rotor	11.27"	2.03"	5 -3.94"	BR5354
	Rear Disc Brake; w/ 14 Inch Wheels	Solid	Rotor	10.62"	2.01"	5 -3.94"	BR5345
95-89	Rear Drum Brake	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948

SPRINTER 2500

FRONT

09-07		Vented	Rotor	299.6 mm	180.32 mm	6 -130 mm	BR900308
2006	w/ 274 mm Front Rotor	Vented	Rotor	274 mm	77.3 mm	5 -130 mm	BR34226
06-03	w/ 285 mm Front Rotor	Vented	Rotor	284.77 mm	72.35 mm	5 -130 mm	BR53028
05-03	To Axle # S488213/Y422059; w/ 274 mm Front Rotor; Counter Sunk Set Screw Hole	Vented	Rotor	274 mm	77.3 mm	5 -130 mm	BR34225
	From Axle S488214/Y422060; w/ 274 mm Front Rotor; Stepped Adjusting Style Hole	Vented	Rotor	274 mm	77.3 mm	5 -130 mm	BR34226

REAR

09-07		Solid	Rotor	298 mm	190.5 mm	6 -135 mm	BR900332
06-03		Solid	Rotor	272 mm	96.9 mm	5 -130 mm	BR34227

SPRINTER 3500

FRONT

09-07		Vented	Rotor	299.6 mm	180.32 mm	6 -130 mm	BR900308
06-02		Vented	Rotor	284.77 mm	72.35 mm	5 -130 mm	BR53028

REAR

2009	SRW	Vented	Rotor	303.2mm	186.33 mm	6 -145 mm	BR900310
09-07	DRW	Vented	Rotor	303.2mm	186.33 mm	6 -145 mm	BR900310
08-07	SRW	Solid	Rotor	298 mm	190.5 mm	6 -135 mm	BR900332
06-02		Vented	Rotor	284.5 mm	93.2 mm	6 -145 mm	BR53020

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

ST. REGIS

FRONT

81-79		Vented	Rotor	11.73"	4.84"	5 -4.5"	BR5311
-------	--	--------	-------	--------	-------	---------	--------

REAR

81-79	HD	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	Exc. HD	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877

STEALTH

FRONT

96-94	R/T TURBO	Vented	Rotor	314 mm	45 mm	5 -114.3 mm	BR31186
96-91	Exc. R/T TURBO	Vented	Rotor	276 mm	45.3 mm	5 -114.3 mm	BR31003
93-91	R/T TURBO	Vented	Rotor	296 mm	45 mm	5 -114.3 mm	BR31004

REAR

96-94	R/T TURBO	Vented	Rotor	297 mm	51 mm	5 -114.3 mm	BR31176
96-91	Exc. R/T TURBO	Vented	Rotor	265.6 mm	65.6 mm	5 -114.3 mm	BR31005
93-91	R/T TURBO	Vented	Rotor	284 mm	53 mm	5 -114.3 mm	BR31006

STRATUS (COUPE)

FRONT

05-01	4 cyl Coupe/ Rear Drum Brakes	Vented	Rotor	255.6 mm	45.3 mm	5 -114.3 mm	BR31179
	6 cyl Coupe/ Rear Disc Brakes	Vented	Rotor	276 mm	45.7 mm	5 -114.3 mm	BR5399

REAR

05-01	6 cyl Coupe/ Rear Disc Brakes	Solid	Rotor	261.9 mm	60.2 mm	5 -114.3 mm	BR31147
	4 cyl Coupe/ Rear Drum Brakes	Floating	Drum	266.4 mm	62 mm	5 -114.3 mm	BD35016

STRATUS (SEDAN)

FRONT

06-01		Vented	Rotor	11.1"	1.25"	5 -3.94"	BR5361
00-95	w/ 260 mm Front Rotors	Vented	Rotor	10.25"	1.25"	5 -3.94"	BR5362
	w/ 282 mm Front Rotors	Vented	Rotor	11.1"	1.25"	5 -3.94"	BR5361

REAR

06-01	w/ Rear Disc Brakes	Solid	Rotor	10.6"	2.1"	5 -3.94"	BR5370
	w/ Rear Drum Brakes	Floating	Drum	274.07 mm	65.79 mm	5 -3.94"	BD80108
00-95	w/ Rear Disc Brakes	Solid	Rotor	10.6"	2.1"	5 -3.94"	BR5370
	w/ Rear Drum Brakes	Floating	Drum	10.02"	2.42"	5 -3.94"	BD80013

VERNA (MEXICO)

FRONT

06-04		Vented	Rotor	241 mm	52 mm	4 -100 mm	BR31321
-------	--	--------	-------	--------	-------	-----------	---------

REAR

06-04		Hub/ Bearing	Drum	245 mm	67.3 mm	4 -100 mm	BD35012
-------	--	-----------------	------	--------	---------	-----------	---------

W100 PICKUP

FRONT

89-86		Vented	Rotor	11.64"	2.61"	5 -5.5"	BR5324
77-75	2 & 2-1/2 Inch Rear Shoe; Rotor Only	Vented	Rotor	11.75"	2.64"	5 -4.5"	BR5312
74-71	2 & 2-1/2 Inch Rear Shoe	Floating	Drum	12.52"	3.16"	5 -5.5"	BD8733
71-69		Floating	Drum	12.52"	3.16"	5 -5.5"	BD8733

REAR

89-86		Floating	Drum	13.61"	4.47"	5 -5.5"	BD8957
-------	--	----------	------	--------	-------	---------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

W150 PICKUP

FRONT

93-90	D5 Series	Vented	Rotor	11.64"	2.61"	5 -5.5"	BR5324
89-82		Vented	Rotor	11.64"	2.61"	5 -5.5"	BR5324
81-80	Rotor Only; w/ Locking Hub	Vented	Rotor	11.64"	2.61"	5 -5.5"	BR5324
	Rotor Only- w/o Locking Hub	Vented	Rotor	11.75"	2.64"	5 -4.5"	BR5312
1979	Rotor Only	Vented	Rotor	11.75"	2.64"	5 -4.5"	BR5312
78-77	2 & 2-1/2Inch Rear Shoe; Rotor Only	Vented	Rotor	11.75"	2.64"	5 -4.5"	BR5312

REAR

93-90	D5 Series	Floating	Drum	13.61"	4.47"	5 -5.5"	BD8957
89-86		Floating	Drum	13.61"	4.47"	5 -5.5"	BD8957
85-84	11 Inch Rear Drum Brake	Floating	Drum	13.61"	4.47"	5 -5.5"	BD8957
	10 Inch Rear Drum Brake	Floating	Drum	11.57"	3.67"	5 -5.5"	BD8919
83-82		Floating	Drum	11.57"	3.67"	5 -5.5"	BD8919
81-80	10 Inch Rear Drum Brake; w/ Locking Hub	Floating	Drum	11.57"	3.67"	5 -5.5"	BD8919
	10 Inch Rear Drum Brake; w/o Locking Hub	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
1979		Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
1978	2-1/2 Inch Rear Shoe HD	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860

W200 PICKUP

FRONT

1980	3500 lb. FA , 4500 lb. FA & 12 x 2 1/2 Inch Rear Shoe	Vented	Rotor	12.82"	3.28"	8 -6.5"	BR5349
80-78	4500 lb. FA & 12 x 2 1/2 Inch Rear Shoe	Vented	Rotor	12.88"	2.78"	8 -6.5"	BR5350
77-75	4500 lb. FA	Vented	Rotor	12.88"	2.78"	8 -6.5"	BR5350

REAR

80-78	3500 lb. FA , 4500 lb. FA & 12 x 2 1/2 Inch Rear Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
77-75	3500 lb. FA & 4500 lb. FA	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
74-72	2 & 3 Inch Front Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880

W250 PICKUP

FRONT

93-90	4500 lb. FA; 1.465 Inch Min. Thk.	Vented	Rotor	12.87"	3.08"	8 -6.5"	BR5563
	3500 or 3800 lb. FA	Vented	Rotor	12.82"	3.28"	8 -6.5"	BR5349
	4500 lb. FA; 1.125 Inch Min. Thk.	Vented	Rotor	12.88"	2.78"	8 -6.5"	BR5350
89-81	4500 lb. FA	Vented	Rotor	12.88"	2.78"	8 -6.5"	BR5350
	3500 lb. FA	Vented	Rotor	12.82"	3.28"	8 -6.5"	BR5349

REAR

93-90	11 Inch Rear Drum Brake; 3500 or 3800 lb. FA	Floating	Drum	13.61"	4.47"	5 -5.5"	BD8957
	12 Inch Rear Drum Brake; 3500 or 3800 lb. FA & 4500 lb. FA; w/ Chrysler 9.25 RA	Floating	Drum	13.86"	3.95"	8 -6.5"	BD8978

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

W250 PICKUP

REAR

93-90	12 Inch Rear Drum Brake; 3500 or 3800 lb. FA & 4500 lb. FA; Dana RA, 6.2M lb.; From 11/12/90	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
1990	12 Inch Rear Drum Brake; 3500 or 3800 lb. FA & 4500 lb. FA; Dana RA, All 5.5 & 5.8M lb.; 6.2M lb.; To 11/11/90	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
89-86	3500 lb. FA; Dana RA & 4500 lb. FA; Dana RA	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
	3500 lb. FA; Chrysler RA & 4500 lb. FA; Chrysler RA	Floating	Drum	13.86"	3.95"	8 -6.5"	BD8978
85-82	3500 lb. FA & 4500 lb. FA	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
1981	3500 lb. FA , 4500 lb. FA & 12 x 2 1/2 Inch Rear Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880

W300 PICKUP

FRONT

80-75	DRW	Vented	Rotor	12.88"	2.78"	8 -6.5"	BR5351
	SRW	Vented	Rotor	12.88"	2.78"	8 -6.5"	BR5350

REAR

80-78	2-1/2 Inch Rear Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
77-72		Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892

W350 PICKUP

FRONT

93-90	Casting #100353 & 1/2 Inch-20 Studs	Vented	Rotor	12.87"	3.08"	8 -6.5"	BR5563
	Casting #100353 & 5/8 Inch-18 Studs	Vented	Rotor	12.87"	3.08"	8 -6.5"	BR5564
	Casting #99755	Vented	Rotor	12.88"	2.78"	8 -6.5"	BR5351
	Casting #99756	Vented	Rotor	12.88"	2.78"	8 -6.5"	BR5350
89-86	SRW	Vented	Rotor	12.88"	2.78"	8 -6.5"	BR5350
	DRW	Vented	Rotor	12.88"	2.78"	8 -6.5"	BR5351
85-84	4500 lb. FA & 3 Inch Rear Shoe; DRW	Vented	Rotor	12.88"	2.78"	8 -6.5"	BR5351
	4500 lb. FA & 3 Inch Rear Shoe; SRW	Vented	Rotor	12.88"	2.78"	8 -6.5"	BR5350
	3500 lb. FA	Vented	Rotor	12.82"	3.28"	8 -6.5"	BR5349
1984	3500 lb. FA & 12 x 2 1/2 & 3 Inch Rear Shoe	Vented	Rotor	12.82"	3.28"	8 -6.5"	BR5349
83-82	4500lb. FA & 3 Inch Rear Shoe; SRW	Vented	Rotor	12.88"	2.78"	8 -6.5"	BR5350
	3500 lb. FA & 2 1/2 & 3 Inch Rear Shoe	Vented	Rotor	12.82"	3.28"	8 -6.5"	BR5349
	4500lb. FA & 3 Inch Rear Shoe; DRW	Vented	Rotor	12.88"	2.78"	8 -6.5"	BR5351
1981	DRW	Vented	Rotor	12.88"	2.78"	8 -6.5"	BR5351

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

DODGE / RAM

W350 PICKUP

FRONT

1981	SRW	Vented	Rotor	12.88"	2.78"	8 -6.5"	BR5350
------	-----	--------	-------	--------	-------	---------	--------

REAR

93-90	SRW	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
	DRW	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
89-88	2-1/2 Inch Rear Shoe; w/ 9 1/4 Inch Heavy Duty RA	Floating	Drum	13.86"	3.95"	8 -6.5"	BD8978
	2-1/2 Inch Rear Shoe; w/ 5500, 5800 lb. RA	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
89-86	3 Inch Rear Shoe	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
87-86	2-1/2 Inch Rear Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
85-84	3500 lb. FA & 12 x 2 1/2 Inch Rear Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
	3500 lb. FA & 12 x 3 Inch Rear Brake	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
83-82	3500lb., 4500lb FA & 3 Inch Rear Shoe	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
	3500 lb. FA & 2 1/2 Inch Rear Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
1981	2-1/2 Inch Rear Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880

EAGLE

2000 GTX

FRONT

93-92		Vented	Rotor	257 mm	45.6 mm	4 -114 mm	BR31060
1991		Vented	Rotor	266 mm	45.1 mm	4 -114.3 mm	BR3288

REAR

1993		Hub/ Bearing	Drum	235 mm	72.39 mm	4 -114.3 mm	BD3563
1992	Exc. 4X4; Rear Drum Brake	Hub/ Bearing	Drum	235 mm	72.39 mm	4 -114.3 mm	BD3563
		Solid	Rotor	265 mm	49 mm	4 -114.3 mm	BR31011

PREMIER

FRONT

92-91	ES, LX	Vented	Rotor	10.44"	1.36"	5 -4.25"	BR5117
90-88	ES, LX	Vented	Rotor	10.43"	1.47"	5 -4.25"	BR5114

REAR

92-90	ES, LX; Rear Disc Brake	Solid	Rotor	10.04"	1.21"	5 -4.25"	BR5116
89-88	Rear Drum Brake	Floating	Drum	10.16"	2.9"	5 -4.25"	BD80014

SUMMIT

FRONT

1996	DL, LX	Vented	Rotor	236 mm	45 mm	4 -100 mm	BR31133
96-95	DL, ESI; 2 Door; Med. & High	Vented	Rotor	236 mm	45 mm	4 -100 mm	BR31133
96-94	DL, ES, ESI; 2 Door; Economy & Low Series	Solid	Rotor	234 mm	45.1 mm	4 -100 mm	BR31139
96-93	sedan	Vented	Rotor	236 mm	45 mm	4 -100 mm	BR31133
1995	DL, ESI, LX; 2 Door; Low, Med. & High	Vented	Rotor	236 mm	45 mm	4 -100 mm	BR31133

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

EAGLE

SUMMIT

FRONT

95-94	ABS; Wagon	Vented	Rotor	257 mm	45.67 mm	4 -114.3 mm	BR31109
	DL, ES, ESI; 2 Door; Med. & High Series	Vented	Rotor	236 mm	45 mm	4 -100 mm	BR31133
	w/o ABS; Wagon	Vented	Rotor	257 mm	45.6 mm	4 -114 mm	BR31060
1993	LX; 2WD; w/o ABS; Rear Drum Brake	Vented	Rotor	257 mm	45.6 mm	4 -114 mm	BR31060
	DL, ES; 2 Door	Solid	Rotor	234 mm	45.1 mm	4 -100 mm	BR31139
1992	Exc. DL, LX; 2 Door; Made in Japan	Solid	Rotor	234 mm	34 mm	4 -104 mm	BR31102
92-91	Made in USA	Vented	Rotor	236 mm	34 mm	4 -104 mm	BR31094
1991	Made in Japan	Solid	Rotor	243 mm	34 mm	4 -104 mm	BR3160
90-89		Vented	Rotor	242 mm	34 mm	4 -104 mm	BR3158
1989	LX; Rear Drum Brake	Vented	Rotor	242 mm	34 mm	4 -104 mm	BR3158

REAR

1996	LX	Floating	Drum	214.7 mm	65 mm	4 -100 mm	BD35002
96-95	DL, ESI; 2 Door Coupe	Floating	Drum	214.7 mm	65 mm	4 -100 mm	BD35002
96-93	DL, ES, ESI, LX; w/o ABS; 4 Door; Rear Drum Brake	Floating	Drum	214.7 mm	65 mm	4 -100 mm	BD35002
1995	DL, ESI, LX; 2 Door; Low, Med. & High	Floating	Drum	214.7 mm	65 mm	4 -100 mm	BD35002
95-92	2WD; w/o ABS; Rear Drum Brake; Wagon	Floating	Drum	235 mm	64 mm	4 -114.3 mm	BD35032
1994	DL, ES, ESI; 2 Door	Floating	Drum	214.7 mm	65 mm	4 -100 mm	BD35001
1993	DL, ES; 2 Door	Floating	Drum	214.7 mm	65 mm	4 -100 mm	BD35001
92-91	Made in USA	Floating	Drum	206 mm	65.02 mm	4 -114.3 mm	BD35004
90-89	w/ Rear Disc	Solid	Rotor	265 mm	49 mm	4 -114.3 mm	BR31011

TALON

FRONT

98-93	TSI; awd	Vented	Rotor	276 mm	45.3 mm	5 -114.3 mm	BR31003
	TSI; fwd	Vented	Rotor	255.6 mm	45.3 mm	5 -114.3 mm	BR31179
98-90	Non-Turbo	Vented	Rotor	255.6 mm	45.3 mm	5 -114.3 mm	BR31179
92-90	Turbo	Vented	Rotor	255.6 mm	45.3 mm	5 -114.3 mm	BR31179

REAR

98-97	w/ Rear Drum Brakes	Floating	Drum	266.4 mm	62 mm	5 -114.3 mm	BD35016
98-11/94	From 11/94; w/ Rear Disc Brakes	Solid	Rotor	261.9 mm	60.2 mm	5 -114.3 mm	BR31147
11/94-94	AWD ; To 11/94	Vented	Rotor	284 mm	60 mm	5 -114.3 mm	BR31205
	2WD ; To 11/94	Solid	Rotor	265 mm	49 mm	5 -114.3 mm	BR31010
93-90		Solid	Rotor	265 mm	49 mm	5 -114.3 mm	BR31010

VISION

FRONT

97-93		Vented	Rotor	11.11"	2.05"	5 -4.5"	BR5355
-------	--	--------	-------	--------	-------	---------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

EAGLE

VISION

REAR

97-93	Rear Disc Brake	Solid	Rotor	10.64"	2.02"	5 -4.5"	BR5356
-------	-----------------	-------	-------	--------	-------	---------	--------

FIAT

124

FRONT

81-69		Solid	Rotor	227 mm	45.7 mm	4 -98 mm	BR3422
-------	--	-------	-------	--------	---------	----------	--------

REAR

81-69		Solid	Rotor	227 mm	45.7 mm	4 -98 mm	BR3422
-------	--	-------	-------	--------	---------	----------	--------

128

FRONT

79-71		Solid	Rotor	227 mm	45.7 mm	4 -98 mm	BR3422
-------	--	-------	-------	--------	---------	----------	--------

131

FRONT

78-75		Solid	Rotor	227 mm	45.7 mm	4 -98 mm	BR3422
-------	--	-------	-------	--------	---------	----------	--------

500

FRONT

12-09	257mm Rotor	Vented	Rotor	257 mm	41 mm	4 -100 mm	BR901084
-------	-------------	--------	-------	--------	-------	-----------	----------

REAR

12-09	240mm Rotor	Solid	Rotor	240 mm	41 mm	4 -100 mm	BR901086
-------	-------------	-------	-------	--------	-------	-----------	----------

850

FRONT

73-69	RACER, SPIDER	Solid	Rotor	227 mm	45.7 mm	4 -98 mm	BR3422
-------	---------------	-------	-------	--------	---------	----------	--------

BRAVA

FRONT

81-79		Solid	Rotor	227 mm	45.7 mm	4 -98 mm	BR3422
-------	--	-------	-------	--------	---------	----------	--------

PANDA (MEXICO)

FRONT

2012	w/ Vented Rotors	Vented	Rotor	257 mm	41 mm	4 -100 mm	BR901084
------	------------------	--------	-------	--------	-------	-----------	----------

STRADA

FRONT

82-79		Solid	Rotor	227 mm	45.7 mm	4 -98 mm	BR3422
-------	--	-------	-------	--------	---------	----------	--------

X-1/9

FRONT

83-74		Solid	Rotor	227 mm	45.7 mm	4 -98 mm	BR3422
-------	--	-------	-------	--------	---------	----------	--------

REAR

83-74		Solid	Rotor	227 mm	45.7 mm	4 -98 mm	BR3422
-------	--	-------	-------	--------	---------	----------	--------

FORD

600, 6000 SERIES

FRONT

98-94	6000lb,7000lb Front Dayton Axle	Vented	Rotor	14.75"	3.85"	6 -7 1/4"	BR54054
95-94	F600, 6000LB, 7000LB. Front Dayton Axle: 10 lug	Vented	Rotor	14.75"	3.85"	6 -7 1/4"	BR54054
1994	F600, 6000-7000lb Front Axle: 6 Lug	Vented	Rotor	14.75"	6.1"	6 -7 1/4"	BR5480
10/93-84	w/ 2.5 Inch Caliper; To 10/93	Vented	Rotor	14.75"	6.1"	6 -7 1/4"	BR5480

700, 7000 SERIES

FRONT

08-04	10 Hole; Hat Shaped; 3.2" Overall Height; 15" O.D.	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
	5 Hole; Hat Shaped;	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
98-94	F700, 6000LB, 7000LB. Front Dayton Axle	Vented	Rotor	14.75"	3.85"	6 -7 1/4"	BR54054
98-84	w/ 6 x 7 1/4 Inch Lug Pattern	Vented	Rotor	14.75"	6.1"	6 -7 1/4"	BR5480

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

FORD

700, 7000 SERIES

REAR

08-04	5 Hole; Hat Shaped;	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
	10 Hole; Hat Shaped; 3.2" Overall Height; 15" O.D.	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102

800, 850, 8000 SERIES

FRONT

98-94	F800, 6000LB, 7000LB. Front Dayton Axle	Vented	Rotor	14.75"	3.85"	6 -7 1/4"	BR54054
98-84	w/ 6 x 7 1/4 Inch Lug Pattern	Vented	Rotor	14.75"	6.1"	6 -7 1/4"	BR5480

AEROSTAR

FRONT

97-90	AWD	Vented	Rotor	10.3"	2.57"	5 -4.5"	BR5489
	2WD	Vented	Rotor	10.28"	4.13"	5 -4.5"	BR5447
89-86		Vented	Rotor	10.28"	4.13"	5 -4.5"	BR5447

REAR

97-92		Floating	Drum	12.4"	3.43"	5 -4.5"	BD8994
91-90		Floating	Drum	11.73"	3.64"	5 -4.5"	BD8946
89-86	10 Inch Rear Drum Brake	Floating	Drum	11.73"	3.64"	5 -4.5"	BD8946
	9 Inch Rear Drum Brake	Floating	Drum	10.61"	2.83"	5 -4.5"	BD8952

ASPIRE

FRONT

97-94	w/ A/T	Vented	Rotor	234.7 mm	45 mm	4 -100 mm	BR31142
	w/ M/T	Vented	Rotor	234.8 mm	45 mm	4 -100 mm	BR31164

REAR

97-94		Hub/ Bearing	Drum	245 mm	67.3 mm	4 -100 mm	BD35012
-------	--	-----------------	------	--------	---------	-----------	---------

BRONCO

FRONT

96-94	Rotor Only	Vented	Rotor	11.71"	2.56"	5 -5.5"	BR54020
93-88	Rotor Only	Vented	Rotor	11.72"	2.72"	5 -5.5"	BR5446
88-87	Rotor Only w/ Auto Locking Hubs	Vented	Rotor	11.72"	2.72"	5 -5.5"	BR5446
	Rotor Only w/o Auto-Locking Hubs	Vented	Rotor	11.72"	2.98"	5 -5.5"	BR5460
86-76	Rotor Only	Vented	Rotor	11.72"	2.72"	5 -5.5"	BR5446
75-74		Floating	Drum	12.8"	3.09"	5 -5.5"	BD8774
73-68	From Ser. No. F30,002	Floating	Drum	12.8"	3.09"	5 -5.5"	BD8774
	To Ser. No. F30,001	Floating	Drum	12.52"	3.16"	5 -5.5"	BD8733
67-66		Floating	Drum	12.52"	3.16"	5 -5.5"	BD8733

REAR

96-87		Floating	Drum	12.76"	3.7"	5 -5.5"	BD8974
86-76		Floating	Drum	12.8"	3.63"	5 -4.5"	BD8951
75-66	11 Inch Rear Drum Brake	Floating	Drum	12.44"	2.79"	5 -5.5"	BD8160

BRONCO II

FRONT

1990	4WD; 2.2 Inch Tall	Vented	Rotor	10.87"	2.17"	5 -4.5"	BR5448
	4WD; 2.5 Inch Tall	Vented	Rotor	10.87"	2.49"	5 -4.5"	BR5473

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

FORD

BRONCO II

FRONT

90-86	2WD	Vented	Rotor	10.28"	4.15"	5 -4.5"	BR5467
89-86	4WD	Vented	Rotor	10.87"	2.17"	5 -4.5"	BR5448
85-84		Vented	Rotor	10.87"	2.17"	5 -4.5"	BR5448

REAR

90-84		Floating	Drum	10.61"	2.83"	5 -4.5"	BD8952
-------	--	----------	------	--------	-------	---------	--------

CLUB WAGON

FRONT

67-60	Heavy Duty 2700 or 3050lb. RA	Floating	Drum	11.73"	3.38"	5 -4.5"	BD8788
-------	-------------------------------	----------	------	--------	-------	---------	--------

CONTOUR

FRONT

00-98	SVT	Vented	Rotor	10.94"	1.85"	4 -4.25"	BR54062
00-95	Exc. SVT	Vented	Rotor	10.24"	1.85"	4 -4.25"	BR54012

REAR

00-97	V6 w/ Rear Drum Brakes	Floating	Drum	10.57"	2.62"	4 -4.25"	BD80078
	4 Cyl w/ Rear Drum Brakes	Floating	Drum	9.57"	2.5"	4 -4.25"	BD80010
00-95	w/ Rear Disc Brakes	Vented	Rotor	9.95"	1.72"	4 -4.25"	BR54028
96-95	w/ Rear Drum Brakes	Floating	Drum	9.57"	2.5"	4 -4.25"	BD80010

COUNTRY SEDAN

FRONT

1974	Heavy Duty	Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
1973	Heavy Duty	Vented	Rotor	11.72"	4.83"	5 -5"	BR5413

REAR

68-65		Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
-------	--	----------	------	-------	-------	---------	--------

COUNTRY SQUIRE

FRONT

91-90		Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
89-87		Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
1979	Wagon	Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
76-74		Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
1973		Vented	Rotor	11.72"	4.83"	5 -5"	BR5413
68-67	Front Drum Brake	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200

REAR

91-90		Floating	Drum	13.03"	3.97"	5 -4.5"	BD8897
89-87	11 Inch Rear Drum Brake	Floating	Drum	13.03"	3.97"	5 -4.5"	BD8897
1979	Wagon	Floating	Drum	13.03"	3.97"	5 -4.5"	BD8897
1968	with 11 x 2 1/4 Inch Brakes	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
67-66		Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
1965	Wagon, Police, & Heavy Duty	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200

COURIER

FRONT

82-77		Solid	Rotor	256 mm	35.9 mm	4 -102 mm	BR3151
-------	--	-------	-------	--------	---------	-----------	--------

CROWN VICTORIA

FRONT

11-03		Vented	Rotor	12.01"	1.77"	5 -4.5"	BR54103
02-98		Vented	Rotor	12.42"	2.59"	5 -4.5"	BR54060

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
FORD							
CROWN VICTORIA				FRONT			
97-95		Vented	Rotor	11.45"	2.59"	5 -4.5"	BR54014
94-92		Vented	Rotor	11.09"	3.29"	5 -4.5"	BR5472
				REAR			
11-03		Vented	Rotor	11.61"	2.31"	5 -4.5"	BR54105
02-96		Solid	Rotor	11.22"	2.28"	5 -4.5"	BR54027
95-92		Solid	Rotor	11.42"	2.31"	5 -4.5"	BR5484
CUSTOM				FRONT			
68-64	Front Drum Brake	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
				REAR			
68-64	with 11 x 2 1/4 Inch Brakes	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
CUSTOM 300				FRONT			
1960	Exc. Wagon, Police, & Heavy Duty	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
CUSTOM 500				FRONT			
77-74		Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
1973		Vented	Rotor	11.72"	4.83"	5 -5"	BR5413
1968	Sedan; Front Drum Brake; Exc. HD & Police	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
				REAR			
1968	with 11 x 2 1/4 Inch Brakes except Taxi	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
E SUPER DUTY				FRONT			
99-98	AWAL	Vented	Rotor	13.03"	7.89"	8 -6.5"	BR54033
98-96	RWAL	Vented	Rotor	13.03"	7.89"	8 -6.5"	BR54034
				REAR			
99-96		Vented	Rotor	12.9"	4.88"	8 -5.71"	BR54053
E-100 ECONOLINE				FRONT			
83-75		Vented	Rotor	11.72"	5.41"	5 -5.5"	BR5456
74-68		Floating	Drum	11.73"	3.38"	5 -4.5"	BD8788
				REAR			
83-77		Floating	Drum	12.8"	3.63"	5 -4.5"	BD8951
76-75	w/ Auto Locking Hub & 3.07 Ratio	Floating	Drum	12.8"	3.63"	5 -4.5"	BD8951
	Fr Ch A25,000	Floating	Drum	12.76"	3.63"	5 -5.5"	BD8789
E-150 ECONOLINE				FRONT			
13-08		Vented	Rotor	13 9/16	5 3/4	8 -6.5	BR900482
07-04		Vented	Rotor	12 13/16"	5.059 "	8 -5.5"	BR54133
03-02		Vented	Rotor	11.71"	5.26"	5 -5.5"	BR54024
01-94	Rear Whl. ABS	Vented	Rotor	11.71"	5.24"	5 -5.5"	BR54013
	4 Whl. ABS	Vented	Rotor	11.71"	5.26"	5 -5.5"	BR54024
93-75		Vented	Rotor	11.72"	5.41"	5 -5.5"	BR5456

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

FORD

E-150 ECONOLINE

REAR

13-08		Vented	Rotor	13 9/16	3 1/2	8 -6.5	BR900480
07-04		Vented	Rotor	12.95"	3.25"	5 -5.5"	BR900428
03-1 /00	From 1/00	Floating	Drum	13.07"	3.82"	5 -5.5"	BD80106
1 /00-87	To 1/00	Floating	Drum	12.76"	3.7"	5 -5.5"	BD8974
86-77		Floating	Drum	12.8"	3.63"	5 -4.5"	BD8951
76-75	w/ Auto Locking Hub & 3.07 Ratio	Floating	Drum	12.8"	3.63"	5 -4.5"	BD8951
	Fr Ch A25,000	Floating	Drum	12.76"	3.63"	5 -5.5"	BD8789

E-200 ECONOLINE

REAR

74-69		Floating	Drum	12.76"	3.63"	5 -5.5"	BD8789
-------	--	----------	------	--------	-------	---------	--------

E-250 ECONOLINE

FRONT

13-08		Vented	Rotor	13 9/16	5 3/4	8 -6.5	BR900482
07-95	AWAL	Vented	Rotor	13.03"	5.64"	8 -6.5"	BR54031
99-95	RWAL	Vented	Rotor	13.03"	5.65"	8 -6.5"	BR54021
1994	AWAL	Vented	Rotor	12.57"	5.62"	8 -6.5"	BR54022
	RWAL	Vented	Rotor	12.52"	5.61"	8 -6.5"	BR5486
93-92		Vented	Rotor	12.52"	5.61"	8 -6.5"	BR5486
91-86		Vented	Rotor	12.56"	5.61"	8 -6.5"	BR5458
85-84	1/2 Inch Studs	Vented	Rotor	12.56"	5.61"	8 -6.5"	BR5442
	9/16 Inch Studs	Vented	Rotor	12.56"	5.62"	8 -6.5"	BR5443
83-11/80	From 11/80	Vented	Rotor	12.56"	5.61"	8 -6.5"	BR5442
10/80-80	To 10/80	Vented	Rotor	12.56"	5.14"	8 -6.5"	BR5426
79-77		Vented	Rotor	12.56"	5.14"	8 -6.5"	BR5426

REAR

13-08		Vented	Rotor	13 9/16	3 1/2	8 -6.5	BR900480
07-01	Rear Disc Brake	Vented	Rotor	12.83"	3.89"	8 -6.5"	BR54073
00-92	Rear Drum Brake	Floating	Drum	14.06"	4.9"	8 -6.5"	BD80018
91-87	3 Inch Rear Shoe	Floating	Drum	12.87"	5.33"	8 -6.5"	BD8964
91-86	2-1/2 Inch Rear Shoe; 9/16 Inch Stud Holes	Floating	Drum	14.06"	4.7"	8 -6.5"	BD8922
	2-1/2 Inch Rear Shoe; 5/8 Inch Stud Holes	Floating	Drum	14.06"	4.67"	8 -6.5"	BD8967
86-84	3 Inch Rear Shoe	Behind the Hub	Drum	14.02"	5.04"	8 -6.5"	BD8861
85-84	2-1/2 Inch Rear Shoe	Floating	Drum	14.06"	4.7"	8 -6.5"	BD8922
83-81		Floating	Drum	14.06"	4.7"	8 -6.5"	BD8922
80-75		Behind the Hub	Drum	14.06"	4.95"	8 -6.5"	BD8790
76-75	Exc. CLUB WAGON; Fr. Serial #A75,001	Behind the Hub	Drum	14.06"	4.95"	8 -6.5"	BD8790

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

FORD

E-300 ECONOLINE

FRONT

74-73	Exc. CHATEAU WAGON; DRW	Floating	Drum	14.09"	7.07"	8 -6.5"	BD8864
-------	-------------------------	----------	------	--------	-------	---------	--------

REAR

74-73	Exc. CHATEAU WAGON; DRW	Floating	Drum	14.09"	7.07"	8 -6.5"	BD8864
	Exc. CHATEAU WAGON; SRW	Behind the Hub	Drum	14.06"	4.95"	8 -6.5"	BD8790
72-69		Behind the Hub	Drum	14.06"	4.95"	8 -6.5"	BD8790

E-350 ECONOLINE

FRONT

13-08	DRW	Vented	Rotor	13 9/16"	8"	8 -6.25"	BR900582
	SRW	Vented	Rotor	13 9/16"	5 3/4"	8 -6.5"	BR900482
07-04	SRW	Vented	Rotor	13.03"	5.64"	8 -6.5"	BR54031
07-03	DRW	Vented	Rotor	13.03"	7.89"	8 -6.5"	BR54033
03-95	4 Whl. ABS; SRW	Vented	Rotor	13.03"	5.64"	8 -6.5"	BR54031
02-95	4 Whl. ABS; DRW	Vented	Rotor	13.03"	7.89"	8 -6.5"	BR54033
98-95	RWAL; DRW	Vented	Rotor	13.03"	7.89"	8 -6.5"	BR54034
	Rear Whl. ABS; SRW	Vented	Rotor	13.03"	5.65"	8 -6.5"	BR54021
1994	HD CLUB WAGON, SUPER WAGON; 4 Whl ABS.; SRW	Vented	Rotor	12.57"	5.62"	8 -6.5"	BR54022
	RWAL; SRW	Vented	Rotor	12.52"	5.61"	8 -6.5"	BR5486
	Exc. SUPER, SUPER WAGON; DRW; O.E. Replacement	Vented	Rotor	12.56"	3.67"	8 -4.75"	BR5457
94-77	DRW	Vented	Rotor	12.56"	3.67"	8 -4.75"	BR5457
93-92	SRW	Vented	Rotor	12.52"	5.61"	8 -6.5"	BR5486
93-87	DRW 3 & 3-1/2 Inch Rear Shoe; O.E. Replacement	Vented	Rotor	12.56"	3.67"	8 -4.75"	BR5457
91-86	SRW	Vented	Rotor	12.56"	5.61"	8 -6.5"	BR5458
85-81	SRW	Vented	Rotor	12.56"	5.62"	8 -6.5"	BR5443
81-11/80	SRW; From 11/80	Vented	Rotor	12.56"	5.62"	8 -6.5"	BR5443
10/80-80	SRW; To 10/80	Vented	Rotor	12.56"	5.14"	8 -6.5"	BR5427
79-77	SRW	Vented	Rotor	12.56"	5.14"	8 -6.5"	BR5427
76-75	SRW From Serial # A75,000	Vented	Rotor	12.56"	5.14"	8 -6.5"	BR5427
	DRW To Serial # A75,000	Vented	Rotor	12.56"	3.9"	8 -4.75"	BR5423
	DRW From Serial # A75,000; O.E. Replacement	Vented	Rotor	12.56"	3.67"	8 -4.75"	BR5457

REAR

13-08	DRW	Vented	Rotor	13.58"	4.2"	8 -5.75"	BR900690
	SRW	Vented	Rotor	13 9/16"	3 1/2"	8 -6.5"	BR900480
07-04	SRW	Vented	Rotor	12.83"	3.89"	8 -6.5"	BR54073
07-99	DRW	Vented	Rotor	12.83"	4.36"	8 -5.71"	BR54085
03-99	SRW; w/ Dana 70 Axle	Vented	Rotor	12.83"	4.36"	8 -5.71"	BR54085

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

FORD

E-350 ECONOLINE

REAR

03-99	SRW; w/ Dana 60 Axle	Vented	Rotor	12.83"	3.89"	8 -6.5"	BR54073
98-97	SRW; 6-7/8 Inch Tall	Floating	Drum	14.13"	6.9"	8 -6.5"	BD8975
	SRW; 5-3/4 Inch Tall	Floating	Drum	14.13"	5.74"	8 -6.5"	BD8995
98-94	DRW	Floating	Drum	14.13"	6.9"	8 -6.5"	BD8975
96-94	SRW; w/ Dana 70 Axle, 6-7/8 Inch Tall	Floating	Drum	14.13"	6.9"	8 -6.5"	BD8975
	SRW; w/ Dana 60 Axle, 5-3/4 Inch Tall	Floating	Drum	14.13"	5.74"	8 -6.5"	BD8995
93-92	SRW; 5-3/4 Inch Tall	Floating	Drum	14.13"	5.74"	8 -6.5"	BD8995
	SRW; 6-7/8 Inch Tall	Floating	Drum	14.13"	6.9"	8 -6.5"	BD8975
93-87	DRW 3-1/2 Inch Rear Shoe	Floating	Drum	14.13"	6.9"	8 -6.5"	BD8975
	DRW 3 Inch Rear Shoe	Floating	Drum	14.09"	7.07"	8 -6.5"	BD8864
91-87	SRW	Floating	Drum	12.87"	5.33"	8 -6.5"	BD8964
86-81	DRW	Floating	Drum	14.09"	7.07"	8 -6.5"	BD8864
86-77	SRW	Behind the Hub	Drum	14.02"	5.04"	8 -6.5"	BD8861
1977	DRW; To Serial No. A75000	Floating	Drum	14.09"	7.07"	8 -6.5"	BD8864
76-75	DRW From Serial # A75,000; To Serial No. A75000	Floating	Drum	14.09"	7.07"	8 -6.5"	BD8864
	SRW From Serial # A75,000	Behind the Hub	Drum	14.02"	5.04"	8 -6.5"	BD8861

E-450 ECONOLINE

FRONT

13-08		Vented	Rotor	13 9/16"	8"	8 -6.25"	BR900582
07-00		Vented	Rotor	13.03"	7.89"	8 -6.5"	BR54033
99-96		Vented	Rotor	13.03"	7.89"	8 -6.5"	BR54033
98-96	w/ Rear Wheel ABS	Vented	Rotor	13.03"	7.89"	8 -6.5"	BR54034

REAR

13-08		Vented	Rotor	13.58"	4.6"	8 -5.75"	BR900688
07-00		Vented	Rotor	12.9"	4.88"	8 -5.71"	BR54053
99-96	AWAL	Vented	Rotor	12.9"	4.88"	8 -5.71"	BR54053

E-550 ECONOLINE

FRONT

05-02		Vented	Rotor	14.53"	3.85"	8 -6.69"	BR54077
-------	--	--------	-------	--------	-------	----------	---------

REAR

05-02		Vented	Rotor	15.55"	4.87"	10-6.43"	BR54064
-------	--	--------	-------	--------	-------	----------	---------

ECONOLINE

FRONT

67-61	Heavy Duty 2700 or 3050lb. RA	Floating	Drum	11.73"	3.38"	5 -4.5"	BD8788
-------	-------------------------------	----------	------	--------	-------	---------	--------

ECOSPORT (MEXICO)

FRONT

11-04	w/ Bearing	Hub/ Bearing	Drum	9.57"	3.19"	4 -4.25"	BD80112
06-04		Vented	Rotor	10.15"	1.71"	4 -4.25"	BR54079

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
FORD							
ECOSPORT (MEXICO)			REAR				
11-04	w/o Bearing	Hub/ Bearing	Drum	9.57"	3.19"	4 -4.25"	BD80090
EDGE			FRONT				
13-10		Vented	Rotor	320 mm	48.77 mm	5 -4.5"	BR900636
09-07	AWD	Vented	Rotor	320 mm	48.77 mm	5 -4.5"	BR900636
	2WD	Vented	Rotor	296.38 mm	48.66 mm	5 -4.5"	BR900296
			REAR				
13-11		Solid	Rotor	13"	1.55"	5 -4.5"	BR900928
10-07		Vented	Rotor	302.08 mm	56.77 mm	5 -4.5"	BR900300
ESCAPE			FRONT				
2013	1.6L ; 4WD; 320mm Rotor	Vented	Rotor	320mm	49mm	5 -108 mm	BR900990
	2.0L Turbo; 320mm Rotor	Vented	Rotor	320mm	49mm	5 -108 mm	BR900990
	1.6L ; FWD ; 300mm Rotor	Vented	Rotor	300 mm	48.7mm	5 -108 mm	BR900704
	2.5L; 300mm Rotor	Vented	Rotor	300 mm	48.7mm	5 -108 mm	BR900704
12-08	11.92" Front Rotor	Vented	Rotor	11.92"	1.84"	5 -4.5"	BR54123
07-05	w/ Rear Disc Brakes (11.92" Front Rotor)	Vented	Rotor	11.92"	1.84"	5 -4.5"	BR54123
	w/ Rear Drum Brakes (10.94" Front Rotor)	Vented	Rotor	10.94"	1.85"	5 -4.5"	BR54093
04-01		Vented	Rotor	10.94"	1.85"	5 -4.5"	BR54093
			REAR				
2013		Solid	Rotor	270.84 mm	41.37 mm	5 -4.25"	BR901068
12-08	w/ Rear Drum Brakes	Floating	Drum	297.2 mm	72.3 mm	5 -4.5"	BD920126
08-05	w/ Rear Disc Brake	Solid	Rotor	11.89"	2.2"	5 -4.5"	BR54122
07-05	w/ Rear Drum Brake	Floating	Drum	10.79"	2.62"	5 -4.5"	BD80098
04-01		Floating	Drum	10.79"	2.62"	5 -4.5"	BD80098
ESCORT			FRONT				
03-99		Vented	Rotor	257 mm	45 mm	4 -100 mm	BR5474
98-91	w/ 9.25 Inch Rotors	Vented	Rotor	234.7 mm	45 mm	4 -100 mm	BR5475
	w/ 10.25 Inch Rotors	Vented	Rotor	257 mm	45 mm	4 -100 mm	BR5474
90-81		Vented	Rotor	9.26"	2.22"	4 -4.25"	BR5440
			REAR				
03-97	w/ Rear Drum Brakes	Floating	Drum	268.8 mm	56 mm	4 -100 mm	BD80033
03-91	w/ Rear Disc Brakes	Solid	Rotor	251 mm	35 mm	4 -100 mm	BR5485
96-93	w/ Rear Drum Brakes	Floating	Drum	241.2 mm	58 mm	4 -100 mm	BD80006
92-91	w/ Rear Drum Brakes	Floating	Drum	251 mm	55 mm	4 -100 mm	BD80007
90-85	2 Door; 7 Inch Drum	Hub/ Bearing	Drum	8.5"	3.07"	4 -4.25"	BD8950
	4 Door; 8 Inch Drum	Floating	Drum	9.29"	2.71"	4 -4.25"	BD8940
84-83		Floating	Drum	9.35"	2.5"	4 -4.25"	BD8933

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
FORD							
EXCURSION				FRONT			
05-03	2WD	Vented	Rotor	13.03"	5.65"	8 -6.69"	BR54121
05-00	4WD	Vented	Rotor	13.03"	3.92"	8 -6.69"	BR54078
02-00	2WD	Vented	Rotor	13.03"	5.65"	8 -6.69"	BR54071
				REAR			
05-00		Vented	Rotor	12.83"	3.88"	8 -6.69"	BR54074
EXP				FRONT			
85-82		Vented	Rotor	9.26"	2.22"	4 -4.25"	BR5440
				REAR			
85-3 /85	From 3/85	Floating	Drum	9.29"	2.71"	4 -4.25"	BD8940
EXPEDITION				FRONT			
2013		Vented	Rotor	13.78"	1.97"	6 -5.31"	BR900846
12-07	Reorder	Vented	Rotor	13.78"	1.97"	6 -5.31"	BR900846
	Superseded to BR900846	Vented	Rotor	13.75"	1.96"	6 -5.31"	BR900368
06-03		Vented	Rotor	12.99"	1.89"	6 -5.31"	BR54099
02-01	2WD; 14mm Studs	Vented	Rotor	12.13"	4.05"	5 -5.31"	BR54091
02-97	4WD	Vented	Rotor	12.13"	1.86"	5 -5.31"	BR54080
2000	2WD; From 12/99; 14mm Studs	Vented	Rotor	12.13"	4.05"	5 -5.31"	BR54091
	2WD; To 11/99; 12mm Studs	Vented	Rotor	12.13"	4.05"	5 -5.31"	BR54050
99-97	2WD; 12mm Studs	Vented	Rotor	12.13"	4.05"	5 -5.31"	BR54050
				REAR			
12-07		Vented	Rotor	13.5"	2.21"	6 -5.31"	BR900366
06-03		Vented	Rotor	13.46"	2.04"	6 -5.31"	BR54100
02-97		Solid	Rotor	13.15"	2.22"	5 -5.31"	BR54090
EXPLORER				FRONT			
13-11		Vented	Rotor	12.79"	1.87"	5 -4.5"	BR901020
10-06		Vented	Rotor	12.0"	2.147"	5 -4.5"	BR54143
05-02	Exc. SPORT	Vented	Rotor	12.01"	2.22"	5 -4.5"	BR54094
03-01	SPORT; 2WD; Recommended to be replaced in pairs; ABS rings must match	Vented	Rotor	12.01"	4.25"	5 -4.5"	BR54096
	SPORT; 4WD	Vented	Rotor	12.01"	2.61"	5 -4.5"	BR54097
01-95	Exc. SPORT; 4WD	Vented	Rotor	11.26"	2.6"	5 -4.5"	BR54035
	Exc. 2001 SPORT; 2WD	Vented	Rotor	11.28"	4.25"	5 -4.5"	BR54029
94-93	2WD	Vented	Rotor	10.29"	4.15"	5 -4.5"	BR54002
	4WD	Vented	Rotor	10.87"	2.49"	5 -4.5"	BR54005
92-91	2WD; ABS	Vented	Rotor	10.29"	4.15"	5 -4.5"	BR54002
	4WD; 2.2 Inch Tall	Vented	Rotor	10.87"	2.17"	5 -4.5"	BR5448
	w/o ABS	Vented	Rotor	10.28"	4.15"	5 -4.5"	BR5467
	4WD; 2.5 Inch Tall	Vented	Rotor	10.87"	2.49"	5 -4.5"	BR5473

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
FORD							
EXPLORER				REAR			
13-11		Solid	Rotor	13"	1.55"	5 -4.5"	BR900928
10-04		Solid	Rotor	11.85"	2.29"	5 -4.5"	BR54098
2003	SPORT (11.81" ROTOR)	Solid	Rotor	11.81"	2.3"	5 -4.5"	BR54114
03-02	Exc. SPORT (11.85" ROTOR)	Solid	Rotor	11.85"	2.29"	5 -4.5"	BR54098
2002	Sport (11.22" ROTOR)	Solid	Rotor	11.22"	2.3"	5 -4.5"	BR54032
01-95		Solid	Rotor	11.22"	2.3"	5 -4.5"	BR54032
94-91		Floating	Drum	11.73"	3.49"	5 -4.5"	BD8923
EXPLORER SPORT TRAC				FRONT			
10-07		Vented	Rotor	12.0"	2.147"	5 -4.5"	BR54143
05-01	4WD - Superseded	Vented	Rotor	305 mm	66.69 mm	5 -4.5"	BR900298
	4WD - Reorder	Vented	Rotor	12.01"	2.61"	5 -4.5"	BR54097
	2WD; Recommended to be replaced in pairs; ABS rings must match	Vented	Rotor	12.01"	4.25"	5 -4.5"	BR54096
				REAR			
10-07		Solid	Rotor	11.85"	2.29"	5 -4.5"	BR54098
05-03		Solid	Rotor	11.81"	2.3"	5 -4.5"	BR54114
02-01		Floating	Drum	12.8"	3.93"	5 -4.5"	BD80097
F-100, F-150 2WD (1/2 TON)				FRONT			
13-10	Base Payload Package (6 Lug)	Vented	Rotor	13.78"	1.97"	6 -5.31"	BR900846
12-10	Exc.Base Payload Package (7 Lug)	Vented	Rotor	13.78"	1.97"	7 -5.31"	BR900848
2009	6 Lug w/ Base Payload Package	Vented	Rotor	12.99"	2.07"	6 -5.31"	BR900692
	7 Lug w/o Base Payload Package	Vented	Rotor	12.99"	2.09"	7 -5.91"	BR900694
08-12/04	From 12/04; 6 Lug (includes Hub Bearing) (Spindle Nut must be replaced! Torque spindle nut to 295 ft lbs , rotate 5 times in counterclockwise direction and recheck torque. This ensures bearing seat. Failure will result if not completed correctly)	Vented	Rotor	12.99"	3.63"	6 -5.31"	BR54107
	From 12/04; 7 Lug (includes Hub Bearing) (Spindle Nut must be replaced! Torque spindle nut to 295 ft lbs , rotate 5 times in counterclockwise direction and recheck torque. This ensures bearing seat. Failure will result if not completed correctly)	Vented	Rotor	12.99"	3.63"	7 -5.91"	BR54108
11/04-04	5 Lug; Heritage; To 11/04	Vented	Rotor	12.13"	4.05"	5 -5.31"	BR54091
	7 Lug; Heritage; To 11/04	Vented	Rotor	12.12"	4.05"	7 -5.91"	BR54052

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
-------------	-------------	------	-------------	----------------	----------------	-------------	-------------

FORD

F-100, F-150 2WD (1/2 TON)

FRONT

11/04-12/99	5 Lug Except Lightning; 12/99 To 11/04 (14 mm Studs)	Vented	Rotor	12.13"	4.09"	5 -5.31"	BR54092
	5 Lug; Lightning; 12/99 To 11/04 (14 mm Studs)	Vented	Rotor	12.13"	4.05"	5 -5.31"	BR54091
	8 Lug; 12/99 To 11/04	Vented	Rotor	13.03"	5.65"	8 -6.5"	BR54021
03-12/01	7 Lug; From 12/01	Vented	Rotor	12.12"	4.05"	7 -5.91"	BR54052
12/01-12/99	7 Lug w/ Rear Wheel ABS; 12/99 To 12/01	Vented	Rotor	12.12"	4.05"	7 -5.91"	BR54052
	7 Lug w/ All Wheel ABS; 12/99 To 12/01	Vented	Rotor	12.13"	4.06"	7 -5.91"	BR54051
11/99-99	Lightning; To 11/99	Vented	Rotor	12.13"	4.05"	5 -5.31"	BR54050
11/99-97	All Wheel ABS Except Lightning; To 11/99; (5 Lug X 12 mm Studs)	Vented	Rotor	12.13"	4.09"	5 -5.31"	BR54068
	Rear Wheel ABS Except Lightning; To 11/99; (5 Lug X 12 mm Studs)	Vented	Rotor	12.13"	4.09"	5 -5.31"	BR54069
96-94	2WD	Vented	Rotor	11.71"	5.24"	5 -5.5"	BR54013
93-84	2WD	Vented	Rotor	11.72"	5.41"	5 -5.5"	BR5456
83-80	w/ 11 Inch Rear Drum Brakes	Vented	Rotor	11.72"	5.41"	5 -5.5"	BR5456
	w/ 10 Inch Rear Drum Brakes	Vented	Rotor	11.03"	4.3"	5 -4.5"	BR5444
79-73	2WD	Vented	Rotor	11.72"	5.41"	5 -5.5"	BR5456
72-68	2WD	Floating	Drum	12.83"	3.9"	5 -5.5"	BD8796
67-65	Composite Drum	Floating	Drum	12.52"	3.16"	5 -5.5"	BD8733
67-64	Cast Drum	Floating	Drum	12.8"	3.09"	5 -5.5"	BD8774

REAR

13-12	Exc.Base Payload Package (7 Lug)	Vented	Rotor	13.7"	3.15"	7 -5.91"	BR901116
2012	Base Payload Package (6 Lug)	Vented	Rotor	13.7"	3.15"	6 -5.31"	BR901114
11-12/04	6 Lug; From 12/04	Vented	Rotor	13.7"	3.39"	6 -5.31"	BR54111
	7 Lug; From 12/04	Vented	Rotor	13.7"	3.39"	7 -5.91"	BR54112
11/04-12/99	5 Lug w/ Rear Disc Brakes; 12/99 To 11/04; Can be used with 12 or 14 mm Stud Vehicles	Solid	Rotor	13.15"	2.22"	5 -5.31"	BR54090
	5 Lug w/ Rear Drum Brakes; 12/99 To 11/04	Floating	Drum	13.06"	3.67"	5 -5.31"	BD920122
	8 Lug; 12/99 To 11/04	Vented	Rotor	12.83"	4.36"	8 -5.71"	BR54085
	7 Lug w/ Rear Drum Brakes; 12/99 To 11/04	Floating	Drum	14.06"	4.72"	7 -5.91"	BD80028
11/99-97	w/ Rear Disc Brakes; To 11/99; Can be used with 12 or 14 mm Stud Vehicles	Solid	Rotor	13.15"	2.22"	5 -5.31"	BR54090
	w/ Rear Drum Brakes; To 11/99	Floating	Drum	12.74"	3.7"	5 -5.31"	BD80023

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

FORD

F-100, F-150 2WD (1/2 TON)

REAR

96-87	2WD	Floating	Drum	12.76"	3.7"	5 -5.5"	BD8974
86-84	2WD	Floating	Drum	12.8"	3.63"	5 -4.5"	BD8951
83-80	w/ 11 Inch Rear Drum Brakes	Floating	Drum	12.8"	3.63"	5 -4.5"	BD8951
	w/ 10 Inch Rear Drum Brakes	Floating	Drum	11.73"	3.49"	5 -4.5"	BD8923
79-76	From Chassis # A25.000	Floating	Drum	12.8"	3.63"	5 -4.5"	BD8951
76-68	to Chassis #A24.999	Floating	Drum	12.76"	3.63"	5 -5.5"	BD8789
67-48	2WD	Floating	Drum	12.44"	2.79"	5 -5.5"	BD8160

F-100, F-150 4WD (1/2 TON)

FRONT

13-10	Exc.Base Payload Package (7 Lug)	Vented	Rotor	13.78"	1.97"	7 -5.31"	BR900848
	Base Payload Package (6 Lug)	Vented	Rotor	13.78"	1.97"	6 -5.31"	BR900846
2009	7 Lug w/o Base Payload Package	Vented	Rotor	12.99"	2.09"	7 -5.91"	BR900694
	6 Lug w/ Base Payload Package	Vented	Rotor	12.99"	2.07"	6 -5.31"	BR900692
08-12/04	7 Lug; From 12/04	Vented	Rotor	12.99"	2.13"	7 -5.91"	BR54110
	6 Lug; From 12/04	Vented	Rotor	12.99"	2.13"	6 -5.31"	BR54109
04-12/99	7 Lug Heritage; From 12/99	Vented	Rotor	12.12"	1.86"	7 -5.91"	BR54048
04-97	5 Lug	Vented	Rotor	12.13"	2.05"	5 -5.31"	BR54042
96-94	4WD	Vented	Rotor	11.71"	2.56"	5 -5.5"	BR54020
93-5 /88	4WD; From 5/88	Vented	Rotor	11.72"	2.72"	5 -5.5"	BR5446
4 /88-87	Rotor Only; w/ Auto Lock Hubs; To 4/88	Vented	Rotor	11.72"	2.72"	5 -5.5"	BR5446
	Rotor Only; w/o Auto Lock Hubs; To 4/88	Vented	Rotor	11.72"	2.98"	5 -5.5"	BR5460
86-73	4WD	Vented	Rotor	11.72"	2.72"	5 -5.5"	BR5446
74-68	Cast Drum	Floating	Drum	12.8"	3.09"	5 -5.5"	BD8774
69-61	Composite Drum	Floating	Drum	12.52"	3.16"	5 -5.5"	BD8733

REAR

13-12	Exc.Base Payload Package (7 Lug)	Vented	Rotor	13.7"	3.15"	7 -5.91"	BR901116
2012	Base Payload Package (6 Lug)	Vented	Rotor	13.7"	3.15"	6 -5.31"	BR901114
11-12/04	6 Lug; From 12/04	Vented	Rotor	13.7"	3.39"	6 -5.31"	BR54111
	7 Lug; From 12/04	Vented	Rotor	13.7"	3.39"	7 -5.91"	BR54112
11/04-12/99	7 Lug w/ Rear Disc Brakes; 12/99 To 11/04	Solid	Rotor	13.15"	3.14"	7 -5.91"	BR54043
04-12/98	5 Lug w/ Rear Disc Brakes; From 12/98	Solid	Rotor	13.15"	2.22"	5 -5.31"	BR54090
11/01-12/99	5 Lug w/ Rear Drum Brakes; 12/99 To 11/04	Floating	Drum	13.06"	3.67"	5 -5.31"	BD920122
01-12/99	7 Lug w/ Rear Drum Brakes; From 12/99	Floating	Drum	14.06"	4.72"	7 -5.91"	BD80028

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

FORD

F-100, F-150 4WD (1/2 TON)

REAR

11/99-97	w/ Rear Drum Brakes; To 11/99	Floating	Drum	12.74"	3.7"	5 -5.31"	BD80023
96-87	4WD	Floating	Drum	12.76"	3.7"	5 -5.5"	BD8974
86-75	4WD; w/ 12.8 Inch O.D.	Floating	Drum	12.8"	3.63"	5 -4.5"	BD8951
74-73	w/ 12.76 Inch O.D	Floating	Drum	12.76"	3.63"	5 -5.5"	BD8789
72-68	4WD; w/ 12.76 Inch O.D	Floating	Drum	12.76"	3.63"	5 -5.5"	BD8789
67-59	4WD	Floating	Drum	12.44"	2.79"	5 -5.5"	BD8160

F-250 2WD (3/4 TON) INCLUDING SUPER DUTY FRONT

12-08		Vented	Rotor	13 5/8"	4 5/8"	8 -6.69"	BR900362
07-05		Vented	Rotor	13.64"	4.55"	8 -6.69"	BR900564
04-03		Vented	Rotor	13.03"	5.65"	8 -6.69"	BR54121
02-01		Vented	Rotor	13.03"	5.65"	8 -6.69"	BR54071
00-99	Super Duty w/ Rear Wheel ABS	Vented	Rotor	13.03"	5.65"	8 -6.69"	BR54072
	Super Duty w/ AWAL	Vented	Rotor	13.03"	5.65"	8 -6.69"	BR54071
99-97	7 Lug w/ All Wheel ABS	Vented	Rotor	12.13"	4.06"	7 -5.91"	BR54051
	7 Lug w/ Rear Wheel ABS	Vented	Rotor	12.12"	4.05"	7 -5.91"	BR54052
	8 Lug	Vented	Rotor	13.03"	5.65"	8 -6.5"	BR54021
96-95		Vented	Rotor	13.03"	5.65"	8 -6.5"	BR54021
94-86		Vented	Rotor	12.56"	5.61"	8 -6.5"	BR5458
85-80	w/ Dual Piston Calipers w/ 9/16 Inch Studs	Vented	Rotor	12.56"	5.62"	8 -6.5"	BR5443
	w/ Dual Piston Calipers w/ 1/2 Inch Studs	Vented	Rotor	12.56"	5.61"	8 -6.5"	BR5442
	w/ Single Piston Calipers	Vented	Rotor	12.78"	5.5"	8 -6.5"	BR5441
79-76	w/ Dual Piston Calipers	Vented	Rotor	12.56"	5.14"	8 -6.5"	BR5426
79-73	w/ Single Piston Calipers	Vented	Rotor	12.65"	5.82"	8 -6.5"	BR5415
72-68	w/ Front Disc Brakes	Vented	Rotor	12.59"	5.33"	8 -6.5"	BR5411
72-57	Except HD w/ Front Drum Brakes	Floating	Drum	14.13"	3.02"	8 -6.5"	BD8900

REAR

12-05		Vented	Rotor	13 3/8 in	126.56 mm	8 -6.69 in	BR54141
04-01		Vented	Rotor	12.83"	3.88"	8 -6.69"	BR54074
00-99	Super Duty	Vented	Rotor	12.83"	3.88"	8 -6.69"	BR54074
99-97	7 Lug w/ Rear Drum Brakes	Floating	Drum	14.06"	4.72"	7 -5.91"	BD80028
	8 Lug	Floating	Drum	12.87"	5.33"	8 -6.5"	BD8964
	7 Lug w/ Rear Disc Brakes Exc.99 Super Duty	Solid	Rotor	13.15"	3.14"	7 -5.91"	BR54043
96-90	w/ 12 x 2 1/2 Rear Shoes	Floating	Drum	14.06"	4.67"	8 -6.5"	BD8967
	w/ 12 x 3 Inch Rear Shoes	Floating	Drum	12.87"	5.33"	8 -6.5"	BD8964
89-86	Std. Duty w/ 9/16 Inch Stud Holes	Floating	Drum	14.06"	4.7"	8 -6.5"	BD8922

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

FORD

F-250 2WD (3/4 TON) INCLUDING SUPER DUTY REAR

89-86	Heavy Duty w/ 5 3/8 Inch High Drums	Floating	Drum	14.06"	4.67"	8 -6.5"	BD8967
	Std. Duty 5/8 Inch Stud Holes	Floating	Drum	14.06"	4.67"	8 -6.5"	BD8967
	Heavy Duty w/ 5 Inch High Drums	Behind the Hub	Drum	14.02"	5.04"	8 -6.5"	BD8861
85-80	Std. Duty	Floating	Drum	14.06"	4.7"	8 -6.5"	BD8922
2 /83-80	Heavy Duty; To 2/83	Behind the Hub	Drum	14.02"	5.04"	8 -6.5"	BD8861
79-73		Behind the Hub	Drum	14.06"	4.95"	8 -6.5"	BD8790
72-66	RWD	Behind the Hub	Drum	14.06"	4.95"	8 -6.5"	BD8790

F-250 4WD (3/4 TON) INCLUDING SUPER DUTY FRONT

12-05	Except 05-07 Harley Davidson Pkg	Vented	Rotor	13.64"	4.55"	8 -6.69"	BR54124
07-05	Harley Davidson Pkg	Vented	Rotor	14.53"	3.87"	10-6.69"	BR54128
04-4 /99	4WD; Super Duty ; From 4/99	Vented	Rotor	13.03"	3.92"	8 -6.69"	BR54078
3 /99-99	4WD; Super Duty ; To 3/99	Vented	Rotor	13.03"	3.72"	8 -6.69"	BR54063
99-97	7 Lug w/ Rear Disc Brakes Except Super Duty	Vented	Rotor	12.12"	1.86"	7 -5.91"	BR54048
	w/ 12 x 2 1/2 Inch Rear Brakes (7 Lug) Except Super Duty	Vented	Rotor	12.12"	1.86"	7 -5.91"	BR54048
	w/ 12 x 3 Inch Rear Shoes (8 Lug) Except Super Duty	Vented	Rotor	12.96"	3.11"	8 -6.5"	BR54026
96-95	4WD	Vented	Rotor	12.96"	3.11"	8 -6.5"	BR54026
94-80	4WD	Vented	Rotor	12.56"	3.21"	8 -6.5"	BR5445
79-77	Except 3550 LB Front Axle	Vented	Rotor	12.56"	3.21"	8 -6.5"	BR5471
75-60	w/o 3500 LB Axle	Floating	Drum	14.13"	3.02"	8 -6.5"	BD8900

REAR

12-05		Vented	Rotor	13 3/8 in	126.56 mm	8 -6.69 in	BR54141
04-99	Super Duty	Vented	Rotor	12.83"	3.88"	8 -6.69"	BR54074
99-97	w/ 12 x 2 1/2 Inch Rear Brakes (7 Lug) Except Super Duty	Floating	Drum	14.06"	4.72"	7 -5.91"	BD80028
	w/ 12 x 3 Inch Rear Shoes (8 Lug) Except Super Duty	Floating	Drum	12.87"	5.33"	8 -6.5"	BD8964
	7 Lug w/ Rear Disc Brakes Except Super Duty	Solid	Rotor	13.15"	3.14"	7 -5.91"	BR54043
96-90	w/ 2 1/2 Inch Rear Shoes	Floating	Drum	14.06"	4.67"	8 -6.5"	BD8967
	w/ 3 Inch Rear Shoes	Floating	Drum	12.87"	5.33"	8 -6.5"	BD8964
89-86	Standard Duty w/ 5/8 Inch Stud Holes	Floating	Drum	14.06"	4.67"	8 -6.5"	BD8967
	Standard Duty w/ 9/16 Inch Stud Holes	Floating	Drum	14.06"	4.7"	8 -6.5"	BD8922

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

FORD

F-250 4WD (3/4 TON) INCLUDING SUPER DUTY REAR

89-84	Heavy Duty w/ 5 Inch Hub Hole	Floating	Drum	12.87"	5.33"	8 -6.5"	BD8964
	Heavy Duty w/ 5.4 Inch Hub Hole	Behind the Hub	Drum	14.02"	5.04"	8 -6.5"	BD8861
85-80	Std Duty	Floating	Drum	14.06"	4.7"	8 -6.5"	BD8922
83-2 /83	Heavy Duty; From 02/83	Floating	Drum	14.06"	4.9"	8 -6.5"	BD80018
1 /83-80	Heavy Duty; To 1/83	Behind the Hub	Drum	14.02"	5.04"	8 -6.5"	BD8861
79-67	4WD, w/ Single Piston front Calipers (12 x 2 " Shoes)	Behind the Hub	Drum	14.06"	4.95"	8 -6.5"	BD8790

F-350 2WD (1 TON) INCLUDES SUPER DUTY FRONT

12-11	SRW	Vented	Rotor	13 5/8"	4 5/8"	8 -6.69"	BR900362
	DRW	Vented	Rotor	13 5/8"	10.03"	8 -7.88"	BR900364
10-09	DRW	Vented	Rotor	13 5/8"	3.96"	8 -6.69"	BR54135
	SRW	Vented	Rotor	13.64"	4.55"	8 -6.69"	BR54124
2008	SRW	Vented	Rotor	13 5/8"	4 5/8"	8 -6.69"	BR900362
	DRW	Vented	Rotor	13 5/8"	10.03"	8 -7.88"	BR900364
07-05	SRW	Vented	Rotor	13.64"	4.55"	8 -6.69"	BR900564
	DRW	Vented	Rotor	13 7/8"	8.45"	8 -7.88"	BR900361
04-03	SRW	Vented	Rotor	13.03"	5.65"	8 -6.69"	BR54121
	DRW- Except Twin I Beam (Outer Race Depth 90.8 mm) (14 x 1.5mm Stud)	Vented	Rotor	12.99"	9.05"	8 -6.69"	BR54120
	DRW: Twin I beam (Outer Race Depth 96mm) (14 x 2.0mm Stud)	Vented	Rotor	13.10"	9.18"	8 -6.69"	BR54076
02-99	SRW w/ Rear Wheel ABS	Vented	Rotor	13.03"	5.65"	8 -6.69"	BR54072
	SRW w/ AWAL	Vented	Rotor	13.03"	5.65"	8 -6.69"	BR54071
	DRW	Vented	Rotor	13.10"	9.18"	8 -6.69"	BR54076
98-95	DRW	Vented	Rotor	13.03"	8.14"	8 -6.5"	BR54039
	SRW	Vented	Rotor	13.03"	5.65"	8 -6.5"	BR54021
94-86	SRW	Vented	Rotor	12.56"	5.61"	8 -6.5"	BR5458
94-76	DRW	Vented	Rotor	12.56"	3.67"	8 -4.75"	BR5457
85-80	SRW	Vented	Rotor	12.56"	5.62"	8 -6.5"	BR5443
79-76	SRW	Vented	Rotor	12.56"	5.14"	8 -6.5"	BR5427
75-68	DRW w/ Front Disc Brakes	Vented	Rotor	12.56"	3.9"	8 -4.75"	BR5423
72-67	DRW w/ Front Drum	Floating	Drum	14.09"	7.07"	8 -6.5"	BD8864
66-56	DRW / 8 Lug	Floating	Drum	14.13"	3.02"	8 -6.5"	BD8900

REAR

12-05	SRW	Vented	Rotor	13 3/8 in	126.56 mm	8 -6.69 in	BR54141
	DRW	Vented	Rotor	13 3/8"	125.75 mm	8 -5.59 mm	BR54136

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

FORD

F-350 2WD (1 TON) INCLUDES SUPER DUTY REAR

04-99	DRW	Vented	Rotor	12.83"	4.44"	8 -5.59"	BR54084
	SRW	Vented	Rotor	12.83"	3.88"	8 -6.69"	BR54074
98-90	DRW w/ 3 Inch Rear Shoes	Floating	Drum	12.87"	5.33"	8 -6.5"	BD8964
	SRW	Floating	Drum	12.87"	5.33"	8 -6.5"	BD8964
98-88	DRW w/ 3 1/2 Inch Rear Shoes	Floating	Drum	14.13"	6.9"	8 -6.5"	BD8975
89-84	DRW w/ 3 Inch Rear Shoes and Drum 6 1/4 Inch High	Floating	Drum	14.06"	6.28"	8 -6.5"	BD8965
	SRW w/ 5 Inch Hub Hole	Floating	Drum	12.87"	5.33"	8 -6.5"	BD8964
	SRW w/ 5.4 Inch Hub Hole	Behind the Hub	Drum	14.02"	5.04"	8 -6.5"	BD8861
	DRW w/ 3 Rear Shoes and 7 1/8 Inch High Drum	Floating	Drum	14.09"	7.07"	8 -6.5"	BD8864
83-2 /83	SRW; From 2/83	Floating	Drum	14.06"	4.9"	8 -6.5"	BD80018
83-80	DRW	Floating	Drum	14.09"	7.07"	8 -6.5"	BD8864
1 /83-80	SRW; To 1/83	Behind the Hub	Drum	14.02"	5.04"	8 -6.5"	BD8861
79-73	Supercab	Behind the Hub	Drum	14.02"	5.04"	8 -6.5"	BD8861
	Except Supercab	Floating	Drum	14.09"	7.07"	8 -6.5"	BD8864
72-67	2WD	Floating	Drum	14.09"	7.07"	8 -6.5"	BD8864

F-350 4WD (1 TON) INCLUDES SUPER DUTY FRONT

12-05	DRW	Vented	Rotor	13 5/8"	3.96"	8 -6.69"	BR54135
	SRW Except 06-07 Harley Davidson pkg.	Vented	Rotor	13.64"	4.55"	8 -6.69"	BR54124
07-05	SRW Harley Davidson pkg.	Vented	Rotor	14.53"	3.87"	10-6.69"	BR54128
04-4 /99	4WD; From 4/99	Vented	Rotor	13.03"	3.92"	8 -6.69"	BR54078
3 /99-99	4WD; To 3/99	Vented	Rotor	13.03"	3.72"	8 -6.69"	BR54063
98-95	4WD	Vented	Rotor	12.96"	3.11"	8 -6.5"	BR54026
94-80	4WD	Vented	Rotor	12.56"	3.21"	8 -6.5"	BR5445
1979	4WD	Vented	Rotor	12.56"	3.21"	8 -6.5"	BR5471

REAR

12-05	SRW	Vented	Rotor	13 3/8 in	126.56 mm	8 -6.69 in	BR54141
	DRW	Vented	Rotor	13 3/8"	125.75 mm	8 -5.59 mm	BR54136
04-99	DRW	Vented	Rotor	12.83"	4.44"	8 -5.59"	BR54084
	SRW	Vented	Rotor	12.83"	3.88"	8 -6.69"	BR54074
98-90	DRW w/ 3 Inch Rear Shoes	Floating	Drum	12.87"	5.33"	8 -6.5"	BD8964
	SRW w/3 Inch Rear Shoes	Floating	Drum	12.87"	5.33"	8 -6.5"	BD8964
98-87	DRW w/ 3 1/2 Inch Rear Shoes	Floating	Drum	14.13"	6.9"	8 -6.5"	BD8975
89-87	DRW w/ 3 Inch Rear Shoes	Floating	Drum	14.09"	7.07"	8 -6.5"	BD8864
89-84	SRW w/ 5.4 Inch Hub Hole	Behind the Hub	Drum	14.02"	5.04"	8 -6.5"	BD8861

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

FORD

F-350 4WD (1 TON) INCLUDES SUPER DUTY REAR

89-84	SRW w/ 5 Inch Hub Hole	Floating	Drum	12.87"	5.33"	8 -6.5"	BD8964
86-84	DRW w/ 6.25 Inch High Drum	Floating	Drum	14.06"	6.28"	8 -6.5"	BD8965
	DRW w/ 7 1/8 Inch High Rear Drum	Floating	Drum	14.09"	7.07"	8 -6.5"	BD8864
83-2 /83	SRW; From 2/83	Floating	Drum	14.06"	4.9"	8 -6.5"	BD80018
83-80	DRW	Floating	Drum	14.09"	7.07"	8 -6.5"	BD8864
1 /83-80	SRW; To 1/83	Behind the Hub	Drum	14.02"	5.04"	8 -6.5"	BD8861
1979	4WD	Behind the Hub	Drum	14.06"	4.95"	8 -6.5"	BD8790

F-450 SUPER DUTY PICKUP FRONT

12-11	Wide Frame	Vented	Rotor	13 5/8"	3.96"	8 -6.69"	BR54135
	Narrow Frame	Vented	Rotor	14.53"	3.87"	10-6.69"	BR54128
10-05		Vented	Rotor	14.53"	3.87"	10-6.69"	BR54128
04-00		Vented	Rotor	14.53"	3.85"	8 -6.69"	BR54077
1999	From 03/15/1999	Vented	Rotor	14.53"	3.85"	8 -6.69"	BR54077
	To 03/14/1999	Vented	Rotor	14.53"	3.66"	8 -6.69"	BR54075
97-90		Vented	Rotor	12.9"	4.88"	10-5.7"	BR5459

REAR

12-11	Wide Frame	Vented	Rotor	13 3/8"	125.75 mm	8 -5.59 mm	BR54136
	Narrow Frame	Vented	Rotor	15.55"	4.87"	10-6.43"	BR900359
10-05		Vented	Rotor	15.55"	4.87"	10-6.43"	BR900359
04-99	w/ Rear Wheel ABS	Vented	Rotor	15.55"	4.87"	10-6.43"	BR54064
	ABS	Vented	Rotor	15.55"	4.87"	10-6.43"	BR54119
97-90		Vented	Rotor	12.9"	4.88"	10-5.7"	BR5459

F-550 SUPER DUTY PICKUP FRONT

12-05		Vented	Rotor	13 5/8"	3.96"	8 -6.69"	BR54135
04-00		Vented	Rotor	14.53"	3.85"	8 -6.69"	BR54077
1999	To 03/14/1999	Vented	Rotor	14.53"	3.66"	8 -6.69"	BR54075
	From 03/15/1999	Vented	Rotor	14.53"	3.85"	8 -6.69"	BR54077

REAR

12-05		Vented	Rotor	15.55"	4.87"	10-6.43"	BR900359
04-02	w/o ABS	Vented	Rotor	15.55"	4.87"	10-6.43"	BR54064
	w/ Exciter Ring	Vented	Rotor	15.55"	4.87"	10-6.43"	BR54119
01-99		Vented	Rotor	15.55"	4.87"	10-6.43"	BR54064

F-650 FRONT

08-04	5 Hole , Hat Shaped	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
	10 Hole , Hat Shaped; 3.2" Overall Height	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

FORD

F-650

REAR

08-04	10 Hole , Hat Shaped; 3.2" Overall Height	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
	5 Hole , Hat Shaped	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
03-00	10 Hole , Hat Shaped , 17,500 & 19,000 lb RA	Solid	Rotor	15.38"	3"	10-7.25"	BR901082

F53 STRIPPED CHASSIS

FRONT

98-89		Vented	Rotor	12.9"	4.88"	10-5.7"	BR5459
-------	--	--------	-------	-------	-------	---------	--------

REAR

98-89		Vented	Rotor	12.9"	4.88"	10-5.7"	BR5459
-------	--	--------	-------	-------	-------	---------	--------

F59 STRIPPED CHASSIS

FRONT

94-89		Vented	Rotor	12.9"	4.88"	10-5.7"	BR5459
-------	--	--------	-------	-------	-------	---------	--------

REAR

94-89		Vented	Rotor	12.9"	4.88"	10-5.7"	BR5459
-------	--	--------	-------	-------	-------	---------	--------

FAIRLANE

FRONT

1970	w/ Front Drum Brakes	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
	w/ Front Disc Brakes	Vented	Rotor	11.29"	4.23"	5 -4.5"	BR5404
70-69	Sedan & Wagon; Front Disc Brake	Vented	Rotor	11.29"	4.23"	5 -4.5"	BR5404
	2-1/2 Inch Front & Rear Shoe	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
1969	2-1/4 Inch Front Shoe	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
1968	Front Drum Brake; 2 Inch Rear Shoe	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
	Front Disc Brake; w/ 1 3/4 & 2 1/2 Inch Rear Shoe	Vented	Rotor	11.30"	4.27"	5 -4.5"	BR5401
1967	w/ 2 & 2 1/2 Inch Rear Shoe	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
	Front Disc Brake; w/ 1 3/4 & 2 Inch Rear Shoe	Vented	Rotor	11.29"	4.22"	5 -4.5"	BR5406
1966	w/ 2 Inch Rear Shoe	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
65-63	Police & Heavy Duty	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
1962	Exc. Heavy Duty	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831

REAR

70-69	10 Inch Drum Brake	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
1968	2 Inch Rear Shoe; Plain	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
	with 1 3/4 Inch Rear Shoe	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
1967	Exc. 500, 500XL; w/ 1 3/4 Inch Rear Shoe	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
	w/ 2 Inch Rear Shoe	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
1966	w/ 2 Inch Rear Shoe	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
	w/ 1-3/4 Inch Rear Shoe	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
65-63	Exc. Heavy Duty	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
	Police & Heavy Duty	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

FORD

FAIRLANE

REAR

1962	Exc. Heavy Duty	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
------	-----------------	----------	------	--------	------	---------	--------

FAIRMONT

FRONT

83-78		Vented	Rotor	10.09"	4.03"	4 -4.25"	BR5432
-------	--	--------	-------	--------	-------	----------	--------

REAR

83-81	Sedan; Exc. Police	Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
1981	FUTURA; Wagon: Police	Floating	Drum	11.65"	3.38"	4 -4.25"	BD8891
80-78	Exc. FUTURA; Wagon	Floating	Drum	11.65"	3.38"	4 -4.25"	BD8891
	Sedan	Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890

FALCON

FRONT

70-68	Front Disc Brake	Vented	Rotor	11.30"	4.27"	5 -4.5"	BR5401
70-67	Front Drum Brake	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
1967	w/ Front Disc Brakes	Vented	Rotor	11.29"	4.22"	5 -4.5"	BR5406
1966		Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
1965	10 Inch Front Drum Brake	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
	9 Inch Front Drum Brake; w/ 2 Inch Rear Shoe	Floating	Drum	10.38"	2.85"	4 -4.5"	BD8146
64-60	9 Inch Front Drum Brake; 1-1/4 Inch Rear Shoe	Floating	Drum	10.38"	2.85"	4 -4.5"	BD8146
	10 Inch Front Drum Brake	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831

REAR

70-69	10 Inch X 2 Inch Rear Composite Drum Brake	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
	9 x 1 1/2 Inch Brakes	Floating	Drum	10.35"	2.35"	4 -4.5"	BD8147
1968	10 Inch X 2 Inch Rear Composite Drum Brake	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
	10 x 1 3/4 Inch Brakes	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
1967	10 x 1 3/4 Inch Brakes	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
	10 x 2 Inch Brakes	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
1966		Floating	Drum	10.35"	2.35"	4 -4.5"	BD8147
1965	9 Inch Front Drum Brake; w/ 2 Inch Rear Shoe	Floating	Drum	10.35"	2.35"	4 -4.5"	BD8147
	10 Inch Rear Drum Brake	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
64-60	10 Inch Rear Drum Brake	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
	9 Inch Front Drum Brake; 1-1/4 Inch Rear Shoe	Floating	Drum	10.35"	2.35"	4 -4.5"	BD8147

FALCON SEDAN DELIVERY

FRONT

65-61	9 Inch Front Drum Brake; 1-1/4 Inch Rear Shoe	Floating	Drum	10.38"	2.85"	4 -4.5"	BD8146
	10 Inch Front Drum Brake	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
FORD							
FALCON SEDAN DELIVERY			REAR				
65-61	9 Inch Front Drum Brake; 1-1/4 Inch Rear Shoe	Floating	Drum	10.35"	2.35"	4 -4.5"	BD8147
	10 Inch Rear Drum Brake	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
FESTIVA			FRONT				
93-88		Solid	Rotor	219 mm	37 mm	4 -94 mm	BR31034
			REAR				
93-88		Hub/ Bearing	Drum	194 mm	70 mm	4 -114.3 mm	BD3823
FIESTA			FRONT				
13-11		Vented	Rotor	10.16"	1.74"	4 -108mm	BR900926
			REAR				
13-11		Floating	Drum	9.62"	2.28"	4 -108mm	BD920156
FIESTA (MEXICO)			FRONT				
09-05	258mm Rotor	Vented	Rotor	10.15"	1.71"	4 -4.25"	BR54079
			REAR				
09-05	w/ Bearing	Hub/ Bearing	Drum	9.57"	3.19"	4 -4.25"	BD80112
	w/o Bearing	Hub/ Bearing	Drum	9.57"	3.19"	4 -4.25"	BD80090
FIVE HUNDRED			FRONT				
07-05		Vented	Rotor	12.4"	1.86"	5 -4.5"	BR54126
			REAR				
07-05		Solid	Rotor	12.99"	1.48"	5 -4.5"	BR54125
FLEX			FRONT				
13-12		Vented	Rotor	12.79"	1.87"	5 -4.5"	BR901020
11-09		Vented	Rotor	12.8"	1.87"	5 -4.5"	BR900632
			REAR				
13-12		Solid	Rotor	13"	1.55"	5 -4.5"	BR900928
11-09		Solid	Rotor	12.99"	1.48"	5 -4.5"	BR54125
FOCUS			FRONT				
2013	ST ; 320mm Rotor	Vented	Rotor	320mm	49mm	5 -108 mm	BR900990
13-12	Exc. ST ; 278mm Rotor	Vented	Rotor	278.12 mm	49.16 mm	5 -4.25"	BR901066
11-08		Vented	Rotor	10.82"	1.78"	4 -4.25"	BR900580
07-05		Vented	Rotor	10.95"	1.772"	4 -4.25"	BR54132
04-02	SVT	Vented	Rotor	11.81"	1.75"	4 -4.25"	BR54113
04-00	Exc.SVT	Vented	Rotor	10.15"	1.71"	4 -4.25"	BR54079
			REAR				
13-12	w/ Rear Drum Brakes	Floating	Drum	10.66"	2.6"	5 -4.25"	BD920162
	w/ Rear Disc Brakes	Solid	Rotor	270.84 mm	41.37 mm	5 -4.25"	BR901068
11-09		Floating	Drum	9.4"	3.4"	4 -4.25"	BD920132
08-00	Rear Drum Brake; w/o bearing: CAUTION: Always install a new wheel hub retaining nut after loosening or when not tightened to specifications in a continuous rotation. Torque to 174 ft. lbs. while rotating. A new dust cap must be installed.	Hub/ Bearing	Drum	9.57"	3.19"	4 -4.25"	BD80090

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

FORD

FOCUS

REAR

08-00	Rear Drum Brake; w/ bearing CAUTION: Always install a new wheel hub retaining nut after loosening or when not tightened to specifications in a continuous rotation. Torque to 174 ft. lbs. while rotating. A new dust cap must be installed.	Hub/ Bearing	Drum	9.57"	3.19"	4 -4.25"	BD80112
07-01	Rear Disc Brake Exc. SVT (9.96 Inch Rotor)	Solid	Rotor	9.96"	1.3"	4 -4.25"	BR54095
04-02	SVT (11.02 Inch Rotor)	Solid	Rotor	11.02"	1.3"	4 -4.25"	BR54106

FORD 300

FRONT

1963	Exc. Wagon, Police, & Heavy Duty	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
------	----------------------------------	----------	------	-------	-------	---------	--------

FREESTAR

FRONT

07-04		Vented	Rotor	11.54"	1.89"	5 -4.5"	BR54118
-------	--	--------	-------	--------	-------	---------	---------

REAR

07-04		Vented	Rotor	12.44"	1.53"	5 -4.5"	BR54117
-------	--	--------	-------	--------	-------	---------	---------

FREESTYLE

FRONT

07-05		Vented	Rotor	12.4"	1.86"	5 -4.5"	BR54126
-------	--	--------	-------	-------	-------	---------	---------

REAR

07-05		Solid	Rotor	12.99"	1.48"	5 -4.5"	BR54125
-------	--	-------	-------	--------	-------	---------	---------

FUSION

FRONT

12-06		Vented	Rotor	11.74"	1.91"	5 -4.5"	BR54142
-------	--	--------	-------	--------	-------	---------	---------

REAR

12-06		Solid	Rotor	279.5 mm	40.22 mm	5 -114.3 mm	BR31325
-------	--	-------	-------	----------	----------	-------------	---------

GALAXIE

FRONT

67-60		Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
-------	--	----------	------	-------	-------	---------	--------

REAR

67-65		Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
-------	--	----------	------	-------	-------	---------	--------

GALAXIE 500

FRONT

1974		Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
1973		Vented	Rotor	11.72"	4.83"	5 -5"	BR5413
1968		Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200

REAR

1968	11 x 2 1/4 Inch Brakes Except Taxi	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
------	------------------------------------	----------	------	-------	-------	---------	--------

GRAN TORINO

FRONT

76-74	10.8" Rotor	Vented	Rotor	10.72"	4.16"	5 -4.5"	BR5418
	11.8" Rotor	Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
1973		Vented	Rotor	11.72"	4.83"	5 -5"	BR5413

REAR

1976		Floating	Drum	13.62"	4.4"	5 -4.5"	BD8876
------	--	----------	------	--------	------	---------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

FORD

GRANADA

FRONT

82-81		Vented	Rotor	10.09"	4.03"	4 -4.25"	BR5432
80-75		Vented	Rotor	11.03"	4.16"	5 -4.5"	BR5419

REAR

82-81	Exc. 4.2L	Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
1981	4.2L	Floating	Drum	11.65"	3.38"	4 -4.25"	BD8891

LTD

FRONT

86-82	Sedan & Wagon	Vented	Rotor	10.09"	4.03"	4 -4.25"	BR5432
86-81	Exc. BROUGHAM, LX; 5 Lug	Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
81-79	Sedan; Exc. HD	Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
78-74		Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
1973		Vented	Rotor	11.72"	4.83"	5 -5"	BR5413
68-67	Front Drum Brake	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200

REAR

86-82	Exc. BROUGHAM, LX; Wagon	Floating	Drum	11.65"	3.38"	4 -4.25"	BD8891
	Exc. BROUGHAM, COUNTRY SQUIRE, LX; Sedan; 9 Inch Drum	Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
	Exc. BROUGHAM, COUNTRY SQUIRE, LX; Sedan; 10 Inch Rear Drum Brake; 10 Inch Drum	Floating	Drum	12"	3.74"	5 -4.5"	BD8896
86-81	Sedan; 10 Inch Rear Drum Brake; Exc. Police & Taxi	Floating	Drum	12"	3.74"	5 -4.5"	BD8896
	Exc. BROUGHAM, LX; Police; 11 Inch Rear Drum Brake	Floating	Drum	13.03"	3.97"	5 -4.5"	BD8897
83-82	Exc. BROUGHAM, COUNTRY SQUIRE, S; Sedan	Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
1982	Exc. COUNTRY SQUIRE, CROWN VICTORIA, S; Sedan; 11 Inch Drum	Floating	Drum	13.03"	3.97"	5 -4.5"	BD8897
1981	Exc. CROWN VICTORIA; Wagon: Taxi	Floating	Drum	13.03"	3.97"	5 -4.5"	BD8897
81-79	Police	Floating	Drum	13.03"	3.97"	5 -4.5"	BD8897
	Sedan; Exc. Police & HD	Floating	Drum	12"	3.74"	5 -4.5"	BD8896
1968	11 x 2 1/4 Inch Brakes Except Taxi	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200

REAR LEFT

74-73	Rear Disc Brake; Left	Vented	Rotor	11.50"	2.43"	5 -5"	BR5435
-------	-----------------------	--------	-------	--------	-------	-------	--------

REAR RIGHT

74-73	Rear Disc Brake; Right	Vented	Rotor	11.50"	2.43"	5 -5"	BR5433
-------	------------------------	--------	-------	--------	-------	-------	--------

LTD II

FRONT

79-77	11.8" Rotor	Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
	10.7" Rotor	Vented	Rotor	10.72"	4.16"	5 -4.5"	BR5418

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
FORD							
LTD II							
FRONT							
1977	Exc. BROUGHAM; Wagon	Vented	Rotor	10.72"	4.16"	5 -4.5"	BR5418
REAR							
79-77	10.7" Rotor	Floating	Drum	13.62"	4.4"	5 -4.5"	BD8876
MAVERICK							
FRONT							
77-76		Vented	Rotor	11.03"	4.16"	5 -4.5"	BR5419
1975	Front Disc Brake	Vented	Rotor	11.03"	4.16"	5 -4.5"	BR5419
73-71	250 & 302 V8	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
REAR							
73-71	250 & 302 V8	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
	170 & 200 6 Cyl. 9 x 1 1/2 Drum	Floating	Drum	10.35"	2.35"	4 -4.5"	BD8147
1970		Floating	Drum	10.35"	2.35"	4 -4.5"	BD8147
MONDEO (MEXICO)							
FRONT							
08-01		Vented	Rotor	300 mm	47.1 mm	5 -108 mm	BR34251
REAR							
08-01		Solid	Rotor	280 mm	34 mm	5 -108 mm	BR34252
MUSTANG							
FRONT							
2013	V8 ; 13.98" Rotor	Vented	Rotor	13.98"	1.84"	5 -4.5"	BR900918
13-11	Base 3.7L; 12.43" Rotor	Vented	Rotor	12.43"	6.76"	5 -4.5"	BR54134
12-11	GT Exc. Performance Brakes; 13.24" Rotor	Vented	Rotor	13.24"	1.9"	5 -4.5"	BR900924
	GT w/ Performance Brakes; 13.98" Rotor	Vented	Rotor	13.98"	1.84"	5 -4.5"	BR900918
12-07	GT500 & GT500KR (5.4L); 13.98" Rotor	Vented	Rotor	13.98"	1.84"	5 -4.5"	BR900918
10-05	GT, Bullitt & Shelby GT (4.6L); 12.43" Rotor	Vented	Rotor	12.43"	6.76"	5 -4.5"	BR54134
	V6 4.0L; 11.54" Rotor	Vented	Rotor	11.54"	1.89"	5 -4.5"	BR54130
04-94	Exc. Cobra & Bullitt	Vented	Rotor	10.87"	1.84"	5 -4.5"	BR54011
	COBRA, BULLITT	Vented	Rotor	12.99"	1.72"	5 -4.5"	BR54087
1993	COBRA	Vented	Rotor	10.92"	3.74"	4 -4.25"	BR54004
93-87	GT, LX 5.0L	Vented	Rotor	10.91"	3.75"	4 -4.25"	BR5461
93-82	2.3L	Vented	Rotor	10.09"	4.03"	4 -4.25"	BR5432
86-84	SVO	Vented	Rotor	10.91"	3.63"	5 -4.5"	BR5449
81-79	Exc. VIN F	Vented	Rotor	9.3"	4"	4 -4.25"	BR5437
1979	VIN F	Vented	Rotor	10.09"	4.03"	4 -4.25"	BR5432
78-74		Vented	Rotor	9.3"	3.91"	4 -4.25"	BR5417
73-70	Front Disc Brake	Vented	Rotor	11.29"	4.23"	5 -4.5"	BR5404
73-65	Front Drum Brake w/ 10 Inch Drum	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
1969	Exc. BOSS 429; 5.0,5.8,6.4L; Front Disc Brake	Vented	Rotor	11.30"	4.27"	5 -4.5"	BR5401

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
FORD							
MUSTANG							
FRONT							
1969	7.0L; Front Disc Brake	Vented	Rotor	11.29"	4.23"	5 -4.5"	BR5404
1968	Front Disc Brake; 11.3" O.D.	Vented	Rotor	11.30"	4.27"	5 -4.5"	BR5401
67-65	Front Disc Brake	Vented	Rotor	11.29"	4.22"	5 -4.5"	BR5406
66-64	w/ 10 Inch Brakes	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
	w/ 9 Inch Brakes	Floating	Drum	10.38"	2.85"	4 -4.5"	BD8146
REAR							
13-05		Vented	Rotor	11.81"	1.4"	5 -4.5"	BR54131
04-94	Exc. Cobra & Bullitt	Solid	Rotor	10.51"	1.97"	5 -4.5"	BR54017
	COBRA, BULLITT	Vented	Rotor	11.65"	2.01"	5 -4.5"	BR54036
93-84	w/ Rear Drum Brakes	Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
86-84	SVO	Vented	Rotor	11.32"	2.56"	5 -4.5"	BR54055
83-80	10 Inch Rear Drum Brake	Floating	Drum	11.65"	3.38"	4 -4.25"	BD8891
	9 Inch Rear Drum Brake	Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
1979		Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
78-74		Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
73-68	Exc. BOSS 351; BOSS 429; 10 Inch X 2 Inch Rear Composite Drum Brake	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
73-64	10 x 1 3/4 Inch Brakes	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
70-64	9 1/2 x 1 1/2 Inch Brakes	Floating	Drum	10.35"	2.35"	4 -4.5"	BD8147
P-100							
FRONT							
67-65		Floating	Drum	12.8"	3.09"	5 -5.5"	BD8774
REAR							
67-65		Floating	Drum	12.44"	2.79"	5 -5.5"	BD8160
P-350							
FRONT							
76-68	5200lb. RA & 7400lb. RA; 8 Lug	Floating	Drum	14.13"	3.02"	8 -6.5"	BD8900
REAR							
76-68	5200lb. RA	Behind the Hub	Drum	14.06"	4.95"	8 -6.5"	BD8790
	7400lb. RA; 8 Lug	Floating	Drum	14.09"	7.07"	8 -6.5"	BD8864
PINTO							
FRONT							
80-74		Vented	Rotor	9.3"	3.91"	4 -4.25"	BR5417
REAR							
80-78		Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
PROBE							
FRONT							
97-93		Vented	Rotor	257.8 mm	48.7 mm	5 -114.3 mm	BR31052
92-89		Vented	Rotor	263.9 mm	46.6 mm	5 -114.3 mm	BR3198
REAR							
97-93	Rear Disc Brake	Solid	Rotor	261 mm	40.2 mm	5 -114.3 mm	BR54006
	Exc. GT; Rear Drum Brake	Floating	Drum	270.2 mm	60.5 mm	5 -114.3 mm	BD3520

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

FORD

PROBE

REAR

92-89		Solid	Rotor	259 mm	72 mm	5 -114.3 mm	BR3285
-------	--	-------	-------	--------	-------	-------------	--------

RANCH WAGON

FRONT

74-73	11 13/16 Inch Rotor	Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
1973	11 3/4 Inch Rotor	Vented	Rotor	11.72"	4.83"	5 -5"	BR5413
68-67	Front Drum Brake	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200

REAR

68-65		Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
-------	--	----------	------	-------	-------	---------	--------

REAR LEFT

74-73	Rear Disc Brake; Left	Vented	Rotor	11.50"	2.43"	5 -5"	BR5435
-------	-----------------------	--------	-------	--------	-------	-------	--------

REAR RIGHT

74-73	Rear Disc Brake; Right	Vented	Rotor	11.50"	2.43"	5 -5"	BR5433
-------	------------------------	--------	-------	--------	-------	-------	--------

RANCHERO

FRONT

79-74	Exc. VIN Q; 10.72 Inch Rotor	Vented	Rotor	10.72"	4.16"	5 -4.5"	BR5418
1974	VIN Q; 11.8 Inch Rotor	Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
1973		Vented	Rotor	11.72"	4.83"	5 -5"	BR5413
71-70	Front Disc Brake	Vented	Rotor	11.29"	4.23"	5 -4.5"	BR5404
71-67	Exc. 500 XL; Front Drum Brake	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
69-68	Exc. 500; Front Disc Brake	Vented	Rotor	11.30"	4.27"	5 -4.5"	BR5401
1966	Exc. CUSTOM; L6	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
65-63	V8	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
65-60	L6	Floating	Drum	10.38"	2.85"	4 -4.5"	BD8146

REAR

71-68	10 Inch X 2 Inch Rear Composite Drum Brake	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
69-68	w/ 12.4" Rear Drum	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
1967	w/Flared Drum	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
	Exc. Flared Drum	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
1966	Exc. CUSTOM	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
65-63	V8	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
65-60	L6	Floating	Drum	10.38"	2.85"	4 -4.5"	BD8146

RANGER

FRONT

11-03	4WD	Vented	Rotor	12.01"	2.61"	5 -4.5"	BR54097
	2WD; Recommended to be replaced in pairs due to different ABS ring styles	Vented	Rotor	11.28"	4.25"	5 -4.5"	BR54029
02-98	2WD; w/ Torsion Bar Frt. Susp.; 11.28 Inch Front Rotor	Vented	Rotor	11.28"	4.25"	5 -4.5"	BR54029
	4WD	Vented	Rotor	11.26"	2.6"	5 -4.5"	BR54035
	2WD; 4 Whl. ABS; Front Coil Spring; 10.28 Inch Front Rotor	Vented	Rotor	10.28"	4.25"	5 -4.5"	BR54059

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
FORD							
RANGER							
FRONT							
00-98	2WD; Rear Whl. ABS; Front Coil Spring; 10.28 Inch Front Rotor	Vented	Rotor	10.28"	4.25"	5 -4.5"	BR54058
	2WD, w/ RWAL, w/ 11.25 Inch Rotor	Vented	Rotor	11.28"	4.25"	5 -4.5"	BR54104
97-95	2WD; Rear ABS	Vented	Rotor	10.28"	4.25"	5 -4.5"	BR54018
	2WD; AWAL	Vented	Rotor	10.28"	4.25"	5 -4.5"	BR54019
	4WD;	Vented	Rotor	11.26"	2.27"	5 -4.5"	BR54038
94-92	4WD	Vented	Rotor	10.87"	2.49"	5 -4.5"	BR5473
94-83	2WD	Vented	Rotor	10.28"	4.13"	5 -4.5"	BR5447
1991	4WD; w/ 2.2 Inch Tall Rotor	Vented	Rotor	10.87"	2.17"	5 -4.5"	BR5448
	4WD; w/ 2.5 Inch Tall Rotor	Vented	Rotor	10.87"	2.49"	5 -4.5"	BR5473
90-83	4WD	Vented	Rotor	10.87"	2.17"	5 -4.5"	BR5448
REAR							
11-10		Vented	Rotor	11.62"	2.43"	5 -4.5"	BR901070
09-98	10 Inch Rear Drum Brake	Floating	Drum	11.73"	3.49"	5 -4.5"	BD8923
	9 Inch Rear Drum Brake	Floating	Drum	10.59"	2.76"	5 -4.5"	BD80036
02-98	w/ Rear Disc Brakes	Solid	Rotor	11.22"	2.3"	5 -4.5"	BR54032
97-84	10 Inch Rear Drum Brake	Floating	Drum	11.73"	3.64"	5 -4.5"	BD8946
97-83	9 Inch Rear Drum Brake	Floating	Drum	10.61"	2.83"	5 -4.5"	BD8952
SPRINT							
FRONT							
64-63	9 Inch Front Drum Brake; 1-1/4 Inch Rear Shoe	Floating	Drum	10.38"	2.85"	4 -4.5"	BD8146
	10 Inch Front Drum Brake	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
REAR							
64-63	9 Inch Front Drum Brake; 1-1/4 Inch Rear Shoe	Floating	Drum	10.35"	2.35"	4 -4.5"	BD8147
	10 Inch Rear Drum Brake	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
STARLINER							
FRONT							
61-60		Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
SUNLINER							
FRONT							
64-60		Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
TAURUS							
FRONT							
2013	Exc. SHO & Police Package	Vented	Rotor	12.79"	1.87"	5 -4.5"	BR901020
2012		Vented	Rotor	12.79"	1.87"	5 -4.5"	BR901020
11-10		Vented	Rotor	12.8"	1.87"	5 -4.5"	BR900632
09-08		Vented	Rotor	12.4"	1.86"	5 -4.5"	BR54126
07-01	11.57" O.D.	Vented	Rotor	11.57"	1.83"	5 -4.25"	BR54030
00-94	V6; 10.87" O.D.	Vented	Rotor	10.87"	1.84"	5 -4.25"	BR54010
99-96	V8; 11.57" O.D.	Vented	Rotor	11.57"	1.83"	5 -4.25"	BR54030
93-2 /91	From 2/91	Vented	Rotor	10.16"	2.31"	5 -4.5"	BR5470

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

FORD

TAURUS

FRONT

1 /91-90	Replace In Pairs Only; To 1/91	Vented	Rotor	10.16"	1.92"	5 -4.25"	BR5454
90-86		Vented	Rotor	10.16"	1.92"	5 -4.25"	BR5454

REAR

2013	Exc. SHO & Police Package	Solid	Rotor	13"	1.55"	5 -4.5"	BR900928
2012		Solid	Rotor	13"	1.55"	5 -4.5"	BR900928
11-08		Solid	Rotor	12.99"	1.48"	5 -4.5"	BR54125
07-01	Rear Drum Brake	Floating	Drum	10.51"	2.67"	5 -4.25"	BD80099
05-93	Rear Disc Brake	Solid	Rotor	10.09"	1.54"	5 -4.25"	BR54025
00-86	Wagon; Rear Drum Brake	Floating	Drum	11.42"	2.73"	5 -4.25"	BD8955
	Sedan; Rear Drum Brake	Floating	Drum	10.41"	2.79"	5 -4.25"	BD8956
92-90	Rear Disc Brake	Vented	Rotor	10.08"	2.02"	5 -4.25"	BR5495
1989	SHO; Rear Disc Brake	Vented	Rotor	10.16"	1.84"	5 -4.25"	BR5494

TAURUS X

FRONT

09-08		Vented	Rotor	12.4"	1.86"	5 -4.5"	BR54126
-------	--	--------	-------	-------	-------	---------	---------

REAR

09-08		Solid	Rotor	12.99"	1.48"	5 -4.5"	BR54125
-------	--	-------	-------	--------	-------	---------	---------

TEMPO

FRONT

94-84		Vented	Rotor	9.26"	2.22"	4 -4.25"	BR5440
-------	--	--------	-------	-------	-------	----------	--------

REAR

94-84		Floating	Drum	9.29"	2.71"	4 -4.25"	BD8940
-------	--	----------	------	-------	-------	----------	--------

THUNDERBIRD

FRONT

05-02		Vented	Rotor	11.81"	1.7"	5 -4.25"	BR54088
97-96	Exc. Sport Package; 10.87" O.D.	Vented	Rotor	10.87"	1.84"	5 -4.25"	BR54010
	Sport Package; 11.57" O.D.	Vented	Rotor	11.57"	1.83"	5 -4.25"	BR54030
95-91	10.87" O.D.	Vented	Rotor	10.87"	1.84"	5 -4.25"	BR54010
90-89		Vented	Rotor	10.87"	1.91"	5 -4.25"	BR5468
88-87	Turbo / ABS	Vented	Rotor	10.92"	3.74"	5 -4.25"	BR5464
88-80	Exc ABS	Vented	Rotor	10.09"	4.03"	4 -4.25"	BR5432
79-77		Vented	Rotor	10.72"	4.16"	5 -4.5"	BR5418
76-74		Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
1973		Vented	Rotor	11.72"	4.83"	5 -5"	BR5413
60-58		Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200

REAR

05-02		Vented	Rotor	11.34"	1.29"	5 -4.25"	BR54089
97-96		Vented	Rotor	10.16"	1.79"	5 -4.25"	BR54007
97-89	Rear Drum Brake	Floating	Drum	11.42"	2.73"	5 -4.25"	BD8955
95-93	Rear Disc Brake	Vented	Rotor	10.16"	1.79"	5 -4.25"	BR54007
92-90	SC; Rear Disc Brake	Vented	Rotor	10.16"	1.84"	5 -4.25"	BR5494
88-87	Turbo / ABS	Vented	Rotor	10 11/64"	2 21/64"	4 -4 1/2"	BR5455

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
FORD							
THUNDERBIRD				REAR			
88-85	9 Inch Rear Drum Brake	Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
88-81	10 Inch Rear Drum Brake	Floating	Drum	11.65"	3.38"	4 -4.25"	BD8891
84-83	9 Inch Rear Drum Brake	Floating	Drum	10.63"	3.52"	4 -4.25"	BD8932
82-81	9 Inch Rear Drum Brake; 3-1/2 Inch Tall	Floating	Drum	10.63"	3.52"	4 -4.25"	BD8932
	9 Inch Rear Drum Brake; 3 Inch Tall (Cast Iron Replacement)	Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
1980	3 Inch Tall (Cast Iron Replacement)	Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
	3-1/2 Inch Tall	Floating	Drum	10.63"	3.52"	4 -4.25"	BD8932
79-77		Floating	Drum	13.62"	4.4"	5 -4.5"	BD8876
68-67		Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
1959		Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
REAR LEFT							
76-75	Rear Disc Brake; Left	Vented	Rotor	11.50"	2.43"	5 -5"	BR5435
REAR RIGHT							
76-75	Rear Disc Brake; Right	Vented	Rotor	11.50"	2.43"	5 -5"	BR5433
TORINO				FRONT			
76-74	Exc. Police & Taxi	Vented	Rotor	10.72"	4.16"	5 -4.5"	BR5418
	Police & Taxi	Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
1973	Police	Vented	Rotor	11.72"	4.83"	5 -5"	BR5413
71-69	Front Disc Brake	Vented	Rotor	11.29"	4.23"	5 -4.5"	BR5404
	2-1/2 & 2-1/4 Inch Front & Rear Shoe	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
1968	Front Disc Brake; w/ 1 3/4 Inch Rear Shoe	Vented	Rotor	11.30"	4.27"	5 -4.5"	BR5401
REAR							
1976	Sedan	Floating	Drum	13.62"	4.4"	5 -4.5"	BD8876
71-69	2-1/2 Inch Front & Rear Shoe & 2-1/4 Inch Front Shoe	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
1968	Front Disc Brake; w/ 1 3/4 Inch Rear Shoe	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
TRANSIT CONNECT				FRONT			
12-02		Vented	Rotor	10.95"	1.76"	5 -4.25"	BR900850
REAR							
12-02		Floating	Drum	10.99"	3.55"	5 -4.25"	BD920152
VICTORIA				FRONT			
64-60		Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
WINDSTAR				FRONT			
03-99		Vented	Rotor	11.1"	1.82"	5 -4.25"	BR54070
98-95		Vented	Rotor	10.87"	1.84"	5 -4.25"	BR54010

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

FORD

WINDSTAR

REAR

03-95	Rear Drum Brake	Floating	Drum	11.57"	3.04"	5 -4.25"	BD80011
	W/ Rear Disc Brakes	Solid	Rotor	11.18"	2.42"	5 -4.25"	BR54037

ZX2

FRONT

03-98		Vented	Rotor	257 mm	45 mm	4 -100 mm	BR5474
-------	--	--------	-------	--------	-------	-----------	--------

REAR

03-98	Rear Drum Brake	Floating	Drum	268.8 mm	56 mm	4 -100 mm	BD80033
-------	-----------------	----------	------	----------	-------	-----------	---------

FREIGHTLINER

FL50, FL60, FL70

FRONT

04-98	10 Hole , Hat Shaped; 3.2" Overall Height	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
-------	---	--------	-------	------	-------	------------	----------

REAR

04-98	10 Hole , Hat Shaped; 3.2" Overall Height	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
	4 Piston Caliper Exc 21,000-23,000lb Axle ; 15.35"	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
	2 Piston Calipers ; 6 X 19MM Hole	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606

FRED CHASSIS

FRONT

09-06	5 Hole	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
	6 Hole X 19mm	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606
	10 Hole; 4.45" Overall Height	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102

REAR

09-06	10 Hole; 4.45" Overall Height	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
	6 Hole X 19mm	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606
	5 Hole	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902

FREIGHTLINER

FRONT

96-92	5 Hole	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
	6 Hole X 19mm	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606

REAR

96-92	6 Hole X 19mm	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606
	5 Hole	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902

FW700, M2 , M10, M35 , MT45 , MT55 (UPS TRUCK)

FRONT

09-98	5 Hole	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
	10 Hole; 3.2" Overall Height	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
	6 Hole x 19mm	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606

REAR

09-98	6 Hole x 19mm	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606
	10 Hole; 3.2" Overall Height	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
	5 Hole	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

FREIGHTLINER

MB50, MB60, MB70

FRONT

96-92	10 Hole; 3.2" Overall Height	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
-------	------------------------------	--------	-------	------	-------	------------	----------

REAR

96-92	10 Hole; 3.2" Overall Height	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
-------	------------------------------	--------	-------	------	-------	------------	----------

SPRINTER 2500

FRONT

12-07		Vented	Rotor	299.6 mm	180.32 mm	6 -130 mm	BR900308
06-02	w/ 284mm Front Rotor	Vented	Rotor	284.77 mm	72.35 mm	5 -130 mm	BR53028
	w/ 274mm Front Rotor w/ Counter Sunk Set Screw Hole; To Axle # S488213 Y22059	Vented	Rotor	274 mm	77.3 mm	5 -130 mm	BR34225
	w/ 274mm Front Rotor w/ Stepped Adjusting Style Hole; From Axle # S488213 Y22060	Vented	Rotor	274 mm	77.3 mm	5 -130 mm	BR34226

REAR

12-07		Solid	Rotor	298 mm	190.5 mm	6 -135 mm	BR900332
06-02		Solid	Rotor	272 mm	96.9 mm	5 -130 mm	BR34227

SPRINTER 3500

FRONT

12-07		Vented	Rotor	299.6 mm	180.32 mm	6 -130 mm	BR900308
06-02		Vented	Rotor	284.77 mm	72.35 mm	5 -130 mm	BR53028

REAR

12-09		Vented	Rotor	303.2mm	186.33 mm	6 -145 mm	BR900310
08-07	SRW, Solid	Solid	Rotor	298 mm	190.5 mm	6 -135 mm	BR900332
	DRW, Vented	Vented	Rotor	303.2mm	186.33 mm	6 -145 mm	BR900310
06-02		Vented	Rotor	284.5 mm	93.2 mm	6 -145 mm	BR53020

GEO

METRO

FRONT

97-89	USA Convertible: & All Models in Canada	Vented	Rotor	231.2 mm	50 mm	4 -114.3 mm	BR31015
94-89	Exc. Convertible ; Exc. Canada	Solid	Rotor	215 mm	33 mm	4 -102 mm	BR3294
1989	USA	Solid	Rotor	215 mm	33 mm	4 -102 mm	BR3294

REAR

97-95	w/o ABS; 2 Door	Hub/ Bearing	Drum	221.8 mm	74 mm	4 -114.3 mm	BD35003
	4 Door	Floating	Drum	245 mm	56.6 mm	4 -114.3 mm	BD35018
	ABS; 2 Door	Floating	Drum	222 mm	51 mm	4 -114.3 mm	BD35031
94-92	Exc. XFI 4 door	Floating	Drum	245 mm	56.6 mm	4 -114.3 mm	BD35018
94-89	Exc. Convertible ; Exc. Canada	Hub/ Bearing	Drum	221.5 mm	65.5 mm	4 -114.3 mm	BD3572
91-89	Canada Equipped	Hub/ Bearing	Drum	221.8 mm	74 mm	4 -114.3 mm	BD35003
1990	LSI; Convertible; USA	Hub/ Bearing	Drum	221.8 mm	74 mm	4 -114.3 mm	BD35003
1989	USA	Hub/ Bearing	Drum	221.5 mm	65.5 mm	4 -114.3 mm	BD3572

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GEO

PRIZM

FRONT

97-93	LSI	Vented	Rotor	255 mm	48.3 mm	4 -100 mm	BR31056
92-90	GSI	Vented	Rotor	257.8 mm	47.8 mm	4 -100 mm	BR31001
92-89	Exc. GSI	Vented	Rotor	237.9 mm	48 mm	4 -100 mm	BR3289

REAR

97-93	LSI	Floating	Drum	235 mm	65.5 mm	4 -100 mm	BD3578
92-89	Rear Drum Brake; (SK)	Floating	Drum	235 mm	65.5 mm	4 -100 mm	BD3593

SPECTRUM

FRONT

1989	& F41	Vented	Rotor	230 mm	43 mm	4 -100 mm	BR3242
------	-------	--------	-------	--------	-------	-----------	--------

REAR

1989	& F41	Hub/ Bearing	Drum	214 mm	69.09 mm	4 -100 mm	BD3556
------	-------	-----------------	------	--------	----------	-----------	--------

STORM

FRONT

93-90		Vented	Rotor	248.3 mm	45.1 mm	4 -100 mm	BR31000
-------	--	--------	-------	----------	---------	-----------	---------

REAR

93-90		Floating	Drum	236.2 mm	53.34 mm	4 -100 mm	BD3582
-------	--	----------	------	----------	----------	-----------	--------

TRACKER

FRONT

97-96	4 Door	Vented	Rotor	287 mm	46 mm	5 -139.7 mm	BR31177
	2 Door	Solid	Rotor	290 mm	46.2 mm	5 -139.7 mm	BR3222
95-89		Solid	Rotor	290 mm	46.2 mm	5 -139.7 mm	BR3222

REAR

97-96	2 Door	Floating	Drum	262 mm	61.1 mm	5 -139.7 mm	BD35023
	4 Door	Floating	Drum	313.8 mm	67.6 mm	5 -139.7 mm	BD35030
95-89		Floating	Drum	263.3 mm	61 mm	5 -139.7 mm	BD3514

GMC

1000 SERIES

FRONT

65-61		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106
-------	--	----------	------	--------	-------	---------	--------

REAR

65-64	Rear Coil Spring	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106
62-61	w/ GM RA	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

1500 SERIES

FRONT

65-63		Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739
62-61	w/ H055 RA J Series & w/ Spicer 60 RA	Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739

2500 SERIES

FRONT

63-61		Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739
-------	--	----------	------	--------	-------	---------	--------

ACADIA

FRONT

13-07		Vented	Rotor	12.8"	2.25"	6 -5.25"	BR900322
-------	--	--------	-------	-------	-------	----------	----------

REAR

13-07		Vented	Rotor	13"	2.12"	6 -5.25"	BR900378
-------	--	--------	-------	-----	-------	----------	----------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

B6P042

FRONT

91-80	6 Hole w/ Dayton Calipers -5.4 Inch Pilot Dia.	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5588
	5 Hole w/ Dayton Calipers -5.4 Inch Pilot Dia.	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
	10 Hole w/Bendix Calipers	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583

REAR

91-80	10 Hole w/ Bendix Calipers	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	5 Hole w/ Dayton Calipers -5.4 Inch Pilot Dia.	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5588
	6 Hole w/ Dayton Calipers -5.4 Inch Pilot Dia.	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5588

C15/C1500 PICKUP

FRONT

86-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
70-66		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

REAR

86-81	w/ 2 Inch Shoe (JD3)	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
	w/ 2-3/4 Inch Shoe (JB5 & JD5)	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
1985	w/ 2-3/4 Inch Shoe (JB5 & JD5) Engines	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
	w/ 2 Inch Shoe (JD3) Diesel Engine	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
1982	w/ 2 Inch Shoe (JD3) Diesel Engine	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
	w/ 2-3/4 Inch Shoe (JB5 & JD5) All Engines	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
1980	2-3/4 Inch Rear Shoe (JB1, JB3)	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
	2 Inch Rear Shoe (JB1, JB3 & JD3)	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
79-76	4.9 - 5.6M GVW	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
	6.0M GVW Heavy Duty Opt.	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
79-74	6.0M GVW HD Opt.	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
75-74	4.9, 5.2, 5.6M GVW	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
1974	6.0M GVW Heavy Duty Opt.	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
73-71		Floating	Drum	13.35"	3.69"	5 -5"	BD8819
70-69	HD 2 3/4 Inch Front Shoe & Std 2 Inch Front Shoe	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106
68-67	Rear Coil Spring; Heavy Duty 2 3/4 Inch Front Shoe & Std w/ 2 Inch Front Shoe	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106
1966	Rear Coil Spring	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

C15/C1500 SUBURBAN

FRONT

86-76		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
75-74	4.9 - 5.6M GVW & 6000 & 7000 lb. GVW or Heavy Duty Opt.	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
73-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
70-68	Std w/ 2 Inch Front Shoe	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

REAR

86-76		Floating	Drum	13.23"	3.87"	5 -5"	BD8874
75-74	4.9 - 5.6M GVW	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
	6000 & 7000 lb. GVW or Heavy Duty Opt.	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
73-71		Floating	Drum	13.35"	3.69"	5 -5"	BD8819
70-68	w/ 2 & 2 3/4 Inch Front Shoe	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

C1500 PICKUP

FRONT

99-95		Vented	Rotor	11.61"	4.51"	5 -5"	BR5595
94-92		Vented	Rotor	11.61"	4.51"	5 -5"	BR5594
91-90	Std. Cab HD Ch., Extended Cab; Perf. Pkg SS 454	Vented	Rotor	11.61"	4.51"	5 -5"	BR5594
91-88	Std. Cab Std. Ch.	Vented	Rotor	11.62"	4.18"	5 -5"	BR5570
89-88	Std. Cab HD Ch. & Extended Cab; w/ PB	Vented	Rotor	11.61"	4.51"	5 -5"	BR5594

REAR

99-88		Floating	Drum	11.89"	3.61"	5 -5"	BD8972
-------	--	----------	------	--------	-------	-------	--------

C1500 SUBURBAN

FRONT

1999	10 Inch Rear Drum Brake	Vented	Rotor	11.61"	4.51"	5 -5"	BR5595
99-94	13 Inch Rear Drum Brake	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
98-94	11 Inch Rear Drum Brake	Vented	Rotor	11.61"	4.51"	5 -5"	BR5595
93-92		Vented	Rotor	11.61"	4.51"	5 -5"	BR5595

REAR

99-97	11 Inch Rear Drum w/ 1/2 Inch Studs	Floating	Drum	13.35"	4.05"	5 -5"	BD8986
	13 Inch Rear Drum Brake	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	11 Inch Rear Drum Brake; w/ 14mm Studs	Floating	Drum	13.59"	3.83"	5 -5"	BD8998
96-94	11 Inch Rear Drum Brake	Floating	Drum	13.59"	3.83"	5 -5"	BD8998
	13 Inch Rear Drum Brake; 4-5/8 Inch Hub Hole	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	13 Inch Rear Drum Brake; 4.82 Inch Hub Hole	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
93-92		Floating	Drum	13.59"	3.83"	5 -5"	BD8998

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

C25/C2500 PICKUP

FRONT

86-73		Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
72-71	Rear Coil Spring; w/ GM Rear Axle & Leaf Spring; w/ Dana Rear Axle	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
70-66		Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739

REAR

86-85	11 Inch Rear Drum Brake; (JB6 & JD6)	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
86-81	13 Inch Rear Drum Brake; (JB7 & JD7); 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	13 Inch Rear Drum Brake; (JB7 & JD7); 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
84-81	11 Inch Rear Drum Brake; (JB6 & JD6); 6-3/8 Inch Tall	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
80-79	11 Inch Rear Drum Brake	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
80-74	11 Inch Rear Drum Brake; (JB6)	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
	13 Inch Rear Drum Brake; (JB7)	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
1976	11 Inch Rear Drum Brake	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
1974	11 Inch Rear Drum Brake	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
1973		Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
		Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
72-71	Rear Leaf Spring; w/ Dana Rear Axle	Floating	Drum	13.98"	5.33"	8 -6.5"	BD8911

C25/C2500 SUBURBAN

FRONT

86-71		Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
70-68	Rear Coil Spring; w/ GM Rear Axle & w/ Leaf Springs; w/ Dana 60 Rear Axle	Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739

REAR

86-85	11 Inch Rear Drum Brake	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
86-81	13 Inch Rear Drum Brake; (JB7 & JD7); 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	13 Inch Rear Drum Brake; (JB7 & JD7); 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
84-81	11 Inch Rear Drum Brake; 6-3/8 Inch Tall	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
80-74	11 Inch Rear Drum Brake	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
	13 Inch Rear Drum Brake; (JB7)	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
1973	Heavy Duty	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	Exc. Heavy Duty	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

C25/C2500 SUBURBAN

REAR

72-71	Rear w/ Leaf Springs; w/ Dana 60 Rear Axle 133 Inch WB	Floating	Drum	13.98"	5.33"	8 -6.5"	BD8911
70-68	Rear Coil Spring; w/ GM Rear Axle	Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739

C2500 PICKUP

FRONT

00-99		Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
1998	13 Inch Rear Drum Brake	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
	11 Inch Rear Drum Brake	Vented	Rotor	11.61"	4.5"	6 -5.5"	BR55026
1997	11 Inch Rear Drum Brake; 7200lb GVWR	Vented	Rotor	11.61"	4.5"	6 -5.5"	BR55026
	13 Inch Rear Drum Brake; 8600lb GVWR	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
96-94	Rear ABS; 11 Inch Rear Drum Brake	Vented	Rotor	11.61"	4.51"	6 -5.5"	BR5572
96-92	Rear ABS; 13 Inch Rear Drum Brake	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5574
93-89	11 Inch Rear Drum Brake; 7200 lb. GVW	Vented	Rotor	11.61"	4.51"	6 -5.5"	BR5572
91-89	13 Inch Rear Drum Brake; 8600 lb. GVW	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5574
1988		Vented	Rotor	11.61"	4.51"	6 -5.5"	BR5572

REAR

00-97	13 Inch Rear Drum Brake; 4-5/8 Inch Hub Hole & 6-5/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	13 Inch Rear Drum Brake; 4-5/8 Inch Hub Hole & 6-1/4 Inch Tall	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	13 Inch Rear Drum Brake; 4-5/8 Inch Hub Hole & 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	13 Inch Rear Drum Brake; 4.82 Inch Hub Hole	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
00-94	11 Inch Rear Drum Brake	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
96-92	13 Inch Rear Drum Brake; 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	13 Inch Rear Drum Brake; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
93-90	11 Inch Rear Drum Brake; 7200 lb. GVW	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
91-90	13 Inch Rear Drum Brake; 8600 lb. GVW; 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
1989	13 Inch Rear Drum Brake; 8600 lb. GVW (JB7)	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	11 Inch Rear Drum Brake; 7200 lb. GVW (JB5)	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
1988		Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

C2500 SUBURBAN

FRONT

99-92		Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
-------	--	--------	-------	--------	-------	---------	--------

REAR

99-97	w/ 13 X 3 1/2 Inch Rear Shoe	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
	w/ 13 X 2 1/2 Inch Rear Shoe	Floating	Drum	16.46"	6.32"	8 -6.5"	BD80085
96-92	w/ 13 X 3 1/2 Inch Rear Shoe; 4.82 Inch Hub Hole	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
	w/ 13 X 2 1/2 Inch Rear Shoe; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	w/ 13 X 2 1/2 Inch Rear Shoe; 6-3/8 Inch Tall w/ 3 Inch Fric. Surface	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	w/ 13 X 2 1/2 Inch Rear Shoe; 6-3/8 Inch Tall w/ 4 Inch Fric. Surface	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	w/ 13 X 3 1/2 Inch Rear Shoe; 4-5/8 Inch Hub Hole	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996

C35/C3500 PICKUP

FRONT

86-81	DRW	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
	SRW	Vented	Rotor	12.5"	5.17"	8 -6.5"	BR5521
80-74	JB8; SRW	Vented	Rotor	12.5"	5.17"	8 -6.5"	BR5521
	JB8; DRW	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
	JB7	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
73-71	13 Inch Rear Drum Brake; SRW	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
	15 Inch Rear Drum Brake	Vented	Rotor	12.49"	2.8"	8 -6.5"	BR5523
1971	13 Inch Rear Drum Brake; 8600 lb. GVW; SRW	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
70-67		Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739

REAR

86-81	SRW	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
80-74	JB8; DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
	JB8; SRW	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	JB7	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851

C3500 PICKUP

FRONT

02-01		Vented	Rotor	13.85"	2.93"	5 -6.34"	BR55029
00-98	Rear Drum Brake; w/ DRW	Vented	Rotor	12.5"	8.2"	8 -6.5"	BR55032
00-97	Extended Cab; SRW	Vented	Rotor	12.5"	8.2"	8 -6.5"	BR55032
00-95	Rear Disc Brake; DRW	Vented	Rotor	13.85"	2.93"	5 -6.34"	BR55029
98-95	Rear Drum Brake; DRW	Vented	Rotor	12.5"	8.2"	8 -6.5"	BR55032
96-92	SRW w/ 13 x 3 1/2, 9000-9200 GVW (Utility Ch. Opt. 8S9)	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

C3500 PICKUP

FRONT

1994	ABS; SRW w/ 13 x 2 1/2 Exc. 9000-9200 GVW (Utility Ch. Opt. 8S9)	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
	Rear Disc Brake; DRW From VIN # RJ107933	Vented	Rotor	13.85"	2.93"	5 -6.34"	BR55029
94-90	Rear Drum Brake; DRW	Vented	Rotor	12.5"	8.2"	8 -6.5"	BR55023
93-90	Rear Disc Brake; DRW (JF9)	Vented	Rotor	14.24"	3.2"	8 -6.5"	BR55001
91-90	SRW w/ 13 x 2 1/2 Exc. 9000-9200 GVW (Utility Ch. Opt. 8S9)	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5574
89-88	DRW	Vented	Rotor	12.5"	8.19"	8 -6.5"	BR5573
	SRW	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5574

REAR

02-01		Vented	Rotor	13.58"	4.37"	10-7.25"	BR55031
00-97	Extended Cab; SRW; 4-5/8 Inch Hub Hole	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	Extended Cab; SRW; 4.82 Inch Hub Hole	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
00-95	Rear Disc Brake; DRW	Vented	Rotor	13.58"	4.37"	10-7.25"	BR55031
00-90	Rear Drum Brake; DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8997
96-92	SRW w/ 13 x 3 1/2, 9000-9200 GVW (Utility Ch. Opt. 8S9)	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
1994	SRW w/ 13 x 2 1/2 Exc. 9000-9200 GVW (Utility Ch. Opt. 8S9); 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	Rear Disc Brake; DRW From VIN # RJ107933	Vented	Rotor	13.58"	4.37"	10-7.25"	BR55031
	SRW w/ 13 x 2 1/2 Exc. 9000-9200 GVW (Utility Ch. Opt. 8S9); 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
93-92	Rear Disc Brake; DRW (JF9)	Vented	Rotor	13.74"	4.38"	10-7.25"	BR55003
91-90	SRW w/ 13 x 2 1/2 Exc. 9000-9200 GVW (Utility Ch. Opt. 8S9); 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
89-88	SRW; 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850

C4500

FRONT

10-03	w/ 5 Hole Rotor	Vented	Rotor	15 "	4.12 "	5 -6.75 "	BR900904
	10 Hole	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906

REAR

10-03	w/ 5 Hole Rotor ; w/o Drum in Hat Rotor	Vented	Rotor	15 "	4.12 "	5 -6.75 "	BR900904
	10 Hole	Vented	Rotor	15.35 in	4.37 in	10-7.79 in	BR901104

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

C5500, C5H042 TOPKICK

FRONT

10-03	w/ 5 Hole Rotor	Vented	Rotor	15 "	4.12 "	5 -6.75 "	BR900904
	w/ 10 Hole Rotor; 8000 lb Axle	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
91-90		Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584

REAR

10-04	10 Hole ; 13,500LB Axle	Vented	Rotor	15.35 in	4.37 in	10-7.79 in	BR901104
10-03	w/ 10 Hole Rotor; 15,000-19,000 lb Axle	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
	w/ 5 Hole Rotor ; w/o Drum in Hat Rotor; 11,000-13,500 lb Axle	Vented	Rotor	15 "	4.12 "	5 -6.75 "	BR900904
91-90	w/o Flange- 5 Hole	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
	w/o Flange- 10 Hole	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583

C5D042, C5D064

FRONT

90-88	6 Hole	Vented	Rotor	14 1/4"	2 15/16"	6 -6"	BR5590
-------	--------	--------	-------	---------	----------	-------	--------

REAR

90-88	6 Hole	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5588
	5 Hole	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584

C6500, C6H042 TOPKICK

FRONT

07-03		Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
02-97	10 Hole w/ Bendix Calipers	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	5 Hole w/ Dayton Calipers	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584

REAR

07-03	w/ 10 Hole Rotor; Exc. 21,000 lb Axle	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
02-97	10 Hole with 5 Exciter Ring Installation Holes	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR901130
	5 Hole w/o Flange	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
	10 Hole w/o Flange: 15.4 Inch Dia.	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	10 Hole w/o Flange: 14.75 Inch Dia.	Vented	Rotor	14 3/4"	3 11/16"	10-7.25"	BR5592

C6D042

FRONT

90-88	6 Hole w/ Bendix Calipers-4.6 Inch Pilot Dia.	Vented	Rotor	14 1/4"	2 15/16"	6 -6"	BR5590
	6 Hole w/ Dayton Calipers-5.4 Inch Pilot Dia.	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5588
87-83		Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584

REAR

90-88	5 Hole w/ Dayton Calipers	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
	w/o Flange w/ Bendix Calipers	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	6 Hole w/ Dayton Calipers	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5588
87-83		Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

C7500, C7H042, C7H064 TOPKICK

FRONT

07-03	w/ 10 Hole Rotor	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
02-90	10 Hole Rotor w/ Bendix Calipers	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	5 Hole Rotor w/ Dayton Calipers	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584

REAR

07-03	w/ 10 Hole Rotor; Exc. 21,000 lb Axle	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
02-90	5 Hole Rotor w/o Flange	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
	10 Hole Rotor w/o Flange; 15.4 Inch Rotor	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	10 Hole Rotor w/o Flange; 14.75 Inch Rotor	Vented	Rotor	14 3/4"	3 11/16"	10-7.25"	BR5592

C7D042, C7D064

FRONT

90-88	w/ Single Piston Bendix Calipers	Vented	Rotor	14 1/4"	2 15/16"	6 -6"	BR5590
	5 Hole w/ Dayton Calipers- 5.4 Inch Dia	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
	w/ Dual Piston Bendix Calipers	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
87-83	w/ Dayton Calipers	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
	w/ Bendix Calipers	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583

REAR

90-88	5 Hole w/ Dayton Calipers	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
	w/o Flange: w/ Bendix Calipers	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	6 Hole w/ Dayton Calipers	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5588
87-83		Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583

CABALLERO

FRONT

87-82		Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
81-79		Vented	Rotor	10.5"	4.31"	5 -4.75"	BR5549
1978		Vented	Rotor	10.5"	3.92"	5 -4.75"	BR5530

REAR

87-78		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
-------	--	----------	------	--------	-------	----------	--------

CANYON

FRONT

12-09		Vented	Rotor	11.73"	1.59"	6 -4.5"	BR900634
08-04		Vented	Rotor	11.02"	1.57"	6 -4.5"	BR55090

REAR

12-04		Floating	Drum	13.14"	3.17"	6 -5.5"	BD80120
-------	--	----------	------	--------	-------	---------	---------

ENVOY

FRONT

09-06	4.2L Exc EXT	Vented	Rotor	11.9	2.17	6 -5"	BR55112
	EXT,5.3L and DENALI	Vented	Rotor	12.8"	2.14"	6 -5"	BR55079
05-02	7 Passenger w/ 129 Inch Wheel Base	Vented	Rotor	12.8"	2.14"	6 -5"	BR55079
	5 Passenger w/ 113 Inch Wheel Base	Vented	Rotor	12.01"	2.15"	6 -5"	BR55069

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
GMC							
ENVOY							
FRONT							
01-98		Vented	Rotor	10.76"	2.15"	5 -4.75"	BR55047
REAR							
09-05		Vented	Rotor	12.8"	3.35"	6 -5"	BR55073
05-02		Vented	Rotor	12.8"	3.35"	6 -5"	BR55073
01-98		Vented	Rotor	11.61"	3.74"	5 -4.75"	BR55038
G1000 SERIES							
FRONT							
66-64		Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799
REAR							
66-64	Rear Drum Brake;w/ 9-1/2 Inch x 2-1/2 Inch; 2900 lb. RA	Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799
	Rear Drum Brake; w/ 9-1/2 Inch x 2 Inch ; 2400 lb. RA	Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798
G15/G1500 VAN							
FRONT							
98-96		Vented	Rotor	11.61"	4.51"	5 -5"	BR5595
95-93	Rear ABS	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
92-90		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
89-88	2 Inch Shoe (JB3)	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
89-76	2-3/4 Inch Rear Shoe (JB5)	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
87-76	2 Inch Rear Shoe (JB1 & JB3)	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
75-74		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
73-72		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
1971	Front Disc Brake; 2400 lb. RA & 3000 lb. RA	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
	Front Drum Brake; 3000 lb. RA	Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101
70-67		Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799
REAR							
98-96		Floating	Drum	13.59"	3.83"	5 -5"	BD8998
95-90		Floating	Drum	13.35"	4.05"	5 -5"	BD8986
89-88	2 Inch Shoe (JB3)	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
89-76	2-3/4 Inch Rear Shoe (JB5)	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
87-76	2 Inch Rear Shoe (JB1 & JB3)	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
1975		Floating	Drum	13.35"	3.69"	5 -5"	BD8819
1971	w/ 2400 lb. RA	Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798
	w/ 3000 lb. RA	Floating	Drum	12.36"	3.07"	5 -4.75"	BD8101
70-67		Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798
G25/G2500 VAN							
FRONT							
1998	8 Lug 7700 - 8600 lb. GVW	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
98-96	6 Lug 7300 lb. GVW	Vented	Rotor	11.61"	4.5"	6 -5.5"	BR55026
97-96	8 Lug 7700 - 8600 lb. GVW w/ Gas Eng.	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

G25/G2500 VAN

FRONT

95-93	Rear ABS	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
92-83	DIESEL	Vented	Rotor	11.86"	4.94"	5 -5"	BR5565
92-72	GAS	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
1971	w/ Front Disc Brakes	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516

REAR

1998	8 Lug 7700 - 8600 lb. GVW	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
98-96	6 Lug 7300 lb. GVW	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
97-96	8 Lug 7700 - 8600 lb. GVW w/ Gas Eng.	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
95-90		Floating	Drum	13.35"	4.05"	5 -5"	BD8986
89-74		Floating	Drum	13.23"	3.87"	5 -5"	BD8874
73-72		Floating	Drum	13.35"	3.69"	5 -5"	BD8819
1971	w/ Front Disc Brakes	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
	Front Drum Brake	Floating	Drum	13.39"	3.58"	6 -5.5"	BD8821
1970		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106
69-67	6 Lug	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106
	5 Lug	Floating	Drum	13.35"	3.69"	5 -5"	BD8819

G35/G3500 VAN

FRONT

98-96	DRW	Vented	Rotor	12.5"	8.2"	8 -6.5"	BR55032
	SRW	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
95-93	SRW w/ 13 x 2 1/2 Inch Rear Shoes	Vented	Rotor	12.5"	4.75"	8 -6.5"	BR55020
	DRW	Vented	Rotor	12.5"	7.69"	8 -6.5"	BR55025
1992	SRW w/ 13 x 2 1/2 Inch Rear Shoes	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
92-81	DRW	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
91-81	SRW	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
80-76	11 Inch Rear Drum Brake; SRW JB6	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
	DRW (JB8)	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
75-74	DRW	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
	SRW	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
1973		Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
72-71	Front Disc Brake	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
	Front Drum Brake	Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739

REAR

98-96	SRW; w/ 2-1/2 Inch Shoe	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	SRW; w/ 3-1/2 Inch Shoe	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
98-92	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8997

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

G35/G3500 VAN

REAR

95-92	SRW w/ 13 x 2 1/2 Inch Rear Shoes; 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	SRW w/ 13 x 2 1/2 Inch Rear Shoes; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
91-90	SRW; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	DRW; 7-1/4 Inch High	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
	DRW; 7-5/8 Inch High	Floating	Drum	15"	7.29"	8 -6.5"	BD8997
91-85	SRW; 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
89-81	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
84-83	SRW	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
82-81	SRW	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
80-76	DRW (JB8)	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
	11 Inch Rear Drum Brake; SRW JB6	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
75-74	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
	SRW	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851

JIMMY

FRONT

02-98		Vented	Rotor	10.76"	2.15"	5 -4.75"	BR55047
1997	Rear Disc Brake	Vented	Rotor	10.76"	2.15"	5 -4.75"	BR55047
	4WD w/ Rear Drum Brakes	Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
97-96	2WD	Vented	Rotor	10.47"	4.31"	5 -4.75"	BR31254
96-92	4WD	Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
95-92	2WD w/ AWAL	Vented	Rotor	10.47"	4.31"	5 -4.75"	BR31254
94-92	2WD w/o 4 Whl. ABS	Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
91-83	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
	Hub & Rotor	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004
82-81		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
80-78	2WD; Hub & Rotor	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
	4WD; Hub & Rotor	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004
80-76	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
77-76	Hub & Rotor	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
1975	2WD	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
	4WD; 4.9 - 5.6M GVW; Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
73-71	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
	Hub & Rotor	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

JIMMY

REAR

02-98	2WD	Vented	Rotor	11.61"	2.87"	5 -4.75"	BR55049
	4WD	Vented	Rotor	11.61"	3.74"	5 -4.75"	BR55038
1997	Rear Disc Brake	Vented	Rotor	11.61"	3.74"	5 -4.75"	BR55038
	Rear Drum Brake	Floating	Drum	11.97"	3.2"	5 -4.75"	BD8988
96-92		Floating	Drum	11.97"	3.2"	5 -4.75"	BD8988
91-90		Floating	Drum	13.35"	4"	6 -5.5"	BD8985
89-83		Floating	Drum	13.35"	4.0"	6 -5.5"	BD8846
82-81		Floating	Drum	13.23"	3.87"	5 -5"	BD8874
1980	2WD	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
	4WD	Floating	Drum	13.35"	4.0"	6 -5.5"	BD8846
80-76	2WD; 11 5/32 x 2 3/4 Inch Brakes	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
75-74	11-5/32 Inch x 2-3/4 Inch Brakes	Floating	Drum	13.35"	4"	6 -5.5"	BD8985
	11 x 2 Inch Rear Drum Brake	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
73-71	2WD; 5 Lug	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
	4WD; 6 Lug	Floating	Drum	13.39"	3.58"	6 -5.5"	BD8821

K15/K1500 PICKUP

FRONT

86-78	Hub & Rotor	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004
86-75	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522

REAR

86-76		Floating	Drum	13.35"	4.0"	6 -5.5"	BD8846
75-74	5.2, 5.6M GVW	Floating	Drum	13.39"	3.58"	6 -5.5"	BD8821
	5.8 - 6. 4M GVW, HD Opt.	Floating	Drum	13.35"	4.0"	6 -5.5"	BD8846
73-71		Floating	Drum	13.39"	3.58"	6 -5.5"	BD8821
1968	Rear Coil Spring; 1967 - 1968	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106
1967	Rear Coil Spring	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

K15/K1500 SUBURBAN

FRONT

86-78	Hub & Rotor	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004
86-71	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522

REAR

86-75		Floating	Drum	13.35"	4.0"	6 -5.5"	BD8846
1974	5600 lb. GVW	Floating	Drum	13.39"	3.58"	6 -5.5"	BD8821
	6000lb. - 7150 lb. GVW or Heavy Duty Opt.	Floating	Drum	13.35"	4.0"	6 -5.5"	BD8846
73-71		Floating	Drum	13.39"	3.58"	6 -5.5"	BD8821
70-68		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

K1500 PICKUP

FRONT

99-92		Vented	Rotor	11.61"	2.62"	6 -5.5"	BR5569
91-88	Std. Cab Std. Duty Ch.; 10 Inch Rear Drum Brake	Vented	Rotor	11.61"	2.43"	6 -5.5"	BR5568

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

K1500 PICKUP

FRONT

91-88	Std. Cab HD Ch. & Ext. Cab w/ Std. Ch.; 10 Inch Rear Drum Brake	Vented	Rotor	11.61"	2.62"	6 -5.5"	BR5569
-------	---	--------	-------	--------	-------	---------	--------

REAR

99-92	11 Inch Rear Drum Brake	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
	10 Inch Rear Drum Brake	Floating	Drum	11.93"	3.66"	6 -5.5"	BD8973
91-88	Std. Cab HD Ch. & Ext. Cab w/ Std. Ch.; 10 Inch Rear Drum Brake	Floating	Drum	11.93"	3.66"	6 -5.5"	BD8973

K1500 SUBURBAN

FRONT

99-94	11 Inch Rear Drum Brake	Vented	Rotor	11.61"	2.62"	6 -5.5"	BR5569
	13 Inch Rear Drum Brake; (8 Lug)	Vented	Rotor	12.5"	2.76"	8 -6.5"	BR5593
93-92		Vented	Rotor	11.61"	2.62"	6 -5.5"	BR5569

REAR

99-97	13 Inch Rear Drum Brake; (8 Lug)	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
99-94	11 Inch Rear Drum Brake	Floating	Drum	13.62"	3.83"	6 -5.5"	BD8999
96-94	13 Inch Rear Drum Brake; (8 Lug); 4-5/8 Inch Hub Hole	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	13 Inch Rear Drum Brake; (8 Lug); 4.82 Inch Hub Hole	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
93-92		Floating	Drum	13.62"	3.83"	6 -5.5"	BD8999

K25/K2500 PICKUP

FRONT

86-71		Vented	Rotor	12.49"	2.8"	8 -6.5"	BR5523
-------	--	--------	-------	--------	------	---------	--------

REAR

86-81	13 Inch Rear Drum Brake; (JB7 & JD7)	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	11 Inch Rear Drum Brake; (JB6 & JD6)	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
84-81	13 Inch Rear Drum Brake; (JB7); 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	11 Inch Rear Drum Brake; (JB6 & JD6); 6-3/8 Inch Tall	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
80-74	13 Inch Rear Drum Brake; (JB7)	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
78-74	11 Inch Rear Drum Brake	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
73-72	Exc. Crew Cab; Exc. HD (JB6)	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
	Crew Cab; HD (JB7)	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
1971	Dana RA	Floating	Drum	13.98"	5.33"	8 -6.5"	BD8911

K25/K2500 SUBURBAN

FRONT

86-71	Rotor Only	Vented	Rotor	12.49"	2.8"	8 -6.5"	BR5523
-------	------------	--------	-------	--------	------	---------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

K25/K2500 SUBURBAN

REAR

86-81	11 Inch Rear Drum Brake	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
	13 Inch Rear Drum Brake; (JB7 & JD7)	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
80-74	11 Inch Rear Drum Brake	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
	13 Inch Rear Drum Brake; (JB7)	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
73-72	Heavy Duty JB7	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	Exc. Heavy Duty (JB6)	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
1971	Dana RA	Floating	Drum	13.98"	5.33"	8 -6.5"	BD8911

K2500 PICKUP

FRONT

2000		Vented	Rotor	12.5"	2.76"	8 -6.5"	BR5593
99-89	13 Inch Rear Drum Brake; 8600 lb. GVW	Vented	Rotor	12.5"	2.76"	8 -6.5"	BR5593
	11 Inch Rear Drum Brake; 7200 lb. GVW	Vented	Rotor	11.61"	2.62"	6 -5.5"	BR5569
1988		Vented	Rotor	11.61"	2.62"	6 -5.5"	BR5569

REAR

00-97	13 Inch Rear Drum Brake; 8600 lb. GVW; 6-5/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	11 Inch Rear Drum Brake	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
	13 Inch Rear Drum Brake; 8600 lb. GVW; 6-1/4 Inch Tall	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	13 Inch Rear Drum Brake; 8600 lb. GVW; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
96-94	13 Inch Rear Drum Brake; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	11 Inch Rear Drum Brake	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
	13 Inch Rear Drum Brake; 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
93-92	13 Inch Rear Drum Brake; 8600 lb. GVW; 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	11 Inch Rear Drum Brake; 7200 lb. GVW	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
	13 Inch Rear Drum Brake; 8600 lb. GVW; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
91-90	13 Inch Rear Drum Brake; 8600 lb. GVW (JB7 & JD7); 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	11 Inch Rear Drum Brake; 7200 lb. GVW (JB6 & JD6)	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
	13 Inch Rear Drum Brake; 8600 lb. GVW (JB7 & JD7); 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
GMC							
K2500 PICKUP			REAR				
1989	11 Inch Rear Drum Brake; 7200 lb. GVW	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
	13 Inch Rear Drum Brake; 8600 lb. GVW	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
1988		Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
K2500 SUBURBAN			FRONT				
99-92	w/ 13 X 2 1/2 & 3 1/2 Inch Rear Shoe	Vented	Rotor	12.5"	2.76"	8 -6.5"	BR5593
			REAR				
99-97	w/ 13 X 3 1/w/ 2 Inch Rear Shoe	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
	w/ 13 X 2 1/w/ 2 Inch Rear Shoe	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
96-92	w/ 13 X 2 1/2 Inch Rear Shoe; 6-3/8 Inch Tall w/ 4 Inch Fric. Surface	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	w/ 13 X 3 1/2 Inch Rear Shoe; 4-5/8 Inch Hub Hole	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	w/ 13 X 2 1/w/ 2 Inch Rear Shoe; 6-3/8 Inch Tall w/ 3 Inch Fric. Surface	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	w/ 13 X 3 1/w/ 2 Inch Rear Shoe; 4.82 Inch Hub Hole	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
	w/ 13 X 2 1/w/ 2 Inch Rear Shoe; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
K35/K3500 PICKUP			FRONT				
86-77	SRW	Vented	Rotor	12.87"	3.08"	8 -6.5"	BR5563
	DRW	Vented	Rotor	12.87"	3.08"	8 -6.5"	BR5564
			REAR				
86-77	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
	SRW	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
K3500 PICKUP			FRONT				
2000	Extended Cab; SRW	Vented	Rotor	12.87"	3.08"	8 -6.5"	BR5564
00-98	Exc. Extended Cab Pickup; SRW	Vented	Rotor	12.5"	2.76"	8 -6.5"	BR5593
00-90	DRW	Vented	Rotor	12.49"	2.76"	8 -6.5"	BR55028
1997	Exc. Extended Cab; SRW	Vented	Rotor	12.5"	2.76"	8 -6.5"	BR5593
96-92	SRW 13 x 2-1/2 Inch Rear Shoes	Vented	Rotor	12.5"	2.76"	8 -6.5"	BR5593
91-88	SRW	Vented	Rotor	12.5"	2.76"	8 -6.5"	BR5593
89-88	DRW	Vented	Rotor	12.5"	2.76"	8 -6.5"	BR5593
			REAR				
2000	Extended Cab; SRW; 4.82 Inch Hub Hole	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
	Extended Cab; SRW; 4-5/8 Inch Hub Hole	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
00-98	Exc. Extended Cab Pickup; SRW; 4-5/8 Inch Hub Hole	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

K3500 PICKUP

REAR

00-98	Exc. Extended Cab Pickup; SRW; 4.82 Inch Hub Hole	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
00-90	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8997
1997	Exc. Extended Cab; SRW; 4-5/8 Inch Hub Hole	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	Exc. Extended Cab; SRW; 4.82 Inch Hub Hole	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
96-92	SRW 13 x 2-1/2 Inch Rear Shoes	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
91-90	SRW; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
89-88	SRW; 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850

P15/P1500 VAN

FRONT

80-75		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
1974	2 Inch Rear Shoe 4.9, 5.2 & 5.6M GVW (JB3) & 2-3/4 Inch Rear Shoe HD Opt. & 6. 0M GVW (JB5)	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
73-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
70-67	Exc. Heavy Duty	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

REAR

80-75		Floating	Drum	13.23"	3.87"	5 -5"	BD8874
1974	2-3/4 Inch Rear Shoe HD Opt. & 6. 0M GVW (JB5)	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
	2 Inch Rear Shoe 4.9, 5.2 & 5.6M GVW (JB3)	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
73-71		Floating	Drum	13.35"	3.69"	5 -5"	BD8819
70-67		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

P25/P2500 VAN

FRONT

89-71		Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
70-68		Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739

REAR

89-84	13 Inch Rear Drum Brake; (JB7 & JD7); 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	11 Inch Rear Drum Brake; (JB6 & JD6)	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
	13 Inch Rear Drum Brake; (JB7 & JD7); 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
83-81	13 Inch Rear Drum Brake; (JB7, JD7) 9 1/2 Inch Ring Gear; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	13 Inch Rear Drum Brake; (JB7, JD7) 9 1/2 Inch Ring Gear; 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
GMC							
P25/P2500 VAN				REAR			
83-81	11 Inch Rear Drum Brake; (JB6 & JD6); 6-3/8 Inch Tall	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
80-74	11 Inch Rear Drum Brake; (JB6)	Floating	Drum	13.74"	5.42"	8 -6.5"	BD8847
	13 Inch Rear Drum Brake; (JB7)	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
1970	11 Inch Rear Drum Brake; DRW	Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739
70-69	11 Inch Rear Drum Brake; Rear Coil Spring; DRW	Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739
P35/P3500 VAN				FRONT			
99-98	Rear Disc Brake; JF9	Vented	Rotor	13.85"	2.93"	5 -6.34"	BR55029
	4 Whl. ABS; Rear Drum Brake; SRW	Vented	Rotor	12.5"	5.19"	8 -6.5"	BR55030
1997	SRW w/ 2 1/2 & 3 1/2 Inch Rear Shoe	Vented	Rotor	12.5"	5.17"	8 -6.5"	BR5521
1996	DRW JB8; w/ IFS	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
	Front Disc Brake; (JF9)	Vented	Rotor	14.24"	3.2"	8 -6.5"	BR55001
	DRW JB8; w/ I Beam Axle	Vented	Rotor	12.48"	7.74"	8 -6.5"	BR55033
96-85	SRW JB8	Vented	Rotor	12.5"	5.17"	8 -6.5"	BR5521
95-90	Rear Drum Brake; DRW w/ Frt. Independent Susp.(JB8)	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
95-85	Rear Drum Brake; DRW w/ I Beam Frt. Axle (JB8)	Vented	Rotor	12.48"	7.74"	8 -6.5"	BR55033
	Rear Disc Brake; DRW w/ I Beam Frt. Axle (JF9)	Vented	Rotor	14.24"	3.2"	8 -6.5"	BR55001
90-80	SRW JB7, JD7	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
84-80	DRW (JB8)	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
	SRW JB8, JD8	Vented	Rotor	12.5"	5.17"	8 -6.5"	BR5521
1979	JB8; SRW	Vented	Rotor	12.5"	5.17"	8 -6.5"	BR5521
	JB8; DRW	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
	JB7	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
78-76	Rear Disc Brake	Vented	Rotor	14.24"	3.2"	8 -6.5"	BR55001
78-75	Exc. MOTOR HOME; 13 x 2 1/2 Inch Rear Shoes	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
	Exc. MOTOR HOME; 13 x 3 1/2 Inch Rear Shoe; DRW	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
	Exc. MOTOR HOME; 13 x 3 1/2 Inch Rear Shoe; SRW	Vented	Rotor	12.5"	5.17"	8 -6.5"	BR5521
73-71	15 Inch Rear Drum Brake; 178 Inch WB	Vented	Rotor	12.49"	2.8"	8 -6.5"	BR5523
	Exc. Motor Home Ch. & 11M RA; SRW	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
70-68		Floating	Drum	12.56"	3.62"	8 -6.5"	BD8739

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

P35/P3500 VAN

REAR

99-98	Rear Disc Brake; (JF9)	Vented	Rotor	13.58"	4.37"	10-7.25"	BR55031
	Rear Drum Brake; SRW	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
1997	SRW w/ 3 1/2 Inch Rear Shoe	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
	SRW w/ 2 1/2 Inch Rear Shoe	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
1996	Rear Disc Brake; (JF9)	Vented	Rotor	13.74"	4.38"	10-7.25"	BR55003
	DRW JB8	Floating	Drum	15"	7.29"	8 -6.5"	BD8997
96-90	SRW JB8	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
95-94	Rear Disc Brake; DRW (JF9)	Vented	Rotor	13.74"	4.38"	10-7.25"	BR55003
95-93	Rear Drum Brake; DRW (JB8)	Floating	Drum	15"	7.29"	8 -6.5"	BD8997
1993	Rear Disc Brake; DRW w/ Frt. Independent Susp (JF9)	Vented	Rotor	13.74"	4.38"	10-7.25"	BR55003
93-85	Rear Disc Brake; DRW w/ I Beam Frt. Axle (JF9); Parking Brake Drum	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106
92-91	Rear Drum Brake; DRW (JB8); 7.6 Inch Tall	Floating	Drum	15"	7.29"	8 -6.5"	BD8997
	Rear Disc Brake; DRW (JF9)	Vented	Rotor	13.74"	4.38"	10-7.25"	BR55003
	Rear Drum Brake; DRW (JB8); 6.3 Inch Tall	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
1990	Rear Disc Brake; DRW w/ Frt. Independent Susp. (JF9)	Vented	Rotor	13.74"	4.38"	10-7.25"	BR55003
	Rear Drum Brake; DRW w/ Frt. Independent Susp. & w/ I Beam Frt. Axle (JB8)	Floating	Drum	15"	7.29"	8 -6.5"	BD8997
90-80	SRW JB7, JD7	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
89-85	SRW JB8	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	Rear Disc Brake; DRW w/ I Beam Frt. Axle (JF9)	Vented	Rotor	13.74"	4.38"	10-7.25"	BR55003
	Rear Drum Brake; DRW w/ I Beam Frt. Axle (JB8)	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
84-80	DRW (JB8)	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
	SRW JB8, JD8	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
1979	JB8; SRW	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996
	JB8; DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
	JB7	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
78-76	Rear Disc Brake	Vented	Rotor	13.74"	4.38"	10-7.25"	BR55003
78-75	Exc. MOTOR HOME; 13 x 3 1/2 Inch Rear Shoe; SRW	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
GMC							
P35/P3500 VAN				REAR			
78-75	Exc. MOTOR HOME; 13 x 3 1/2 Inch Rear Shoe; DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
	Exc. MOTOR HOME; 13 x 2 1/2 Inch Rear Shoes	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
PB1000 SERIES				FRONT			
65-63		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106
				REAR			
65-63		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106
R1500 PICKUP				FRONT			
1987	2-3/4 Inch Rear Shoes (JB5 & JD5)	Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
	2 Inch Rear Shoe (JB1 & JB3)	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
				REAR			
1987	2 Inch Rear Shoe (JB1 & JB3)	Floating	Drum	13.35"	3.69"	5 -5"	BD8819
	2-3/4 Inch Rear Shoes (JB5 & JD5)	Floating	Drum	13.23"	3.87"	5 -5"	BD8874
R1500 SUBURBAN				FRONT			
91-87		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
				REAR			
91-90		Floating	Drum	13.35"	4.05"	5 -5"	BD8986
89-87		Floating	Drum	13.23"	3.87"	5 -5"	BD8874
R2500 PICKUP				FRONT			
89-87		Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
				REAR			
89-88	6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
1987	13 Inch Rear Drum Brake; 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	11 Inch Rear Drum Brake	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
	13 Inch Rear Drum Brake; 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
R2500 SUBURBAN				FRONT			
91-87		Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
				REAR			
91-88	6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
1987	13 Inch Rear Drum Brake; (JB7 & JD7); 5-1/4 Inch Tall	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	13 Inch Rear Drum Brake; (JB7 & JD7); 6 3/8 Inch Tall	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	11 Inch Rear Drum Brake	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

R3500 PICKUP

FRONT

91-87	SRW	Vented	Rotor	12.5"	5.17"	8 -6.5"	BR5521
	DRW	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520

REAR

91-87	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
	SRW	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996

S15 JIMMY

FRONT

94-92	2WD; Rear ABS; Does Not Include ABS Ring	Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
	4WD	Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
1991	Rotor only	Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
	4 Whl. ABS; Hub & Rotor	Vented	Rotor	10.47"	4.31"	5 -4.75"	BR31254
90-83	4WD	Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
	2WD; Does Not Include ABS Ring	Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
1984	2WD; Rear Whl. ABS; does not include ABS ring	Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547

REAR

94-92		Floating	Drum	11.97"	3.2"	5 -4.75"	BD8988
91-83		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

S15 PICKUP

FRONT

90-83	4WD	Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
90-82	2WD; Does Not Include ABS Ring	Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547

REAR

90-82		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
-------	--	----------	------	--------	-------	----------	--------

SAFARI

FRONT

05-03		Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054
02-96	2WD	Vented	Rotor	11.85"	4.64"	5 -5"	BR5578
02-90	4WD	Vented	Rotor	11.61"	3.31"	5 -5"	BR55015
95-90	2WD; 4 Whl. ABS	Vented	Rotor	11.85"	4.64"	5 -5"	BR5578
93-90	2WD; w/o ABS & Rear ABS	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
1990	2WD; Rear Whl. ABS	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
89-85		Vented	Rotor	11.86"	4.63"	5 -5"	BR5546

REAR

05-03		Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066
02-85		Floating	Drum	11.97"	3.16"	5 -5"	BD8949

SAVANA 1500

FRONT

13-09		Vented	Rotor	12.99"	2.17"	6 -5.5"	BR55097
08-03		Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054
02-99		Vented	Rotor	11.61"	4.51"	5 -5"	BR5595

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
GMC							
SAVANA 1500				REAR			
13-03		Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
02-99		Floating	Drum	13.59"	3.83"	5 -5"	BD8998
SAVANA 2500				FRONT			
13-09		Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
08-06	8500 lb GVW Panel , 8600lb GVW PASS.	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
05-03	8 Lug 8500 lb. - 8600 lb. GVW	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
	6 Lug 7300 lb. GVW	Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054
02-01	Non-Turbo; 8 Lug, 7700 -8600lb GVW	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
02-99	Turbo; 8 Lug, 7700 -8600lb GVW	Vented	Rotor	12.5"	4.95"	8 -6.5"	BR55081
	6 Lug 7300 lb. GVW	Vented	Rotor	11.61"	4.5"	6 -5.5"	BR55026
00-99	8 Lug 7700 - 8600 lb. GVW	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
				REAR			
13-09	GAS w/Electronic Stability Control	Vented	Rotor	12.99"	3.41"	8 -6.5"	BR900562
13-06	Diesel; 8500 lb GVW Panel , 8600lb GVW PASS.	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
	Gas; 8500 lb GVW Panel , 8600lb GVW PASS. Exc.Electronic Stability Control	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
05-03	8 Lug 8500 lb. - 8600 lb. GVW	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
	6 Lug 7300 lb. GVW	Vented	Rotor	12.99"	3.43"	6 -5.5"	BR55092
02-01	Non-Turbo; 8 Lug, 7700 -8600lb GVW	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
02-99	6 Lug 7300 lb. GVW	Floating	Drum	13.62"	5.32"	6 -5.5"	BD8970
	Turbo; 8 Lug, 7700 -8600lb GVW	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
00-99	8 Lug 7700 - 8600 lb. GVW	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
SAVANA 3500				FRONT			
13-03	Over 9,999 lb GVW	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55062
	Under 9,998 lb GVW	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
02-01	SRW	Vented	Rotor	12.5"	4.95"	8 -6.5"	BR55081
	DRW	Vented	Rotor	12.5"	8.2"	8 -6.5"	BR55032
2001	Exc w/ 139 Inch Wheel Base	Vented	Rotor	12.5"	4.95"	8 -6.5"	BR55081
	w/ 139 Inch Wheel Base	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
01-99	DRW	Vented	Rotor	12.5"	8.2"	8 -6.5"	BR55032
00-99	SRW	Vented	Rotor	12.49"	4.97"	8 -6.5"	BR5598
				REAR			
13-09	w/Electronic Stability Control	Vented	Rotor	12.99"	3.41"	8 -6.5"	BR900562
	Cutaway	Vented	Rotor	13.6"	5.77"	8 -6.5"	BR900660

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

SAVANA 3500

REAR

13-05	SRW EXC LIMITED SLIP DIFFERENTIAL 330MM	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
10-09	DIESEL	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
08-05	SRW: 91mm Overall Height	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
	SRW: 86mm Overall Height	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
08-03	DRW	Vented	Rotor	12.8"	5.18"	8 -6.5"	BR55075
04-03	SRW	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
02-01	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8997
	SRW	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000
01-99	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8997
00-99	SRW; w/ 2-1/2 Inch Shoe	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	SRW; w/ 3-1/2 Inch Shoe	Floating	Drum	16.83"	6.31"	8 -6.5"	BD80000

SAVANA 4500

FRONT

13-09		Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55062
-------	--	--------	-------	--------	-------	---------	---------

REAR

13-09	SRW ; 86mm Overall Height	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
	SRW ; 91mm Overall Height	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
	DRW	Vented	Rotor	13.6"	5.77"	8 -6.5"	BR900660

SIERRA 1500

FRONT

13-07		Vented	Rotor	12.99"	2.17"	6 -5.5"	BR55097
06-05	Exc. Hybrid	Vented	Rotor	12.99"	2.17"	6 -5.5"	BR55097
	Hybrid	Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054
04-99		Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054

REAR

13-09	w/ Rear Drum Brakes	Floating	Drum	13.21"	3.82"	6 -5.5"	BD920150
13-07	W/ Rear Disc Brakes	Vented	Rotor	13 9/16"	3 3/8"	6 -5.5"	BR55133
08-05	W/ Rear Drum Brakes	Floating	Drum	13.22"	3.82"	6 -5.5"	BD80118
06-03	Ext. Cab w/ 4 Wheel Steering & Crew Cab	Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
	Std & Ext. Cab w/ 2 Wheel Steering	Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066
02-01	exc.6400 lb GVW (12.98 Inch Rotor)	Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
	6400 lb GVW (12.8 Inch Rotor)	Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066
00-99		Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066

SIERRA 1500 HD

FRONT

07-05	(8 Lug)	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
04-03		Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
02-01		Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
GMC							
SIERRA 1500 HD				REAR			
07-05	(8 Lug)	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
2003	w/ 2 Wheel Steering	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
	w/ 4 Wheel Steering	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55086
02-01		Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
SIERRA 2500				FRONT			
04-99		Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
				REAR			
2004	A/T	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
	M/T	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
03-99	4.82 Inch Hub Hole	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
	4-5/8 Inch Hub Hole	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
SIERRA 2500 HD				FRONT			
13-11		Vented	Rotor	14"	4"	8 -7.15"	BR901026
10-01		Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
				REAR			
13-11		Vented	Rotor	14.2"	4.7"	8 -7.15"	BR901028
10-05		Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
2004	2 Wheel Steering	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
	4 Wheel Steering	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55086
03-01		Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
SIERRA 3500				FRONT			
12-11		Vented	Rotor	14"	4"	8 -7.15"	BR901026
10-06	GVW 9,900 Lbs.	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
	GVW 12,000 Lbs.	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55062
05-04	4WD 12,000 lb GVW	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55062
	RWD	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55062
	4WD 9,900 lb GVW	Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
03-01		Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55062
				REAR			
13-11	SRW	Vented	Rotor	14.2"	4.7"	8 -7.15"	BR901028
	DRW	Vented	Rotor	14"	5.9"	8 -7.15"	BR901030
10-04	DRW	Vented	Rotor	12.8"	5.18"	8 -6.5"	BR55075
	SRW	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
03-01		Vented	Rotor	12.8"	5.18"	8 -6.5"	BR55075
SIERRA DENALI				FRONT			
10-07		Vented	Rotor	12.99"	2.17"	6 -5.5"	BR55097
06-05		Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054
04-03		Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

SIERRA DENALI

REAR

10-07		Vented	Rotor	13 9/16"	3 3/8"	6 -5.5"	BR55133
06-05		Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
04-03		Vented	Rotor	12.8"	5.18"	8 -6.5"	BR55075

SONOMA

FRONT

2004		Vented	Rotor	10.76"	2.15"	5 -4.75"	BR55047
03-98	4WD	Vented	Rotor	10.76"	2.15"	5 -4.75"	BR55047
	2WD	Vented	Rotor	10.47"	4.31"	5 -4.75"	BR31254
96-95	4WD	Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
95-92	2WD Exc. GT; w/o 4 Whl. ABS	Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
95-91	2WD w/ 4 Whl. ABS; Hub & Rotor	Vented	Rotor	10.47"	4.31"	5 -4.75"	BR31254
94-93	4WD	Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
1992	2WD GT; w/o 4 Whl. ABS; Hub & Rotor	Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
92-91	4WD; Rotor only	Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550

REAR

2004		Vented	Rotor	11.61"	3.74"	5 -4.75"	BR55038
03-98	4WD	Vented	Rotor	11.61"	3.74"	5 -4.75"	BR55038
	2WD	Floating	Drum	11.97"	3.2"	5 -4.75"	BD8988
95-92		Floating	Drum	11.97"	3.2"	5 -4.75"	BD8988
1991		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

SPRINT

FRONT

77-73		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
72-71	Front Disc Brake	Vented	Rotor	11"	4"	5 -4.75"	BR5514
	Front Drum Brake	Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799

REAR

1976	17 lb.	Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
1975	9-1/2 Inch Rear Drum Brake	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
75-73	9 1/2 Inch Rear Drum Brake	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
72-71	w/ Pontiac Type RA (Cut Out Axle Cover)	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
	w/ Chevrolet Type RA (Round Axle Cover)	Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798

SUBURBAN

FRONT

1967	Std w/ 2 Inch Front Shoe	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106
66-63		Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

REAR

1967	Rear Coil Spring; Heavy Duty 2 3/4 Inch Front Shoe & Std w/ 2 Inch Front Shoe	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106
66-64	Rear Coil Spring	Floating	Drum	12.38"	2.95"	6 -5.5"	BD8106

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
GMC							
SYCLONE							
FRONT							
1991		Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
REAR							
1991		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
T5500, T6500, T7500, T8500							
FRONT							
07-04	w/ 10 Hole Rotor; 10,000 lb Axle	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
02-97	10 Hole with 5 Exciter Ring Installation Holes	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR901130
	11,000-12,000 lb Axle; Bendix Caliper	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	8,000 lb Axle; Dayton Caliper	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
REAR							
07-04	w/ 10 Hole Rotor; 15,000-19,000 lb Axle	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
02-97	10 Hole with 5 Exciter Ring Installation Holes	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR901130
	Dayton Caliper; 5 Hole Rotor	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
	w/o Flange; Bendix Caliper	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
TERRAIN							
FRONT							
13-10		Vented	Rotor	12.6"	2.02"	5 -4.75"	BR900748
REAR							
13-10		Vented	Rotor	11.9"	2.8"	5 -4.75"	BR900824
TYPHOON							
FRONT							
93-92		Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
REAR							
93-92		Floating	Drum	11.97"	3.2"	5 -4.75"	BD8988
V1500 PICKUP							
FRONT							
1987	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
	Hub & Rotor	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004
REAR							
1987		Floating	Drum	13.35"	4.0"	6 -5.5"	BD8846
V1500 SUBURBAN							
FRONT							
91-87	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
	Hub & Rotor	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004
REAR							
91-87		Floating	Drum	13.35"	4"	6 -5.5"	BD8985
V2500 PICKUP							
FRONT							
1987		Vented	Rotor	12.49"	2.8"	8 -6.5"	BR5523
REAR							
1987	Exc. JB7 & JD7	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944
	JB7, JD7	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

V2500 SUBURBAN

FRONT

91-87	Rotor Only	Vented	Rotor	12.49"	2.8"	8 -6.5"	BR5523
-------	------------	--------	-------	--------	------	---------	--------

REAR

91-89		Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
88-87	13 Inch Rear Drum Brake; (JB7 & JD7)	Floating	Drum	15.47"	6.54"	8 -6.5"	BD8945
	11 Inch Rear Drum Brake	Floating	Drum	13.31"	6.44"	8 -6.5"	BD8944

V3500 PICKUP

FRONT

91-87	DRW	Vented	Rotor	12.87"	3.08"	8 -6.5"	BR5564
	SRW	Vented	Rotor	12.87"	3.08"	8 -6.5"	BR5563

REAR

91-87	DRW	Floating	Drum	15"	7.29"	8 -6.5"	BD8850
	SRW	Floating	Drum	16.46"	6.32"	8 -6.5"	BD8996

W3500

FRONT

08-10/97	10,000-14,000 GVW; From 10/97	Vented	Rotor	293.3 mm	57.3 mm	12-136 mm	BR31296
9 /97-95	To 9/97	Vented	Rotor	11 7/64"	2 1/2"	12-136 mm	BR55035

W4500

FRONT

08-00	293 mm Rotor ; Under 14000 GVW	Vented	Rotor	293.3 mm	57.3 mm	12-136 mm	BR31296
-------	--------------------------------	--------	-------	----------	---------	-----------	---------

W5500

FRONT

08-00	363mm Rotor	Vented	Rotor	363 mm	100.2 mm	12-136.7 mm	BR901122
-------	-------------	--------	-------	--------	----------	-------------	----------

YUKON XL 1500, YUKON DENALI XL 1500

FRONT

13-07		Vented	Rotor	12.99"	2.17"	6 -5.5"	BR55097
06-00		Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054

REAR

13-07		Vented	Rotor	13 9/16"	3 3/8"	6 -5.5"	BR55133
06-03		Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
02-00	w/ 2 Piston Rear Caliper	Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
	w/ 1 Piston Rear Caliper	Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066

YUKON XL 2500, YUKON DENALI XL 2500

FRONT

13-00		Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
-------	--	--------	-------	--------	-------	---------	---------

REAR

13-08		Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
2007		Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
2006	w/ 4.63 Inch Hub Hole	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
	w/ 4.83 Inch Hub Hole	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
2005	2 Wheel Steering w/ 4.63 Inch Hub Hole	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
	2 Wheel Steering w/ 4.83 Inch Hub Hole	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
	4 Wheel Steering	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55086
04-03	w/ 2 Wheel Steering; w/ 4.63 Inch Hub Hole	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

GMC

YUKON XL 2500, YUKON DENALI XL 2500 REAR

04-03	w/ 2 Wheel Steering; w/ 4.83 Inch Hub Hole	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055
	w/ 4 Wheel Steering	Vented	Rotor	12.8"	3.36"	6 -5.5"	BR55066
02-00	w/ 4.63 Inch Hub Hole	Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
	w/ 4.83 Inch Hub Hole	Vented	Rotor	12.99"	3.6"	8 -6.5"	BR55055

YUKON, YUKON DENALI FRONT

13-09		Vented	Rotor	12.99"	2.17"	6 -5.5"	BR55097
08-07		Vented	Rotor	12.99"	2.17"	6 -5.5"	BR55097
06-00	w/ Rear Disc Brakes	Vented	Rotor	12.01"	2.29"	6 -5.5"	BR55054
00-92	4WD w/ Rear Drum Brakes	Vented	Rotor	11.61"	2.62"	6 -5.5"	BR5569
99-95	2wd w/ Rear Drum Brakes	Vented	Rotor	11.61"	4.51"	5 -5"	BR5595

REAR

13-07		Vented	Rotor	13 9/16"	3 3/8"	6 -5.5"	BR55133
06-00	w/ Rear Disc Brakes	Vented	Rotor	12.98"	3.76"	6 -5.5"	BR55067
00-95	4wd; 11 Inch Rear Drum Brake	Floating	Drum	13.62"	3.83"	6 -5.5"	BD8999
	4WD; 10 Inch Rear Drum Brake	Floating	Drum	11.93"	3.66"	6 -5.5"	BD8973
99-98	2wd; w/ 11 Inch Drum Brake	Floating	Drum	13.59"	3.83"	5 -5"	BD8998
99-95	2wd; w/ 10 Inch Drum Brake	Floating	Drum	11.89"	3.61"	5 -5"	BD8972
94-92		Floating	Drum	11.93"	3.66"	6 -5.5"	BD8973

HINO

238 FRONT

10-05		Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
-------	--	--------	-------	---------	-------	-----------	----------

REAR

10-05		Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
-------	--	--------	-------	---------	-------	-----------	----------

258LP FRONT

10-05		Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
-------	--	--------	-------	---------	-------	-----------	----------

REAR

10-05		Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
-------	--	--------	-------	---------	-------	-----------	----------

268 FRONT

10-05		Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
-------	--	--------	-------	---------	-------	-----------	----------

REAR

10-05		Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
-------	--	--------	-------	---------	-------	-----------	----------

HONDA

ACCORD (COUPE) FRONT

12-08	LX, LX-S Coupe; 282mm Rotor	Vented	Rotor	282 mm	47 mm	5 -114.3 mm	BR31257
	EX, EX-L Coupe; 300mm Rotor	Vented	Rotor	300 mm	47.2 mm	5 -114.3 mm	BR31275
07-03	V6 Coupe; M/T; 300mm Rotor	Vented	Rotor	300 mm	47.2 mm	5 -114.3 mm	BR31275
	4 Cyl. Coupe; 282mm Rotor	Vented	Rotor	282 mm	47 mm	5 -114.3 mm	BR31257
	V6 Coupe; A/T; 282mm Rotor	Vented	Rotor	282 mm	47 mm	5 -114.3 mm	BR31257

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

HONDA

ACCORD (COUPE)

FRONT

02-98	V6 Coupe; 282mm Rotor	Vented	Rotor	282 mm	47 mm	5 -114.3 mm	BR31257
	4 Cyl. Coupe; 260mm Rotor	Vented	Rotor	260 mm	47 mm	4 -114.3 mm	BR31243
97-90	Coupe	Vented	Rotor	259.5 mm	34 mm	4 -114.3 mm	BR3287
89-88	LXi, SEi Coupe	Vented	Rotor	262 mm	51.3 mm	4 -100 mm	BR3182
	DX Coupe	Vented	Rotor	242 mm	49.5 mm	4 -100 mm	BR3116

REAR

12-08	Coupe	Solid	Rotor	282 mm	51.5 mm	5 -114.3 mm	BR900520
07-03	Coupe; Rear Disc Brakes	Solid	Rotor	260 mm	48.8 mm	5 -114.3 mm	BR31315
	Coupe; Rear Drum Brakes	Floating	Drum	268 mm	60.8 mm	5 -114.3 mm	BD35103
02-98	4 Cyl. Coupe; Rear Disc Brakes	Solid	Rotor	259.8 mm	48.2 mm	4 -114.3 mm	BR31244
	V6 Coupe; Rear Disc Brakes	Solid	Rotor	259.7 mm	48.26 mm	5 -114.3 mm	BR31245
02-90	Coupe; Rear Drum Brakes	Floating	Drum	268.5 mm	60 mm	4 -114.3 mm	BD3528
97-90	Coupe; Rear Disc Brakes	Solid	Rotor	260 mm	48.6 mm	4 -114.3 mm	BR31038
1989	Coupe; Rear Disc Brakes	Solid	Rotor	239 mm	48.2 mm	4 -100 mm	BR3258
89-88	Coupe; Rear Drum Brakes	Floating	Drum	239 mm	59 mm	4 -100 mm	BD3569

ACCORD (SEDAN)

FRONT

12-08	LX, LX-P, SE Sedan; 282mm Rotor	Vented	Rotor	282 mm	47 mm	5 -114.3 mm	BR31257
	EX, EX-L Sedan; 300mm Rotor	Vented	Rotor	300 mm	47.2 mm	5 -114.3 mm	BR31275
07-06	Sedan Exc. Hybrid; 282mm Rotor	Vented	Rotor	282 mm	47 mm	5 -114.3 mm	BR31257
	Sedan Hybrid; 300mm Rotor	Vented	Rotor	300 mm	45.4 mm	5 -114.3 mm	BR31354
05-03	Sedan; 282mm Rotor	Vented	Rotor	282 mm	47 mm	5 -114.3 mm	BR31257
02-98	V6 Sedan; 282mm Rotor	Vented	Rotor	282 mm	47 mm	5 -114.3 mm	BR31257
	4 Cyl. Sedan; 260mm Rotor	Vented	Rotor	260 mm	47 mm	4 -114.3 mm	BR31243
97-95	4 Cyl. Sedan; 260mm Rotor	Vented	Rotor	259.5 mm	34 mm	4 -114.3 mm	BR3287
	V6 Sedan; 282mm Rotor	Vented	Rotor	282 mm	34.5 mm	4 -114.3 mm	BR3292
94-90		Vented	Rotor	259.5 mm	34 mm	4 -114.3 mm	BR3287
89-88	LXi, SEi Sedan	Vented	Rotor	262 mm	51.3 mm	4 -100 mm	BR3182
	DX, LX Sedan	Vented	Rotor	242 mm	49.5 mm	4 -100 mm	BR3116
87-84		Vented	Rotor	242 mm	49.5 mm	4 -100 mm	BR3116
83-82	Sedan	Vented	Rotor	231 mm	49.6 mm	4 -100 mm	BR3187
81-76	Sedan	Solid	Rotor	231 mm	41 mm	4 -116 mm	BR3133

REAR

12-08	Sedan	Solid	Rotor	282 mm	51.5 mm	5 -114.3 mm	BR900520
07-05	Sedan Hybrid	Solid	Rotor	282 mm	51.5 mm	5 -114.3 mm	BR900520
07-03	Sedan Exc. Hybrid	Solid	Rotor	260 mm	48.8 mm	5 -114.3 mm	BR31315
	Sedan; Rear Drum Brakes	Floating	Drum	268 mm	60.8 mm	5 -114.3 mm	BD35067
02-98	V6 Sedan; Rear Disc Brakes	Solid	Rotor	259.7 mm	48.26 mm	5 -114.3 mm	BR31245

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
HONDA							
ACCORD (SEDAN)				REAR			
02-98	4 Cyl. Sedan; Rear Disc Brakes	Solid	Rotor	259.8 mm	48.2 mm	4 -114.3 mm	BR31244
02-90	Sedan; Rear Drum Brakes	Floating	Drum	268.5 mm	60 mm	4 -114.3 mm	BD3528
97-91	Sedan; Rear Disc Brakes	Solid	Rotor	260 mm	48.6 mm	4 -114.3 mm	BR31038
1989	Sedan; Rear Drum Brakes	Floating	Drum	239 mm	59 mm	4 -100 mm	BD3569
	Sedan; Rear Disc Brakes	Solid	Rotor	239 mm	48.2 mm	4 -100 mm	BR3258
88-86	Sedan	Floating	Drum	239 mm	59 mm	4 -100 mm	BD3569
85-82		Hub/ Bearing	Drum	240 mm	72 mm	4 -100 mm	BD3571
ACCORD (WAGON)				FRONT			
97-91		Vented	Rotor	282 mm	34.5 mm	4 -114.3 mm	BR3292
				REAR			
97-92	w/ Rear Disc Brakes	Solid	Rotor	260 mm	48.6 mm	4 -114.3 mm	BR31038
97-91	w/ Rear Drum Brakes	Floating	Drum	268.5 mm	60 mm	4 -114.3 mm	BD3528
ACCORD CROSSTOUR				FRONT			
11-10		Vented	Rotor	296 mm	47.6 mm	5 -114.3 mm	BR900388
				REAR			
11-10		Solid	Rotor	305 mm	61 mm	5 -114.3 mm	BR900898
CITY (MEXICO)				FRONT			
12-10		Vented	Rotor	262 mm	48.2 mm	4 -100 mm	BR3295
CIVIC (1300)				FRONT			
87-84		Solid	Rotor	231 mm	44 mm	4 -100 mm	BR3136
83-82	4 Speed	Solid	Rotor	215 mm	49.5 mm	4 -100 mm	BR3181
	5 Speed	Solid	Rotor	231 mm	49.6 mm	4 -100 mm	BR3185
81-80		Solid	Rotor	215 mm	49.5 mm	4 -100 mm	BR3181
				REAR			
87-84		Floating	Drum	217 mm	61.5 mm	4 -100 mm	BD3507
83-80		Hub/ Bearing	Drum	216 mm	72 mm	4 -100 mm	BD3575
CIVIC (1500/1600CC) (HATCHBACK)				FRONT			
89-88		Vented	Rotor	242 mm	44 mm	4 -100 mm	BR3178
87-84		Vented	Rotor	231 mm	44 mm	4 -100 mm	BR3134
1983		Vented	Rotor	231 mm	49.6 mm	4 -100 mm	BR3187
1982		Solid	Rotor	231 mm	49.6 mm	4 -100 mm	BR3185
81-80		Solid	Rotor	215 mm	49.5 mm	4 -100 mm	BR3181
				REAR			
89-84		Floating	Drum	217 mm	61.5 mm	4 -100 mm	BD3507
83-80		Hub/ Bearing	Drum	216 mm	72 mm	4 -100 mm	BD3575
CIVIC (1500/1600CC) (SEDAN)				FRONT			
89-88		Vented	Rotor	242 mm	44 mm	4 -100 mm	BR3178
87-84		Vented	Rotor	231 mm	44 mm	4 -100 mm	BR3134

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

HONDA

CIVIC (1500/1600CC) (SEDAN)

FRONT

1983		Vented	Rotor	231 mm	49.6 mm	4 -100 mm	BR3187
82-81		Solid	Rotor	231 mm	49.6 mm	4 -100 mm	BR3185

REAR

89-84		Floating	Drum	217 mm	61.5 mm	4 -100 mm	BD3507
83-81		Hub/ Bearing	Drum	216 mm	72 mm	4 -100 mm	BD3575

CIVIC (COUPE)

FRONT

2012	Exc. Si ; 262mm Rotor	Vented	Rotor	261.5 mm	47 mm	5 -114.3 mm	BR901078
	Si ; 300mm Rotor	Vented	Rotor	299.3 mm	47.6 mm	5 -110 mm	BR901080
11-06	Si Coupe	Vented	Rotor	299.3 mm	47.6 mm	5 -110 mm	BR31347
08-06	DX, LX, EX Coupe	Vented	Rotor	261.5 mm	47 mm	5 -114.3 mm	BR31311
05-01		Vented	Rotor	262 mm	48.2 mm	4 -100 mm	BR3295
00-93	Si, EX Coupe; 262mm Rotor	Vented	Rotor	262 mm	48.2 mm	4 -100 mm	BR3295
	DX, HX Coupe; 240mm Rotor	Vented	Rotor	240 mm	44.95 mm	4 -100 mm	BR31029

REAR

2012	EX & SI	Solid	Rotor	259.9 mm	42.2 mm	5 -114.3 mm	BR900648
11-06	LX, DX Coupe; Rear Drum Brakes	Floating	Drum	250 mm	55.4 mm	5 -114.3 mm	BD920124
	Si, EX Coupe; Rear Disc Brakes	Solid	Rotor	259.6 mm	42.2 mm	5 -114.3 mm	BR31227
05-01		Floating	Drum	246 mm	63.5 mm	4 -100 mm	BD35094
00-99	Si Coupe; Rear Disc Brakes	Solid	Rotor	239 mm	48.2 mm	4 -100 mm	BR31149
00-96	DX, EX, HX Coupe; Rear Drum Brakes	Floating	Drum	239 mm	59 mm	4 -100 mm	BD3569
95-93	DX Coupe; A/T	Floating	Drum	239 mm	59 mm	4 -100 mm	BD3569
	EX Coupe; Rear Drum Brakes	Floating	Drum	239 mm	59 mm	4 -100 mm	BD3569
	DX Coupe; M/T	Floating	Drum	217 mm	61.5 mm	4 -100 mm	BD3507
	EX Coupe; Rear Disc Brakes	Solid	Rotor	239 mm	48.2 mm	4 -100 mm	BR3258

CIVIC (HATCHBACK)

FRONT

05-04	Si	Vented	Rotor	261.5 mm	47 mm	5 -114.3 mm	BR31311
03-02	Si	Vented	Rotor	262 mm	48.2 mm	4 -100 mm	BR3295
00-96		Vented	Rotor	240 mm	44.95 mm	4 -100 mm	BR31029
95-94	CX, DX, VX & Si w/o ABS	Vented	Rotor	240 mm	44.95 mm	4 -100 mm	BR31029
	Si w/ ABS	Vented	Rotor	262 mm	48.2 mm	4 -100 mm	BR3295
93-90		Vented	Rotor	240 mm	44.95 mm	4 -100 mm	BR31029

REAR

05-04	Si	Solid	Rotor	259.9 mm	48.5 mm	5 -114.3 mm	BR31342
03-02	Si	Solid	Rotor	259.7 mm	48.26 mm	4 -100 mm	BR31380
00-96		Floating	Drum	239 mm	59 mm	4 -100 mm	BD3569
95-90	w/ Rear Drum Brakes	Floating	Drum	217 mm	61.5 mm	4 -100 mm	BD3507

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

HONDA

CIVIC (HATCHBACK)

REAR

95-90	w/ Rear Disc Brakes	Solid	Rotor	239 mm	48.2 mm	4 -100 mm	BR31149
-------	---------------------	-------	-------	--------	---------	-----------	---------

CIVIC (SEDAN)

FRONT

2012	Exc. SI ; 262mm Rotor	Vented	Rotor	261.5 mm	47 mm	5 -114.3 mm	BR901078
	SI ; 300mm Rotor	Vented	Rotor	299.3 mm	47.6 mm	5 -110 mm	BR901080
12-09	GX (CNG) & 2012 Hybrid	Vented	Rotor	282 mm	47 mm	5 -114.3 mm	BR31257
11-07	LX, DX, EX & Hybrid Sedan	Vented	Rotor	261.5 mm	47 mm	5 -114.3 mm	BR31311
	Si Sedan	Vented	Rotor	299.3 mm	47.6 mm	5 -110 mm	BR31347
08-06	GX Sedan	Vented	Rotor	282 mm	47 mm	5 -114.3 mm	BR31257
2006	Sedan Exc. GX	Vented	Rotor	261.5 mm	47 mm	5 -114.3 mm	BR31311
05-01		Vented	Rotor	262 mm	48.2 mm	4 -100 mm	BR3295
00-97	EX Sedan	Vented	Rotor	262 mm	48.2 mm	4 -100 mm	BR3295
	LX, DX, GX Sedan	Vented	Rotor	240 mm	44.95 mm	4 -100 mm	BR31029
1996	LX, DX Sedan w/o ABS: LX w/ ABS & M/T	Vented	Rotor	240 mm	44.95 mm	4 -100 mm	BR31029
	EX, LX Sedan; w/ ABS & A/T	Vented	Rotor	262 mm	48.2 mm	4 -100 mm	BR3295
95-94	LX, EX Sedan; w/ ABS	Vented	Rotor	262 mm	48.2 mm	4 -100 mm	BR3295
	DX, LX Sedan; w/o ABS	Vented	Rotor	240 mm	44.95 mm	4 -100 mm	BR31029
93-90	LX, DX Sedan; 240mm Rotor	Vented	Rotor	240 mm	44.95 mm	4 -100 mm	BR31029
	EX Sedan; 262mm Rotor	Vented	Rotor	262 mm	48.2 mm	4 -100 mm	BR3295

REAR

2012	HF	Floating	Drum	250 mm	55.4 mm	5 -114.3 mm	BD920124
12-09	LX, DX ; 250mm Rear Drum Brakes	Floating	Drum	250 mm	55.4 mm	5 -114.3 mm	BD920124
	GX (CNG) & 2012 Hybrid	Floating	Drum	268 mm	60.8 mm	5 -114.3 mm	BD35067
	Si & EX; Rear Disc Brakes	Solid	Rotor	259.9 mm	42.2 mm	5 -114.3 mm	BR900648
08-06	GX, Hybrid Sedan; Rear Drum Brakes	Floating	Drum	268 mm	60.8 mm	5 -114.3 mm	BD35067
	LX, DX Sedan; Rear Drum Brakes	Floating	Drum	250 mm	55.4 mm	5 -114.3 mm	BD920124
	Si, EX Sedan; Rear Disc Brakes	Solid	Rotor	259.6 mm	42.2 mm	5 -114.3 mm	BR31227
05-03	Sedan Hybrid	Floating	Drum	282 mm	60 mm	4 -100 mm	BD35100
05-01	Exc. Hybrid	Floating	Drum	246 mm	63.5 mm	4 -100 mm	BD35094
00-96	Sedan	Floating	Drum	239 mm	59 mm	4 -100 mm	BD3569
95-94	LX, DX Sedan; A/T; w/o ABS	Floating	Drum	239 mm	59 mm	4 -100 mm	BD3569
	DX, LX Sedan; M/T; w/o ABS	Floating	Drum	217 mm	61.5 mm	4 -100 mm	BD3507
	LX, EX Sedan; w/ ABS	Solid	Rotor	239 mm	48.2 mm	4 -100 mm	BR31149
93-92	EX	Solid	Rotor	239 mm	48.2 mm	4 -100 mm	BR31149
	LX, DX Sedan; M/T	Floating	Drum	217 mm	61.5 mm	4 -100 mm	BD3507
	DX, LX Sedan; A/T	Floating	Drum	239 mm	59 mm	4 -100 mm	BD3569

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

HONDA

CIVIC (SEDAN)

REAR

91-90	Sedan	Floating	Drum	217 mm	61.5 mm	4 -100 mm	BD3507
-------	-------	----------	------	--------	---------	-----------	--------

CIVIC (WAGON)

FRONT

91-90	2WD	Vented	Rotor	240 mm	44.95 mm	4 -100 mm	BR31029
	4WD	Vented	Rotor	242 mm	44 mm	4 -100 mm	BR3178
89-88		Vented	Rotor	242 mm	44 mm	4 -100 mm	BR3178
87-84		Vented	Rotor	231 mm	44 mm	4 -100 mm	BR3134
1983		Vented	Rotor	231 mm	49.6 mm	4 -100 mm	BR3187
82-80		Solid	Rotor	231 mm	49.6 mm	4 -100 mm	BR3185

REAR

91-88		Floating	Drum	239 mm	57 mm	4 -100 mm	BD3526
87-84		Floating	Drum	237 mm	61.5 mm	4 -100 mm	BD3566

CIVIC DEL SOL

FRONT

97-94	VTEC; 262mm Rotor	Vented	Rotor	262 mm	48.2 mm	4 -100 mm	BR3295
97-93	Exc. VTEC; 240mm Rotor	Vented	Rotor	240 mm	44.95 mm	4 -100 mm	BR31029

REAR

97-93	S; Rear Drum Brakes	Floating	Drum	217 mm	61.5 mm	4 -100 mm	BD3507
	Si, VTEC; Rear Disc Brakes	Solid	Rotor	239 mm	48.2 mm	4 -100 mm	BR3258

CR-V

FRONT

2012	4WD; 296mm Rotor	Vented	Rotor	296 mm	47.6 mm	5 -114.3 mm	BR900388
11-07		Vented	Rotor	296 mm	47.6 mm	5 -114.3 mm	BR900388
06-05		Vented	Rotor	299.3 mm	47.6 mm	5 -110 mm	BR31347
04-02		Vented	Rotor	282 mm	47 mm	5 -114.3 mm	BR31305
01-97		Vented	Rotor	281.6 mm	47.1 mm	5 -114.3 mm	BR3296

REAR

12-05		Solid	Rotor	320 mm	47.6 mm	5 -114.3 mm	BR900390
04-02		Solid	Rotor	281.7 mm	58.5 mm	5 -114.3 mm	BR31304
01-97		Floating	Drum	268 mm	60.8 mm	5 -114.3 mm	BD35067

CR-Z

FRONT

12-11		Vented	Rotor	261.5 mm	47 mm	5 -114.3 mm	BR31311
-------	--	--------	-------	----------	-------	-------------	---------

REAR

12-11		Solid	Rotor	260 mm	31 mm	5 -114.3 mm	BR901076
-------	--	-------	-------	--------	-------	-------------	----------

CROSSTOUR

FRONT

2012		Vented	Rotor	296 mm	47.6 mm	5 -114.3 mm	BR900388
------	--	--------	-------	--------	---------	-------------	----------

REAR

2012		Solid	Rotor	305 mm	61 mm	5 -114.3 mm	BR900898
------	--	-------	-------	--------	-------	-------------	----------

CRX

FRONT

91-88	DX, Si	Vented	Rotor	242 mm	44 mm	4 -100 mm	BR3178
91-84	1500, 1500 HF, 1500 Si, HF	Vented	Rotor	231 mm	44 mm	4 -100 mm	BR3134
1990	DX	Vented	Rotor	240 mm	44.95 mm	4 -100 mm	BR31029
87-85	1500 HF	Solid	Rotor	215 mm	44.5 mm	4 -100 mm	BR3168

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
HONDA							
CRX			REAR				
91-90	Si	Solid	Rotor	239 mm	48.2 mm	4 -100 mm	BR3258
91-85	1500 HF, 1500 Si, DX, HF, Si	Floating	Drum	217 mm	61.5 mm	4 -100 mm	BD3507
ELEMENT			FRONT				
11-03		Vented	Rotor	282 mm	47 mm	5 -114.3 mm	BR31257
			REAR				
11-03		Solid	Rotor	282 mm	58.72 mm	5 -114.3 mm	BR31316
FIT			FRONT				
2013	Gas	Vented	Rotor	262 mm	48.2 mm	4 -100 mm	BR3295
12-07		Vented	Rotor	262 mm	48.2 mm	4 -100 mm	BR3295
			REAR				
2013	ELECTRIC	Floating	Drum	268 mm	60.8 mm	5 -114.3 mm	BD35067
	Gas	Floating	Drum	246 mm	64 mm	4 -100 mm	BD920140
12-09		Floating	Drum	246 mm	64 mm	4 -100 mm	BD920140
08-07		Floating	Drum	239 mm	59 mm	4 -100 mm	BD3569
INSIGHT			FRONT				
12-10		Vented	Rotor	262 mm	48.2 mm	4 -100 mm	BR3295
06-00		Vented	Rotor	231 mm	44 mm	4 -100 mm	BR3134
			REAR				
12-10		Floating	Drum	246 mm	63.5 mm	4 -100 mm	BD35094
ODYSSEY			FRONT				
12-11		Vented	Rotor	303 mm	48 mm	5 -120 mm	BR900832
10-05		Vented	Rotor	296.1 mm	47.5 mm	5 -118.2 mm	BR31368
04-99		Vented	Rotor	300 mm	47.2 mm	5 -114.3 mm	BR31275
98-95		Vented	Rotor	281.6 mm	47.1 mm	5 -114.3 mm	BR3296
			REAR				
12-11		Vented	Rotor	346 mm	64 mm	5 -114.3 mm	BR900532
10-05		Solid	Rotor	312.6mm	63.85mm	5 -118.2	BR900396
04-02		Solid	Rotor	313 mm	67.1 mm	5 -114.3 mm	BR31317
01-99		Floating	Drum	313.6 mm	77.3 mm	5 -114.3 mm	BD35079
98-95		Solid	Rotor	282 mm	61.15 mm	5 -114.3 mm	BR31105
PASSPORT			FRONT				
2002		Vented	Rotor	290 mm	57.2 mm	6 -139.7 mm	BR31310
01-98	2WD & 4WD (Replaces BR31115)	Vented	Rotor	280 mm	36 mm	6 -108 mm	BR31163
	2WD & 4WD (Sellout and Reorder BR31163)	Vented	Rotor	280 mm	36 mm	6 -108mm	BR31115
97-96		Vented	Rotor	280 mm	36 mm	6 -108 mm	BR31163
95-94	EX & LX	Vented	Rotor	280 mm	36 mm	6 -108 mm	BR31163
	DX	Vented	Rotor	257.5 mm	36 mm	6 -108 mm	BR3233

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

HONDA

PASSPORT

REAR

02-98	w/ Rear Disc Brakes	Vented	Rotor	313.5 mm	80.2 mm	6 -139.7 mm	BR31084
97-94	EX, LX; Rear Disc Brakes	Vented	Rotor	313.5 mm	80.2 mm	6 -139.7 mm	BR31084
96-94	DX; Rear Drum Brakes	Floating	Drum	11.55"	2.71"	6 -139.7 mm	BD3517

PILOT

FRONT

12-09		Vented	Rotor	318 mm	48.9 mm	5 -114.3 mm	BR900530
08-03		Vented	Rotor	300 mm	47.2 mm	5 -114.3 mm	BR31275

REAR

12-09		Vented	Rotor	346 mm	64 mm	5 -114.3 mm	BR900532
08-03		Solid	Rotor	313 mm	55.8 mm	5 -114.3 mm	BR31318

PRELUDE

FRONT

01-97		Vented	Rotor	281.6 mm	47.1 mm	5 -114.3 mm	BR3296
96-93	VTEC	Vented	Rotor	281.8 mm	47 mm	4 -114.3 mm	BR31174
96-92	Exc. VTEC	Vented	Rotor	260 mm	47.2 mm	4 -114.3 mm	BR3297
1991		Vented	Rotor	262 mm	51.3 mm	4 -100 mm	BR3182
90-88	Si	Vented	Rotor	262 mm	51.3 mm	4 -100 mm	BR3182
	S	Vented	Rotor	242 mm	49.5 mm	4 -100 mm	BR3116
87-85	Si	Vented	Rotor	242 mm	49.5 mm	4 -100 mm	BR3116
	Exc. Si	Vented	Rotor	230.5 mm	49.5 mm	4 -100 mm	BR3164
84-83		Vented	Rotor	230.5 mm	49.5 mm	4 -100 mm	BR3164
82-79		Solid	Rotor	231 mm	49.6 mm	4 -100 mm	BR3185

REAR

01-97		Solid	Rotor	259.6 mm	42.2 mm	5 -114.3 mm	BR31227
96-92		Solid	Rotor	260 mm	43 mm	4 -114.3 mm	BR31070
91-88		Solid	Rotor	239 mm	48.2 mm	4 -100 mm	BR3258
87-84		Solid	Rotor	239 mm	72 mm	4 -100 mm	BR3166
1983		Hub/ Bearing	Drum	240 mm	72 mm	4 -100 mm	BD3571
82-79		Hub/ Bearing	Drum	216 mm	78 mm	4 -100 mm	BD3573

RIDGELINE

FRONT

12-06		Vented	Rotor	320 mm	47.6 mm	5 -118.2	BR900392
-------	--	--------	-------	--------	---------	----------	----------

REAR

12-06		Solid	Rotor	330 mm	56.2 mm	5 -118.2	BR900394
-------	--	-------	-------	--------	---------	----------	----------

S2000

FRONT

09-00		Vented	Rotor	299.6 mm	39.6 mm	5 -114.3 mm	BR31272
-------	--	--------	-------	----------	---------	-------------	---------

REAR

09-00		Solid	Rotor	281.6 mm	39.6 mm	5 -114.3 mm	BR31271
-------	--	-------	-------	----------	---------	-------------	---------

WAGOVAN

FRONT

87-86		Vented	Rotor	231 mm	44 mm	4 -100 mm	BR3134
1984		Vented	Rotor	231 mm	44 mm	4 -100 mm	BR3134

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

HONDA

WAGOVAN

REAR

87-86		Floating	Drum	237 mm	61.5 mm	4 -100 mm	BD3566
1984		Floating	Drum	237 mm	61.5 mm	4 -100 mm	BD3566

HUMMER (H1, REFER TO AM GENERAL)

H2

FRONT

09-03		Vented	Rotor	12.79"	3.51"	8 -6.5"	BR55072
-------	--	--------	-------	--------	-------	---------	---------

REAR

09-03		Vented	Rotor	12.99"	3.38"	8 -6.5"	BR55057
-------	--	--------	-------	--------	-------	---------	---------

H3

FRONT

10-06		Vented	Rotor	12.41"	2.80"	6 -5.5"	BR900376
-------	--	--------	-------	--------	-------	---------	----------

REAR

10-06		Solid	Rotor	12.82"	2.7"	6 -5.5"	BR900384
-------	--	-------	-------	--------	------	---------	----------

HYUNDAI

ACCENT

FRONT

13-12		Vented	Rotor	256 mm	44.5 mm	4 -100 mm	BR901092
11-06		Vented	Rotor	256 mm	46.83 mm	4 -100 mm	BR900292
05-03		Vented	Rotor	241 mm	52 mm	4 -100 mm	BR31321
02-00		Vented	Rotor	241 mm	52 mm	4 -100 mm	BR31319
99-95		Vented	Rotor	242 mm	40.5 mm	4 -104 mm	BR3172

REAR

13-12		Solid	Rotor	262 mm	44.5 mm	4 -100 mm	BR901094
11-06	w/ Rear Drum Brakes	Floating	Drum	243 mm	58 mm	4 -100 mm	BD920116
08-06	w/ Rear Disc Brakes	Solid	Rotor	262.1 mm	64.3 mm	4 -100 mm	BR900440
05-03		Floating	Drum	249mm	64mm	4 -100 mm	BD35102
02-00		Floating	Drum	221 mm	63.2 mm	4 -100 mm	BD35096
99-6 /96	From 6/96	Floating	Drum	215.4 mm	58.7 mm	4 -114.3 mm	BD35058
5 /96-95	To 5/96	Floating	Drum	216 mm	58.6 mm	4 -114.3 mm	BD35015

AZERA

FRONT

12-06		Vented	Rotor	302.88 mm	47.33 mm	5 -4.5"	BR31362
-------	--	--------	-------	-----------	----------	---------	---------

REAR

12-10		Solid	Rotor	284 mm	54.62 mm	5 -114.3"	BR31424
09-06		Solid	Rotor	284 mm	55.5 mm	5 -114.3 mm	BR900398

COUPE

FRONT

09-3 /02	w/ 280mm Front Rotors; From 3/02	Vented	Rotor	280 mm	47.3 mm	5 -114.3 mm	BR31337
2 /02-9 /98	w/ 257mm Front Rotors; 9/98 To 2/02	Vented	Rotor	10 7/64"	1 13/16"	4 -4 1/2"	BR31301

ELANTRA

FRONT

2013		Vented	Rotor	280 mm	44.9 mm	5 -114.3 mm	BR901096
12-11	Exc. Touring ; 44.9mm Overall Height	Vented	Rotor	280 mm	44.9 mm	5 -114.3 mm	BR901096

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

HYUNDAI

ELANTRA

FRONT

12-09	Touring ; Wagon	Vented	Rotor	280 mm	47.8 mm	5 -114.3 mm	BR900800
10-09	Exc. Touring	Vented	Rotor	275.5 mm	47.7 mm	5 -114.3 mm	BR900442
08-07		Vented	Rotor	275.5 mm	47.7 mm	5 -114.3 mm	BR900442
06-98	From 8/16/98	Vented	Rotor	257 mm	45.67 mm	4 -114.3 mm	BR31320
98-92	To 8/16/98	Vented	Rotor	257 mm	34 mm	4 -104 mm	BR31061

REAR

2013		Solid	Rotor	262 mm	45.6 mm	5 -114.3 mm	BR901100
12-11	Exc. Touring; 45.6mm Overall Height	Solid	Rotor	262 mm	45.6 mm	5 -114.3 mm	BR901100
12-09	Touring ; Wagon	Solid	Rotor	262 mm	61.6 mm	5 -114.3 mm	BR900790
10-09	Exc. Touring	Solid	Rotor	262 mm	61.25 mm	5 -114.3 mm	BR900444
10-2 /07	From 2/07; Canada Only: w/ 244mm Rear Brakes	Floating	Drum	244 mm	55 mm	5 -114. mm	BD920144
08-07		Solid	Rotor	262 mm	61.25 mm	5 -114.3 mm	BR900444
06-03	w/ Rear Drum Brakes	Floating	Drum	242 mm	59 mm	4 -114.3 mm	BD35104
06-97	w/ Rear Disc Brakes	Solid	Rotor	257.7 mm	40.4 mm	4 -114.3 mm	BR31242
02-97	w/ Rear Drum Brakes	Floating	Drum	244 mm	61 mm	4 -114.3 mm	BD35069
96-94	w/ Rear Drum Brakes	Hub/ Bearing	Drum	245 mm	71.36 mm	4 -114.3 mm	BD35020
	w/ Rear Disc Brakes	Solid	Rotor	258 mm	40.3 mm	4 -114.3 mm	BR31196
93-92		Hub/ Bearing	Drum	245 mm	71.36 mm	4 -114.3 mm	BD35020

ENTOURAGE

FRONT

09-06		Vented	Rotor	298mm	54.33mm	6 -5.5"	BR900288
-------	--	--------	-------	-------	---------	---------	----------

REAR

09-06		Solid	Rotor	301.9 mm	70.3 mm	6 -5.5"	BR900290
-------	--	-------	-------	----------	---------	---------	----------

EXCEL

FRONT

94-87		Vented	Rotor	242 mm	40.5 mm	4 -104 mm	BR3172
1986		Solid	Rotor	229 mm	39.4 mm	4 -104 mm	BR3170

REAR

94-8 /92	From 8/92	Hub/ Bearing	Drum	216 mm	71.7 mm	4 -114.3 mm	BD35025
7 /92-8 /89	8/89 To 7/92	Hub/ Bearing	Drum	216 mm	71.7 mm	4 -114.3 mm	BD35000
7 /89-9 /88	9/88 To 7/89	Hub/ Bearing	Drum	216 mm	71.12 mm	4 -114.3 mm	BD3574

GENESIS (COUPE)

FRONT

13-10	Exc. Track & R-Spec; w/ 320mm Front Rotors	Vented	Rotor	321 mm	57 mm	5 -114.3 mm	BR900792
	Track & R-Spec; w/ 340mm Front Rotors	Vented	Rotor	340 mm	57 mm	5 -114.3 mm	BR900796

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

HYUNDAI

GENESIS (COUPE)

REAR

13-10	Track & R-Spec; w/ 330mm Rear Rotors	Vented	Rotor	330 mm	60 mm	5 -114.3 mm	BR900798
	Exc. Track & R-Spec; w/ 314mm Rear Rotors	Solid	Rotor	314 mm	60 mm	5 -114.3 mm	BR900794

GENESIS (SEDAN)

FRONT

2012	3.8L 330mm Front Rotor	Vented	Rotor	330.2 mm	57.8 mm	5 -114.3 mm	BR900784
11-09	3.8L	Vented	Rotor	320.2 mm	57.2 mm	5 -114.3 mm	BR900786
	4.6L	Vented	Rotor	330.2 mm	57.8 mm	5 -114.3 mm	BR900784

REAR

12-09		Solid	Rotor	314.1 mm	60.7mm	5 -114.3 mm	BR900788
-------	--	-------	-------	----------	--------	-------------	----------

I20

FRONT

09-08	w/ 256mm Front Rotors	Vented	Rotor	256 mm	46.83 mm	4 -100 mm	BR900292
-------	-----------------------	--------	-------	--------	----------	-----------	----------

I30

FRONT

09-07	w/ 280mm Front Rotors	Vented	Rotor	280 mm	47.8 mm	5 -114.3 mm	BR900800
-------	-----------------------	--------	-------	--------	---------	-------------	----------

LANTRA

FRONT

5 /00-4 /98	w/ 257mm Front Rotors; 4/98 To 5/00	Vented	Rotor	10 7/64"	1 13/16"	4 -4 1/2"	BR31301
-------------	-------------------------------------	--------	-------	----------	----------	-----------	---------

SANTA FE

FRONT

12-10		Vented	Rotor	300 mm	49.5 mm	5 -114.3 mm	BR900892
09-07		Vented	Rotor	298 mm	49.5 mm	5 -114.3 mm	BR900446
2006		Vented	Rotor	293.8 mm	46.1 mm	5 -114.3 mm	BR31313
05-01	w/ 293mm Front Rotors	Vented	Rotor	293.8 mm	46.1 mm	5 -114.3 mm	BR31313
	w/ 275mm Front Rotors	Vented	Rotor	276 mm	46.3 mm	5 -114.3 mm	BR31340

REAR

12-10		Solid	Rotor	302 mm	72 mm	5 -114.3 mm	BR900894
09-07		Solid	Rotor	302 mm	72.4 mm	5 -114.3 mm	BR900448
06-01	w/ Rear Disc Brakes	Solid	Rotor	283.8 mm	61 mm	5 -114.3 mm	BR31336
2001	w/ ABS; Rear Drum Brakes	Floating	Drum	299.2 mm	75.6 mm	5 -114.3 mm	BD35105
	w/o ABS; Rear Drum Brakes	Floating	Drum	299.2 mm	75.6 mm	5 -114.3 mm	BD35109

SCOUPE

FRONT

95-91		Vented	Rotor	242 mm	40.5 mm	4 -104 mm	BR3172
-------	--	--------	-------	--------	---------	-----------	--------

REAR

95-93		Hub/ Bearing	Drum	216 mm	71.7 mm	4 -114.3 mm	BD35025
92-91		Hub/ Bearing	Drum	216 mm	71.7 mm	4 -114.3 mm	BD35000

SONATA

FRONT

13-11		Vented	Rotor	299.97	47.69	5 -4.5"	BR900280
10-06	3.3L	Vented	Rotor	299.97	47.69	5 -4.5"	BR900280
	2.4L	Vented	Rotor	280 mm	47.3 mm	5 -114.3 mm	BR31337
05-9 /03	From 9/03	Vented	Rotor	280 mm	47.5 mm	4 -114.3 mm	BR31384

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

HYUNDAI

SONATA

FRONT

8 /03-4 /03	w/o ABS; 4/03 To 8/03	Vented	Rotor	280 mm	47.5 mm	4 -114.3 mm	BR31384
	w/ ABS; 4/03 To 8/03	Vented	Rotor	257 mm	47.48 mm	4 -114.3 mm	BR31309
3 /03-01	To 3/03	Vented	Rotor	257 mm	47.48 mm	4 -114.3 mm	BR31309
00-99		Vented	Rotor	10 7/64"	1 13/16"	4 -4 1/2"	BR31301
98-89		Vented	Rotor	257 mm	45.2 mm	4 -114.3 mm	BR3186

REAR

13-11		Solid	Rotor	284 mm	54.62 mm	5 -114.3"	BR31424
10-06	3.3L	Solid	Rotor	284 mm	54.62 mm	5 -114.3"	BR31424
	2.4L	Solid	Rotor	262 mm	61 mm	5 -114.3 mm	BR31339
05-99	w/ Rear Disc Brakes	Solid	Rotor	262 mm	61 mm	4 -114.3 mm	BR31333
02-99	w/ Rear Drum Brakes	Floating	Drum	272.5 mm	63.16 mm	4 -114.3 mm	BD35095
98-94	w/ Rear Drum Brakes	Floating	Drum	272.1 mm	63.6 mm	4 -114.3 mm	BD35036
	w/ Rear Disc Brakes	Solid	Rotor	260.2 mm	59.7 mm	4 -114.3 mm	BR31182
93-92	w/ Rear Disc Brakes	Solid	Rotor	262 mm	46.6 mm	4 -114.3 mm	BR31145
93-91	w/ Rear Drum Brakes	Floating	Drum	264.6 mm	72.3 mm	4 -114.3 mm	BD35006
90-89		Floating	Drum	271.7 mm	70.8 mm	4 -114.3 mm	BD3570

SONICA

FRONT

2 /06-05	2.4L 16-Valve; w/ 280mm Front Rotors; To 2/06	Vented	Rotor	280 mm	47.3 mm	5 -114.3 mm	BR31337
04-10/01	2.0L 16-Valve & 2.7L V6; From 10/01	Vented	Rotor	280 mm	47.5 mm	4 -114.3 mm	BR31384
9 /00-6 /98	6/98 To 9/00	Vented	Rotor	10 7/64"	1 13/16"	4 -4 1/2"	BR31301

TIBURON

FRONT

08-07	Exc. 6 Speed M/T	Vented	Rotor	280 mm	47.3 mm	5 -114.3 mm	BR31337
06-03		Vented	Rotor	280 mm	47.3 mm	5 -114.3 mm	BR31337
01-99		Vented	Rotor	257 mm	45.67 mm	4 -114.3 mm	BR31109
98-97		Vented	Rotor	257 mm	34 mm	4 -104 mm	BR31061

REAR

08-07	Exc. 6 Speed M/T	Solid	Rotor	258 mm	45.3 mm	5 -114.3 mm	BR31335
06-03		Solid	Rotor	258 mm	45.3 mm	5 -114.3 mm	BR31335
01-97	w/ Rear Disc Brakes	Solid	Rotor	257.7 mm	40.4 mm	4 -114.3 mm	BR31242
99-97	w/ Rear Drum Brakes	Floating	Drum	244 mm	61 mm	4 -114.3 mm	BD35069

TUCSON

FRONT

2013		Vented	Rotor	299.97	47.69	5 -4.5"	BR900280
12-10	AWD	Vented	Rotor	299.97	47.69	5 -4.5"	BR900280
	FWD	Vented	Rotor	280 mm	47.3 mm	5 -114.3 mm	BR31337
09-05		Vented	Rotor	280 mm	47.3 mm	5 -114.3 mm	BR31337

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

HYUNDAI

TUCSON

REAR

13-10	FWD	Solid	Rotor	262 mm	61.6 mm	5 -114.3 mm	BR900790
13-05	4WD & AWD	Solid	Rotor	283.8 mm	61 mm	5 -114.3 mm	BR31336
09-05	FWD	Solid	Rotor	262 mm	61 mm	5 -114.3 mm	BR31339

VELOSTER

FRONT

2013	Turbo ; 300mm Rotor	Vented	Rotor	299.97	47.69	5 -4.5"	BR900280
13-12	Non-Turbo ; 280mm Rotor	Vented	Rotor	280 mm	44.9 mm	5 -114.3 mm	BR901096

REAR

2012		Solid	Rotor	262 mm	45.6 mm	5 -114.3 mm	BR901100
------	--	-------	-------	--------	---------	-------------	----------

VERACRUZ

FRONT

12-07		Vented	Rotor	321 mm	49.4 mm	5 -114.3 mm	BR900450
-------	--	--------	-------	--------	---------	-------------	----------

REAR

12-07		Solid	Rotor	325 mm	67.7 mm	5 -114.3 mm	BR900452
-------	--	-------	-------	--------	---------	-------------	----------

XG300

FRONT

2001		Vented	Rotor	276 mm	46.2 mm	5 -114.3 mm	BR31338
------	--	--------	-------	--------	---------	-------------	---------

REAR

2001		Solid	Rotor	262 mm	61 mm	5 -114.3 mm	BR31339
------	--	-------	-------	--------	-------	-------------	---------

XG350

FRONT

05-4 /03	From 4/2003	Vented	Rotor	302.88 mm	47.33 mm	5 -4.5"	BR31362
3 /03-02	To 3/2003	Vented	Rotor	276 mm	46.2 mm	5 -114.3 mm	BR31338

REAR

05-02		Solid	Rotor	262 mm	61 mm	5 -114.3 mm	BR31339
-------	--	-------	-------	--------	-------	-------------	---------

IC BUS

BE,CE,HC,LC

FRONT

09-02	5 Hole Hat Shaped	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
	10 Hole Hat Shaped; 3.2" Overall Height	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102

REAR

09-02	10 Hole Hat Shaped; 3.2" Overall Height	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
	5 Hole Hat Shaped	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902

IHC/ NAVISTAR

1400,1700,1800,1900,2000,4000 SERIES

FRONT

01-84	6 Stud, Hat Shaped Marmon, Disc Style	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606
-------	---------------------------------------	--------	-------	-----	------	----------	--------

INFINITI

EX35 / EX37

FRONT

13-08		Vented	Rotor	320 mm	49.2 mm	5 -114.3 mm	BR31341
-------	--	--------	-------	--------	---------	-------------	---------

REAR

13-08		Vented	Rotor	307.6 mm	66.58 mm	5 -114.3 mm	BR31387
-------	--	--------	-------	----------	----------	-------------	---------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

INFINITI

FX35 / FX37

FRONT

13-11/05	From 11/05	Vented	Rotor	320 mm	50.8 mm	5 -114.3 mm	BR900420
11/05-03	To 11/05	Vented	Rotor	320 mm	49.2 mm	5 -114.3 mm	BR31341

REAR

13-03		Vented	Rotor	307.6 mm	62.1 mm	5 -114.3 mm	BR31348
-------	--	--------	-------	----------	---------	-------------	---------

FX45

FRONT

08-11/05	From 11/05	Vented	Rotor	320 mm	50.8 mm	5 -114.3 mm	BR900420
11/05-03	To 11/05	Vented	Rotor	320 mm	49.2 mm	5 -114.3 mm	BR31341

REAR

08-03		Vented	Rotor	307.6 mm	62.1 mm	5 -114.3 mm	BR31348
-------	--	--------	-------	----------	---------	-------------	---------

FX50

FRONT

13-09		Vented	Rotor	355 mm	52 mm	5 -114.3 mm	BR900720
-------	--	--------	-------	--------	-------	-------------	----------

REAR

13-09		Vented	Rotor	350 mm	62.8 mm	5 -114.3 mm	BR901120
-------	--	--------	-------	--------	---------	-------------	----------

G20

FRONT

02-99		Vented	Rotor	280 mm	49.2 mm	4 -114.3 mm	BR31057
96-91		Vented	Rotor	257 mm	49 mm	4 -114.3 mm	BR3264

REAR

02-99		Solid	Rotor	258 mm	44.5 mm	4 -114.3 mm	BR31046
96-91		Solid	Rotor	258 mm	44.5 mm	4 -114.3 mm	BR31046

G25

FRONT

12-11	AWD	Vented	Rotor	320 mm	49.2 mm	5 -114.3 mm	BR31341
	RWD	Vented	Rotor	330 mm	49.6 mm	5 -114.3 mm	BR900536

REAR

12-11	RWD	Vented	Rotor	330 mm	62.2 mm	5 -114.3 mm	BR900538
	AWD	Vented	Rotor	307.6 mm	66.58 mm	5 -114.3 mm	BR31387

G35

FRONT

08-07	Exc. 2WD Sport Sedan; 320mm Rotors Front and 308mm Rotors Rear	Vented	Rotor	320 mm	49.2 mm	5 -114.3 mm	BR31341
	2WD Sport Sedan ; 330mm Rotors Front and Rear	Vented	Rotor	330 mm	49.6 mm	5 -114.3 mm	BR900536
2006		Vented	Rotor	320 mm	49.2 mm	5 -114.3 mm	BR31341
2005	2WD	Vented	Rotor	320 mm	49.2 mm	5 -114.3 mm	BR31341
	4WD	Vented	Rotor	295.7 mm	49.2 mm	5 -114.3 mm	BR31350
04-03	Std.Brakes	Vented	Rotor	295.7 mm	49.2 mm	5 -114.3 mm	BR31350
	w/ Brembo Package	Vented	Rotor	324 mm	49 mm	5 -114.3 mm	BR900400

REAR

08-07	2WD Sport Sedan ; 330mm Rotors Front and Rear	Vented	Rotor	330 mm	62.2 mm	5 -114.3 mm	BR900538
	Exc. 2WD Sport Sedan; 320mm Rotors Front and 308mm Rotors Rear	Vented	Rotor	307.6 mm	66.58 mm	5 -114.3 mm	BR31387

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

INFINITI

G35

REAR

2006		Vented	Rotor	307.6 mm	66.58 mm	5 -114.3 mm	BR31387
2005	2WD	Vented	Rotor	307.6 mm	66.58 mm	5 -114.3 mm	BR31387
	4WD	Vented	Rotor	291.8 mm	62 mm	5 -114.3 mm	BR31349
04-03	Std.Brakes	Vented	Rotor	291.8 mm	62 mm	5 -114.3 mm	BR31349
	w/ Brembo Package	Vented	Rotor	322 mm	63.6 mm	5 -114.3	BR900716

G37

FRONT

13-09	Coupe/ Convertible; Exc. Sport Package	Vented	Rotor	330 mm	49.6 mm	5 -114.3 mm	BR900536
	Sedan; Exc. Sport Package	Vented	Rotor	320 mm	49.2 mm	5 -114.3 mm	BR31341
13-08	Sport & Journey (355mm Front Rotors)	Vented	Rotor	355 mm	52 mm	5 -114.3 mm	BR900720
2008	Exc. Sport	Vented	Rotor	330 mm	49.6 mm	5 -114.3 mm	BR900536

REAR

13-09	Coupe/ Convertible; Exc. Sport Package	Vented	Rotor	330 mm	62.2 mm	5 -114.3 mm	BR900538
	Sedan; Exc. Sport Package	Vented	Rotor	307.6 mm	66.58 mm	5 -114.3 mm	BR31387
13-08	Sport & Journey (350mm Rear Rotors)	Vented	Rotor	350 mm	64 mm	5 -114.3 mm	BR900722
2008	Exc. Sport	Vented	Rotor	330 mm	62.2 mm	5 -114.3 mm	BR900538

I30

FRONT

01-00		Vented	Rotor	279.8 mm	49.2 mm	5 -114.3 mm	BR31277
99-96		Vented	Rotor	280 mm	49.1 mm	5 -114.3 mm	BR3218

REAR

01-96		Solid	Rotor	277.6 mm	44.7 mm	5 -114.3 mm	BR31134
-------	--	-------	-------	----------	---------	-------------	---------

I35

FRONT

04-02		Vented	Rotor	296 mm	49.2 mm	5 -114.3 mm	BR31306
-------	--	--------	-------	--------	---------	-------------	---------

REAR

04-02		Solid	Rotor	277.6 mm	44.7 mm	5 -114.3 mm	BR31134
-------	--	-------	-------	----------	---------	-------------	---------

J30

FRONT

97-93		Vented	Rotor	279.9 mm	53.7 mm	5 -114.3 mm	BR31012
-------	--	--------	-------	----------	---------	-------------	---------

REAR

97-93		Vented	Rotor	291.9 mm	64.06 mm	5 -114.3 mm	BR31141
-------	--	--------	-------	----------	----------	-------------	---------

JX35

REAR

2013		Vented	Rotor	307.6 mm	62.1 mm	5 -114.3 mm	BR31348
------	--	--------	-------	----------	---------	-------------	---------

M30

FRONT

92-90		Vented	Rotor	274 mm	48 mm	4 -114.3 mm	BR31020
-------	--	--------	-------	--------	-------	-------------	---------

REAR

92-90		Solid	Rotor	265.9 mm	69.4 mm	4 -114.3 mm	BR31019
-------	--	-------	-------	----------	---------	-------------	---------

M35

FRONT

10-06		Vented	Rotor	320 mm	49.2 mm	5 -114.3 mm	BR31341
-------	--	--------	-------	--------	---------	-------------	---------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
INFINITI							
M35			REAR				
10-06		Vented	Rotor	307.6 mm	66.58 mm	5 -114.3 mm	BR31387
M35H			FRONT				
13-12		Vented	Rotor	320 mm	49.2 mm	5 -114.3 mm	BR31341
			REAR				
13-12		Vented	Rotor	307.6 mm	62.1 mm	5 -114.3 mm	BR31348
M37			FRONT				
13-11	w/ 320mm Front Rotors	Vented	Rotor	320 mm	49.2 mm	5 -114.3 mm	BR31341
	w/ 355mm Front Rotors (Sport Package)	Vented	Rotor	355 mm	52 mm	5 -114.3 mm	BR900720
			REAR				
13-11	350mm Rotor (Sport Package)	Vented	Rotor	350 mm	62.8 mm	5 -114.3 mm	BR901120
	w/ 308mm Rear Rotors	Vented	Rotor	307.6 mm	62.1 mm	5 -114.3 mm	BR31348
M45			FRONT				
10-06		Vented	Rotor	320 mm	49.2 mm	5 -114.3 mm	BR31341
04-03		Vented	Rotor	290 mm	49.5 mm	5 -114.3 mm	BR900408
			REAR				
10-06		Vented	Rotor	307.6 mm	66.58 mm	5 -114.3 mm	BR31387
M56			FRONT				
13-11	w/ 320mm Front Rotors	Vented	Rotor	320 mm	49.2 mm	5 -114.3 mm	BR31341
	w/ 355mm Front Rotors	Vented	Rotor	355 mm	52 mm	5 -114.3 mm	BR900720
			REAR				
13-11	350mm Rotor (Sport Package)	Vented	Rotor	350 mm	62.8 mm	5 -114.3 mm	BR901120
	w/ 308mm Rear Rotors	Vented	Rotor	307.6 mm	62.1 mm	5 -114.3 mm	BR31348
Q45			FRONT				
07-02		Vented	Rotor	290 mm	49.5 mm	5 -114.3 mm	BR900408
01-97		Vented	Rotor	295.8 mm	53.72 mm	5 -114.3 mm	BR31236
96-90		Vented	Rotor	279.9 mm	53.7 mm	5 -114.3 mm	BR31012
			REAR				
07-02		Vented	Rotor	292 mm	64.5 mm	5 -114.3 mm	BR900214
01-97		Vented	Rotor	291.9 mm	64.06 mm	5 -114.3 mm	BR31141
96-90		Solid	Rotor	291.6 mm	64 mm	5 -114.3 mm	BR31036
QX4			FRONT				
03-98		Vented	Rotor	300 mm	38 mm	6 -124 mm	BR31250
1997		Vented	Rotor	283 mm	38 mm	6 -124 mm	BR31158
			REAR				
03-97		Floating	Drum	340.5 mm	89.3 mm	6 -139.7 mm	BD35019
QX56			FRONT				
13-08		Vented	Rotor	350 mm	43.6 mm	6 -139.7	BR900542
07-10/05	w/ 350mm Front Rotors; Akebono Calipers; From 10/05	Vented	Rotor	350 mm	43.6 mm	6 -139.7 mm	BR900418
10/06-3 /05	w/ 320mm Front Rotors; Bosch Calipers; 3/05 To 10/06	Vented	Rotor	318.5	43.3	6 -139.7	BR900286

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

INFINITI

QX56

FRONT

3 /05-04	To 3/05	Vented	Rotor	320 mm	43.3 mm	6 -139.7 mm	BR31328
----------	---------	--------	-------	--------	---------	-------------	---------

REAR

13-11		Vented	Rotor	350 mm	64.8 mm	6 -139.7	BR901118
10-04		Solid	Rotor	291.8 mm	62 mm	5 -139.7 mm	BR31329

INTERNATIONAL

1000 SERIES

FRONT

04-98	10 Hole , Hat Shaped; 3.2" Overall Height	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
98-80	w/ 5 Hole - Hat Shaped Rotor	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
98-73	6 Hole; Hat Shaped Rotor	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606

REAR

04-98	10 Hole , Hat Shaped; 3.2" Overall Height	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
98-73	6 Hole; Hat Shaped Rotor	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606

3000 SERIES

FRONT

09-94	10 Hole , Hat Shaped; 3.2" Overall Height	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
05-98	w/ 5 Hole - Hat Shaped Rotor	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
05-90	6 Hole; Hat Shaped Rotor	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606
93-90	w/ 5 Hole - Hat Shaped Rotor	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902

REAR

09-94	10 Hole , Hat Shaped; 3.2" Overall Height	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
05-98	w/ 5 Hole - Hat Shaped Rotor	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
05-90	6 Hole; Hat Shaped Rotor	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606

4000 SERIES

FRONT

09-94	10 Hole , Hat Shaped; 3.2" Overall Height	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
07-90	w/ 5 Hole - Hat Shaped Rotor	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
	6 Hole; Hat Shaped Rotor	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606

REAR

09-90	10 Hole , Hat Shaped; 3.2" Overall Height	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
07-98	w/ 5 Hole - Hat Shaped Rotor	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
07-90	6 Hole; Hat Shaped Rotor	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606

7000 SERIES

FRONT

07-90	6 Hole; Hat Shaped Rotor	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606
06-90	w/ 5 Hole - Hat Shaped Rotor	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902

REAR

07-90	6 Hole; Hat Shaped Rotor	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606
06-02	w/ 5 Hole - Hat Shaped Rotor	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

INTERNATIONAL

CF500, CF600

FRONT

10-06		Vented	Rotor	15.55"	4.87"	10-6.43"	BR900359
-------	--	--------	-------	--------	-------	----------	----------

REAR

10-06		Vented	Rotor	15.55"	4.87"	10-6.43"	BR900359
-------	--	--------	-------	--------	-------	----------	----------

S MODELS

FRONT

85-73	6 Hole; Hat Shaped Rotor	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606
-------	--------------------------	--------	-------	-----	------	----------	--------

REAR

85-73	6 Hole; Hat Shaped Rotor	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606
-------	--------------------------	--------	-------	-----	------	----------	--------

SCOUT

FRONT

71-61	10 Inch Front Drum Brake; 11 Inch Rear Drum Brake	Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889
-------	---	----------	------	--------	-------	---------	--------

SCOUT II

FRONT

80-74		Vented	Rotor	11.75"	2.2"	5 -5.5"	BR5111
73-71		Floating	Drum	13.43"	3.6"	5 -5.5"	BD8882

ISUZU

AMIGO

FRONT

00-98	Sellout and Reorder BR31163 Replaces BR31115	Vented	Rotor	280 mm	36 mm	6 -108mm	BR31115
		Vented	Rotor	280 mm	36 mm	6 -108 mm	BR31163
94-91	2.6L	Vented	Rotor	280 mm	36 mm	6 -108 mm	BR31163
93-91	2.3L	Vented	Rotor	257.5 mm	36 mm	6 -108 mm	BR3233
90-89		Vented	Rotor	257.5 mm	36 mm	6 -108 mm	BR3233

REAR

00-98	4WD	Vented	Rotor	313.5 mm	80.2 mm	6 -139.7 mm	BR31084
	2WD	Floating	Drum	335.3 mm	80.51 mm	6 -139.7 mm	BD35072
94-91	w/ Rear Disc Brakes	Vented	Rotor	313.5 mm	80.2 mm	6 -139.7 mm	BR31084
93-91	w/ Rear Drum Brakes	Floating	Drum	11.55"	2.71"	6 -139.7 mm	BD3517
90-89	Rear Drum Brake	Floating	Drum	11.55"	2.71"	6 -139.7 mm	BD3517
	Rear Disc Brake	Solid	Rotor	265.3 mm	47.5 mm	6 -139.7 mm	BR31135

ASCENDER

FRONT

08-07	12" w/ Internal Venting	Vented	Rotor	12.01"	2.15"	6 -5"	BR55069
08-06	11.9" w/ External Venting	Vented	Rotor	11.9"	2.17"	6 -5"	BR55112
06-04	5 Passenger	Vented	Rotor	12.01"	2.15"	6 -5"	BR55069
	7 Passenger	Vented	Rotor	12.8"	2.14"	6 -5"	BR55079
2003		Vented	Rotor	12.8"	2.14"	6 -5"	BR55079

REAR

08-03		Vented	Rotor	12.8"	3.35"	6 -5"	BR55073
-------	--	--------	-------	-------	-------	-------	---------

AXIOM

FRONT

04-02		Vented	Rotor	290 mm	57.2 mm	6 -139.7 mm	BR31310
-------	--	--------	-------	--------	---------	-------------	---------

REAR

04-02	4WD	Vented	Rotor	313.5 mm	80.2 mm	6 -139.7 mm	BR31084
	2WD	Floating	Drum	335.3 mm	80.51 mm	6 -139.7 mm	BD35072

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

ISUZU

FSR,FTR,FVR,FXR

FRONT

02-97	10 Hole with 5 Exciter Ring Installation Holes	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR901130
02-3 /96	11,000-12,000 FA; Bendix Calipers; From 3/96	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	8100 lb FA; Dayton Calipers; From 3/96	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584

REAR

02-97	10 Hole with 5 Exciter Ring Installation Holes	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR901130
02-3 /96	19,000 lb SRW : 34,000 lb DRW : 15 3/8 Inch Rotor; From 3/96	Vented	Rotor	15 3/8"	3 13/32"	10-7 1/4"	BR5583
	15,000 lb RA; From 3/96	Vented	Rotor	14 3/4"	3 13/16"	5 -6 3/4"	BR5584
	19,000 lb SRW : 34,000 lb DRW : 14 3/4 Inch Rotor; From 3/96	Vented	Rotor	14 3/4"	3 11/16"	10-7.25"	BR5592

HOMBRE

FRONT

00-98	4WD	Vented	Rotor	10.76"	2.15"	5 -4.75"	BR55047
	2WD	Vented	Rotor	10.47"	4.31"	5 -4.75"	BR31254
97-96		Vented	Rotor	10.47"	4.31"	5 -4.75"	BR31254

REAR

00-98	4WD	Vented	Rotor	11.61"	3.74"	5 -4.75"	BR55038
	2WD	Floating	Drum	11.97"	3.2"	5 -4.75"	BD8988
97-96		Floating	Drum	11.97"	3.2"	5 -4.75"	BD8988

I-280, I-290, I-350, I370 PICKUP

FRONT

08-06		Vented	Rotor	11.02"	1.57"	6 -4.5"	BR55090
-------	--	--------	-------	--------	-------	---------	---------

REAR

08-06		Floating	Drum	13.14"	3.17"	6 -5.5"	BD80120
-------	--	----------	------	--------	-------	---------	---------

I-MARK

FRONT

89-87	Hard Suspension	Vented	Rotor	230 mm	43 mm	4 -100 mm	BR3242
	ex. Hard Suspension	Solid	Rotor	227 mm	42 mm	4 -100 mm	BR3102
86-85	Exc. DLX	Solid	Rotor	227 mm	42 mm	4 -100 mm	BR3102

REAR

89-85	Exc. DLX	Hub/ Bearing	Drum	214 mm	69.09 mm	4 -100 mm	BD3556
-------	----------	-----------------	------	--------	----------	-----------	--------

IMPULSE

FRONT

92-90		Vented	Rotor	248.3 mm	45.1 mm	4 -100 mm	BR31000
89-83		Vented	Rotor	250 mm	32.5 mm	4 -88 mm	BR3241

REAR

92-90		Solid	Rotor	256 mm	47 mm	4 -100 mm	BR31104
89-83		Vented	Rotor	266 mm	59 mm	4 -100 mm	BR31035

NPR

FRONT

10-99	363 mm Rotor ; Over 14000 GVW	Vented	Rotor	363 mm	100.2 mm	12-136.7 mm	BR901122
-------	-------------------------------	--------	-------	--------	----------	-------------	----------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
ISUZU							
NPR FRONT							
07-1 /98	Class 4; From 1/98	Vented	Rotor	293.3 mm	57.3 mm	12-136 mm	BR31296
12/97-8 /87	8/87 To 12/97	Vented	Rotor	11 7/64"	2 1/2"	12-136 mm	BR55035
NQR FRONT							
10-99	363 mm Rotor ; Over 16000 GVW	Vented	Rotor	363 mm	100.2 mm	12-136.7 mm	BR901122
07-99	293 mm Rotor ; Under 16000 GVW	Vented	Rotor	293.3 mm	57.3 mm	12-136 mm	BR31296
NRR FRONT							
10-05		Vented	Rotor	363 mm	100.2 mm	12-136.7 mm	BR901122
OASIS FRONT							
99-96		Vented	Rotor	281.6 mm	47.1 mm	5 -114.3 mm	BR3296
REAR							
99-96		Solid	Rotor	282 mm	61.15 mm	5 -114.3 mm	BR31105
PICKUP FRONT							
95-91		Vented	Rotor	257.5 mm	36 mm	6 -108 mm	BR3233
1990	Exc. 1 TON, NORMAL CAB; 2WD & 4WD	Vented	Rotor	257.5 mm	36 mm	6 -108 mm	BR3233
90-87	2WD & 4WD	Vented	Rotor	257.5 mm	36 mm	6 -108 mm	BR3233
86-84		Vented	Rotor	251 mm	33.5 mm	6 -102 mm	BR3231
83-81		Solid	Rotor	259 mm	37 mm	6 -102 mm	BR31021
REAR							
95-90	4WD	Solid	Rotor	265.3 mm	47.5 mm	6 -139.7 mm	BR31135
	2WD	Floating	Drum	11.55"	2.71"	6 -139.7 mm	BD3517
90-87	2WD; Rear Drum Brake	Floating	Drum	11.55"	2.71"	6 -139.7 mm	BD3517
1989	Exc. 1 TON; 4WD; Rear Disc Brake	Solid	Rotor	265.3 mm	47.5 mm	6 -139.7 mm	BR31135
86-81		Floating	Drum	11.55"	2.71"	6 -139.7 mm	BD3517
RODEO FRONT							
04-7 /01	From 7/2001 (290mm Rotor)	Vented	Rotor	290 mm	57.2 mm	6 -139.7 mm	BR31310
6 /01-95	To 6/2001 (280mm Rotor)	Vented	Rotor	280 mm	36 mm	6 -108 mm	BR31163
94-92	V6	Vented	Rotor	280 mm	36 mm	6 -108 mm	BR31163
	4 Cyl.	Vented	Rotor	257.5 mm	36 mm	6 -108 mm	BR3233
1991		Vented	Rotor	257.5 mm	36 mm	6 -108 mm	BR3233
REAR							
04-00	w/ Rear Drum Brakes	Floating	Drum	335 mm	80.5 mm	6 -139.7 mm	BD35083
04-94	w/ Rear Disc Brakes	Vented	Rotor	313.5 mm	80.2 mm	6 -139.7 mm	BR31084
99-98	w/ Rear Drum Brakes	Floating	Drum	335.3 mm	80.51 mm	6 -139.7 mm	BD35072
97-91	w/ Rear Drum Brakes	Floating	Drum	11.55"	2.71"	6 -139.7 mm	BD3517
RODEO SPORT FRONT							
03-7 /01	From 7/01 (290mm Rotor)	Vented	Rotor	290 mm	57.2 mm	6 -139.7 mm	BR31310
6 /01-01	To 6/01 (280mm Rotor)	Vented	Rotor	280 mm	36 mm	6 -108 mm	BR31163

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
ISUZU							
RODEO SPORT				REAR			
03-01	4WD	Vented	Rotor	313.5 mm	80.2 mm	6 -139.7 mm	BR31084
	2WD	Floating	Drum	335 mm	80.5 mm	6 -139.7 mm	BD35083
STYLUS				FRONT			
93-91	Rear Disc Brake	Vented	Rotor	248.3 mm	45.1 mm	4 -100 mm	BR31000
	Rear Drum Brake	Vented	Rotor	230 mm	43 mm	4 -100 mm	BR3242
				REAR			
93-91	S; Rear Drum Brake	Floating	Drum	236.2 mm	53.34 mm	4 -100 mm	BD3582
92-91	RS, XS; Rear Disc Brake	Solid	Rotor	256 mm	47 mm	4 -100 mm	BR31104
TROOPER				FRONT			
02-92	Sellout and Reorder BR31163	Vented	Rotor	280 mm	36 mm	6 -108mm	BR31115
	Replaces BR31115	Vented	Rotor	280 mm	36 mm	6 -108 mm	BR31163
91-87		Vented	Rotor	257.5 mm	36 mm	6 -108 mm	BR3233
86-84		Vented	Rotor	251 mm	33.5 mm	6 -102 mm	BR3231
				REAR			
02-92		Vented	Rotor	313.5 mm	80.2 mm	6 -139.7 mm	BR31084
91-88		Solid	Rotor	265.3 mm	47.5 mm	6 -139.7 mm	BR31135
87-84		Floating	Drum	11.55"	2.71"	6 -139.7 mm	BD3517
VEHICROSS				FRONT			
01-99		Vented	Rotor	280 mm	36 mm	6 -108 mm	BR31163
				REAR			
01-99		Vented	Rotor	313.5 mm	80.2 mm	6 -139.7 mm	BR31084
W SERIES				FRONT			
1989		Vented	Rotor	11 7/64"	2 1/2"	12-136 mm	BR55035
JAGUAR							
S-TYPE				FRONT			
08-06	Exc. R	Vented	Rotor	326 mm	46.5 mm	5 -108 mm	BR900954
	R; 354mm Rotor	Vented	Rotor	355 mm	48.4 mm	5 -108 mm	BR901142
05-00	w/ 300mm Front Rotor	Vented	Rotor	11.81"	1.7"	5 -4.25"	BR54088
				REAR			
08-05	326mm Rotor	Vented	Rotor	326 mm	38.3 mm	5 -108 mm	BR901136
05-00	288mm Rotor	Vented	Rotor	11.34"	1.29"	5 -4.25"	BR54089
SUPER V8				FRONT			
09-05	354mm Rotor	Vented	Rotor	355 mm	48.4 mm	5 -108 mm	BR901142
				REAR			
09-05	326mm Rotor	Vented	Rotor	326 mm	38.3 mm	5 -108 mm	BR901136
VANDEN PLAS				FRONT			
09-06		Vented	Rotor	326 mm	46.5 mm	5 -108 mm	BR900954
97-94		Vented	Rotor	290.8 mm	66.8 mm	5 -120.65 mm	BR34053
92-90		Vented	Rotor	290.8 mm	66.8 mm	5 -120.65 mm	BR34053
89-87		Vented	Rotor	295 mm	66.65 mm	5 -120.7 mm	BR34013

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

JAGUAR

VANDEN PLAS

FRONT

86-82		Vented	Rotor	284 mm	60.5 mm	5 -111.12 mm	BR3479
-------	--	--------	-------	--------	---------	--------------	--------

REAR

09-05	326mm Rotor; From Chassis / VIN G49701	Vented	Rotor	326 mm	38.3 mm	5 -108 mm	BR901136
05-04	288mm Rotor; To Chassis / VIN G49700	Vented	Rotor	11.34"	1.29"	5 -4.25"	BR54089
03-98		Vented	Rotor	305 mm	67.9 mm	5 -120.65 mm	BR34094
97-95		Vented	Rotor	305 mm	67.9 mm	5 -120.65 mm	BR34094
1994		Solid	Rotor	294.5 mm	67.9 mm	5 -120.65 mm	BR34051
92-90		Solid	Rotor	294.5 mm	67.9 mm	5 -120.65 mm	BR34051
89-87		Solid	Rotor	278 mm	67.9 mm	5 -120.65 mm	BR34038
86-82	w/ Offset Lug Pattern	Solid	Rotor	264 mm	25.7 mm	4 -95.25 mm	BR34016
	w/ Square Lug Pattern	Solid	Rotor	264 mm	25.5 mm	4 -95.25 mm	BR3478

X-TYPE

FRONT

08-02		Vented	Rotor	300 mm	47.1 mm	5 -108 mm	BR34251
-------	--	--------	-------	--------	---------	-----------	---------

REAR

08-02		Solid	Rotor	280 mm	34 mm	5 -108 mm	BR34252
-------	--	-------	-------	--------	-------	-----------	---------

XF

FRONT

12-11	Exc. Supercharged; 354mm Rotor	Vented	Rotor	355 mm	48.4 mm	5 -108 mm	BR901142
10-09	Supercharged ; 354mm Rotor	Vented	Rotor	355 mm	48.4 mm	5 -108 mm	BR901142
	Exc. Supercharged	Vented	Rotor	326 mm	46.5 mm	5 -108 mm	BR900954

REAR

12-09	326mm Rotor	Vented	Rotor	326 mm	38.3 mm	5 -108 mm	BR901136
-------	-------------	--------	-------	--------	---------	-----------	----------

XJ

FRONT

12-11	354mm Rotor; Exc. Supercharged	Vented	Rotor	355 mm	48.4 mm	5 -108 mm	BR901142
-------	--------------------------------	--------	-------	--------	---------	-----------	----------

REAR

12-11	326mm Rotor	Vented	Rotor	326 mm	38.3 mm	5 -108 mm	BR901136
-------	-------------	--------	-------	--------	---------	-----------	----------

XJ12

FRONT

96-95		Vented	Rotor	290.8 mm	66.8 mm	5 -120.65 mm	BR34053
92-90		Vented	Rotor	290.8 mm	66.8 mm	5 -120.65 mm	BR34053
89-87		Vented	Rotor	295 mm	66.65 mm	5 -120.7 mm	BR34013
86-81		Vented	Rotor	284 mm	60.5 mm	5 -111.12 mm	BR3479
79-73		Vented	Rotor	284 mm	60.5 mm	5 -111.12 mm	BR3479

REAR

96-95		Vented	Rotor	305 mm	67.9 mm	5 -120.65 mm	BR34094
1994		Solid	Rotor	294.5 mm	67.9 mm	5 -120.65 mm	BR34051
92-90		Solid	Rotor	294.5 mm	67.9 mm	5 -120.65 mm	BR34051
89-87		Solid	Rotor	278 mm	67.9 mm	5 -120.65 mm	BR34038
86-73	w/ Square Lug Pattern	Solid	Rotor	264 mm	25.5 mm	4 -95.25 mm	BR3478

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

JAGUAR

XJ12

REAR

86-73	w/ Offset Lug Pattern	Solid	Rotor	264 mm	25.7 mm	4 -95.25 mm	BR34016
-------	-----------------------	-------	-------	--------	---------	-------------	---------

XJ6

FRONT

97-90	Exc. SOVEREIGN	Vented	Rotor	290.8 mm	66.8 mm	5 -120.65 mm	BR34053
89-87		Vented	Rotor	295 mm	66.65 mm	5 -120.7 mm	BR34013
86-73		Vented	Rotor	284 mm	60.5 mm	5 -111.12 mm	BR3479

REAR

97-95		Vented	Rotor	305 mm	67.9 mm	5 -120.65 mm	BR34094
94-90	Exc. SOVEREIGN	Solid	Rotor	294.5 mm	67.9 mm	5 -120.65 mm	BR34051
89-87		Solid	Rotor	278 mm	67.9 mm	5 -120.65 mm	BR34038
86-72	w/ Square Lug Pattern	Solid	Rotor	264 mm	25.5 mm	4 -95.25 mm	BR3478
	w/ Offset Lug Pattern	Solid	Rotor	264 mm	25.7 mm	4 -95.25 mm	BR34016

XJ8

FRONT

09-06		Vented	Rotor	326 mm	46.5 mm	5 -108 mm	BR900954
03-98		Vented	Rotor	305 mm	49.5 mm	5 -120.65 mm	BR34123

REAR

09-05	326mm Rotor; From Chassis/ VIN G49701	Vented	Rotor	326 mm	38.3 mm	5 -108 mm	BR901136
05-04	288mm Rotor; To Chassis/ VIN G49700	Vented	Rotor	11.34"	1.29"	5 -4.25"	BR54089
03-98		Vented	Rotor	305 mm	67.9 mm	5 -120.65 mm	BR34094

XJR

FRONT

09-05	354mm Rotor; From Chassis/ VIN G49701	Vented	Rotor	355 mm	48.4 mm	5 -108 mm	BR901142
01-98	w/ 305mm Dia. Front Rotor	Vented	Rotor	305 mm	49.5 mm	5 -120.65 mm	BR34123
97-95		Vented	Rotor	284 mm	60.5 mm	5 -111.12 mm	BR3479

REAR

09-05	326mm Rotor; From Chassis/ VIN G49701	Vented	Rotor	326 mm	38.3 mm	5 -108 mm	BR901136
01-95		Vented	Rotor	305 mm	67.9 mm	5 -120.65 mm	BR34094

XJRS

FRONT

1993		Vented	Rotor	284 mm	60.5 mm	5 -111.12 mm	BR3479
------	--	--------	-------	--------	---------	--------------	--------

REAR

1993		Solid	Rotor	294.5 mm	67.9 mm	5 -120.65 mm	BR34051
------	--	-------	-------	----------	---------	--------------	---------

XJS

FRONT

96-76		Vented	Rotor	284 mm	60.5 mm	5 -111.12 mm	BR3479
-------	--	--------	-------	--------	---------	--------------	--------

REAR

96-95		Vented	Rotor	305 mm	67.9 mm	5 -120.65 mm	BR34094
1994	From Chassis # 198335	Vented	Rotor	305 mm	67.9 mm	5 -120.65 mm	BR34094
	To Chassis # 198334	Solid	Rotor	294.5 mm	67.9 mm	5 -120.65 mm	BR34051
1993		Solid	Rotor	294.5 mm	67.9 mm	5 -120.65 mm	BR34051
92-87	w/ Offset Lug Pattern	Solid	Rotor	264 mm	25.7 mm	4 -95.25 mm	BR34016

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

JAGUAR

XJS

REAR

92-87	w/ Square Lug Pattern	Solid	Rotor	264 mm	25.5 mm	4 -95.25 mm	BR3478
86-83	Exc. Dana Axle; w/ Square Lug Pattern	Solid	Rotor	264 mm	25.5 mm	4 -95.25 mm	BR3478
	Dana Axle; w/ Offset Lug Pattern	Solid	Rotor	264 mm	25.7 mm	4 -95.25 mm	BR34016
82-76	w/ Square Lug Pattern	Solid	Rotor	264 mm	25.5 mm	4 -95.25 mm	BR3478

XK

FRONT

12-10	354mm Rotor	Vented	Rotor	355 mm	48.4 mm	5 -108 mm	BR901142
-------	-------------	--------	-------	--------	---------	-----------	----------

REAR

12-07	326mm Rotor	Vented	Rotor	326 mm	38.3 mm	5 -108 mm	BR901136
-------	-------------	--------	-------	--------	---------	-----------	----------

XK8

FRONT

99-97	To Chassis # 037347 (305mm Rotor)	Vented	Rotor	305 mm	49.5 mm	5 -120.65 mm	BR34123
-------	-----------------------------------	--------	-------	--------	---------	--------------	---------

REAR

06-97		Vented	Rotor	305 mm	67.9 mm	5 -120.65 mm	BR34094
-------	--	--------	-------	--------	---------	--------------	---------

XKE

FRONT

74-71		Vented	Rotor	284 mm	60.5 mm	5 -111.12 mm	BR3479
-------	--	--------	-------	--------	---------	--------------	--------

REAR

74-65	w/ Square Lug Pattern	Solid	Rotor	264 mm	25.5 mm	4 -95.25 mm	BR3478
	w/ Offset Lug Pattern	Solid	Rotor	264 mm	25.7 mm	4 -95.25 mm	BR34016

XKR

REAR

09-07	326mm Rotor	Vented	Rotor	326 mm	38.3 mm	5 -108 mm	BR901136
-------	-------------	--------	-------	--------	---------	-----------	----------

JEEP

CHEROKEE

FRONT

01-00		Vented	Rotor	11.02"	3.07"	5 -4.5"	BR5396
1999	78 mm High Rotor	Vented	Rotor	11.02"	3.07"	5 -4.5"	BR5396
	82 mm High Rotor	Vented	Rotor	11.02"	3.22"	5 -4.5"	BR5115
98-93		Vented	Rotor	11.02"	3.22"	5 -4.5"	BR5115
92-90	4WD	Vented	Rotor	11.02"	3.22"	5 -4.5"	BR5115
	Exc. BRIARWOOD, LIMITED; 2WD	Vented	Rotor	11.02"	3.97"	5 -4.5"	BR5113
89-86	Exc. LIMITED; 2WD; w/ 1-3/4 & 2-1/2 Inch Wide Shoe	Vented	Rotor	11.02"	3.97"	5 -4.5"	BR5113
	4WD; w/ 1-3/4 & 2-1/2 Inch Wide Shoe	Vented	Rotor	11.02"	3.02"	5 -4.5"	BR5108
85-84	w/ 1-3/4 & 2-1/2 Inch Wide Shoe.	Vented	Rotor	11.02"	3.02"	5 -4.5"	BR5108
83-79	Hub & Rotor	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004
83-77	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
78-77	Hub & Rotor; w/ 7/8 Inch Drive Flange	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004
76-75	Front Disc Brake; Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

JEEP

CHEROKEE

REAR

01-92	9 Inch Rear Drum Brake	Floating	Drum	10.79"	3.62"	5 -4.5"	BD80002
	10 Inch Rear Drum Brake	Floating	Drum	12.52"	4"	5 -4.5"	BD80012
91-90	2WD & 4WD; 10 Inch Rear Drum Brake; Tow Pkg.	Floating	Drum	12.6"	4.33"	5 -4.5"	BD80003
	2WD & 4WD; 10 Inch Rear Drum Brake; Police	Floating	Drum	12.52"	4.13"	5 -4.5"	BD8838
	9 Inch Rear Drum Brake	Floating	Drum	10.79"	3.62"	5 -4.5"	BD80002
89-84	w/ 1-3/4 Inch Wide Shoe w/o Tow Pkg.	Floating	Drum	12.52"	4.13"	5 -4.5"	BD8838
	w/ 2-1/2 Inch Wide Shoe & Tow Pkg.	Floating	Drum	12.6"	4.33"	5 -4.5"	BD80003
83-74		Floating	Drum	12.8"	3.35"	6 -5.5"	BD8934

CJ3

FRONT

1960	10 Inch Rear Drum Brake	Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889
------	-------------------------	----------	------	--------	-------	---------	--------

REAR

1960	10 Inch Rear Drum Brake	Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889
------	-------------------------	----------	------	--------	-------	---------	--------

CJ5

FRONT

83-79		Vented	Rotor	11.75"	2.2"	5 -5.5"	BR5111
79-78	Caliper w/ 2 Mounting Bolts	Vented	Rotor	11.75"	2.2"	5 -5.5"	BR5111
1978	Caliper w/ 6 Mounting Bolts	Vented	Rotor	11.73"	2.2"	5 -5.5"	BR5109
1977	Front Disc Brake; Caliper w/ 2 & 6 Mounting Bolts	Vented	Rotor	11.75"	2.2"	5 -5.5"	BR5111
77-76	Front Drum Brake	Floating	Drum	13.43"	3.6"	5 -5.5"	BD8882
75-74		Floating	Drum	13.43"	3.6"	5 -5.5"	BD8882
73-67		Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889
66-60	10 Inch Rear Drum Brake	Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889

REAR

83-79		Floating	Drum	11.65"	2.76"	5 -5.5"	BD8935
1978	10 Inch Rear Drum Brake	Floating	Drum	11.65"	2.76"	5 -5.5"	BD8935
	11 Inch Rear Drum Brake	Floating	Drum	13.43"	3.6"	5 -5.5"	BD8882
77-74		Floating	Drum	13.43"	3.6"	5 -5.5"	BD8882
73-67		Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889
66-60	10 Inch Rear Drum Brake	Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889

CJ6

FRONT

75-74		Floating	Drum	13.43"	3.6"	5 -5.5"	BD8882
73-68		Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889
1960	10 Inch Rear Drum Brake	Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889

REAR

75-74		Floating	Drum	13.43"	3.6"	5 -5.5"	BD8882
73-68		Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

JEEP

CJ6

REAR

1960	10 Inch Rear Drum Brake	Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889
------	-------------------------	----------	------	--------	-------	---------	--------

CJ7

FRONT

86-79		Vented	Rotor	11.75"	2.2"	5 -5.5"	BR5111
1978	Caliper w/ 2 Mounting Bolts	Vented	Rotor	11.75"	2.2"	5 -5.5"	BR5111
	Caliper w/ 6 Mounting Bolts	Vented	Rotor	11.73"	2.2"	5 -5.5"	BR5109
1977	Front Disc Brake; Caliper w/ 2 & 6 Mounting Bolts	Vented	Rotor	11.75"	2.2"	5 -5.5"	BR5111
77-76	Front Drum Brake	Floating	Drum	13.43"	3.6"	5 -5.5"	BD8882

REAR

86-78		Floating	Drum	11.65"	2.76"	5 -5.5"	BD8935
77-76		Floating	Drum	13.43"	3.6"	5 -5.5"	BD8882

COMANCHE

FRONT

92-90	4WD	Vented	Rotor	11.02"	3.22"	5 -4.5"	BR5115
92-86	2WD; Unicast Rotor	Vented	Rotor	11.02"	3.97"	5 -4.5"	BR5113
89-86	4WD	Vented	Rotor	11.02"	3.02"	5 -4.5"	BR5108
87-86	2WD: 2 Piece Rotor	Vented	Rotor	11.02"	3.02"	5 -4.5"	BR5108

REAR

92-91	10 Inch Rear Drum Brake	Floating	Drum	12.6"	4.33"	5 -4.5"	BD80003
	9 Inch Rear Drum Brake	Floating	Drum	10.79"	3.62"	5 -4.5"	BD80002
1990	2WD & 4WD; 10 Inch Rear Drum Brake	Floating	Drum	12.6"	4.33"	5 -4.5"	BD80003
	2WD; 9 Inch Rear Drum Brake	Floating	Drum	10.79"	3.62"	5 -4.5"	BD80002
89-86	Standard Duty	Floating	Drum	12.52"	4.13"	5 -4.5"	BD8838
	Heavy Duty	Floating	Drum	12.6"	4.33"	5 -4.5"	BD80003

COMMANDER

FRONT

10-06		Vented	Rotor	327	53	5 -126.8 mm	BR53026
-------	--	--------	-------	-----	----	-------------	---------

REAR

10-06		Solid	Rotor	320 mm	66.4 mm	5 -126.8 mm	BR53027
-------	--	-------	-------	--------	---------	-------------	---------

COMPASS

FRONT

13-07		Vented	Rotor	294 mm	46 mm	5 -114.3 mm	BR31346
-------	--	--------	-------	--------	-------	-------------	---------

REAR

13-08	w/ Rear Drum Brakes	Floating	Drum	268.12 mm	60.3 mm	5 -115 mm	BD920102
13-07	w/ Rear 262mm Discs	Solid	Rotor	261.95 mm	60.56 mm	5 -4.5"	BR900334
	w/ Rear 302mm Discs	Vented	Rotor	302 mm	59.8 mm	5 -4.5"	BR900750

DISPATCHER

FRONT

1967		Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889
------	--	----------	------	--------	-------	---------	--------

REAR

1967		Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889
------	--	----------	------	--------	-------	---------	--------

DJ5

FRONT

73-72		Floating	Drum	12.36"	2.99"	5 -5.5"	BD8753
-------	--	----------	------	--------	-------	---------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
JEEP							
DJ5							
FRONT							
71-68		Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889
REAR							
73-72		Floating	Drum	12.36"	2.99"	5 -5.5"	BD8753
71-68		Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889
DJ6							
FRONT							
1968		Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889
REAR							
1968		Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889
GRAND CHEROKEE							
FRONT							
13-11	Exc. 17" Wheels; Exc. SRT8	Vented	Rotor	350 mm	55 mm	5 -126.8 mm	BR900946
	17" Wheels; Exc. SRT8	Vented	Rotor	330 mm	55 mm	5 -126.8 mm	BR900950
10-06	SRT-8	Vented	Rotor	14.17"	2.08"	5 -5"	BR900974
10-05	Exc. SRT-8	Vented	Rotor	327	53	5 -126.8 mm	BR53026
04-99		Vented	Rotor	12.01"	2.5"	5 -5"	BR5118
98-93		Vented	Rotor	11.02"	3.22"	5 -4.5"	BR5115
REAR							
13-11	17" Wheels; Exc. SRT8	Solid	Rotor	330 mm	64 mm	5 -126.8 mm	BR900952
	Exc. 17" Wheels; Exc. SRT8	Vented	Rotor	330 mm	64 mm	5 -126.8 mm	BR900948
10-06	SRT-8	Vented	Rotor	13.77"	2.69"	5 -5"	BR900976
10-05	Exc. SRT-8	Solid	Rotor	320 mm	66.4 mm	5 -126.8 mm	BR53027
04-99		Solid	Rotor	12.01"	2.97"	5 -5"	BR5119
98-94	w/ Rear Disc Brakes	Solid	Rotor	11.21"	2.38"	5 -4.5"	BR5360
94-93	w/ Rear Drum Brakes	Floating	Drum	12.52"	4"	5 -4.5"	BD80012
GRAND WAGONEER							
FRONT							
91-87		Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
86-84	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
	Hub & Rotor	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004
REAR							
91-84		Floating	Drum	12.8"	3.35"	6 -5.5"	BD8934
J-100							
FRONT							
71-68		Floating	Drum	12.36"	2.99"	5 -5.5"	BD8753
REAR							
71-68		Floating	Drum	12.36"	2.99"	5 -5.5"	BD8753
J10							
FRONT							
88-79	Hub & Rotor	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004
88-77	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
78-77	Hub & Rotor; w/ 7/8 Inch Drive Flange	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004
76-75	Front Disc Brake; Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

JEEP

J10

REAR

88-87	11 Inch Rear Drum Brake	Floating	Drum	12.8"	3.35"	6 -5.5"	BD8934
	12 Inch Rear Drum Brake	Floating	Drum	13.98"	5.33"	8 -6.5"	BD8911
86-74		Floating	Drum	12.8"	3.35"	6 -5.5"	BD8934

J20

FRONT

88-74	Rotor Only	Vented	Rotor	12.49"	2.8"	8 -6.5"	BR5523
-------	------------	--------	-------	--------	------	---------	--------

REAR

88-74		Floating	Drum	13.98"	5.33"	8 -6.5"	BD8911
-------	--	----------	------	--------	-------	---------	--------

JEEPSTER

FRONT

73-68	Standard Duty	Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889
	Heavy Duty	Floating	Drum	12.36"	2.99"	5 -5.5"	BD8753

REAR

73-68	Heavy Duty	Floating	Drum	12.36"	2.99"	5 -5.5"	BD8753
	Standard Duty	Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889

LIBERTY

FRONT

12-08	w/ 302mm Front Rotors (Std. Duty)	Vented	Rotor	302 mm	64.37 mm	5 -4.5"	BR900328
	w/ 332mm Front Rotors (Heavy Duty)	Vented	Rotor	332 mm	64.37 mm	5 -4.5"	BR900768
07-02		Vented	Rotor	11.34"	2.55"	5 -4.5"	BR53001

REAR

12-08		Solid	Rotor	315.97 mm	76.7 mm	5 -4.5"	BR900330
07-03		Solid	Rotor	11.22"	2.28"	5 -4.5"	BR53010
2002		Floating	Drum	11.81"	3.43"	5 -4.5"	BD80101

PATRIOT

FRONT

13-07		Vented	Rotor	294 mm	46 mm	5 -114.3 mm	BR31346
-------	--	--------	-------	--------	-------	-------------	---------

REAR

13-08	w/ Rear Drum Brakes	Floating	Drum	268.12 mm	60.3 mm	5 -115 mm	BD920102
13-07	w/ 302mm Rear Rotors	Vented	Rotor	302 mm	59.8 mm	5 -4.5"	BR900750
	w/ 262mm Rear Rotors	Solid	Rotor	261.95 mm	60.56 mm	5 -4.5"	BR900334

SCRAMBLER

FRONT

85-81		Vented	Rotor	11.75"	2.2"	5 -5.5"	BR5111
-------	--	--------	-------	--------	------	---------	--------

REAR

85-81		Floating	Drum	11.65"	2.76"	5 -5.5"	BD8935
-------	--	----------	------	--------	-------	---------	--------

UNIVERSAL

FRONT

1967		Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889
66-61	10 Inch Rear Drum Brake	Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889

REAR

1967		Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889
66-61	10 Inch Rear Drum Brake	Floating	Drum	11.61"	2.95"	5 -5.5"	BD8889

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

JEEP

WAGONEER

FRONT

1990	4WD	Vented	Rotor	11.02"	3.22"	5 -4.5"	BR5115
1989	2WD; w/ 1-3/4 & 2-1/2 Inch Wide Shoe	Vented	Rotor	11.02"	3.97"	5 -4.5"	BR5113
89-86	4WD; w/ 1-3/4 & 2-1/2 Inch Wide Shoe	Vented	Rotor	11.02"	3.02"	5 -4.5"	BR5108
85-84	w/ 1-3/4 & 2-1/2 Inch Wide Shoe	Vented	Rotor	11.02"	3.02"	5 -4.5"	BR5108
83-79	Hub & Rotor	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004
83-77	Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
78-77	Hub & Rotor; w/ 7/8 Inch Drive Flange	Vented	Rotor	11.86"	7.06"	6 -5.5"	BR55004
76-75	Front Disc Brake; Rotor Only	Vented	Rotor	11.87"	2.31"	6 -5.5"	BR5522
73-72		Floating	Drum	12.36"	2.99"	5 -5.5"	BD8753
67-65		Floating	Drum	12.36"	2.99"	5 -5.5"	BD8753

REAR

1990	4WD; 9 Inch Rear Drum Brake	Floating	Drum	10.79"	3.62"	5 -4.5"	BD80002
89-84	w/ 2-1/2 Inch Wide Shoe & Tow Pkg.	Floating	Drum	12.6"	4.33"	5 -4.5"	BD80003
	w/ 1-3/4 Inch Wide Shoe w/o Tow Pkg.	Floating	Drum	12.52"	4.13"	5 -4.5"	BD8838
83-74		Floating	Drum	12.8"	3.35"	6 -5.5"	BD8934
73-72		Floating	Drum	12.36"	2.99"	5 -5.5"	BD8753
67-65		Floating	Drum	12.36"	2.99"	5 -5.5"	BD8753

WRANGLER

FRONT

13-07		Vented	Rotor	301.97	55.48	5 -5"	BR900324
06-01		Vented	Rotor	11.02"	3.07"	5 -4.5"	BR5396
00-97	3 Inch Tall Full Cast	Vented	Rotor	11.02"	3.07"	5 -4.5"	BR5396
	3-1/4 Inch Tall Composite	Vented	Rotor	11.02"	3.22"	5 -4.5"	BR5115
96-90		Vented	Rotor	11.02"	3.22"	5 -4.5"	BR5115
89-87		Vented	Rotor	11.02"	3.02"	5 -4.5"	BR5108

REAR

13-07		Vented	Rotor	316 mm	76.85 mm	5 -5"	BR900326
06-03	w/ Rear Disc Brakes	Solid	Rotor	11.22"	2.28"	5 -4.5"	BR53010
	w/ Rear Drum Brakes	Floating	Drum	10.79"	3.62"	5 -4.5"	BD80002
02-90		Floating	Drum	10.79"	3.62"	5 -4.5"	BD80002
89-87		Floating	Drum	12.52"	4.13"	5 -4.5"	BD8838

KENWORTH

T170 , T270 , T370

FRONT

10-08	5 Hole Hat Shaped	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
	10 Hole Hat Shaped; 3.2" Tall	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

KENWORTH

T170 , T270 , T370

FRONT

10-08	6 Hole Hat Shaped	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606
-------	-------------------	--------	-------	-----	------	----------	--------

REAR

10-08	6 Hole Hat Shaped	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606
	10 Hole Hat Shaped; 3.2" Tall	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
	5 Hole Hat Shaped	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902

KIA

AMANTI

FRONT

09-04		Vented	Rotor	302.88 mm	47.33 mm	5 -4.5"	BR31362
-------	--	--------	-------	-----------	----------	---------	---------

REAR

09-07		Solid	Rotor	284 mm	55.5 mm	5 -114.3 mm	BR900398
06-04		Solid	Rotor	262 mm	62 mm	5 -114.3	BR31382

BORREGO

FRONT

10-09		Vented	Rotor	328 mm	56.3 mm	6 -4.5"	BR900654
-------	--	--------	-------	--------	---------	---------	----------

REAR

10-09		Solid	Rotor	325.4 mm	65.6 mm	6 -4.5"	BR900656
-------	--	-------	-------	----------	---------	---------	----------

CARNIVAL

FRONT

03-6 /00	w/ 276mm Front Rotors; From 6/00	Vented	Rotor	276 mm	48.5 mm	5 -114.3 mm	BR31334
----------	----------------------------------	--------	-------	--------	---------	-------------	---------

CERATO

FRONT

09-04	w/ 275mm Front Rotors	Vented	Rotor	274.8mm	48.92mm	4 -114.3	BR900404
-------	-----------------------	--------	-------	---------	---------	----------	----------

FORTE

FRONT

12-10	w/ 16" Wheels (300mm Rotor)	Vented	Rotor	299.97	47.69	5 -4.5"	BR900280
	w/ 15" Wheels (280mm Rotor)	Vented	Rotor	280 mm	47 mm	5 -114.3 mm	BR900764

REAR

12-10		Solid	Rotor	261.8 mm	63.9 mm	5 -114.3 mm	BR900770
-------	--	-------	-------	----------	---------	-------------	----------

MAGENTIS

FRONT

09-07		Vented	Rotor	280 mm	47.3 mm	5 -114.3 mm	BR31337
06-03		Vented	Rotor	280 mm	47.5 mm	4 -114.3 mm	BR31384
02-01		Vented	Rotor	257 mm	47.48 mm	4 -114.3 mm	BR31309

REAR

09-07		Solid	Rotor	262 mm	61 mm	5 -114.3 mm	BR31339
06-01	w/ Rear Disc Brakes	Solid	Rotor	262 mm	61 mm	4 -114.3 mm	BR31333
04-01	w/ Rear Drum Brakes	Floating	Drum	272.5 mm	63.16 mm	4 -114.3 mm	BD35095

OPTIMA

FRONT

12-11	2.4l & Hybrid ; 300mm Rotor	Vented	Rotor	299.97	47.69	5 -4.5"	BR900280
10-07		Vented	Rotor	280 mm	47.3 mm	5 -114.3 mm	BR31337
2006	5 Lug	Vented	Rotor	280 mm	47.3 mm	5 -114.3 mm	BR31337
	4 Lug	Vented	Rotor	280 mm	47.5 mm	4 -114.3 mm	BR31384
05-7 /02	From 7/02; 2 Piece Headlights	Vented	Rotor	280 mm	47.5 mm	4 -114.3 mm	BR31384
7 /02-01	To 7/02; One Piece Headlight	Vented	Rotor	257 mm	45.67 mm	4 -114.3 mm	BR31109

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

KIA

OPTIMA

REAR

12-11	284mm Rotor	Solid	Rotor	284 mm	54.62 mm	5 -114.3"	BR31424
10-07		Solid	Rotor	262 mm	61 mm	5 -114.3 mm	BR31339
2006	4 Lug	Solid	Rotor	262 mm	61 mm	4 -114.3 mm	BR31333
	5 Lug	Solid	Rotor	262 mm	61 mm	5 -114.3 mm	BR31339
05-01	w/ Rear Disc Brakes	Solid	Rotor	262 mm	61 mm	4 -114.3 mm	BR31333
7 /02-01	w/ Rear Drum Brakes; To 7/02; 1 Piece Headlights	Floating	Drum	272.5 mm	63.16 mm	4 -114.3 mm	BD35095

RIO

FRONT

2012	EX & LX (256mm)	Vented	Rotor	256 mm	44.5 mm	4 -100 mm	BR901092
11-06		Vented	Rotor	256 mm	46.83 mm	4 -100 mm	BR900292
05-03		Vented	Rotor	254 mm	50.8 mm	4 -100 mm	BR31359
02-01		Vented	Rotor	234.7 mm	45 mm	4 -100 mm	BR31142

REAR

2012		Solid	Rotor	262 mm	44.5 mm	4 -100 mm	BR901094
11-06	w/ Rear Drum Brakes	Floating	Drum	243 mm	58 mm	4 -100 mm	BD920116
07-06	w/ Rear Disc Brakes	Solid	Rotor	262.1 mm	64.3 mm	4 -100 mm	BR900440
05-03	w/ ABS	Hub/ Bearing	Drum	230 mm	68 mm	4 -100 mm	BD35111
	w/o ABS	Hub/ Bearing	Drum	230 mm	67.56 mm	4 -100 mm	BD35112
02-01	w/o ABS	Hub/ Bearing	Drum	230 mm	67.56 mm	4 -100 mm	BD35097
	w/ ABS	Hub/ Bearing	Drum	230 mm	68 mm	4 -100 mm	BD35098

RONDO

FRONT

12-10		Vented	Rotor	280 mm	47.3 mm	5 -114.3 mm	BR31337
09-07		Vented	Rotor	280 mm	50.08 mm	5 -114.3 mm	BR900584

REAR

12-10		Solid	Rotor	275.15 mm	62.22 mm	5 -114.3 mm	BR900586
09-07		Solid	Rotor	275.15 mm	62.22 mm	5 -114.3 mm	BR900586

SEDONA

FRONT

12-06		Vented	Rotor	298mm	54.33mm	6 -5.5"	BR900288
05-12/03	From 12/03	Vented	Rotor	275.8 mm	50.3 mm	5 -114 mm	BR31383
12/03-02	To 12/03	Vented	Rotor	276 mm	48.5 mm	5 -114.3 mm	BR31334

REAR

12-06		Solid	Rotor	301.9 mm	70.3 mm	6 -5.5"	BR900290
12/03-02	To 12/03	Floating	Drum	297 mm	91.2 mm	5 -114.3 mm	BD35086

SEPHIA

FRONT

2001		Vented	Rotor	258 mm	48.6 mm	4 -100 mm	BR31308
00-94	Std. Brakes	Vented	Rotor	243 mm	42.6 mm	4 -100 mm	BR31233

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

KIA

SEPHIA

REAR

01-94	w/ Rear Drum Brakes; Std. Brakes	Floating	Drum	246.1 mm	58.1 mm	4 -100 mm	BD35064
00-98	w/ Rear Disc Brakes; Std. Brakes	Solid	Rotor	261 mm	40 mm	4 -100 mm	BR31274
1997	w/ Rear Disc Brakes	Solid	Rotor	270 mm	61 mm	4 -100 mm	BR31234

SORENTO

FRONT

13-11		Vented	Rotor	300 mm	49.5 mm	5 -114.3 mm	BR900892
09-07		Vented	Rotor	300.2 mm	54.58 mm	5 -139.7 mm	BR900588
06-03		Vented	Rotor	300 mm	54.3 mm	5 -139.7 mm	BR31386

REAR

13-11		Solid	Rotor	302 mm	72 mm	5 -114.3 mm	BR900894
09-07		Vented	Rotor	314.95 mm	81 mm	5 -139.7 mm	BR900402
06-03		Vented	Rotor	314.95 mm	87 mm	5 -139.7 mm	BR900664

SOUL

FRONT

13-11		Vented	Rotor	280 mm	47 mm	5 -114.3 mm	BR900764
2010	1.6L	Vented	Rotor	270 mm	48 mm	5 -114.3 mm	BR900766
	2.0L	Vented	Rotor	280 mm	47 mm	5 -114.3 mm	BR900764

REAR

13-11		Solid	Rotor	261.8 mm	63.9 mm	5 -114.3 mm	BR900770
2010	w/ Rear Disc Brakes	Solid	Rotor	261.8 mm	63.9 mm	5 -114.3 mm	BR900770
	w/ Rear Drum Brakes	Floating	Drum	244 mm	55 mm	5 -114. mm	BD920144

SPECTRA

FRONT

09-04		Vented	Rotor	274.8mm	48.92mm	4 -114.3	BR900404
03-7 /00	From 7/00; 258mm Rotor	Vented	Rotor	258 mm	48.6 mm	4 -100 mm	BR31308
7 /00-00	To 7/00; 243mm Rotor	Vented	Rotor	243 mm	42.6 mm	4 -100 mm	BR31233

REAR

09-07	w/ Rear Drum Brakes	Floating	Drum	246 mm	56.6 mm	4 -114.3 mm	BD920112
09-04	w/ Rear Disc Brakes	Solid	Rotor	258mm	42.5mm	4 -114.3	BR900406
03-00	w/ Rear Disc Brakes	Solid	Rotor	261 mm	40 mm	4 -100 mm	BR31274
	w/ Rear Drum Brakes	Floating	Drum	246.1 mm	58.1 mm	4 -100 mm	BD35064

SPORTAGE

FRONT

12-11	AWD	Vented	Rotor	299.97	47.69	5 -4.5"	BR900280
	FWD	Vented	Rotor	280 mm	47 mm	5 -114.3 mm	BR900764
10-05	FWD & AWD	Vented	Rotor	280 mm	47.3 mm	5 -114.3 mm	BR31337
02-95		Vented	Rotor	284 mm	51 mm	5 -139.7 mm	BR31232

REAR

12-11	FWD	Solid	Rotor	262 mm	61.6 mm	5 -114.3 mm	BR900790
12-05	AWD	Solid	Rotor	283.8 mm	61 mm	5 -114.3 mm	BR31336
10-05	FWD	Solid	Rotor	262 mm	61 mm	5 -114.3 mm	BR31339
02-98		Floating	Drum	290 mm	83.33 mm	5 -139.7 mm	BD35082

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
KIA							
SPORTAGE				REAR			
97-95		Floating	Drum	280 mm	81.28 mm	5 -139.7 mm	BD35062
LAND ROVER							
DEFENDER (MEXICO)				FRONT			
11-09		Vented	Rotor	298.5 mm	70 mm	5 -127 mm	BR34056
				REAR			
11-09		Solid	Rotor	290 mm	61.5 mm	5 -127 mm	BR34049
DEFENDER 110				FRONT			
1993		Solid	Rotor	298.5 mm	70 mm	5 -127 mm	BR34043
DEFENDER 90				FRONT			
1997		Vented	Rotor	298.5 mm	70 mm	5 -127 mm	BR34056
95-94		Vented	Rotor	298.5 mm	70 mm	5 -127 mm	BR34056
				REAR			
1997		Solid	Rotor	290 mm	61.5 mm	5 -127 mm	BR34049
95-94		Solid	Rotor	290 mm	61.5 mm	5 -127 mm	BR34049
DISCOVERY				FRONT			
04-00		Vented	Rotor	297.5 mm	91.5 mm	5 -120 mm	BR34253
1999	Series II ; Rotor Height 91.5mm	Vented	Rotor	297.5 mm	91.5 mm	5 -120 mm	BR34253
99-94	Exc. Series II ; Rotor Height 70mm	Solid	Rotor	298.5 mm	70 mm	5 -127 mm	BR34043
				REAR			
04-00		Solid	Rotor	304.5 mm	62.8 mm	5 -120 mm	BR34146
1999	Series 2 (304.5 mm Rotor)	Solid	Rotor	304.5 mm	62.8 mm	5 -120 mm	BR34146
99-94	Exc. Series 2 (290 mm Rotor)	Solid	Rotor	290 mm	61.5 mm	5 -127 mm	BR34049
FREELANDER				FRONT			
10/06-11/00	w/ 277mm Front Rotors; 11/00 To 10/06	Vented	Rotor	277 mm	51 mm	5 -114.3 mm	BR34262
				REAR			
10/06-11/00	w/ 277mm Front Rotors; 11/00 To 10/06	Floating	Drum	303 mm	75.6 mm	5 -114.3 mm	BD35108
LR2				FRONT			
12-08		Vented	Rotor	316mm	52mm	5 -108 mm	BR900852
				REAR			
12-08		Vented	Rotor	302 mm	66.2 mm	5 -108 mm	BR900962
LR3				FRONT			
09-05	4.4L V8	Vented	Rotor	337mm	62mm	5 -120.3 mm	BR900862
07-05	4.0L V6	Vented	Rotor	317 mm	62 mm	5 -120 mm	BR901132
				REAR			
09-05	4.4L V8	Vented	Rotor	350mm	60mm	5 -120.3 mm	BR900864
07-05	4.0L V6	Vented	Rotor	325 mm	59 MM	5 -120 mm	BR901134
LR4				FRONT			
12-10	360mm Rotor	Vented	Rotor	360 mm	62.3 mm	5 -120 mm	BR900964

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

LAND ROVER

LR4

REAR

12-10	350mm Rotor	Vented	Rotor	350mm	60mm	5 -120.3 mm	BR900864
-------	-------------	--------	-------	-------	------	-------------	----------

RANGE ROVER

FRONT

10-06	HSE; Exc. Sport	Vented	Rotor	344mm	76mm	5 -120.3 mm	BR900866
05-03		Vented	Rotor	344 mm	76 mm	5 -120.65 mm	BR34260
02-95		Vented	Rotor	296.7 mm	64.7 mm	5 -120 mm	BR34135
94-90		Vented	Rotor	298.5 mm	70 mm	5 -127 mm	BR34056
89-87		Solid	Rotor	298.5 mm	70 mm	5 -127 mm	BR34043

REAR

10-06	Exc. Sport; To Chassis/VIN 6A228066	Vented	Rotor	354mm	75mm	5 -120.3 mm	BR900868
05-03		Solid	Rotor	354 mm	75.25 mm	5 -120.65 mm	BR34259
02-95		Solid	Rotor	304.5 mm	62.8 mm	5 -120 mm	BR34146
94-90		Solid	Rotor	290 mm	61.5 mm	5 -127 mm	BR34049
89-87		Solid	Rotor	290 mm	61.5 mm	5 -127 mm	BR34049

RANGE ROVER SPORT

FRONT

12-10	Except Supercharged; 360mm Rotor	Vented	Rotor	360 mm	62.3 mm	5 -120 mm	BR900964
09-06	4.4L ; 337mm Rotor	Vented	Rotor	337mm	62mm	5 -120.3 mm	BR900862
	4.2L Supercharged; 360mm Rotor	Vented	Rotor	360 mm	62.3 mm	5 -120 mm	BR900964

REAR

12-10	Except Supercharged; 350mm Rotor	Vented	Rotor	350mm	60mm	5 -120.3 mm	BR900864
09-06		Vented	Rotor	350mm	60mm	5 -120.3 mm	BR900864

LEXUS

CT200H

FRONT

12-11		Vented	Rotor	255 mm	50 mm	5 -100 mm	BR900908
-------	--	--------	-------	--------	-------	-----------	----------

REAR

12-11		Vented	Rotor	11"	1.2"	5 -100 mm	BR901016
-------	--	--------	-------	-----	------	-----------	----------

ES250

FRONT

91-90		Vented	Rotor	277.1 mm	48.25 mm	5 -100 mm	BR31065
-------	--	--------	-------	----------	----------	-----------	---------

REAR

91-90		Solid	Rotor	269 mm	64.5 mm	5 -100 mm	BR3267
-------	--	-------	-------	--------	---------	-----------	--------

ES300 / ES300H

FRONT

2013		Vented	Rotor	296.35 mm	49.6 mm	5 -114.3 mm	BR900340
03-02		Vented	Rotor	296 mm	49.2 mm	5 -114.3 mm	BR31314
01-92		Vented	Rotor	275 mm	49.2 mm	5 -114.3 mm	BR31050

REAR

03-02		Solid	Rotor	269 mm	65 mm	5 -114.3 mm	BR31322
01-97		Solid	Rotor	269 mm	64.9 mm	5 -114.3 mm	BR31075
96-92		Solid	Rotor	288 mm	64.8 mm	5 -114.3 mm	BR31110

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
LEXUS							
ES330							
FRONT							
06-04		Vented	Rotor	296 mm	49.2 mm	5 -114.3 mm	BR31266
REAR							
06-04		Solid	Rotor	269 mm	65 mm	5 -114.3 mm	BR31322
ES350							
FRONT							
13-07		Vented	Rotor	296.35 mm	49.6 mm	5 -114.3 mm	BR900340
REAR							
12-07		Solid	Rotor	280.93 mm	67 mm	5 -114.3 mm	BR900342
GS300							
FRONT							
05-93		Vented	Rotor	295.9 mm	50.8 mm	5 -114.3 mm	BR31172
FRONT LEFT							
2006		Vented	Rotor	295.7 mm	50.8 mm	5 -114.3 mm	BR900544
FRONT RIGHT							
2006		Vented	Rotor	295.7 mm	50.8 mm	5 -114.3 mm	BR900546
REAR							
2006		Vented	Rotor	310 mm	67.5 mm	5 -114.3 mm	BR900548
05-98		Solid	Rotor	307 mm	63.3 mm	5 -114.3 mm	BR31253
97-93		Vented	Rotor	306.7 mm	67.35 mm	5 -114.3 mm	BR31153
GS350							
FRONT LEFT							
13-1 /11	From 1/2011	Vented	Rotor	334 mm	51.4 mm	5 -114.3 mm	BR901012
1 /11-09	To 01/2011	Vented	Rotor	333 mm	51.25 mm	5 -114.3 mm	BR900576
08-07	FWD	Vented	Rotor	333 mm	51.25 mm	5 -114.3 mm	BR900576
FRONT RIGHT							
13-1 /11	From 1/2011	Vented	Rotor	334 mm	51.4 mm	5 -114.3 mm	BR901010
1 /11-09	To 01/2011	Vented	Rotor	333 mm	51.25 mm	5 -114.3 mm	BR900578
08-07	FWD	Vented	Rotor	333 mm	51.25 mm	5 -114.3 mm	BR900578
REAR							
11-07		Vented	Rotor	310 mm	67.5 mm	5 -114.3 mm	BR900548
GS400							
FRONT							
00-98		Vented	Rotor	295.9 mm	50.8 mm	5 -114.3 mm	BR31172
REAR							
00-98		Solid	Rotor	307 mm	63.3 mm	5 -114.3 mm	BR31253
GS430							
FRONT							
05-01		Vented	Rotor	295.9 mm	50.8 mm	5 -114.3 mm	BR31172
FRONT LEFT							
07-06		Vented	Rotor	333 mm	51.25 mm	5 -114.3 mm	BR900576
FRONT RIGHT							
07-06		Vented	Rotor	333 mm	51.25 mm	5 -114.3 mm	BR900578
REAR							
07-06		Vented	Rotor	310 mm	67.5 mm	5 -114.3 mm	BR900548
05-01		Solid	Rotor	307 mm	63.3 mm	5 -114.3 mm	BR31253

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
LEXUS							
GS450H							
FRONT LEFT							
13-1 /11	From 1/2011	Vented	Rotor	334 mm	51.4 mm	5 -114.3 mm	BR901012
1 /11-07	To 1/2011	Vented	Rotor	333 mm	51.25 mm	5 -114.3 mm	BR900576
FRONT RIGHT							
13-1 /11	From 1/2011	Vented	Rotor	334 mm	51.4 mm	5 -114.3 mm	BR901010
1 /11-07	To 1/2011	Vented	Rotor	333 mm	51.25 mm	5 -114.3 mm	BR900578
REAR							
10-07		Vented	Rotor	310 mm	67.5 mm	5 -114.3 mm	BR900548
GS460							
FRONT LEFT							
11-1 /11	From 1/2011	Vented	Rotor	334 mm	51.4 mm	5 -114.3 mm	BR901012
1 /11-08	To 1/2011	Vented	Rotor	333 mm	51.25 mm	5 -114.3 mm	BR900576
FRONT RIGHT							
11-1 /11	From 1/2011	Vented	Rotor	334 mm	51.4 mm	5 -114.3 mm	BR901010
1 /11-08	To 1/2011	Vented	Rotor	333 mm	51.25 mm	5 -114.3 mm	BR900578
REAR							
11-08		Vented	Rotor	310 mm	67.5 mm	5 -114.3 mm	BR900548
GX460							
FRONT							
12-10		Vented	Rotor	338 mm	68.6 mm	6 -139.7 mm	BR900910
REAR							
12-10		Vented	Rotor	312 mm	68.3 mm	6 -139.7 mm	BR900912
GX470							
FRONT							
09-03		Vented	Rotor	338 mm	67.43 mm	6 -139.7 mm	BR31326
REAR							
09-03		Vented	Rotor	312 mm	68.1 mm	6 -139.7 mm	BR31294
HS250H							
FRONT							
12-10		Vented	Rotor	275 mm	46.57 mm	5 -114.3 mm	BR900344
REAR							
12-10		Solid	Rotor	281 mm	56 mm	5 -114.3 mm	BR900360
IS250							
FRONT							
08-06		Vented	Rotor	296 mm	49.2 mm	5 -114.3 mm	BR31314
FRONT LEFT							
12-09		Vented	Rotor	295.7 mm	50.8 mm	5 -114.3 mm	BR900544
FRONT RIGHT							
12-09		Vented	Rotor	295.7 mm	50.8 mm	5 -114.3 mm	BR900546
REAR							
2012		Solid	Rotor	291mm	62mm	5 -114.3 mm	BR900550
11-10	C; 310 mm Rotor	Vented	Rotor	310 mm	67.5 mm	5 -114.3 mm	BR900548
11-06	Exc. "C" ; 291mm	Solid	Rotor	291mm	62mm	5 -114.3 mm	BR900550
IS300							
FRONT							
05-01		Vented	Rotor	295.9 mm	50.8 mm	5 -114.3 mm	BR31172

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
LEXUS							
IS300		REAR					
05-01		Solid	Rotor	307 mm	63.3 mm	5 -114.3 mm	BR31253
IS350		FRONT LEFT					
12-2 /11	From 2/2011	Vented	Rotor	334 mm	51.4 mm	5 -114.3 mm	BR901012
1 /11-06	To 1/2011; 333 mm Rotor	Vented	Rotor	333 mm	51.25 mm	5 -114.3 mm	BR900576
		FRONT RIGHT					
12-2 /11	From 2/2011	Vented	Rotor	334 mm	51.4 mm	5 -114.3 mm	BR901010
1 /11-06	To 1/2011; 333 mm Rotor	Vented	Rotor	333 mm	51.25 mm	5 -114.3 mm	BR900578
		REAR					
12-06		Vented	Rotor	310 mm	67.5 mm	5 -114.3 mm	BR900548
LS400		FRONT					
00-95		Vented	Rotor	315 mm	53.1 mm	5 -114.3 mm	BR31166
94-93		Vented	Rotor	295.9 mm	50.8 mm	5 -114.3 mm	BR31172
92-91		Vented	Rotor	275 mm	51 mm	5 -114.3 mm	BR31054
1990		Vented	Rotor	274.9 mm	47.55 mm	5 -114.3 mm	BR31041
		REAR					
00-93		Vented	Rotor	306.7 mm	67.35 mm	5 -114.3 mm	BR31153
92-90		Vented	Rotor	291 mm	67.5 mm	5 -114.3 mm	BR31040
LS430		FRONT					
06-01		Vented	Rotor	315 mm	50.8 mm	5 -114.3 mm	BR900079
		REAR					
06-01		Vented	Rotor	310 mm	67.1 mm	5 -114.3 mm	BR900080
LS460		FRONT					
12-07	RWD Exc. Sport Package (334 mm Rotor)	Vented	Rotor	334 mm	61 mm	5 -120 mm	BR901008
		REAR					
12-07	Exc. Touring ; 315 mm Rear Rotor	Vented	Rotor	12.4"	2.6"	5 -120 mm	BR901018
LX450		FRONT					
97-96		Vented	Rotor	311.5 mm	58.2 mm	6 -139.7 mm	BR31131
		REAR					
97-96		Vented	Rotor	335 mm	102.7 mm	6 -139.7 mm	BR31154
LX470		FRONT					
07-98		Vented	Rotor	313 mm	69.7 mm	5 -144 mm	BR31265
		REAR					
07-98		Vented	Rotor	329.5 mm	102.4 mm	5 -149.6 mm	BR31264
LX570		FRONT					
13-08		Vented	Rotor	340 mm	84.3 mm	5 -149.6 mm	BR900572
		REAR					
13-08	Superseded to BR900338	Vented	Rotor	345 mm	77 mm	5 -149.6 mm	BR900574
	Reorder	Vented	Rotor	345 mm	77 mm	5 -150 mm	BR900338

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

LEXUS

RX300

FRONT

03-99		Vented	Rotor	296 mm	49.2 mm	5 -114.3 mm	BR31266
-------	--	--------	-------	--------	---------	-------------	---------

REAR

03-99	AWD	Solid	Rotor	288 mm	60.1 mm	5 -114.3 mm	BR31261
	2WD	Solid	Rotor	288 mm	64.8 mm	5 -114.3 mm	BR31110

RX330

FRONT

07-04	2WD & AWD	Vented	Rotor	319 mm	49.3 mm	5 -114.3 mm	BR31392
-------	-----------	--------	-------	--------	---------	-------------	---------

REAR

07-04	2WD & AWD	Solid	Rotor	288 mm	69.5 mm	5 -114.3 mm	BR31356
-------	-----------	-------	-------	--------	---------	-------------	---------

RX350

FRONT

13-10		Vented	Rotor	328 mm	49.7 mm	5 -114.3 mm	BR900566
09-07		Vented	Rotor	319 mm	49.3 mm	5 -114.3 mm	BR31392

REAR

13-10		Vented	Rotor	308 mm	63.2 mm	5 -114.3 mm	BR901006
09-07		Solid	Rotor	288 mm	69.5 mm	5 -114.3 mm	BR31356

RX400H

FRONT

08-06		Vented	Rotor	319 mm	49.3 mm	5 -114.3 mm	BR31392
-------	--	--------	-------	--------	---------	-------------	---------

REAR

08-06		Solid	Rotor	288 mm	69.5 mm	5 -114.3 mm	BR31356
-------	--	-------	-------	--------	---------	-------------	---------

RX450H

FRONT

13-10		Vented	Rotor	328 mm	49.7 mm	5 -114.3 mm	BR900566
-------	--	--------	-------	--------	---------	-------------	----------

REAR

13-10		Vented	Rotor	308 mm	63.2 mm	5 -114.3 mm	BR901006
-------	--	--------	-------	--------	---------	-------------	----------

SC300

FRONT

00-99		Vented	Rotor	295.9 mm	50.8 mm	5 -114.3 mm	BR31172
98-92		Vented	Rotor	274.8 mm	50.9 mm	5 -114.3 mm	BR31117

REAR

00-99		Vented	Rotor	306.7 mm	67.35 mm	5 -114.3 mm	BR31153
98-92		Vented	Rotor	291 mm	67.5 mm	5 -114.3 mm	BR31181

SC400

FRONT

00-92		Vented	Rotor	295.9 mm	50.8 mm	5 -114.3 mm	BR31172
-------	--	--------	-------	----------	---------	-------------	---------

REAR

00-92		Vented	Rotor	306.7 mm	67.35 mm	5 -114.3 mm	BR31153
-------	--	--------	-------	----------	----------	-------------	---------

SC430

FRONT

2010		Vented	Rotor	296 mm	51 mm	5 -114.3 mm	BR901014
09-02		Vented	Rotor	295.9 mm	50.8 mm	5 -114.3 mm	BR31172

REAR

10-02		Solid	Rotor	307 mm	63.3 mm	5 -114.3 mm	BR31253
-------	--	-------	-------	--------	---------	-------------	---------

LINCOLN

AVIATOR

FRONT

05-03		Vented	Rotor	12.99"	2.29"	5 -4.5"	BR54115
-------	--	--------	-------	--------	-------	---------	---------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
LINCOLN							
AVIATOR				REAR			
05-03		Solid	Rotor	12.71"	2.3"	5 -4.5"	BR54116
BLACKWOOD				FRONT			
2002		Vented	Rotor	12.13"	4.09"	5 -5.31"	BR54092
				REAR			
2002		Solid	Rotor	13.15"	2.22"	5 -5.31"	BR54090
CONTINENTAL				FRONT			
02-95	11.57" O.D.	Vented	Rotor	11.57"	1.83"	5 -4.25"	BR54030
94-93	10.87" O.D.	Vented	Rotor	10.87"	1.84"	5 -4.25"	BR54010
1992		Vented	Rotor	10.16"	2.31"	5 -4.5"	BR5470
91-2 /91	From 2/91	Vented	Rotor	10.16"	2.31"	5 -4.5"	BR5470
1 /91-91	To 1/91	Vented	Rotor	10.16"	1.92"	5 -4.25"	BR5454
1 /91-90	Replace In Pairs Only; To 1/91	Vented	Rotor	10.16"	1.92"	5 -4.25"	BR5454
89-88	FWD	Vented	Rotor	10.16"	1.92"	5 -4.25"	BR5454
1987	From 2/15/87	Vented	Rotor	10.92"	3.74"	5 -4.5"	BR5463
87-85	To 2/14/87	Vented	Rotor	10.92"	3.74"	5 -4.5"	BR5462
1984	ABS	Vented	Rotor	10.92"	3.74"	5 -4.5"	BR5462
	w/o ABS	Vented	Rotor	10.91"	3.63"	5 -4.5"	BR5449
83-82		Vented	Rotor	10.91"	3.63"	5 -4.5"	BR5449
1980		Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
79-74		Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
1973		Vented	Rotor	11.72"	4.83"	5 -5"	BR5413
				REAR			
02-93		Solid	Rotor	10.09"	1.54"	5 -4.25"	BR54025
92-90		Vented	Rotor	10.08"	2.02"	5 -4.25"	BR5495
89-88	FWD	Vented	Rotor	10.16"	1.84"	5 -4.25"	BR5494
87-85		Vented	Rotor	11.32"	2.56"	5 -4.5"	BR54055
84-80	11 Inch Rear Drum Brake	Floating	Drum	13.03"	3.97"	5 -4.5"	BD8897
	10 Inch Rear Drum Brake	Floating	Drum	12"	3.74"	5 -4.5"	BD8896
LS				FRONT			
06-00		Vented	Rotor	11.81"	1.7"	5 -4.25"	BR54088
				REAR			
06-00		Vented	Rotor	11.34"	1.29"	5 -4.25"	BR54089
MARK III				REAR			
1968		Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
MARK IV				FRONT			
76-74		Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
1973		Vented	Rotor	11.72"	4.83"	5 -5"	BR5413

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

LINCOLN

MARK IV

REAR LEFT

76-75	Left	Vented	Rotor	11.50"	2.43"	5 -5"	BR5435
-------	------	--------	-------	--------	-------	-------	--------

REAR RIGHT

76-75	Right	Vented	Rotor	11.50"	2.43"	5 -5"	BR5433
-------	-------	--------	-------	--------	-------	-------	--------

MARK LT

FRONT

08-06	6 Lug; 2WD; w/ Base Payload Pkg. (Includes Hub Bearing)(Spindle Nut must be replaced! Torque spindle nut to 295 ft lbs , rotate 5 times in counterclockwise direction and recheck torque. This ensures bearing seat.)	Vented	Rotor	12.99"	3.63"	6 -5.31"	BR54107
	7 Lug; 2WD; Exc. Base Payload Pkg. (Includes Hub Bearing)(Spindle Nut must be replaced! Torque spindle nut to 295 ft lbs , rotate 5 times in counterclockwise direction and recheck torque. This ensures bearing seat.)	Vented	Rotor	12.99"	3.63"	7 -5.91"	BR54108
	6 Lug; 4WD; w/ Base Payload Pkg.	Vented	Rotor	12.99"	2.13"	6 -5.31"	BR54109
	7 Lug; 4WD; Exc. Base Payload Pkg.	Vented	Rotor	12.99"	2.13"	7 -5.91"	BR54110

REAR

08-06	6 Lug; w/ Base Payload Pkg.	Vented	Rotor	13.7"	3.39"	6 -5.31"	BR54111
	7 Lug; Exc. Base Payload Pkg.	Vented	Rotor	13.7"	3.39"	7 -5.91"	BR54112

MARK V

FRONT

79-77		Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
-------	--	--------	-------	-------	-------	-------	--------

REAR LEFT

79-77	Left	Vented	Rotor	11.50"	2.43"	5 -5"	BR5435
-------	------	--------	-------	--------	-------	-------	--------

REAR RIGHT

79-77	Right	Vented	Rotor	11.50"	2.43"	5 -5"	BR5433
-------	-------	--------	-------	--------	-------	-------	--------

MARK VI

FRONT

83-80		Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
-------	--	--------	-------	--------	-------	---------	--------

REAR

83-80	10 Inch Rear Drum Brake	Floating	Drum	12"	3.74"	5 -4.5"	BD8896
	11 Inch Rear Drum Brake	Floating	Drum	13.03"	3.97"	5 -4.5"	BD8897

MARK VII

FRONT

92-91		Vented	Rotor	10.92"	3.74"	5 -4.5"	BR5463
1990	ABS	Vented	Rotor	10.92"	3.74"	5 -4.5"	BR5463
89-87	From 2/15/87	Vented	Rotor	10.92"	3.74"	5 -4.5"	BR5463
87-85	w/ ABS; To 2/14/87	Vented	Rotor	10.92"	3.74"	5 -4.5"	BR5462
1984		Vented	Rotor	10.91"	3.63"	5 -4.5"	BR5449

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
LINCOLN							
MARK VII			REAR				
92-91		Vented	Rotor	10.53"	2.47"	5 -4.5"	BR5493
90-84		Vented	Rotor	11.32"	2.56"	5 -4.5"	BR54055
MARK VIII			FRONT				
98-96		Vented	Rotor	11.57"	1.83"	5 -4.25"	BR54030
95-93		Vented	Rotor	11.57"	1.83"	5 -4.25"	BR54009
			REAR				
98-93		Vented	Rotor	10.16"	1.79"	5 -4.25"	BR54007
MKS			FRONT				
12-11		Vented	Rotor	12.79"	1.87"	5 -4.5"	BR901020
10-09		Vented	Rotor	12.8"	1.87"	5 -4.5"	BR900632
			REAR				
12-11		Solid	Rotor	13"	1.55"	5 -4.5"	BR900928
10-09		Solid	Rotor	12.99"	1.48"	5 -4.5"	BR54125
MKT			FRONT				
13-12	Standard Duty	Vented	Rotor	12.79"	1.87"	5 -4.5"	BR901020
11-10		Vented	Rotor	12.8"	1.87"	5 -4.5"	BR900632
			REAR				
13-12	Standard Duty	Solid	Rotor	12.99"	1.48"	5 -4.5"	BR54125
11-10		Solid	Rotor	12.99"	1.48"	5 -4.5"	BR54125
MKX			FRONT				
13-10		Vented	Rotor	320 mm	48.77 mm	5 -4.5"	BR900636
09-07	AWD	Vented	Rotor	320 mm	48.77 mm	5 -4.5"	BR900636
	FWD	Vented	Rotor	296.38 mm	48.66 mm	5 -4.5"	BR900296
			REAR				
13-11		Solid	Rotor	13"	1.55"	5 -4.5"	BR900928
10-07		Vented	Rotor	302.08 mm	56.77 mm	5 -4.5"	BR900300
MKZ			FRONT				
12-07		Vented	Rotor	11.74"	1.91"	5 -4.5"	BR54142
			REAR				
12-07		Solid	Rotor	279.5 mm	40.22 mm	5 -114.3 mm	BR31325
NAVIGATOR			FRONT				
12-07	Reorder	Vented	Rotor	13.78"	1.97"	6 -5.31"	BR900846
11-07	Superseded to BR900846	Vented	Rotor	13.75"	1.96"	6 -5.31"	BR900368
06-03		Vented	Rotor	12.99"	1.89"	6 -5.31"	BR54099
02-01	2WD; 14mm Studs	Vented	Rotor	12.13"	4.05"	5 -5.31"	BR54091
02-98	4WD	Vented	Rotor	12.13"	1.86"	5 -5.31"	BR54080
2000	2WD; From 12/99; 14mm Studs	Vented	Rotor	12.13"	4.05"	5 -5.31"	BR54091
	2WD; To 11/99; 12mm Studs	Vented	Rotor	12.13"	4.05"	5 -5.31"	BR54050
99-98	2WD; 12mm Studs	Vented	Rotor	12.13"	4.05"	5 -5.31"	BR54050

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

LINCOLN

NAVIGATOR

REAR

12-07		Vented	Rotor	13.5"	2.21"	6 -5.31"	BR900366
06-03		Vented	Rotor	13.46"	2.04"	6 -5.31"	BR54100
02-98		Solid	Rotor	13.15"	2.22"	5 -5.31"	BR54090

TOWN CAR

FRONT

11-03		Vented	Rotor	12.01"	1.77"	5 -4.5"	BR54103
02-98		Vented	Rotor	12.42"	2.59"	5 -4.5"	BR54060
97-95		Vented	Rotor	11.45"	2.59"	5 -4.5"	BR54014
94-91		Vented	Rotor	11.09"	3.29"	5 -4.5"	BR5472
1990	ABS	Vented	Rotor	11.08"	5.29"	5 -4.5"	BR5466
	w/o ABS	Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
89-82		Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438

REAR

11-05	Limo	Solid	Rotor	13.14"	2.22"	5 -4.5"	BR54102
	Exc. Limo	Vented	Rotor	11.61"	2.44"	5 -4.5"	BR54101
05-03	Limo; Rear Disc Brake	Solid	Rotor	13.14"	2.22"	5 -4.5"	BR54102
	Exc. Limo; Rear Disc Brake	Vented	Rotor	11.61"	2.44"	5 -4.5"	BR54101
03-82	11 Inch Rear Drum Brake	Floating	Drum	13.03"	3.97"	5 -4.5"	BD8897
02-96	Exc. Limo; Rear Disc Brake	Solid	Rotor	11.22"	2.28"	5 -4.5"	BR54027
95-91	Exc. Limo; Rear Disc Brake	Solid	Rotor	11.42"	2.31"	5 -4.5"	BR5484
90-82	10 Inch Rear Drum Brake	Floating	Drum	12"	3.74"	5 -4.5"	BD8896

VERSAILLES

FRONT

80-77		Vented	Rotor	11.03"	4.16"	5 -4.5"	BR5419
-------	--	--------	-------	--------	-------	---------	--------

ZEPHYR

FRONT

2006		Vented	Rotor	11.74"	1.91"	5 -4.5"	BR54142
------	--	--------	-------	--------	-------	---------	---------

REAR

2006		Solid	Rotor	279.5 mm	40.22 mm	5 -114.3 mm	BR31325
------	--	-------	-------	----------	----------	-------------	---------

MAZDA

2

FRONT

12-11		Vented	Rotor	257 mm	44.7 mm	4 -100	BR900998
-------	--	--------	-------	--------	---------	--------	----------

REAR

12-11		Floating	Drum	239.3 mm	57.6 mm	4 -100 mm	BD920160
-------	--	----------	------	----------	---------	-----------	----------

3

FRONT

12-07	Mazdaspeed	Vented	Rotor	320 mm	48.4 mm	5 -114.3 mm	BR901138
12-04	2.3L & 2.5L; Exc. MAZDASPEED: 300mm Front Rotor	Vented	Rotor	300 mm	48.6 mm	5 -114.3	BR31363
	2.0L	Vented	Rotor	278 mm	48.7 mm	5 -114.3 mm	BR31373

REAR

12-04	2.0L	Solid	Rotor	265 mm	41 mm	5 -114.3	BR31365
	2.3L & 2.5L	Solid	Rotor	280 mm	40.9 mm	5 -114.3 mm	BR31366

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MAZDA

323

FRONT

95-90		Vented	Rotor	234.7 mm	45 mm	4 -100 mm	BR5475
89-86		Vented	Rotor	238 mm	31 mm	4 -94 mm	BR3146

REAR

95-92		Floating	Drum	241.2 mm	58 mm	4 -100 mm	BD80006
91-90		Floating	Drum	251 mm	55 mm	4 -100 mm	BD80007
89-88	Sedan	Hub/ Bearing	Drum	225 mm	65.5 mm	4 -114.3 mm	BD3562
1988	Wagon	Hub/ Bearing	Drum	254 mm	67.06 mm	4 -114.3 mm	BD3588
87-86	Rear Drum Brake	Hub/ Bearing	Drum	225 mm	65.5 mm	4 -114.3 mm	BD3562

5

FRONT

12-06		Vented	Rotor	300 mm	48.6 mm	5 -114.3	BR31363
-------	--	--------	-------	--------	---------	----------	---------

REAR

12-06		Solid	Rotor	302 mm	41 mm	5 -114.3 mm	BR900456
-------	--	-------	-------	--------	-------	-------------	----------

6

FRONT

13-06	Exc. MAZDASPEED	Vented	Rotor	11.74"	1.91"	5 -4.5"	BR54142
07-06	MAZDASPEED	Vented	Rotor	319.7 mm	47.5 mm	5 -114.3 mm	BR900454
05-03		Vented	Rotor	282 mm	48.75 mm	5 -114.3 mm	BR31367

REAR

13-06	Exc. MAZDASPEED	Solid	Rotor	279.5 mm	40.22 mm	5 -114.3 mm	BR31325
07-06	MAZDASPEED	Solid	Rotor	313.6 mm	41.7 mm	5 -114.3 mm	BR900438
05-03		Solid	Rotor	279.5 mm	40.22 mm	5 -114.3 mm	BR31325

626

FRONT

02-98	V6	Vented	Rotor	273.7 mm	47.4 mm	5 -114.3 mm	BR31051
	4 Cyl.	Vented	Rotor	257.8 mm	48.7 mm	5 -114.3 mm	BR31052
97-93		Vented	Rotor	257.8 mm	48.7 mm	5 -114.3 mm	BR31052
92-88		Vented	Rotor	263.9 mm	46.6 mm	5 -114.3 mm	BR3198
87-83		Vented	Rotor	250 mm	34.5 mm	4 -94 mm	BR3138

REAR

02-98	w/ Rear Disc Brake	Solid	Rotor	279.8 mm	40.1 mm	5 -114.3 mm	BR31256
	w/ Rear Drum Brake	Floating	Drum	270.2 mm	60.5 mm	5 -114.3 mm	BD3520
97-93	w/ Rear Drum Brake	Floating	Drum	270.2 mm	60.5 mm	5 -114.3 mm	BD3520
	w/ Rear Disc Brake	Solid	Rotor	261 mm	40.2 mm	5 -114.3 mm	BR54006
92-89	w/ Rear Disc Brake	Solid	Rotor	259 mm	72 mm	5 -114.3 mm	BR3285
	w/ Rear Drum Brake	Hub/ Bearing	Drum	251 mm	72 mm	5 -114.3 mm	BD8984
1988	Rear Disc Brake; w/ 2WS	Solid	Rotor	259 mm	72 mm	5 -114.3 mm	BR3285
87-86	w/ Rear Drum Brake	Hub/ Bearing	Drum	229.5 mm	72 mm	4 -114.3 mm	BD3504

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MAZDA

626

REAR

85-83		Hub/ Bearing	Drum	229.5 mm	72 mm	4 -114.3 mm	BD3504
-------	--	-----------------	------	----------	-------	-------------	--------

929

FRONT

95-92		Vented	Rotor	273.7 mm	47.4 mm	5 -114.3 mm	BR31051
91-88	w/o ABS	Vented	Rotor	255 mm	72.5 mm	5 -114.3 mm	BR3200
	w/ ABS	Vented	Rotor	255 mm	72.3 mm	5 -114.3 mm	BR3201

REAR

95-92		Vented	Rotor	285.7 mm	57.1 mm	5 -114.3 mm	BR31364
91-90		Vented	Rotor	266 mm	55 mm	5 -114.3 mm	BR31219
89-88		Solid	Rotor	265.5 mm	56.5 mm	5 -114.3 mm	BR3263

B1800

FRONT

78-77		Solid	Rotor	256 mm	35.9 mm	4 -102 mm	BR3151
-------	--	-------	-------	--------	---------	-----------	--------

B2000

FRONT

1986		Vented	Rotor	256 mm	20 mm	6 -108 mm	BR3140
84-79		Solid	Rotor	256 mm	35.9 mm	4 -102 mm	BR3151

REAR

1986		Floating	Drum	303.5 mm	71.2 mm	6 -139.7 mm	BD3560
1984		Floating	Drum	303.5 mm	71.2 mm	6 -139.7 mm	BD3560

B2200

FRONT

93-87		Vented	Rotor	256 mm	20 mm	6 -108 mm	BR3140
-------	--	--------	-------	--------	-------	-----------	--------

REAR

93-87		Floating	Drum	303.5 mm	71.2 mm	6 -139.7 mm	BD3560
-------	--	----------	------	----------	---------	-------------	--------

B2300

FRONT

09-03	2WD	Vented	Rotor	11.28"	4.25"	5 -4.5"	BR54029
02-01	Hub & Rotor; w/ 15 Inch Whls.	Vented	Rotor	11.28"	4.25"	5 -4.5"	BR54029
	Rotor only for 15" Wheels	Vented	Rotor	11.26"	2.6"	5 -4.5"	BR54035
	Hub & Rotor; w/ 14 Inch Whls.	Vented	Rotor	10.28"	4.25"	5 -4.5"	BR54059
97-95	2WD; Rear Whl. ABS	Vented	Rotor	10.28"	4.25"	5 -4.5"	BR54018
	4-Whl. ABS	Vented	Rotor	10.28"	4.25"	5 -4.5"	BR54019
96-95	4WD	Vented	Rotor	11.26"	2.27"	5 -4.5"	BR54038
1994	2WD	Vented	Rotor	10.28"	4.13"	5 -4.5"	BR5447

REAR

09-01	10 Inch Rear Drum Brake	Floating	Drum	11.73"	3.49"	5 -4.5"	BD8923
	9 Inch Rear Drum Brake	Floating	Drum	10.59"	2.76"	5 -4.5"	BD80036
97-94	10 Inch Rear Drum Brake	Floating	Drum	11.73"	3.64"	5 -4.5"	BD8946
	9 Inch Rear Drum Brake	Floating	Drum	10.61"	2.83"	5 -4.5"	BD8952

B2500

FRONT

2001	4-Whl. ABS; w/ 14 Inch Whls.	Vented	Rotor	10.28"	4.25"	5 -4.5"	BR54059
01-98	w/ 15 Inch Whls.	Vented	Rotor	11.28"	4.25"	5 -4.5"	BR54029
00-98	w/ 14 Inch Whls.	Vented	Rotor	10.28"	4.25"	5 -4.5"	BR54058

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MAZDA

B2500

REAR

2001		Floating	Drum	10.59"	2.76"	5 -4.5"	BD80036
00-98	9 Inch Rear Drum Brake	Floating	Drum	10.59"	2.76"	5 -4.5"	BD80036
	10 Inch Rear Drum Brake	Floating	Drum	11.73"	3.49"	5 -4.5"	BD8923

B2600

FRONT

93-90	2WD	Vented	Rotor	256 mm	20 mm	6 -108 mm	BR3140
93-87	4WD	Vented	Rotor	271.8 mm	24.8 mm	6 -116 mm	BR3246
88-87	2WD	Vented	Rotor	256 mm	20 mm	6 -108 mm	BR3140

REAR

93-87	2WD	Floating	Drum	303.5 mm	71.2 mm	6 -139.7 mm	BD3560
	4WD	Floating	Drum	311 mm	76.2 mm	6 -139.7 mm	BD35040

B3000

FRONT

07-03		Vented	Rotor	11.28"	4.25"	5 -4.5"	BR54029
02-98	Hub & Rotor; w/ 15 Inch Whls.	Vented	Rotor	11.28"	4.25"	5 -4.5"	BR54029
	Rotor Only	Vented	Rotor	11.26"	2.6"	5 -4.5"	BR54035
2001	4-Whl. ABS; Hub & Rotor; w/ 14 Inch Whls.	Vented	Rotor	10.28"	4.25"	5 -4.5"	BR54059
00-98	Hub & Rotor; w/ 14 Inch Whls.	Vented	Rotor	10.28"	4.25"	5 -4.5"	BR54058
96-95	2WD; Rear Whl. ABS	Vented	Rotor	10.28"	4.25"	5 -4.5"	BR54018
	4-Whl. ABS	Vented	Rotor	10.28"	4.25"	5 -4.5"	BR54019
	4WD	Vented	Rotor	11.26"	2.27"	5 -4.5"	BR54038
1994	2WD	Vented	Rotor	10.28"	4.13"	5 -4.5"	BR5447
	4WD	Vented	Rotor	10.87"	2.49"	5 -4.5"	BR5473

REAR

07-98	10 Inch Rear Drum Brake	Floating	Drum	11.73"	3.49"	5 -4.5"	BD8923
	9 Inch Rear Drum Brake	Floating	Drum	10.59"	2.76"	5 -4.5"	BD80036
96-94	10 Inch Rear Drum Brake	Floating	Drum	11.73"	3.64"	5 -4.5"	BD8946
	9 Inch Rear Drum Brake	Floating	Drum	10.61"	2.83"	5 -4.5"	BD8952

B4000

FRONT

09-03	2WD	Vented	Rotor	11.28"	4.25"	5 -4.5"	BR54029
	4WD	Vented	Rotor	12.01"	2.61"	5 -4.5"	BR54097
02-99	4-Whl. ABS; Hub & Rotor; w/ 14 Inch Whls.	Vented	Rotor	10.28"	4.25"	5 -4.5"	BR54059
02-98	Rotor Only	Vented	Rotor	11.26"	2.6"	5 -4.5"	BR54035
	Hub & Rotor; w/ 15 Inch Whls.	Vented	Rotor	11.28"	4.25"	5 -4.5"	BR54029
00-99	Rear Whl. ABS; Hub & Rotor; w/ 14 Inch Whls.	Vented	Rotor	10.28"	4.25"	5 -4.5"	BR54058
1998	4-Whl. ABS; w/ 14 Inch Whls.	Vented	Rotor	10.28"	4.25"	5 -4.5"	BR54059
	Rear Whl. ABS; w/ 14 Inch Whls.	Vented	Rotor	10.28"	4.25"	5 -4.5"	BR54058
97-95	2WD; w/ 4-Whl. ABS	Vented	Rotor	10.28"	4.25"	5 -4.5"	BR54019

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MAZDA

B4000

FRONT

97-95	2WD; w/ Rear Whl. ABS	Vented	Rotor	10.28"	4.25"	5 -4.5"	BR54018
	4WD	Vented	Rotor	11.26"	2.27"	5 -4.5"	BR54038
1994	4WD	Vented	Rotor	10.87"	2.49"	5 -4.5"	BR5473
	2WD	Vented	Rotor	10.28"	4.13"	5 -4.5"	BR5447

REAR

09-05	10 Inch Rear Drum Brake	Floating	Drum	11.73"	3.49"	5 -4.5"	BD8923
	9 Inch Rear Drum Brake	Floating	Drum	10.59"	2.76"	5 -4.5"	BD80036
04-98	9 Inch Rear Drum Brake	Floating	Drum	10.59"	2.76"	5 -4.5"	BD80036
	10 Inch Rear Drum Brake	Floating	Drum	11.73"	3.49"	5 -4.5"	BD8923
97-94	10 Inch Rear Drum Brake	Floating	Drum	11.73"	3.64"	5 -4.5"	BD8946
	9 Inch Rear Drum Brake	Floating	Drum	10.61"	2.83"	5 -4.5"	BD8952

CX-7

FRONT

12-07		Vented	Rotor	295.5 mm	49.29 mm	5 -4.5"	BR900350
-------	--	--------	-------	----------	----------	---------	----------

REAR

12-07		Vented	Rotor	301.75 mm	57.96 mm	5 -4.5"	BR900352
-------	--	--------	-------	-----------	----------	---------	----------

CX-9

FRONT

12-07		Vented	Rotor	320 mm	51.22 mm	5 -4.5"	BR900354
-------	--	--------	-------	--------	----------	---------	----------

REAR

12-07		Vented	Rotor	325 mm	58.52 mm	5 -4.5"	BR900356
-------	--	--------	-------	--------	----------	---------	----------

GLC

FRONT

85-81	Exc. Wagon	Solid	Rotor	227 mm	31 mm	4 -94 mm	BR3189
-------	------------	-------	-------	--------	-------	----------	--------

REAR

85-81	Exc. Wagon	Floating	Drum	230 mm	73.5 mm	4 -110 mm	BD3585
-------	------------	----------	------	--------	---------	-----------	--------

MIATA

FRONT

13-06		Vented	Rotor	289.7 mm	45.2 mm	5 -114.3 mm	BR900464
05-01	Sport Suspension; MAZDASPEED	Vented	Rotor	269.9 mm	46.2 mm	4 -100 mm	BR900424
	Normal Suspension; Exc. MAZDASPEED	Vented	Rotor	254.7 mm	45 mm	4 -100 mm	BR31159
00-99		Vented	Rotor	254.7 mm	45 mm	4 -100 mm	BR31159
97-94		Vented	Rotor	254.7 mm	45 mm	4 -100 mm	BR31159
93-90		Vented	Rotor	234.7 mm	45 mm	4 -100 mm	BR3299

REAR

13-06		Solid	Rotor	279.5 mm	40.22 mm	5 -114.3 mm	BR31325
05-01	Normal Suspension; Exc. MAZDASPEED	Solid	Rotor	251 mm	35 mm	4 -100 mm	BR5485
00-99		Solid	Rotor	251 mm	35 mm	4 -100 mm	BR5485
97-94		Solid	Rotor	251 mm	35 mm	4 -100 mm	BR5485
93-90		Solid	Rotor	231 mm	34.5 mm	4 -100 mm	BR31100

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
MAZDA							
MILLENNIA							
FRONT							
02-01		Vented	Rotor	295 mm	51.25 mm	5 -114.3 mm	BR900782
00-95		Vented	Rotor	273.7 mm	51 mm	5 -114.3 mm	BR31151
REAR							
02-97		Solid	Rotor	285.7 mm	57 mm	5 -114.3 mm	BR31228
96-95		Solid	Rotor	285.7 mm	57 mm	5 -114.3 mm	BR31150
MPV							
FRONT							
06-04		Vented	Rotor	273.7 mm	51 mm	5 -114.3 mm	BR31151
03-00		Vented	Rotor	273.7 mm	51 mm	5 -114.3 mm	BR31151
98-96		Vented	Rotor	275.7 mm	57.9 mm	5 -114.3 mm	BR31241
95-94		Vented	Rotor	275.7 mm	63.8 mm	5 -114.3 mm	BR31161
1993	2WD; From 8/3/93	Vented	Rotor	275.7 mm	63.8 mm	5 -114.3 mm	BR31161
	2WD; To 8/2/93	Vented	Rotor	256 mm	66 mm	5 -114.3 mm	BR31076
93-92	4WD	Vented	Rotor	275.7 mm	63.8 mm	5 -114.3 mm	BR31161
1992	2WD	Vented	Rotor	256 mm	66 mm	5 -114.3 mm	BR31076
91-89		Vented	Rotor	256 mm	62 mm	5 -114.3 mm	BR3202
REAR							
06-04		Vented	Rotor	285.7 mm	57.1 mm	5 -114.3 mm	BR31364
03-00		Floating	Drum	295 mm	78.2 mm	5 -114.3 mm	BD80091
98-93		Vented	Rotor	285.7 mm	57.1 mm	5 -114.3 mm	BR31364
92-89		Floating	Drum	311 mm	76.3 mm	5 -114.3 mm	BD35034
MX-3							
FRONT							
95-92		Vented	Rotor	257 mm	45 mm	4 -100 mm	BR5474
REAR							
95-92	w/ Rear Disc Brake	Solid	Rotor	251 mm	35 mm	4 -100 mm	BR5485
	w/ Rear Drum Brake	Floating	Drum	241.2 mm	58 mm	4 -100 mm	BD80006
MX-6							
FRONT							
97-93		Vented	Rotor	257.8 mm	48.7 mm	5 -114.3 mm	BR31052
92-88		Vented	Rotor	263.9 mm	46.6 mm	5 -114.3 mm	BR3198
REAR							
97-93	w/ Rear Disc Brake	Solid	Rotor	261 mm	40.2 mm	5 -114.3 mm	BR54006
	w/ Rear Drum Brake	Floating	Drum	270.2 mm	60.5 mm	5 -114.3 mm	BD3520
92-88	w/ Rear Disc Brake	Solid	Rotor	259 mm	72 mm	5 -114.3 mm	BR3285
	w/ Rear Drum Brake	Hub/ Bearing	Drum	251 mm	72 mm	5 -114.3 mm	BD8984
NAVAJO							
FRONT							
94-93	2WD	Vented	Rotor	10.29"	4.15"	5 -4.5"	BR54002
	4WD	Vented	Rotor	10.87"	2.49"	5 -4.5"	BR54005
1992	2WD	Vented	Rotor	10.28"	4.15"	5 -4.5"	BR5467
92-91	4WD	Vented	Rotor	10.87"	2.49"	5 -4.5"	BR5473

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MAZDA

NAVAJO

REAR

94-91		Floating	Drum	11.73"	3.49"	5 -4.5"	BD8923
-------	--	----------	------	--------	-------	---------	--------

PROTEGE

FRONT

2003	MAZDASPEED	Vented	Rotor	273.7 mm	47.4 mm	5 -114.3 mm	BR31051
03-02	w/ Rear Drum Brakes	Vented	Rotor	258 mm	46.8 mm	4 -100 mm	BR31285
03-01	2.0L With Rear Drum Brakes	Vented	Rotor	258 mm	46.8 mm	4 -100 mm	BR31285
	w/ Rear Disc Brakes & MPS-2 Suspension, Exc. MAZDASPEED	Vented	Rotor	273.6 mm	47.4 mm	5 -114.3	BR31255
	w/ Rear Disc Brakes & MPS Suspension, Exc. MAZDASPEED	Vented	Rotor	257.8 mm	48.7 mm	5 -114.3 mm	BR31052
02-01	1.6L With Rear Drum Brakes (2002 is Canada Model Only)	Vented	Rotor	234.7 mm	45 mm	4 -100 mm	BR31284
00-99	1.8L	Vented	Rotor	258 mm	46.8 mm	4 -100 mm	BR31285
	1.6L	Vented	Rotor	234.7 mm	45 mm	4 -100 mm	BR31284
98-96	ES; 1.8L	Vented	Rotor	257 mm	45 mm	4 -100 mm	BR5474
98-95	Exc. ES, S; 1.5L	Vented	Rotor	234.7 mm	45 mm	4 -100 mm	BR5475
95-92	ES, LX; DOHC	Vented	Rotor	257 mm	45 mm	4 -100 mm	BR5474
94-92	DX; SOHC	Vented	Rotor	234.7 mm	45 mm	4 -100 mm	BR5475
1991	DX; 2WD; SOHC Eng.	Vented	Rotor	234.7 mm	45 mm	4 -100 mm	BR5475
91-90	LX; DOHC Eng	Vented	Rotor	257 mm	45 mm	4 -100 mm	BR5474
1990	SE; SOHC	Vented	Rotor	234.7 mm	45 mm	4 -100 mm	BR5475

REAR

2003	MAZDASPEED	Solid	Rotor	279.5 mm	40.22 mm	5 -114.3 mm	BR31325
03-01	w/ Rear Disc Brakes, Exc. MAZDASPEED	Solid	Rotor	261 mm	40.2 mm	5 -114.3 mm	BR54006
03-92	With Rear Drum Brakes	Floating	Drum	241.2 mm	58 mm	4 -100 mm	BD80006
98-96	ES	Solid	Rotor	251 mm	35 mm	4 -100 mm	BR5485
95-92	ES, LX; DOHC	Solid	Rotor	251 mm	35 mm	4 -100 mm	BR5485
91-90	LX; DOHC Eng	Solid	Rotor	251 mm	35 mm	4 -100 mm	BR5485
	DX, SE; 2WD; SOHC Eng.	Floating	Drum	251 mm	55 mm	4 -100 mm	BD80007

PROTEGE5

FRONT

03-02		Vented	Rotor	257.8 mm	48.7 mm	5 -114.3 mm	BR31052
-------	--	--------	-------	----------	---------	-------------	---------

REAR

03-02		Solid	Rotor	261 mm	40.2 mm	5 -114.3 mm	BR54006
-------	--	-------	-------	--------	---------	-------------	---------

ROTARY PICKUP

FRONT

77-74		Solid	Rotor	256 mm	35.9 mm	4 -102 mm	BR3151
-------	--	-------	-------	--------	---------	-----------	--------

RX-7

FRONT

95-93		Vented	Rotor	294 mm	67 mm	5 -114.3 mm	BR31203
91-89		Vented	Rotor	275.7 mm	65 mm	5 -114.3 mm	BR3194
88-86	4 Lug	Vented	Rotor	249.7 mm	63 mm	4 -114.3 mm	BR3192
	5 Lug	Vented	Rotor	275.7 mm	65 mm	5 -114.3 mm	BR3194

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MAZDA

RX-7

FRONT

85-84	GSL-SE (13B Eng.)	Vented	Rotor	250 mm	90.5 mm	4 -114.3 mm	BR3190
	GSL (12A Eng.)	Vented	Rotor	227 mm	91 mm	4 -110 mm	BR3188
83-79		Vented	Rotor	227.5 mm	100.5 mm	4 -110 mm	BR3171

REAR

95-93		Vented	Rotor	294 mm	45 mm	5 -114.3 mm	BR31190
91-89	Rear Solid Disc Brake	Solid	Rotor	261 mm	53 mm	5 -114.3 mm	BR31090
	Rear Vented Disc Brake	Vented	Rotor	272.9 mm	53 mm	5 -114.3 mm	BR3260
88-86	5 Lug	Vented	Rotor	272.9 mm	53 mm	5 -114.3 mm	BR3260
	4 Lug	Solid	Rotor	261 mm	53 mm	4 -114.3 mm	BR31221
85-84	GSL-SE (13B Eng.)	Vented	Rotor	250 mm	90.5 mm	4 -114.3 mm	BR31086
	GSL (12A Eng.)	Solid	Rotor	236 mm	72 mm	4 -110 mm	BR31023
83-81	w/ Rear Disc Brake	Solid	Rotor	236 mm	72 mm	4 -110 mm	BR31023
	w/ Rear Drum Brakes	Floating	Drum	230 mm	73.5 mm	4 -110 mm	BD3585

RX-8

FRONT

11-09		Vented	Rotor	322 mm	45.4 mm	5 -114.3 mm	BR900462
08-04	w/ Sport Suspension	Vented	Rotor	322 mm	45.4 mm	5 -114.3 mm	BR900462
	w/ Std. Suspension	Vented	Rotor	302.8 mm	45.2 mm	5 -114.3 mm	BR900458

REAR

11-04		Vented	Rotor	301.5 mm	43.4 mm	5 -114.3 mm	BR900460
-------	--	--------	-------	----------	---------	-------------	----------

TRIBUTE

FRONT

11-08		Vented	Rotor	11.92"	1.84"	5 -4.5"	BR54123
06-05	S, 3.0L	Vented	Rotor	11.92"	1.84"	5 -4.5"	BR54123
	i, 2.3L	Vented	Rotor	10.94"	1.85"	5 -4.5"	BR54093
04-01		Vented	Rotor	10.94"	1.85"	5 -4.5"	BR54093

REAR

11-08	w/ Rear Drum Brake	Floating	Drum	297.2 mm	72.3 mm	5 -4.5"	BD920126
10-08	Hybrid	Solid	Rotor	11.89"	2.2"	5 -4.5"	BR54122
06-05	S, 3.0L	Solid	Rotor	11.89"	2.2"	5 -4.5"	BR54122
	i, 2.3L	Floating	Drum	10.79"	2.62"	5 -4.5"	BD80098
04-01		Floating	Drum	10.79"	2.62"	5 -4.5"	BD80098

MERCEDES-BENZ

190D

FRONT

89-84		Solid	Rotor	262 mm	45.5 mm	5 -112 mm	BR3206
-------	--	-------	-------	--------	---------	-----------	--------

REAR

89-84		Solid	Rotor	258 mm	55.3 mm	5 -112 mm	BR3208
-------	--	-------	-------	--------	---------	-----------	--------

190DT

FRONT

1987		Vented	Rotor	262 mm	44.5 mm	5 -112 mm	BR3207
------	--	--------	-------	--------	---------	-----------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MERCEDES-BENZ

190DT

REAR

1987		Solid	Rotor	258 mm	55.3 mm	5 - 112 mm	BR3208
------	--	-------	-------	--------	---------	------------	--------

190E

FRONT

93-91		Vented	Rotor	262 mm	44.5 mm	5 - 112 mm	BR3207
90-87	2.6	Vented	Rotor	262 mm	44.5 mm	5 - 112 mm	BR3207
88-87	Submodel 2.3	Vented	Rotor	262 mm	44.5 mm	5 - 112 mm	BR3207
87-86	Submodel 2.3-16	Vented	Rotor	284 mm	43.5 mm	5 - 112 mm	BR3205
86-84	Submodel 2.3	Solid	Rotor	262 mm	45.5 mm	5 - 112 mm	BR3206

REAR

93-91		Solid	Rotor	258 mm	55.3 mm	5 - 112 mm	BR3208
90-87	2.6	Solid	Rotor	258 mm	55.3 mm	5 - 112 mm	BR3208
88-84	2.3, 2.3-16	Solid	Rotor	258 mm	55.3 mm	5 - 112 mm	BR3208

220

REAR

73-69	ATE & Bendix Rear Calipers	Solid	Rotor	279 mm	71.5 mm	5 - 112 mm	BR3203
-------	----------------------------	-------	-------	--------	---------	------------	--------

220D

REAR

73-69	ATE & Bendix Rear Calipers	Solid	Rotor	279 mm	71.5 mm	5 - 112 mm	BR3203
-------	----------------------------	-------	-------	--------	---------	------------	--------

230

REAR

1974	ATE & Bendix Rear Calipers	Solid	Rotor	279 mm	71.5 mm	5 - 112 mm	BR3203
1969	ATE & Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 - 112 mm	BR3203
67-66	ATE & Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 - 112 mm	BR3203

240D

FRONT

83-80		Solid	Rotor	278 mm	63.3 mm	5 - 112 mm	BR3204
79-76	ATE & Bendix Calipers	Solid	Rotor	278 mm	63.3 mm	5 - 112 mm	BR3204

REAR

83-80		Solid	Rotor	279 mm	71.5 mm	5 - 112 mm	BR3203
79-74	ATE & Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 - 112 mm	BR3203

250

REAR

70-69	ATE & Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 - 112 mm	BR3203
-------	-----------------------	-------	-------	--------	---------	------------	--------

250C

REAR

72-70	ATE & Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 - 112 mm	BR3203
-------	-----------------------	-------	-------	--------	---------	------------	--------

250S

REAR

67-66	Girling Front Calipers	Solid	Rotor	279 mm	71.5 mm	5 - 112 mm	BR3203
-------	------------------------	-------	-------	--------	---------	------------	--------

260E

FRONT

89-87		Vented	Rotor	284 mm	43.5 mm	5 - 112 mm	BR3205
-------	--	--------	-------	--------	---------	------------	--------

REAR

89-87		Solid	Rotor	258 mm	55.3 mm	5 - 112 mm	BR3208
-------	--	-------	-------	--------	---------	------------	--------

280

FRONT

1976	ATE & Bendix Calipers	Solid	Rotor	278 mm	63.3 mm	5 - 112 mm	BR3204
75-73	Bendix Calipers	Vented	Rotor	278 mm	66.4 mm	5 - 112 mm	BR3417

REAR

76-73	ATE & Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 - 112 mm	BR3203
-------	-----------------------	-------	-------	--------	---------	------------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
MERCEDES-BENZ							
280C							
FRONT							
76-73	ATE & Bendix Rear Calipers	Solid	Rotor	278 mm	63.3 mm	5 -112 mm	BR3204
REAR							
76-73	ATE & Bendix Rear Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
280CE							
FRONT							
81-78	ATE Calipers	Solid	Rotor	278 mm	63.3 mm	5 -112 mm	BR3204
79-78	Bendix Calipers	Solid	Rotor	278 mm	63.3 mm	5 -112 mm	BR3204
REAR							
81-78	ATE Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
79-78	Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
280E							
FRONT							
81-77	ATE Calipers	Solid	Rotor	278 mm	63.3 mm	5 -112 mm	BR3204
79-77	Bendix Calipers	Solid	Rotor	278 mm	63.3 mm	5 -112 mm	BR3204
REAR							
81-77	ATE Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
79-77	Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
280S							
FRONT							
76-75	ATE & Bendix Calipers	Vented	Rotor	278 mm	66.4 mm	5 -112 mm	BR3417
REAR							
76-75	ATE & Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
71-69	ATE & Bendix Front Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
280SE							
FRONT							
1980	ATE & Bendix Calipers	Vented	Rotor	278 mm	68.5 mm	5 -112 mm	BR3477
79-77	ATE & Bendix Calipers	Vented	Rotor	278 mm	66.4 mm	5 -112 mm	BR3417
1973	ATE & Bendix Calipers	Vented	Rotor	278 mm	66.4 mm	5 -112 mm	BR3417
REAR							
80-77	ATE & Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
1973	ATE & Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
1972		Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
71-69	ATE Front Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
70-69	Bendix Front Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
280SEL							
FRONT							
1973	ATE & Bendix Calipers	Vented	Rotor	278 mm	66.4 mm	5 -112 mm	BR3417
REAR							
1973	ATE & Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
1972		Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
71-69	ATE & Bendix Front Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
280SL							
REAR							
1969	ATE & Bendix, Girling Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MERCEDES-BENZ

300

REAR

62-60	ATE & Dunlop Rear Calipers	Solid	Rotor	279 mm	71.5 mm	5 - 112 mm	BR3203
-------	----------------------------	-------	-------	--------	---------	------------	--------

300CD

FRONT

81-78	ATE & Bendix Calipers	Solid	Rotor	278 mm	63.3 mm	5 - 112 mm	BR3204
-------	-----------------------	-------	-------	--------	---------	------------	--------

REAR

81-78	ATE & Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 - 112 mm	BR3203
-------	-----------------------	-------	-------	--------	---------	------------	--------

300CE

FRONT

93-90		Vented	Rotor	295 mm	49.4 mm	5 - 112 mm	BR34052
-------	--	--------	-------	--------	---------	------------	---------

89-88		Vented	Rotor	284 mm	43.5 mm	5 - 112 mm	BR3205
-------	--	--------	-------	--------	---------	------------	--------

REAR

89-88		Solid	Rotor	258 mm	55.3 mm	5 - 112 mm	BR3208
-------	--	-------	-------	--------	---------	------------	--------

300D

FRONT

93-90		Vented	Rotor	284 mm	43.5 mm	5 - 112 mm	BR3205
-------	--	--------	-------	--------	---------	------------	--------

81-76	Bendix Calipers	Solid	Rotor	278 mm	63.3 mm	5 - 112 mm	BR3204
-------	-----------------	-------	-------	--------	---------	------------	--------

79-76	ATE Calipers	Solid	Rotor	278 mm	63.3 mm	5 - 112 mm	BR3204
-------	--------------	-------	-------	--------	---------	------------	--------

1975	ATE & Bendix Rear Calipers	Solid	Rotor	278 mm	63.3 mm	5 - 112 mm	BR3204
------	----------------------------	-------	-------	--------	---------	------------	--------

REAR

93-90		Solid	Rotor	258 mm	55.3 mm	5 - 112 mm	BR3208
-------	--	-------	-------	--------	---------	------------	--------

81-76	Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 - 112 mm	BR3203
-------	-----------------	-------	-------	--------	---------	------------	--------

79-76	ATE Calipers	Solid	Rotor	279 mm	71.5 mm	5 - 112 mm	BR3203
-------	--------------	-------	-------	--------	---------	------------	--------

1975	ATE & Bendix Rear Calipers	Solid	Rotor	279 mm	71.5 mm	5 - 112 mm	BR3203
------	----------------------------	-------	-------	--------	---------	------------	--------

300DT

FRONT

1987		Vented	Rotor	284 mm	43.5 mm	5 - 112 mm	BR3205
------	--	--------	-------	--------	---------	------------	--------

83-82	Bendix Calipers	Solid	Rotor	278 mm	63.3 mm	5 - 112 mm	BR3204
-------	-----------------	-------	-------	--------	---------	------------	--------

REAR

1987		Solid	Rotor	258 mm	55.3 mm	5 - 112 mm	BR3208
------	--	-------	-------	--------	---------	------------	--------

83-82	Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 - 112 mm	BR3203
-------	-----------------	-------	-------	--------	---------	------------	--------

300E

REAR

1993	4MATIC; AWD	Solid	Rotor	258 mm	55.3 mm	5 - 112 mm	BR3208
------	-------------	-------	-------	--------	---------	------------	--------

91-90	4MATIC; AWD	Solid	Rotor	258 mm	55.3 mm	5 - 112 mm	BR3208
-------	-------------	-------	-------	--------	---------	------------	--------

300SD

FRONT

93-92	Girling Front Calipers Fr. Ch # A050548	Vented	Rotor	320 mm	82 mm	5 - 112 mm	BR34047
-------	---	--------	-------	--------	-------	------------	---------

85-80	ATE & Bendix Calipers	Vented	Rotor	278 mm	68.5 mm	5 - 112 mm	BR3477
-------	-----------------------	--------	-------	--------	---------	------------	--------

79-78	ATE & Bendix Calipers	Vented	Rotor	278 mm	66.4 mm	5 - 112 mm	BR3417
-------	-----------------------	--------	-------	--------	---------	------------	--------

REAR

93-92	ATE & Girling Front Calipers Fr. Ch # A050548	Solid	Rotor	290 mm	60 mm	5 - 112 mm	BR34113
-------	---	-------	-------	--------	-------	------------	---------

85-78	ATE & Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 - 112 mm	BR3203
-------	-----------------------	-------	-------	--------	---------	------------	--------

300SDL

FRONT

87-86	ATE & Bendix Calipers	Vented	Rotor	300 mm	68.2 mm	5 - 112 mm	BR3419
-------	-----------------------	--------	-------	--------	---------	------------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
MERCEDES-BENZ							
300SDL				REAR			
87-86	ATE & Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
300SE				FRONT			
1993	Girling Front Caliper Fr. Ch# A050548	Vented	Rotor	320 mm	82 mm	5 -112 mm	BR34047
1991	Girling Front Caliper Fr. Ch# A050548	Vented	Rotor	320 mm	82 mm	5 -112 mm	BR34047
91-88	Bendix Calipers	Vented	Rotor	300 mm	68.2 mm	5 -112 mm	BR3419
90-88	ATE Calipers	Vented	Rotor	300 mm	68.2 mm	5 -112 mm	BR3419
				REAR			
1993	ATE & Girling Front Caliper Fr. Ch# A050548	Solid	Rotor	290 mm	60 mm	5 -112 mm	BR34113
1991	ATE & Girling Front Caliper Fr. Ch# A050548	Solid	Rotor	290 mm	60 mm	5 -112 mm	BR34113
91-88	Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
90-88	ATE Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
62-61	ATE & Dunlop Rear Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
300SEL				FRONT			
91-88	ATE & Bendix Calipers	Vented	Rotor	300 mm	68.2 mm	5 -112 mm	BR3419
				REAR			
91-88	ATE & Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
73-69		Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
1965	ATE & Bendix, Girling Front Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
300SL				FRONT			
93-90		Vented	Rotor	300 mm	45.4 mm	5 -112 mm	BR34048
				REAR			
93-90		Solid	Rotor	278 mm	58.3 mm	5 -112 mm	BR34046
300TD				FRONT			
81-80	ATE & Bendix Front Calipers	Solid	Rotor	278 mm	63.3 mm	5 -112 mm	BR3204
				REAR			
81-80	ATE & Bendix Front Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
300TDT				FRONT			
1987		Vented	Rotor	284 mm	43.5 mm	5 -112 mm	BR3205
85-82	ATE & Bendix Front Calipers	Solid	Rotor	278 mm	63.3 mm	5 -112 mm	BR3204
				REAR			
85-82	ATE & Bendix Front Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
300TE				FRONT			
1993		Vented	Rotor	295 mm	49.4 mm	5 -112 mm	BR34052
92-91	Exc. 4MATIC	Vented	Rotor	284 mm	43.5 mm	5 -112 mm	BR3205
1990	Exc. 4MATIC; Exc. 4MATIC	Vented	Rotor	284 mm	43.5 mm	5 -112 mm	BR3205
89-88		Vented	Rotor	284 mm	43.5 mm	5 -112 mm	BR3205

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
MERCEDES-BENZ							
350SD							
FRONT							
1991		Vented	Rotor	300 mm	68.2 mm	5 -112 mm	BR3419
REAR							
1991		Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
350SDL							
FRONT							
1991		Vented	Rotor	300 mm	68.2 mm	5 -112 mm	BR3419
1990	ATE & Girling, Bendix Front Calipers	Vented	Rotor	300 mm	68.2 mm	5 -112 mm	BR3419
REAR							
1991		Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
1990	ATE & Girling, Bendix Front Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
350SL							
REAR							
1972		Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
380SE							
FRONT							
85-84	ATE & Girling, Bendix Front Calipers	Vented	Rotor	278 mm	68.5 mm	5 -112 mm	BR3477
REAR							
85-84	ATE & Girling, Bendix Front Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
380SEC							
REAR							
83-82	ATE & Girling, Bendix Rear Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
380SEL							
FRONT							
83-81	ATE & Girling, Bendix Front Calipers	Vented	Rotor	278 mm	68.5 mm	5 -112 mm	BR3477
REAR							
83-81	ATE & Girling, Bendix Front Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
380SL							
FRONT							
85-81		Vented	Rotor	278 mm	68.5 mm	5 -112 mm	BR3477
REAR							
85-81		Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
380SLC							
FRONT							
1981		Vented	Rotor	278 mm	68.5 mm	5 -112 mm	BR3477
REAR							
1981		Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
400E							
FRONT							
1993		Vented	Rotor	294 mm	49.5 mm	5 -112 mm	BR34115
1992		Vented	Rotor	295 mm	49.4 mm	5 -112 mm	BR34052
400SE							
FRONT							
1992		Vented	Rotor	320 mm	82 mm	5 -112 mm	BR34047
REAR							
1992		Vented	Rotor	300 mm	60 mm	5 -112 mm	BR34045

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
MERCEDES-BENZ							
400SEL							
FRONT							
1993		Vented	Rotor	320 mm	82 mm	5 -112 mm	BR34047
REAR							
1993		Vented	Rotor	300 mm	60 mm	5 -112 mm	BR34045
420SEL							
FRONT							
91-86	ATE & Girling, Bendix Calipers	Vented	Rotor	300 mm	68.2 mm	5 -112 mm	BR3419
REAR							
91-86	ATE & Girling, Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
450SE							
FRONT							
76-73	ATE & Bendix Calipers	Vented	Rotor	278 mm	66.4 mm	5 -112 mm	BR3417
REAR							
76-73	ATE & Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
450SEL							
FRONT							
1980	Bendix Calipers	Vented	Rotor	278 mm	68.5 mm	5 -112 mm	BR3477
80-79	ATE Calipers	Vented	Rotor	278 mm	68.5 mm	5 -112 mm	BR3477
1979	Bendix Calipers; from chassis 096584	Vented	Rotor	278 mm	68.5 mm	5 -112 mm	BR3477
	Bendix Calipers; to chassis 096583	Vented	Rotor	278 mm	66.4 mm	5 -112 mm	BR3417
78-73	ATE & Bendix Calipers	Vented	Rotor	278 mm	66.4 mm	5 -112 mm	BR3417
REAR							
80-73	ATE & Bendix Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
450SL							
FRONT							
1980	to chassis 096583	Vented	Rotor	278 mm	66.4 mm	5 -112 mm	BR3417
	from chassis 096584	Vented	Rotor	278 mm	68.5 mm	5 -112 mm	BR3477
79-73		Vented	Rotor	278 mm	66.4 mm	5 -112 mm	BR3417
REAR							
80-73		Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
450SLC							
FRONT							
1980		Vented	Rotor	278 mm	68.5 mm	5 -112 mm	BR3477
1979	from chassis 096584	Vented	Rotor	278 mm	68.5 mm	5 -112 mm	BR3477
	to chassis 096583	Vented	Rotor	278 mm	66.4 mm	5 -112 mm	BR3417
78-73		Vented	Rotor	278 mm	66.4 mm	5 -112 mm	BR3417
REAR							
80-73		Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
500E							
FRONT							
93-92		Vented	Rotor	300 mm	45.4 mm	5 -112 mm	BR34048
500SEC							
FRONT							
1993		Vented	Rotor	320 mm	82 mm	5 -112 mm	BR34047
REAR							
1993		Vented	Rotor	300 mm	60 mm	5 -112 mm	BR34045
85-84		Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MERCEDES-BENZ

500SEL

FRONT

93-92		Vented	Rotor	320 mm	82 mm	5 -112 mm	BR34047
85-84	ATE & Bendix Front Calipers	Vented	Rotor	278 mm	68.5 mm	5 -112 mm	BR3477

REAR

93-92		Vented	Rotor	300 mm	60 mm	5 -112 mm	BR34045
85-84	ATE & Bendix Front Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203

500SL

FRONT

93-90		Vented	Rotor	300 mm	45.4 mm	5 -112 mm	BR34048
-------	--	--------	-------	--------	---------	-----------	---------

REAR

93-90		Solid	Rotor	278 mm	58.3 mm	5 -112 mm	BR34046
-------	--	-------	-------	--------	---------	-----------	---------

560SEC

FRONT

91-86	ATE & Bendix Front Calipers	Vented	Rotor	300 mm	68.2 mm	5 -112 mm	BR3419
-------	-----------------------------	--------	-------	--------	---------	-----------	--------

REAR

91-86	ATE & Bendix Front Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
-------	-----------------------------	-------	-------	--------	---------	-----------	--------

560SEL

FRONT

91-86	ATE & Bendix Front Calipers	Vented	Rotor	300 mm	68.2 mm	5 -112 mm	BR3419
-------	-----------------------------	--------	-------	--------	---------	-----------	--------

REAR

91-86	ATE Front Calipers	Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
-------	--------------------	-------	-------	--------	---------	-----------	--------

560SL

FRONT

89-86		Vented	Rotor	284 mm	43.5 mm	5 -112 mm	BR3205
-------	--	--------	-------	--------	---------	-----------	--------

REAR

89-86		Solid	Rotor	279 mm	71.5 mm	5 -112 mm	BR3203
-------	--	-------	-------	--------	---------	-----------	--------

600SEC

FRONT

1993		Vented	Rotor	320 mm	82 mm	5 -112 mm	BR34047
------	--	--------	-------	--------	-------	-----------	---------

REAR

1993		Vented	Rotor	300 mm	60 mm	5 -112 mm	BR34045
------	--	--------	-------	--------	-------	-----------	---------

600SEL

FRONT

93-92		Vented	Rotor	320 mm	82 mm	5 -112 mm	BR34047
-------	--	--------	-------	--------	-------	-----------	---------

REAR

93-92		Vented	Rotor	300 mm	60 mm	5 -112 mm	BR34045
-------	--	--------	-------	--------	-------	-----------	---------

C220

FRONT

1996	Fr. Chassis # 443893; Rear Caliper w/ 1 Retaining & To Chassis # 443892 ; Rear Caliper w/ 2 Retainers	Vented	Rotor	285 mm	43.5 mm	5 -112 mm	BR34091
95-94		Vented	Rotor	285 mm	43.5 mm	5 -112 mm	BR34091

REAR

1996	Fr. Chassis # 443893; Rear Caliper w/ 1 Retaining & To Chassis # 443892 ; Rear Caliper w/ 2 Retainers	Solid	Rotor	258 mm	55.3 mm	5 -112 mm	BR34092
95-94		Solid	Rotor	258 mm	55.3 mm	5 -112 mm	BR34092

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MERCEDES-BENZ

C230

FRONT

07-05		Vented	Rotor	330 mm	47.1 mm	5 -112.5 mm	BR900706
2004	Sport Sedan (330 mm Rotor)	Vented	Rotor	330 mm	47.1 mm	5 -112.5 mm	BR900706
04-99	Exc. Sport Package	Vented	Rotor	288 mm	46.5 mm	5 -112 mm	BR34216
2003	w/ Sport Package	Vented	Rotor	300 mm	46.5 mm	5 -112 mm	BR34101
98-97	Vented Front Brake	Vented	Rotor	285 mm	43.5 mm	5 -112 mm	BR34091

REAR

07-03	w/ Sport Package	Solid	Rotor	290 mm	55.3 mm	5 -112 mm	BR34100
04-99	Exc. Sport Package	Solid	Rotor	278 mm	56 mm	5 -112 mm	BR34111
98-97		Solid	Rotor	258 mm	55.3 mm	5 -112 mm	BR34092

C240

FRONT

05-03	4MATIC; w/ sport package	Vented	Rotor	300 mm	46.5 mm	5 -112 mm	BR34101
	4MATIC; w/o sport package;	Vented	Rotor	288 mm	46.5 mm	5 -112 mm	BR34216
	Exc. 4MATIC	Vented	Rotor	288 mm	46.5 mm	5 -112 mm	BR34216
02-01	Sport Package	Vented	Rotor	300 mm	46.5 mm	5 -112 mm	BR34101
	Exc. Sport Package; Superseded	Vented	Rotor	287.8 mm	46.5 mm	5 -112 mm	BR34102
	Exc. Sport Package: Reorder	Vented	Rotor	288 mm	46.5 mm	5 -112 mm	BR34216

REAR

05-03	Sedan Exc. 4MATIC	Solid	Rotor	278 mm	56 mm	5 -112 mm	BR34111
	4MATIC & 2WD Wagon	Solid	Rotor	290 mm	55.3 mm	5 -112 mm	BR34100
02-01	Sport Package	Solid	Rotor	290 mm	55.3 mm	5 -112 mm	BR34100
	Exc. Sport Package	Solid	Rotor	278 mm	56 mm	5 -112 mm	BR34111

C250

FRONT

13-12	296mm Crossdrilled Rotor	Vented	Rotor	296 mm	65 mm	5 -112 mm	BR900884
-------	--------------------------	--------	-------	--------	-------	-----------	----------

REAR

13-12	Coupe; 300mm Rotor	Vented	Rotor	300 mm	57.84 mm	5 -112 mm	BR901060
	Sedan ; 300mm Rotor	Solid	Rotor	300 mm	58 mm	5 -112 mm	BR901058

C280

FRONT

07-06		Vented	Rotor	300 mm	46.5 mm	5 -112 mm	BR34101
00-96		Vented	Rotor	288 mm	46.5 mm	5 -112 mm	BR34216
95-94		Vented	Rotor	285 mm	43.5 mm	5 -112 mm	BR34091

REAR

07-06		Solid	Rotor	290 mm	55.3 mm	5 -112 mm	BR34100
00-96		Solid	Rotor	278 mm	56 mm	5 -112 mm	BR34111
95-94		Solid	Rotor	258 mm	55.3 mm	5 -112 mm	BR34092

C280 W204 (MEXICO)

FRONT

10-08	AMG	Vented	Rotor	323 mm	65 mm	5 -112 mm	BR900886
	Exc. AMG	Vented	Rotor	296 mm	65 mm	5 -112 mm	BR900884

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MERCEDES-BENZ

C280 W204 (MEXICO)

REAR

10-08	Exc. AMG	Solid	Rotor	300 mm	58 mm	5 -112 mm	BR901058
-------	----------	-------	-------	--------	-------	-----------	----------

C300

FRONT

12-11		Vented	Rotor	296 mm	65 mm	5 -112 mm	BR900884
10-08	Sport Suspension Package w/ Drilled Rotors	Vented	Rotor	296 mm	65 mm	5 -112 mm	BR900884
	Exc. Sport Suspension Package	Vented	Rotor	296 mm	65 mm	5 -112 mm	BR900880

REAR

12-08		Solid	Rotor	300 mm	58 mm	5 -112 mm	BR901058
-------	--	-------	-------	--------	-------	-----------	----------

C32 AMG

FRONT

04-02		Vented	Rotor	345 mm	47.5 mm	5 -112 mm	BR900978
-------	--	--------	-------	--------	---------	-----------	----------

REAR

04-02		Vented	Rotor	300 mm	55.3 mm	5 -112 mm	BR900980
-------	--	--------	-------	--------	---------	-----------	----------

C320

FRONT

05-03	Sport Sedan w/ Multi Piston Calipers	Vented	Rotor	330 mm	47.1 mm	5 -112.5 mm	BR900706
05-01	Exc. Sport Package	Vented	Rotor	300 mm	46.5 mm	5 -112 mm	BR34101

REAR

05-01		Solid	Rotor	290 mm	55.3 mm	5 -112 mm	BR34100
-------	--	-------	-------	--------	---------	-----------	---------

C350

FRONT

13-08	w/o Sport Suspension; Non Drilled Rotor	Vented	Rotor	323 mm	65 mm	5 -112 mm	BR900882
	w/ Sport Suspension; Drilled Rotor	Vented	Rotor	323 mm	65 mm	5 -112 mm	BR900886
07-06	Exc. Sport	Vented	Rotor	300 mm	46.5 mm	5 -112 mm	BR34101

REAR

13-08		Vented	Rotor	300 mm	57.84 mm	5 -112 mm	BR901060
07-06		Solid	Rotor	290 mm	55.3 mm	5 -112 mm	BR34100

C36

FRONT

97-96		Vented	Rotor	316 mm	46.5 mm	5 -112 mm	BR34199
-------	--	--------	-------	--------	---------	-----------	---------

REAR

97-96		Solid	Rotor	290 mm	55.3 mm	5 -112 mm	BR34100
-------	--	-------	-------	--------	---------	-----------	---------

C43

REAR

00-98		Vented	Rotor	300 mm	55.3 mm	5 -112 mm	BR900980
-------	--	--------	-------	--------	---------	-----------	----------

C55

FRONT

07-05		Vented	Rotor	345 mm	47.5 mm	5 -112 mm	BR900978
-------	--	--------	-------	--------	---------	-----------	----------

REAR

07-05		Vented	Rotor	300 mm	55.3 mm	5 -112 mm	BR900980
-------	--	--------	-------	--------	---------	-----------	----------

CL500

FRONT

06-03	From Chassis # A028700; Solid Rear Rotor	Vented	Rotor	310 mm	76 mm	5 -112 mm	BR900612
03-00	Thru Chassis # A028699; Vented	Vented	Rotor	330 mm	76 mm	5 -112 mm	BR34200
99-98		Vented	Rotor	320 mm	82 mm	5 -112 mm	BR34047

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
MERCEDES-BENZ							
CL500				REAR			
06-03	From Chassis # A028700; Solid Rear Rotor	Solid	Rotor	300 mm	58.5 mm	5 -112 mm	BR900618
03-00	Thru Chassis # A028699; Vented	Vented	Rotor	300 mm	58.4 mm	5 -112 mm	BR900896
99-98		Vented	Rotor	300 mm	60 mm	5 -112 mm	BR34045
CL55				FRONT			
02-01		Vented	Rotor	345 mm	76 mm	5 -112 mm	BR900888
CL600				FRONT			
06-01		Vented	Rotor	345 mm	76 mm	5 -112 mm	BR900888
99-98		Vented	Rotor	320 mm	82 mm	5 -112 mm	BR34047
				REAR			
99-98		Vented	Rotor	300 mm	60 mm	5 -112 mm	BR34045
CLK320				FRONT			
05-99		Vented	Rotor	300 mm	46.5 mm	5 -112 mm	BR34101
				REAR			
05-99		Solid	Rotor	290 mm	55.3 mm	5 -112 mm	BR34100
CLK350				FRONT			
09-06	Single Piston Caliper	Vented	Rotor	300 mm	46.5 mm	5 -112 mm	BR34101
	w/ HD Brakes (2 Piston Caliper)	Vented	Rotor	330 mm	47.1 mm	5 -112.5 mm	BR900706
				REAR			
09-06		Solid	Rotor	290 mm	55.3 mm	5 -112 mm	BR34100
CLK430				FRONT			
03-99		Vented	Rotor	300 mm	46.5 mm	5 -112 mm	BR34101
				REAR			
03-99		Solid	Rotor	290 mm	55.3 mm	5 -112 mm	BR34100
CLK500				FRONT			
09-03		Vented	Rotor	345 mm	47.5 mm	5 -112 mm	BR900978
				REAR			
09-03		Vented	Rotor	300 mm	55.3 mm	5 -112 mm	BR900980
CLK55				FRONT			
04-03		Vented	Rotor	345 mm	47.5 mm	5 -112 mm	BR900978
				REAR			
04-03		Vented	Rotor	300 mm	55.3 mm	5 -112 mm	BR900980
CLK550				REAR			
09-07		Vented	Rotor	300 mm	55.3 mm	5 -112 mm	BR900980
CLS500				FRONT			
06-05		Vented	Rotor	330 mm	64.82 mm	5 -112 mm	BR901062
				REAR			
06-05		Vented	Rotor	300 mm	68.2 mm	5 -112 mm	BR34247
CLS550				FRONT			
11-07		Vented	Rotor	330 mm	64.82 mm	5 -112 mm	BR901062

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MERCEDES-BENZ

CLS550

REAR

11-07		Vented	Rotor	300 mm	68.2 mm	5 -112 mm	BR34247
-------	--	--------	-------	--------	---------	-----------	---------

E300D

FRONT

99-98		Vented	Rotor	300 mm	46.5 mm	5 -112 mm	BR34101
97-96	Superseded	Vented	Rotor	287.8 mm	46.5 mm	5 -112 mm	BR34102
	Reorder	Vented	Rotor	288 mm	46.5 mm	5 -112 mm	BR34216
1995		Vented	Rotor	284 mm	43.5 mm	5 -112 mm	BR3205

REAR

99-98		Solid	Rotor	290 mm	55.3 mm	5 -112 mm	BR34100
1995		Solid	Rotor	258 mm	55.3 mm	5 -112 mm	BR3208

E320

FRONT

09-07		Vented	Rotor	295 mm	55 mm	5 -112 mm	BR900616
06-03	Exc. 4MATIC	Vented	Rotor	295 mm	55 mm	5 -112 mm	BR900616
05-04	AWD	Vented	Rotor	304 mm	46.4 mm	5 -112 mm	BR901106
02-96		Vented	Rotor	300 mm	46.5 mm	5 -112 mm	BR34101
95-94	To Ch. # B862121	Vented	Rotor	295 mm	49.4 mm	5 -112 mm	BR34052
	Fr. Ch. # B862122	Vented	Rotor	294 mm	49.5 mm	5 -112 mm	BR34115

REAR

09-03		Solid	Rotor	300 mm	68.5 mm	5 -112 mm	BR900614
02-98	Sedan	Solid	Rotor	290 mm	55.3 mm	5 -112 mm	BR34100
97-96		Solid	Rotor	290 mm	55.3 mm	5 -112 mm	BR34100

E350

FRONT

13-10	Sport Suspension Package w/ Drilled Rotors	Vented	Rotor	323 mm	65 mm	5 -112 mm	BR900886
	w/o Drilled Rotors	Vented	Rotor	323 mm	65 mm	5 -112 mm	BR900882
09-06	AWD; Except Sport Suspension	Vented	Rotor	304 mm	46.4 mm	5 -112 mm	BR901106
	Exc. 4MATIC	Vented	Rotor	295 mm	55 mm	5 -112 mm	BR900616

REAR

13-11	58mm Overall Height	Vented	Rotor	300 mm	57.84 mm	5 -112 mm	BR901060
13-06	68mm Overall Height	Vented	Rotor	300 mm	68.2 mm	5 -112 mm	BR34247
2006	Exc. 4MATIC; To Chassis # A 870950	Solid	Rotor	300 mm	68.5 mm	5 -112 mm	BR900614

E420

FRONT

1997		Vented	Rotor	300 mm	46.5 mm	5 -112 mm	BR34101
95-94		Vented	Rotor	294 mm	49.5 mm	5 -112 mm	BR34115

REAR

1997		Solid	Rotor	290 mm	55.3 mm	5 -112 mm	BR34100
------	--	-------	-------	--------	---------	-----------	---------

E430

FRONT

02-00	Exc. 4MATIC	Vented	Rotor	300 mm	46.5 mm	5 -112 mm	BR34101
99-98		Vented	Rotor	300 mm	46.5 mm	5 -112 mm	BR34101

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
MERCEDES-BENZ							
E430			REAR				
02-00	Exc. 4MATIC	Solid	Rotor	290 mm	55.3 mm	5 -112 mm	BR34100
	4-Matic	Vented	Rotor	300 mm	55.3 mm	5 -112 mm	BR900980
99-98		Solid	Rotor	290 mm	55.3 mm	5 -112 mm	BR34100
E500 / E550			FRONT				
06-04	Exc. 4MATIC	Vented	Rotor	312 mm	64.6 mm	5 -112 mm	BR34246
2003		Vented	Rotor	312 mm	64.6 mm	5 -112 mm	BR34246
1994	To Chassis # B930494 & Brembo Front Caliper	Vented	Rotor	300 mm	45.4 mm	5 -112 mm	BR34048
			REAR				
12-10		Vented	Rotor	300 mm	57.84 mm	5 -112 mm	BR901060
09-03	w/ Rear Vented Rotors	Vented	Rotor	300 mm	68.2 mm	5 -112 mm	BR34247
06-04	w/ Solid Rear Rotors; Exc. 4MATIC	Solid	Rotor	300 mm	68.5 mm	5 -112 mm	BR900614
E55			REAR				
02-99		Vented	Rotor	300 mm	55.3 mm	5 -112 mm	BR900980
G500			REAR				
10-02	From Rear Axle # R119848	Solid	Rotor	272 mm	96.9 mm	5 -130 mm	BR34227
G55			REAR				
05-03		Solid	Rotor	272 mm	96.9 mm	5 -130 mm	BR34227
G550			REAR				
2011		Solid	Rotor	272 mm	96.9 mm	5 -130 mm	BR34227
GL320			FRONT				
09-07	330 mm Front Rotors	Vented	Rotor	330 mm	55 mm	5 -112 mm	BR900872
	350 mm Front Rotors	Vented	Rotor	350 mm	55 mm	5 -112 mm	BR900874
			REAR				
09-07	w/ Rear Vented Rotors	Vented	Rotor	330 mm	63 mm	5 -112 mm	BR900878
GL350			FRONT				
12-10	Except 19" Wheels; 350mm Rotor	Vented	Rotor	350 mm	55 mm	5 -112 mm	BR900874
			REAR				
12-10	w/ Rear Vented Rotors	Vented	Rotor	330 mm	63 mm	5 -112 mm	BR900878
GL450			FRONT				
12-07	350 mm Front Rotors	Vented	Rotor	350 mm	55 mm	5 -112 mm	BR900874
			REAR				
12-07	w/ Rear Vented Rotors	Vented	Rotor	330 mm	63 mm	5 -112 mm	BR900878
GL550			FRONT				
12-08	350 mm Front Rotors	Vented	Rotor	350 mm	55 mm	5 -112 mm	BR900874
			REAR				
12-08	w/ Rear Vented Rotors	Vented	Rotor	330 mm	63 mm	5 -112 mm	BR900878
GLK350			FRONT				
2012	350mm Rotor	Vented	Rotor	350 mm	55 mm	5 -112 mm	BR900874
11-09		Vented	Rotor	330 mm	64.82 mm	5 -112 mm	BR901062

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MERCEDES-BENZ

GLK350

REAR

12-09		Vented	Rotor	300 mm	68.2 mm	5 -112 mm	BR34247
-------	--	--------	-------	--------	---------	-----------	---------

ML320

FRONT

09-07	350 mm Front Rotors	Vented	Rotor	350 mm	55 mm	5 -112 mm	BR900874
	w/ 330 mm Front Rotors	Vented	Rotor	330 mm	55 mm	5 -112 mm	BR900872
03-98		Vented	Rotor	303 mm	51.5 mm	5 -112 mm	BR34147

REAR

09-07	w/ Vented Rear Rotors	Vented	Rotor	330 mm	63 mm	5 -112 mm	BR900878
	w/ Solid Rear Rotors	Vented	Rotor	330 mm	63 mm	5 -112 mm	BR900876
03-98		Solid	Rotor	285 mm	55.6 mm	5 -112 mm	BR34145

ML350

FRONT

11-06	w/ 330 mm Front Rotors	Vented	Rotor	330 mm	55 mm	5 -112 mm	BR900872
09-08	350 mm Front Rotors	Vented	Rotor	350 mm	55 mm	5 -112 mm	BR900874
05-03		Vented	Rotor	303 mm	51.5 mm	5 -112 mm	BR34147

REAR

11-06	w/ Solid Rear Rotors	Vented	Rotor	330 mm	63 mm	5 -112 mm	BR900876
10-08	w/ Vented Rear Rotors	Vented	Rotor	330 mm	63 mm	5 -112 mm	BR900878
05-03		Solid	Rotor	285 mm	55.6 mm	5 -112 mm	BR34145

ML430

FRONT

01-00		Vented	Rotor	345 mm	51 mm	5 -112 mm	BR34178
1999		Vented	Rotor	303 mm	51.5 mm	5 -112 mm	BR34147

REAR

01-00		Solid	Rotor	331.5 mm	55.2 mm	5 -112 mm	BR34175
1999		Solid	Rotor	285 mm	55.6 mm	5 -112 mm	BR34145

ML450

FRONT

11-10	330 mm Front Rotors	Vented	Rotor	330 mm	55 mm	5 -112 mm	BR900872
-------	---------------------	--------	-------	--------	-------	-----------	----------

REAR

11-10	w/ Solid Rear Rotors	Vented	Rotor	330 mm	63 mm	5 -112 mm	BR900876
-------	----------------------	--------	-------	--------	-------	-----------	----------

ML500

FRONT

07-06	Exc. Sport (330 mm Front Rotors)	Vented	Rotor	330 mm	55 mm	5 -112 mm	BR900872
05-02		Vented	Rotor	345 mm	51 mm	5 -112 mm	BR34178

REAR

07-06	w/ Solid Rear Rotors	Vented	Rotor	330 mm	63 mm	5 -112 mm	BR900876
	w/ Vented Rear Rotors	Vented	Rotor	330 mm	63 mm	5 -112 mm	BR900878
05-02		Solid	Rotor	331.5 mm	55.2 mm	5 -112 mm	BR34175

ML55

FRONT

03-00		Vented	Rotor	345 mm	51 mm	5 -112 mm	BR34178
-------	--	--------	-------	--------	-------	-----------	---------

REAR

03-00		Solid	Rotor	331.5 mm	55.2 mm	5 -112 mm	BR34175
-------	--	-------	-------	----------	---------	-----------	---------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
MERCEDES-BENZ							
ML550							
FRONT							
11-08	350 mm Front Rotors	Vented	Rotor	350 mm	55 mm	5 -112 mm	BR900874
REAR							
11-08	w/ Vented Rear Rotors	Vented	Rotor	330 mm	63 mm	5 -112 mm	BR900878
R320							
FRONT							
09-07	w/ 350 mm Front Rotors	Vented	Rotor	350 mm	55 mm	5 -112 mm	BR900874
	w/ 330 mm Front Rotors	Vented	Rotor	330 mm	55 mm	5 -112 mm	BR900872
REAR							
09-07	w/ Vented Rear Rotors	Vented	Rotor	330 mm	63 mm	5 -112 mm	BR900878
	w/ Solid Rear Rotors	Vented	Rotor	330 mm	63 mm	5 -112 mm	BR900876
R350							
FRONT							
12-06	w/ 330 mm Front Rotors (w/o Third Row Seating)	Vented	Rotor	330 mm	55 mm	5 -112 mm	BR900872
	w/ 350 mm Front Rotors (Third Row Seating)	Vented	Rotor	350 mm	55 mm	5 -112 mm	BR900874
REAR							
12-06	w/ Solid Rear Rotors (w/o Third Row Seating)	Vented	Rotor	330 mm	63 mm	5 -112 mm	BR900876
	w/ Vented Rear Rotors (w/ Third Row Seating)	Vented	Rotor	330 mm	63 mm	5 -112 mm	BR900878
R500							
FRONT							
08-06	w/ 350 mm Front Rotors	Vented	Rotor	350 mm	55 mm	5 -112 mm	BR900874
	330 mm Front Rotors	Vented	Rotor	330 mm	55 mm	5 -112 mm	BR900872
REAR							
08-06	w/ Solid Rear Rotors	Vented	Rotor	330 mm	63 mm	5 -112 mm	BR900876
	w/ Vented Rear Rotors	Vented	Rotor	330 mm	63 mm	5 -112 mm	BR900878
S320							
FRONT							
99-94		Vented	Rotor	320 mm	82 mm	5 -112 mm	BR34047
REAR							
99-94		Solid	Rotor	290 mm	60 mm	5 -112 mm	BR34113
S350							
FRONT							
2006		Vented	Rotor	310 mm	76 mm	5 -112 mm	BR900612
95-94		Vented	Rotor	320 mm	82 mm	5 -112 mm	BR34047
REAR							
2006		Solid	Rotor	300 mm	58.5 mm	5 -112 mm	BR900618
95-94		Solid	Rotor	290 mm	60 mm	5 -112 mm	BR34113
S420							
FRONT							
99-94		Vented	Rotor	320 mm	82 mm	5 -112 mm	BR34047
REAR							
99-94		Vented	Rotor	300 mm	60 mm	5 -112 mm	BR34045
S430							
FRONT							
06-9 /02	Exc. 4MATIC; From 9/02	Vented	Rotor	310 mm	76 mm	5 -112 mm	BR900612
9 /02-00	To 9/02	Vented	Rotor	330 mm	76 mm	5 -112 mm	BR34200

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MERCEDES-BENZ

S430

REAR

06-04	Exc. 4MATIC	Solid	Rotor	300 mm	58.5 mm	5 - 112 mm	BR900618
	4MATIC	Vented	Rotor	300 mm	58.4 mm	5 - 112 mm	BR900896
03-00		Vented	Rotor	300 mm	58.4 mm	5 - 112 mm	BR900896

S500

FRONT

06-9 /02	Exc. 4MATIC; From 9/02	Vented	Rotor	310 mm	76 mm	5 - 112 mm	BR900612
9 /02-00	To 9/02	Vented	Rotor	330 mm	76 mm	5 - 112 mm	BR34200
99-94		Vented	Rotor	320 mm	82 mm	5 - 112 mm	BR34112

REAR

06-04	Exc. 4MATIC	Solid	Rotor	300 mm	58.5 mm	5 - 112 mm	BR900618
	4MATIC	Vented	Rotor	300 mm	58.4 mm	5 - 112 mm	BR900896
03-00		Vented	Rotor	300 mm	58.4 mm	5 - 112 mm	BR900896
99-94		Vented	Rotor	300 mm	60 mm	5 - 112 mm	BR34045

S55

FRONT

02-01		Vented	Rotor	345 mm	76 mm	5 - 112 mm	BR900888
-------	--	--------	-------	--------	-------	------------	----------

S600

FRONT

06-01	Exc. Upgraded Brake Package	Vented	Rotor	345 mm	76 mm	5 - 112 mm	BR900888
99-94		Vented	Rotor	320 mm	82 mm	5 - 112 mm	BR34047

REAR

99-94		Vented	Rotor	300 mm	60 mm	5 - 112 mm	BR34045
-------	--	--------	-------	--------	-------	------------	---------

SL320

FRONT

97-94		Vented	Rotor	300 mm	45.4 mm	5 - 112 mm	BR34048
-------	--	--------	-------	--------	---------	------------	---------

REAR

97-94		Solid	Rotor	278 mm	58.3 mm	5 - 112 mm	BR34046
-------	--	-------	-------	--------	---------	------------	---------

SL500

FRONT

06-05		Vented	Rotor	312 mm	64.6 mm	5 - 112 mm	BR34246
98-94		Vented	Rotor	300 mm	45.4 mm	5 - 112 mm	BR34048

REAR

95-94		Solid	Rotor	278 mm	58.3 mm	5 - 112 mm	BR34046
-------	--	-------	-------	--------	---------	------------	---------

SLK230

FRONT

04-98		Vented	Rotor	288 mm	46.5 mm	5 - 112 mm	BR34216
-------	--	--------	-------	--------	---------	------------	---------

REAR

04-98		Solid	Rotor	278 mm	56 mm	5 - 112 mm	BR34111
-------	--	-------	-------	--------	-------	------------	---------

SLK250

FRONT

2012	w/o Sport Package; Drilled 296mm Rotor	Vented	Rotor	296 mm	65 mm	5 - 112 mm	BR900884
------	--	--------	-------	--------	-------	------------	----------

SLK280

FRONT

08-06	Sport Package	Vented	Rotor	330 mm	47.1 mm	5 - 112.5 mm	BR900706
	Exc. Sport Package	Vented	Rotor	300 mm	46.5 mm	5 - 112 mm	BR34101

REAR

08-06	Exc. Sport Package	Solid	Rotor	278 mm	56 mm	5 - 112 mm	BR34111
	Sport Package	Solid	Rotor	290 mm	55.3 mm	5 - 112 mm	BR34100

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MERCEDES-BENZ

SLK300

FRONT

11-09	Exc. Sport Package	Vented	Rotor	300 mm	46.5 mm	5 -112 mm	BR34101
	w/ Sport Package	Vented	Rotor	330 mm	47.1 mm	5 -112.5 mm	BR900706

REAR

11-09	Exc. Sport Package	Solid	Rotor	278 mm	56 mm	5 -112 mm	BR34111
	w/ Sport Package	Solid	Rotor	290 mm	55.3 mm	5 -112 mm	BR34100

SLK32

REAR

04-02		Vented	Rotor	300 mm	55.3 mm	5 -112 mm	BR900980
-------	--	--------	-------	--------	---------	-----------	----------

SLK320

FRONT

04-01		Vented	Rotor	300 mm	46.5 mm	5 -112 mm	BR34101
-------	--	--------	-------	--------	---------	-----------	---------

REAR

04-01		Solid	Rotor	278 mm	56 mm	5 -112 mm	BR34111
-------	--	-------	-------	--------	-------	-----------	---------

SLK350

FRONT

11-05		Vented	Rotor	330 mm	47.1 mm	5 -112.5 mm	BR900706
-------	--	--------	-------	--------	---------	-------------	----------

REAR

11-05		Solid	Rotor	290 mm	55.3 mm	5 -112 mm	BR34100
-------	--	-------	-------	--------	---------	-----------	---------

SLK55

REAR

09-06	w/ 300 mm Rear Rotor	Vented	Rotor	300 mm	55.3 mm	5 -112 mm	BR900980
-------	----------------------	--------	-------	--------	---------	-----------	----------

SPRINTER 2500

FRONT

12-10		Vented	Rotor	299.6 mm	180.32 mm	6 -130 mm	BR900308
-------	--	--------	-------	----------	-----------	-----------	----------

REAR

12-10		Solid	Rotor	298 mm	190.5 mm	6 -135 mm	BR900332
-------	--	-------	-------	--------	----------	-----------	----------

SPRINTER 3500

FRONT

12-10		Vented	Rotor	299.6 mm	180.32 mm	6 -130 mm	BR900308
-------	--	--------	-------	----------	-----------	-----------	----------

REAR

12-10		Vented	Rotor	303.2mm	186.33 mm	6 -145 mm	BR900310
-------	--	--------	-------	---------	-----------	-----------	----------

MERCURY

BOBCAT

FRONT

80-75		Vented	Rotor	9.3"	3.91"	4 -4.25"	BR5417
-------	--	--------	-------	------	-------	----------	--------

REAR

1980		Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
------	--	----------	------	--------	-------	----------	--------

CALIENTE

FRONT

1967		Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
1966		Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
65-64	V8; Sedan; 5 Lug	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
	L6; Sedan; 4 Lug	Floating	Drum	10.38"	2.85"	4 -4.5"	BD8146
	Convertible & Wagon; 4 Lug	Floating	Drum	10.35"	2.35"	4 -4.5"	BD8147

REAR

1967	4.7L; Sedan	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
	6.4L; Sedan	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
67-66	Convertible & Wagon	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
1966	Sedan	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MERCURY

CALIENTE

REAR

65-64	V8; Sedan; 5 Lug	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
	Convertible, Sedan & Wagon; 5 Lug	Floating	Drum	10.35"	2.35"	4 -4.5"	BD8147

CAPRI

FRONT

94-91	Exc. XR2	Vented	Rotor	238 mm	31 mm	4 -94 mm	BR3146
	XR2	Vented	Rotor	259.7 mm	31 mm	4 -94 mm	BR3245
86-82		Vented	Rotor	10.09"	4.03"	4 -4.25"	BR5432
81-79	Exc. Vin F	Vented	Rotor	9.3"	4"	4 -4.25"	BR5437
1979	Vin F	Vented	Rotor	10.09"	4.03"	4 -4.25"	BR5432

REAR

94-91		Solid	Rotor	222 mm	66.3 mm	4 -114.3 mm	BR3261
86-82		Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
81-80	9 Inch Rear Drum Brake	Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
	10 Inch Rear Drum Brake	Floating	Drum	11.65"	3.38"	4 -4.25"	BD8891
1979		Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890

COLONY PARK

FRONT

91-90		Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
89-84	Wagon	Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
82-80	Wagon	Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
1979	Wagon & Police	Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
1976		Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
75-74	w/ 2 & 2-1/4 Inch Rear Shoe	Vented	Rotor	11.8"	4.83"	5 -5"	BR5416

REAR

91-84	Wagon	Floating	Drum	13.03"	3.97"	5 -4.5"	BD8897
82-80	Wagon	Floating	Drum	13.03"	3.97"	5 -4.5"	BD8897
1979	Wagon & Police	Floating	Drum	13.03"	3.97"	5 -4.5"	BD8897
1968	ex Heavy Duty	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
67-66	Front Disc Brake	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200

REAR LEFT

1976	Rear Disc Brake; Left	Vented	Rotor	11.50"	2.43"	5 -5"	BR5435
------	-----------------------	--------	-------	--------	-------	-------	--------

REAR RIGHT

1976	Rear Disc Brake; Right	Vented	Rotor	11.50"	2.43"	5 -5"	BR5433
------	------------------------	--------	-------	--------	-------	-------	--------

COMET

FRONT

77-76		Vented	Rotor	11.03"	4.16"	5 -4.5"	BR5419
1975	Front Disc Brake	Vented	Rotor	11.03"	4.16"	5 -4.5"	BR5419
73-71		Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
1967	Front Drum Brake	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
	Wagon	Vented	Rotor	11.29"	4.22"	5 -4.5"	BR5406
1966	Convertible, Sedan & Wagon	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MERCURY

COMET

FRONT

65-63	L6; Convertible & Wagon	Floating	Drum	10.35"	2.35"	4 -4.5"	BD8147
	V8; Sedan & Wagon	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
62-60	4 Lug w/ 2.85" Drum Height	Floating	Drum	10.38"	2.85"	4 -4.5"	BD8146

REAR

1973		Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
72-71	4.1L, 5.0L	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
	2.8L, 3.3L	Floating	Drum	10.35"	2.35"	4 -4.5"	BD8147
1967	Sedan	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
	Front Drum Brake; Plain	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
1966	Convertible, Sedan & Wagon	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
65-63	V8; Sedan & Wagon	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
	L6; Convertible & Wagon	Floating	Drum	10.35"	2.35"	4 -4.5"	BD8147
65-60	L6; Sedan 4 Lug	Floating	Drum	10.35"	2.35"	4 -4.5"	BD8147
62-60	4 Lug w/ 2.85" Drum Height	Floating	Drum	10.38"	2.85"	4 -4.5"	BD8146

COMMUTER

FRONT

64-61		Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
-------	--	----------	------	-------	-------	---------	--------

REAR

1968		Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
67-66	Front Disc Brake	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200

COUGAR

FRONT

04-99	w/ 260 mm Front Rotor	Vented	Rotor	10.24"	1.85"	4 -4.25"	BR54012
	w/ 278 mm Front Rotor	Vented	Rotor	10.94"	1.85"	4 -4.25"	BR54062
97-96	Rear Disc Brake; Exc. Sport Package; 10.87" O.D.	Vented	Rotor	10.87"	1.84"	5 -4.25"	BR54010
	Rear Disc Brake; Sport Package; 11.57" O.D.	Vented	Rotor	11.57"	1.83"	5 -4.25"	BR54030
95-91		Vented	Rotor	10.87"	1.84"	5 -4.25"	BR54010
90-89		Vented	Rotor	10.87"	1.91"	5 -4.25"	BR5468
88-87	Rear Drum Brake; Exc. Heavy Duty	Vented	Rotor	10.09"	4.03"	4 -4.25"	BR5432
86-80		Vented	Rotor	10.09"	4.03"	4 -4.25"	BR5432
79-77	Exc. BROUGHAM VILLAGER; Exc. Wagon	Vented	Rotor	10.72"	4.16"	5 -4.5"	BR5418
1977	Exc. BROUGHAM, XR-7; Wagon	Vented	Rotor	10.72"	4.16"	5 -4.5"	BR5418
76-74		Vented	Rotor	10.72"	4.16"	5 -4.5"	BR5418
1973		Vented	Rotor	11.29"	4.23"	5 -4.5"	BR5404
72-70	Exc. BOSS 429, COBRA JET; Front Disc Brake	Vented	Rotor	11.29"	4.23"	5 -4.5"	BR5404
72-67	Exc. BOSS 302, BOSS 429, COBRA JET; Front Drum Brake	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MERCURY

COUGAR

FRONT

69-68	Exc. BOSS 302, COBRA JET; Front Disc Brake	Vented	Rotor	11.30"	4.27"	5 -4.5"	BR5401
1967	Front Disc Brake	Vented	Rotor	11.29"	4.22"	5 -4.5"	BR5406

REAR

04-99	Rear Disc Brake	Vented	Rotor	9.95"	1.72"	4 -4.25"	BR54028
02-99	V6; Rear Drum Brake	Floating	Drum	10.57"	2.62"	4 -4.25"	BD80078
	L4; Rear Drum Brake	Floating	Drum	9.57"	2.5"	4 -4.25"	BD80010
97-96		Vented	Rotor	10.16"	1.79"	5 -4.25"	BR54007
95-93	Rear Disc Brakes	Vented	Rotor	10.16"	1.79"	5 -4.25"	BR54007
95-89	Rear Drum Brake	Floating	Drum	11.42"	2.73"	5 -4.25"	BD8955
92-90	XR-7; Rear Disc Brake	Vented	Rotor	10.16"	1.84"	5 -4.25"	BR5494
88-87	Rear Drum Brake; Exc. Heavy Duty	Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
86-85	Exc. Heavy Duty	Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
86-83	Heavy Duty Opt.	Floating	Drum	11.65"	3.38"	4 -4.25"	BD8891
84-83	Exc. Heavy Duty	Floating	Drum	10.63"	3.52"	4 -4.25"	BD8932
82-80	10 Inch Drum Brake	Floating	Drum	11.65"	3.38"	4 -4.25"	BD8891
	9 Inch Drum Brake	Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
1981	10 Inch Drum Brake	Floating	Drum	11.65"	3.38"	4 -4.25"	BD8891
79-77	Exc. BROUGHAM VILLAGER; Exc. Wagon	Floating	Drum	13.62"	4.4"	5 -4.5"	BD8876
1976		Floating	Drum	13.62"	4.4"	5 -4.5"	BD8876
73-69	Exc. BOSS 302, BOSS 429, COBRA JET	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
68-67		Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193

CYCLONE

FRONT

1967	Convertible; Front Drum Brake	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
	Sedan; Front Disc Brake	Vented	Rotor	11.29"	4.22"	5 -4.5"	BR5406
1966	Convertible & Wagon	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
66-64	V8; Sedan	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
1964	L6; Sedan	Floating	Drum	10.38"	2.85"	4 -4.5"	BD8146
	Convertible & Wagon	Floating	Drum	10.35"	2.35"	4 -4.5"	BD8147

REAR

1967	Sedan; Front Disc Brake	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
	Front Drum Brake; Plain	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
1966	Convertible, Sedan & Wagon	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
65-64	V8; Sedan	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
1964	6 Cyl, Convertible, Sedan & Wagon	Floating	Drum	10.35"	2.35"	4 -4.5"	BD8147

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MERCURY

GRAND MARQUIS

FRONT

11-03		Vented	Rotor	12.01"	1.77"	5 -4.5"	BR54103
02-98		Vented	Rotor	12.42"	2.59"	5 -4.5"	BR54060
97-95		Vented	Rotor	11.45"	2.59"	5 -4.5"	BR54014
94-92		Vented	Rotor	11.09"	3.29"	5 -4.5"	BR5472
1991	ABS	Vented	Rotor	11.08"	5.29"	5 -4.5"	BR5466
	w/o ABS	Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
1990	w/o ABS; Sedan	Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
89-88	Sedan; Exc. Police	Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
89-80	Exc. COLONY PARK; Police	Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
87-79	Exc. COLONY PARK; Exc. Wagon & Police	Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
1986	COLONY PARK; Wagon	Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
78-76		Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
1975	w/ 2-1/4 Inch Rear Shoe	Vented	Rotor	11.8"	4.83"	5 -5"	BR5416

REAR

11-03		Vented	Rotor	11.61"	2.31"	5 -4.5"	BR54105
02-96		Solid	Rotor	11.22"	2.28"	5 -4.5"	BR54027
95-92		Solid	Rotor	11.42"	2.31"	5 -4.5"	BR5484
91-88	Sedan; Exc. Police	Floating	Drum	12"	3.74"	5 -4.5"	BD8896
91-80	Exc. COLONY PARK; Police	Floating	Drum	13.03"	3.97"	5 -4.5"	BD8897
87-79	Exc. COLONY PARK; Exc. Wagon & Police	Floating	Drum	12"	3.74"	5 -4.5"	BD8896
1986	COLONY PARK; Wagon	Floating	Drum	13.03"	3.97"	5 -4.5"	BD8897

REAR LEFT

78-76	Rear Disc Brake; Left	Vented	Rotor	11.50"	2.43"	5 -5"	BR5435
-------	-----------------------	--------	-------	--------	-------	-------	--------

REAR RIGHT

78-76	Rear Disc Brake; Right	Vented	Rotor	11.50"	2.43"	5 -5"	BR5433
-------	------------------------	--------	-------	--------	-------	-------	--------

LN7

FRONT

83-82		Vented	Rotor	9.26"	2.22"	4 -4.25"	BR5440
-------	--	--------	-------	-------	-------	----------	--------

LYNX

FRONT

87-81		Vented	Rotor	9.26"	2.22"	4 -4.25"	BR5440
-------	--	--------	-------	-------	-------	----------	--------

REAR

87-3 /85	Wagon; From 3/85	Floating	Drum	9.29"	2.71"	4 -4.25"	BD8940
87-84	Sedan & Hatchback	Hub/ Bearing	Drum	8.5"	3.07"	4 -4.25"	BD8950

MARAUDER

FRONT

04-03		Vented	Rotor	12.01"	1.77"	5 -4.5"	BR54103
67-66	Exc. Wagon; Front Drum Brake	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
64-63	Exc. Wagon	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MERCURY

MARAUDER

REAR

04-03		Vented	Rotor	11.61"	2.31"	5 -4.5"	BR54105
1967	Exc. Wagon; Front Drum Brake; Plain	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
1966	Front Disc Brake	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200

MARINER

FRONT

11-08		Vented	Rotor	11.92"	1.84"	5 -4.5"	BR54123
07-05	Rear Disc Brakes	Vented	Rotor	11.92"	1.84"	5 -4.5"	BR54123
	Rear Drum Brakes	Vented	Rotor	10.94"	1.85"	5 -4.5"	BR54093

REAR

11-08	w/ Rear Drum Brake	Floating	Drum	297.2 mm	72.3 mm	5 -4.5"	BD920126
2008	Hybrid	Solid	Rotor	11.89"	2.2"	5 -4.5"	BR54122
07-05	Rear Disc Brakes	Solid	Rotor	11.89"	2.2"	5 -4.5"	BR54122
	Rear Drum Brakes	Floating	Drum	10.79"	2.62"	5 -4.5"	BD80098

MARQUIS

FRONT

86-83		Vented	Rotor	10.09"	4.03"	4 -4.25"	BR5432
82-80	Police	Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
82-79	Exc. Wagon & Police	Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
1979	Exc. BROUGHAM; Wagon & Police	Vented	Rotor	11.09"	5.29"	5 -4.5"	BR5438
78-76		Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
75-74	w/ 2 & 2-1/4 Inch Rear Shoe	Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
68-67	Exc. Wagon Heavy Duty & Police; Front Drum Brake	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200

REAR

86-83	Wagon	Floating	Drum	11.65"	3.38"	4 -4.25"	BD8891
	Exc. Wagon	Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
82-80	Police	Floating	Drum	13.03"	3.97"	5 -4.5"	BD8897
82-79	Exc. Wagon & Police	Floating	Drum	12"	3.74"	5 -4.5"	BD8896
1979	Exc. BROUGHAM; Wagon & Police	Floating	Drum	13.03"	3.97"	5 -4.5"	BD8897
1968	Exc. Wagon Heavy Duty & Police; Front Drum Brake	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
68-67	Front Disc Brake	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
1967	Exc. Wagon & Police; Front Drum Brake; Exc Heavy Duty	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200

REAR LEFT

78-76	Rear Disc Brake; Left	Vented	Rotor	11.50"	2.43"	5 -5"	BR5435
-------	-----------------------	--------	-------	--------	-------	-------	--------

REAR RIGHT

78-76	Rear Disc Brake; Right	Vented	Rotor	11.50"	2.43"	5 -5"	BR5433
-------	------------------------	--------	-------	--------	-------	-------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
MERCURY							
MEDALIST							
FRONT							
1958	Medalist	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
METEOR							
REAR							
63-61		Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
MILAN							
FRONT							
11-06		Vented	Rotor	11.74"	1.91"	5 -4.5"	BR54142
REAR							
11-06		Solid	Rotor	279.5 mm	40.22 mm	5 -114.3 mm	BR31325
MONARCH							
FRONT							
80-75		Vented	Rotor	11.03"	4.16"	5 -4.5"	BR5419
MONTCLAIR							
FRONT							
68-66	Exc. Wagon; Front Drum Brake	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
65-64	Exc. Wagon	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
REAR							
68-66		Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
MONTEGO							
FRONT							
07-05		Vented	Rotor	12.4"	1.86"	5 -4.5"	BR54126
1975	Exc. Wagon, Police & Taxi	Vented	Rotor	10.72"	4.16"	5 -4.5"	BR5418
75-74	Police & Taxi	Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
71-69	Front Disc Brake	Vented	Rotor	11.29"	4.23"	5 -4.5"	BR5404
71-68	Sedan And Wagon; Front Drum Brake	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
1968	10 x 1 3/4 Inch Brakes	Vented	Rotor	11.30"	4.27"	5 -4.5"	BR5401
	Exc. Wagon & Hardtop; Front Drum Brake	Floating	Drum	12.4"	3.81"	5 -4.5"	BD8831
REAR							
07-05		Solid	Rotor	12.99"	1.48"	5 -4.5"	BR54125
71-69		Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
71-68	Exc. VILLAGER; Composite	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
1968	Convertible; 10 x 2 Inch Brakes; Composite	Floating	Drum	11.61"	3.46"	5 -4.5"	BD8736
	10 x 1 3/4 Inch Brakes	Floating	Drum	11.64"	3.3"	5 -4.5"	BD8193
MONTEREY							
FRONT							
07-04		Vented	Rotor	11.54"	1.89"	5 -4.5"	BR54118
1974		Vented	Rotor	11.8"	4.83"	5 -5"	BR5416
68-66	Exc. Wagon; Front Drum Brake	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
65-61	Exc. Wagon	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
59-58	Medalist	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
1957	Exc. Wagon	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
REAR							
07-04		Vented	Rotor	12.44"	1.53"	5 -4.5"	BR54117
1968	Plain	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MERCURY

MONTEREY

REAR

1967	Exc. Wagon; Front Drum Brake; Plain	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
1966	Front Disc Brake	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200

MOUNTAINEER

FRONT

10-06		Vented	Rotor	12.0"	2.147"	5 -4.5"	BR54143
05-02		Vented	Rotor	12.01"	2.22"	5 -4.5"	BR54094
01-97	4WD	Vented	Rotor	11.26"	2.6"	5 -4.5"	BR54035
	2WD	Vented	Rotor	11.28"	4.25"	5 -4.5"	BR54029

REAR

10-02		Solid	Rotor	11.85"	2.29"	5 -4.5"	BR54098
01-97		Solid	Rotor	11.22"	2.3"	5 -4.5"	BR54032

MYSTIQUE

FRONT

00-95		Vented	Rotor	10.24"	1.85"	4 -4.25"	BR54012
-------	--	--------	-------	--------	-------	----------	---------

REAR

00-97	9 Inch Rear Drum Brake	Floating	Drum	10.57"	2.62"	4 -4.25"	BD80078
	8 Inch Rear Drum Brake	Floating	Drum	9.57"	2.5"	4 -4.25"	BD80010
00-95	w/ Rear Disc Brake	Vented	Rotor	9.95"	1.72"	4 -4.25"	BR54028
96-95	w/ Rear Drum Brake	Floating	Drum	9.57"	2.5"	4 -4.25"	BD80010

PARK LANE

FRONT

68-64	Exc. Wagon	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
-------	------------	----------	------	-------	-------	---------	--------

REAR

68-66	Front Disc Brake	Floating	Drum	12.8"	3.66"	5 -4.5"	BD8200
-------	------------------	----------	------	-------	-------	---------	--------

SABLE

FRONT

09-08		Vented	Rotor	12.4"	1.86"	5 -4.5"	BR54126
05-01	11.57" O.D.	Vented	Rotor	11.57"	1.83"	5 -4.25"	BR54030
00-94	10.87" O.D.	Vented	Rotor	10.87"	1.84"	5 -4.25"	BR54010
93-92		Vented	Rotor	10.16"	2.31"	5 -4.5"	BR5470
92-2 /91	From 2/91	Vented	Rotor	10.16"	2.31"	5 -4.5"	BR5470
1 /91-90	To 1/91	Vented	Rotor	10.16"	1.92"	5 -4.25"	BR5454
1989	Sedan & Wagon	Vented	Rotor	10.16"	1.92"	5 -4.25"	BR5454
88-86	Sedan & Wagon	Vented	Rotor	10.16"	1.92"	5 -4.25"	BR5454

REAR

09-08		Solid	Rotor	12.99"	1.48"	5 -4.5"	BR54125
05-01	Rear Drum Brake	Floating	Drum	10.51"	2.67"	5 -4.25"	BD80099
05-93	Rear Disc Brake	Solid	Rotor	10.09"	1.54"	5 -4.25"	BR54025
00-97	Wagon; Rear Drum Brake	Floating	Drum	11.42"	2.73"	5 -4.25"	BD8955
00-90	Sedan; Rear Drum Brake	Floating	Drum	10.41"	2.79"	5 -4.25"	BD8956
1992	Rear Disc Brake	Vented	Rotor	10.08"	2.02"	5 -4.25"	BR5495
89-86	Sedan	Floating	Drum	10.41"	2.79"	5 -4.25"	BD8956

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MERCURY

SABLE

REAR

89-86	Wagon	Floating	Drum	11.42"	2.73"	5 -4.25"	BD8955
-------	-------	----------	------	--------	-------	----------	--------

TOPAZ

FRONT

94-84		Vented	Rotor	9.26"	2.22"	4 -4.25"	BR5440
-------	--	--------	-------	-------	-------	----------	--------

REAR

94-84		Floating	Drum	9.29"	2.71"	4 -4.25"	BD8940
-------	--	----------	------	-------	-------	----------	--------

TRACER

FRONT

99-91	1.8L, 2.0L	Vented	Rotor	257 mm	45 mm	4 -100 mm	BR5474
96-93	Exc. LTS; 10-1/4 Inch Rotors	Vented	Rotor	257 mm	45 mm	4 -100 mm	BR5474
	Exc. LTS; 9 1/4 Inch Front Disc Brake	Vented	Rotor	234.7 mm	45 mm	4 -100 mm	BR5475
92-91	Exc. LTS; 1.9L	Vented	Rotor	234.7 mm	45 mm	4 -100 mm	BR5475
89-87		Vented	Rotor	238 mm	31 mm	4 -94 mm	BR3146

REAR

99-97	w/ Rear Drum Brakes	Floating	Drum	268.8 mm	56 mm	4 -100 mm	BD80033
99-91		Solid	Rotor	251 mm	35 mm	4 -100 mm	BR5485
96-93		Floating	Drum	241.2 mm	58 mm	4 -100 mm	BD80006
92-91		Floating	Drum	251 mm	55 mm	4 -100 mm	BD80007
89-88	Wagon; w/ Rear Drum Brake	Hub/ Bearing	Drum	254 mm	67.06 mm	4 -114.3 mm	BD3588
89-87	Hatchback; w/ Rear Drum Brake	Hub/ Bearing	Drum	225 mm	65.5 mm	4 -114.3 mm	BD3562

VILLAGER

FRONT

02-93		Vented	Rotor	10.89"	2.06"	5 -4.5"	BR54003
-------	--	--------	-------	--------	-------	---------	---------

REAR

02-93		Floating	Drum	12.8"	3.44"	5 -4.5"	BD80017
-------	--	----------	------	-------	-------	---------	---------

ZEPHYR

FRONT

83-78		Vented	Rotor	10.09"	4.03"	4 -4.25"	BR5432
-------	--	--------	-------	--------	-------	----------	--------

REAR

83-81	Sedan; 9 Inch Rear Drum Brake; Exc. Police & Taxi	Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
1981	Exc. Z7; Wagon ,Police & Taxi; 10 Inch Rear Drum Brake	Floating	Drum	11.65"	3.38"	4 -4.25"	BD8891
1980	Exc. Z7; Wagon, Police & Taxi	Floating	Drum	11.65"	3.38"	4 -4.25"	BD8891
	Exc. Wagon, Police, & Taxi	Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
79-78	9 Inch Rear Drum Brake	Floating	Drum	10.63"	3.42"	4 -4.25"	BD8890
	10 Inch Rear Drum Brake	Floating	Drum	11.65"	3.38"	4 -4.25"	BD8891

MERKUR

SCORPIO

FRONT

89-88		Vented	Rotor	10.24"	2.09"	5 -4.41"	BR3439
-------	--	--------	-------	--------	-------	----------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MERKUR

SCORPIO

REAR

89-88		Solid	Rotor	9.96"	1.3"	5 -4.41"	BR34054
-------	--	-------	-------	-------	------	----------	---------

XR4TI

FRONT

89-85		Vented	Rotor	10.24"	2.29"	4 -4.25"	BR34012
-------	--	--------	-------	--------	-------	----------	---------

MINI

COOPER

FRONT

12-11	Base w/ 294mm Front Rotor	Vented	Rotor	293.7 mm	43.63 mm	4 -100 mm	BR900674
12-07	Coupe; Exc. S (280mm Dia.)	Vented	Rotor	279.9 mm	43.9 mm	4 -100 mm	BR900670
1 /12-07	Coupe S or Convertible; w/ John Cooper Works Brake Kit (16.1mm Lug Holes); 294mm Non Drilled and Slotted Rotor; To 1/12	Vented	Rotor	293.7 mm	43.63 mm	4 -100 mm	BR900674
09-07	Convertible; Exc. John Cooper Works Brake Kit (16.1mm Lug Holes); 276mm Rotor	Vented	Rotor	276 mm	44.1 mm	4 -100 mm	BR900668
06-02	Exc. 2006 John Cooper Works Brake Kit (14.8mm Lug Holes)	Vented	Rotor	276 mm	44.1 mm	4 -100 mm	BR34231

REAR

12-07	(16.1mm Lug Holes) 259mm Rotor	Solid	Rotor	258.9 mm	43.6 mm	4 -100 mm	BR900672
06-02		Solid	Rotor	259 mm	44 mm	4 -100 mm	BR34232

COOPER COUNTRYMAN (4 DOOR)

FRONT

12-11	Base Model (294mm Front Rotor)	Vented	Rotor	294 mm	45 mm	5 -120 mm	BR901044
	S & S ALL4 (307mm Front Rotor)	Vented	Rotor	307 mm	45 mm	5 -120 mm	BR901046

REAR

12-11		Solid	Rotor	280 mm	50 mm	5 -120 mm	BR901048
-------	--	-------	-------	--------	-------	-----------	----------

MITSUBISHI

3000GT

FRONT

99-6 /93	VR-4; From 6/93	Vented	Rotor	314 mm	45 mm	5 -114.3 mm	BR31186
99-91	Exc. VR-4	Vented	Rotor	276 mm	45.3 mm	5 -114.3 mm	BR31003
5 /93-91	VR-4; To 5/93	Vented	Rotor	296 mm	45 mm	5 -114.3 mm	BR31004

REAR

99-6 /93	VR-4; From 6/93	Vented	Rotor	297 mm	51 mm	5 -114.3 mm	BR31176
99-91	Exc. VR-4	Vented	Rotor	265.6 mm	65.6 mm	5 -114.3 mm	BR31005
5 /93-91	VR-4; To 5/93	Vented	Rotor	284 mm	53 mm	5 -114.3 mm	BR31006

CORDIA

FRONT

88-84	Exc. Turbo	Vented	Rotor	242 mm	34 mm	4 -104 mm	BR3158
1983		Solid	Rotor	243 mm	34 mm	4 -104 mm	BR3160

REAR

88-83		Hub/ Bearing	Drum	235 mm	72.39 mm	4 -114.3 mm	BD3563
-------	--	-----------------	------	--------	----------	-------------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
MITSUBISHI							
DIAMANTE							
FRONT							
04-93		Vented	Rotor	276 mm	45.3 mm	5 -114.3 mm	BR31003
REAR							
04-97		Solid	Rotor	257.7 mm	56.76 mm	5 -114.3 mm	BR31225
96-93	Sedan	Vented	Rotor	265.6 mm	65.6 mm	5 -114.3 mm	BR31005
95-93	ES; Wagon	Vented	Rotor	284 mm	65.5 mm	5 -114.3 mm	BR31217
ECLIPSE							
FRONT							
12-06		Vented	Rotor	294 mm	46 mm	5 -114.3 mm	BR31346
05-02		Vented	Rotor	276 mm	45.7 mm	5 -114.3 mm	BR5399
2001	3.0L	Vented	Rotor	276 mm	45.7 mm	5 -114.3 mm	BR5399
	SPYDER; 2.4L	Vented	Rotor	255.6 mm	45.3 mm	5 -114.3 mm	BR31179
2000	2351cc, (2.4L)	Vented	Rotor	255.6 mm	45.3 mm	5 -114.3 mm	BR31179
	181 C.I., (3.0L)	Vented	Rotor	276 mm	45.3 mm	5 -114.3 mm	BR31003
99-5 /92	From 5/92 ; GSX; AWD; 276mm	Vented	Rotor	276 mm	45.3 mm	5 -114.3 mm	BR31003
99-90	FWD; 255mm	Vented	Rotor	255.6 mm	45.3 mm	5 -114.3 mm	BR31179
4 /92-90	AWD; 255mm	Vented	Rotor	276 mm	45.3 mm	5 -114.3 mm	BR31003
REAR							
12-06	V6 3.8L	Vented	Rotor	284.1	60.62	5 -114.3 mm	BR900592
	2.4L	Solid	Rotor	261 mm	60.2 mm	5 -114.3 mm	BR31360
05-01	w/ Rear Disc Brakes	Solid	Rotor	261.9 mm	60.2 mm	5 -114.3 mm	BR31147
	w/ Rear Drum Brakes	Floating	Drum	266.4 mm	62 mm	5 -114.3 mm	BD35016
2000	2351cc, (2.4L)	Floating	Drum	266.4 mm	62 mm	5 -114.3 mm	BD35016
	181 C.I., (3.0L)	Solid	Rotor	261.9 mm	60.2 mm	5 -114.3 mm	BR31147
99-96	Rear Drum Brake	Floating	Drum	266.4 mm	62 mm	5 -114.3 mm	BD35016
99-94	Rear Disc Brake	Solid	Rotor	261.9 mm	60.2 mm	5 -114.3 mm	BR31147
98-96	GST, GSX, SPYDER GST	Solid	Rotor	261.9 mm	60.2 mm	5 -114.3 mm	BR31147
95-1 /95	RS; From 1/95	Floating	Drum	266.4 mm	62 mm	5 -114.3 mm	BD35016
1 /95-95	RS; To 1/95	Floating	Drum	235.4 mm	60 mm	5 -114.3 mm	BD35021
10/94-94	GSX; AWD; To 10/94	Vented	Rotor	284 mm	60 mm	5 -114.3 mm	BR31205
1994	GS; 2WD	Solid	Rotor	265 mm	49 mm	5 -114.3 mm	BR31010
93-90		Solid	Rotor	265 mm	49 mm	5 -114.3 mm	BR31010
ENDEAVOR							
FRONT							
11-04		Vented	Rotor	290 mm	46.4 mm	5 -114.3 mm	BR31343
REAR							
11-04		Solid	Rotor	302 mm	58.7 mm	5 -114.3 mm	BR31353
EXPO							
FRONT							
95-92		Vented	Rotor	257 mm	45.67 mm	4 -114.3 mm	BR31109
REAR							
95-92	w/ Rear Drum Brake	Floating	Drum	270 mm	62.5 mm	4 -114.3 mm	BD35010
94-92	w/ Rear Disc Brake	Solid	Rotor	262 mm	60.1 mm	4 -114.3 mm	BR31129

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MITSUBISHI

EXPO LRV

FRONT

94-92		Vented	Rotor	257 mm	45.6 mm	4 -114 mm	BR31060
-------	--	--------	-------	--------	---------	-----------	---------

REAR

94-92	w/ Rear Disc Brake	Solid	Rotor	262 mm	60.1 mm	4 -114.3 mm	BR31129
	4WD; w/ Rear Drum Brake	Floating	Drum	270 mm	62.5 mm	4 -114.3 mm	BD35010
	2WD; w/ Rear Drum Brake	Floating	Drum	235 mm	64 mm	4 -114.3 mm	BD35032

GALANT

FRONT

2012		Vented	Rotor	276 mm	45.7 mm	5 -114.3 mm	BR5399
11-04	2.4L	Vented	Rotor	276 mm	45.7 mm	5 -114.3 mm	BR5399
09-04	3.8L V6	Vented	Rotor	294 mm	46 mm	5 -114.3 mm	BR31346
03-02		Vented	Rotor	276 mm	45.7 mm	5 -114.3 mm	BR5399
2001	V6	Vented	Rotor	276 mm	45.7 mm	5 -114.3 mm	BR5399
01-2 /98	From 2/98; L4; 5 Lug	Vented	Rotor	255.6 mm	45.3 mm	5 -114.3 mm	BR31179
00-99	V6	Vented	Rotor	276 mm	45.3 mm	5 -114.3 mm	BR31003
1998		Vented	Rotor	10 1/64"	1 25/32"	4 -4.5"	BR31263
97-93		Vented	Rotor	257 mm	45.6 mm	4 -114 mm	BR31060
93-90	Exc. VR-4	Vented	Rotor	257 mm	45.6 mm	4 -114 mm	BR31060
92-91	VR-4	Vented	Rotor	276 mm	45 mm	4 -114.3 mm	BR31218
1989		Vented	Rotor	266 mm	45.1 mm	4 -114.3 mm	BR3288
87-85		Vented	Rotor	266 mm	45.1 mm	4 -114.3 mm	BR3288

REAR

2012		Solid	Rotor	261 mm	60.2 mm	5 -114.3 mm	BR31360
11-04	Exc. 2007-2009 Ralliart & Sport V6	Solid	Rotor	261 mm	60.2 mm	5 -114.3 mm	BR31360
09-07	Ralliart & Sport V6	Vented	Rotor	284.1	60.62	5 -114.3 mm	BR900592
03-99	w/ Rear Disc Brakes	Solid	Rotor	261.9 mm	60.2 mm	5 -114.3 mm	BR31147
03-98	5 Lug w/ Rear Drum Brakes	Floating	Drum	266.4 mm	62 mm	5 -114.3 mm	BD35016
98-94	4 Lug w/ Rear Drum Brake	Floating	Drum	270 mm	62.5 mm	4 -114.3 mm	BD35010
1994	w/ Rear Disc Brakes	Solid	Rotor	262 mm	60.1 mm	4 -114.3 mm	BR31129
93-2 /93	w/ Rear Drum Brakes; From 2/93	Floating	Drum	270 mm	62.5 mm	4 -114.3 mm	BD35010
1 /93-93	w/ Rear Drum Brakes; To 1/93	Hub/ Bearing	Drum	235 mm	72.39 mm	4 -114.3 mm	BD3563
92-89	Rear Drum Brake	Hub/ Bearing	Drum	235 mm	72.39 mm	4 -114.3 mm	BD3563
	w/ Rear Disc Brakes	Solid	Rotor	265 mm	49 mm	4 -114.3 mm	BR31011
87-85	Rear Drum Brake	Hub/ Bearing	Drum	235 mm	72.39 mm	4 -114.3 mm	BD3563

GRANDIS (MEXICO)

FRONT

09-07		Vented	Rotor	290 mm	46.4 mm	5 -114.3 mm	BR31343
-------	--	--------	-------	--------	---------	-------------	---------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
mitsubishi							
GRANDIS (MEXICO)				REAR			
09-07		Solid	Rotor	302 mm	58.7 mm	5 -114.3 mm	BR31353
LANCER				FRONT			
12-10	GTS w/ 294mm Inboard Vented Front Rotor	Vented	Rotor	294 mm	46 mm	5 -114.3 mm	BR31346
	w/ 276mm Front Rotor	Vented	Rotor	276 mm	45.7 mm	5 -114.3 mm	BR900610
	DE, SE, ES & Ralliart w/ 294mm Outboard Vented Front Rotor	Vented	Rotor	294 mm	46 mm	5 -114.3 mm	BR901000
2009	RALLIART	Vented	Rotor	294mm	46mm	5 -114.3 mm	BR900590
09-08	ES & DE; Superseded	Vented	Rotor	10.87"	1.837"	5 -114.3 mm	BR900596
	GTS	Vented	Rotor	294 mm	46 mm	5 -114.3 mm	BR31346
	ES & DE; Reorder	Vented	Rotor	276 mm	45.7 mm	5 -114.3 mm	BR900610
2007	ES	Vented	Rotor	257 mm	45.67 mm	4 -114.3 mm	BR31109
2006	ES,SE, OZ RALLY w/o ABS	Vented	Rotor	257 mm	45.67 mm	4 -114.3 mm	BR31109
	ES,OZ RALLY w/ ABS	Vented	Rotor	256 mm	45 mm	4 -100 mm	BR31300
05-02	ES	Vented	Rotor	256 mm	45 mm	4 -100 mm	BR31300
	LS & OZ RALLY	Vented	Rotor	257 mm	45.67 mm	4 -114.3 mm	BR31109
2004	Sportback w/ 4 Lug Wheels	Vented	Rotor	276 mm	45.7 mm	4 -114.3 mm	BR31344
				REAR			
12-10	GT & GTS; 302mm	Vented	Rotor	302 mm	59.8 mm	5 -4.5"	BR900750
12-08	ES & DE w/ Rear Disc Brakes (262 mm Rotor)	Solid	Rotor	10.31"	2.388"	5 -114.3 mm	BR900600
	w/ Rear Drum Brakes	Floating	Drum	240 mm	59.7 mm	5 -114.3	BD920134
11-10	RALLIART; 302mm	Solid	Rotor	301.86	59.25	5 -114.3 mm	BR900594
09-08	GTS & Ralliart	Vented	Rotor	302 mm	59.8 mm	5 -4.5"	BR900750
07-02	w/ 243mm Rear Drum	Floating	Drum	243mm	60.0 mm	4 -114.3 mm	BD35085
06-04	Ralliart & Sportback w/ 5 Lug Wheels	Solid	Rotor	261.9 mm	60.2 mm	5 -114.3 mm	BR31147
2004	Sportback w/ 4 Lug Wheels	Solid	Rotor	262 mm	60.1 mm	4 -114.3 mm	BR31129
LANCER EVOLUTION				FRONT			
13-08	Standard One Piece Rotor	Vented	Rotor	350 mm	44 mm	5 -114.3 mm	BR901002
06-03		Vented	Rotor	320 mm	43.5 mm	5 -114.3 mm	BR31345
				REAR			
13-08		Vented	Rotor	330 mm	59 mm	5 -114.3 mm	BR901004
06-03		Vented	Rotor	300 mm	57.5 mm	5 -114.3 mm	BR31355
MIGHTY MAX				FRONT			
1996		Vented	Rotor	258 mm	33.5 mm	6 -104 mm	BR3282
95-89	2WD	Vented	Rotor	258 mm	33.5 mm	6 -104 mm	BR3282
93-89	4WD	Vented	Rotor	277 mm	45.1 mm	6 -108 mm	BR3280
1988		Vented	Rotor	258 mm	33.5 mm	6 -104 mm	BR3282
1987	SPX; 2WD	Vented	Rotor	258 mm	33.5 mm	6 -104 mm	BR3282

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MITSUBISHI

MIGHTY MAX

FRONT

1987	SPX; 4WD	Vented	Rotor	277 mm	45.1 mm	6 -108 mm	BR3280
1986	Option 2	Vented	Rotor	255 mm	45 mm	6 -108 mm	BR3248
	Option 1	Solid	Rotor	255 mm	33.2 mm	6 -104 mm	BR3159
85-83	2WD	Solid	Rotor	255 mm	33.2 mm	6 -104 mm	BR3159
84-83	S, SP, SPX; 4WD	Vented	Rotor	255 mm	45 mm	6 -108 mm	BR3248

REAR

96-86		Floating	Drum	303 mm	83 mm	6 -139.7 mm	BD3544
86-83	10 Inch Rear Drum Brake	Floating	Drum	303 mm	83 mm	6 -139.7 mm	BD3544

MIRAGE

FRONT

02-99	w/ 14 Inch Wheels	Vented	Rotor	256 mm	45 mm	4 -100 mm	BR31300
	w/ 13 Inch Wheels	Vented	Rotor	236 mm	45 mm	4 -100 mm	BR31133
98-97		Vented	Rotor	236 mm	45 mm	4 -100 mm	BR31133
96-94	ES, LS; 1.8L; 2 Door	Vented	Rotor	236 mm	45 mm	4 -100 mm	BR31133
96-93	4 Door	Vented	Rotor	236 mm	45 mm	4 -100 mm	BR31133
	1.5L; 2 Door	Solid	Rotor	234 mm	45.1 mm	4 -100 mm	BR31139
1993	ES, LS	Vented	Rotor	236 mm	45 mm	4 -100 mm	BR31133
1992	GS; Rear Disc Brake	Vented	Rotor	256 mm	34 mm	4 -104 mm	BR31099
	Exc. GS; Rear Drum Brake	Vented	Rotor	236 mm	34 mm	4 -104 mm	BR31094
1991	GS; 1.6L; Exc. Hatchback	Vented	Rotor	256 mm	34 mm	4 -104 mm	BR31099
	Exc. GS, VL; 1.5L; Exc. Hatchback	Vented	Rotor	236 mm	34 mm	4 -104 mm	BR31094
	Hatchback	Solid	Rotor	234 mm	34 mm	4 -104 mm	BR31102
90-89	Exc. VL; 4 Door; sedan	Vented	Rotor	242 mm	34 mm	4 -104 mm	BR3158
88-87	Exc. L; Rear Drum Brake	Vented	Rotor	242 mm	34 mm	4 -104 mm	BR3158
88-85	Exc. LS; 1.5L	Solid	Rotor	243 mm	34 mm	4 -104 mm	BR3160
86-85	L, LS; 1.6L	Vented	Rotor	242 mm	34 mm	4 -104 mm	BR3158

REAR

02-97		Floating	Drum	214.7 mm	65 mm	4 -100 mm	BD35002
96-94	ES, LS; 1.8L; 2 Door	Floating	Drum	214.7 mm	65 mm	4 -100 mm	BD35002
96-93	4 Door; Rear Drum Brake	Floating	Drum	214.7 mm	65 mm	4 -100 mm	BD35002
	1.5L; 2 Door	Floating	Drum	214.7 mm	65 mm	4 -100 mm	BD35001
1993	ES, LS; w/o ABS; 4 Door	Floating	Drum	214.7 mm	65 mm	4 -100 mm	BD35002
93-6 /92	4 Door w/ Rear Disc Brakes; 6/92 To 4/96	Solid	Rotor	235.9 mm	41.1 mm	4 -100 mm	BR31199
92-91	GS; Rear Disc Brake; DOHC	Solid	Rotor	265 mm	49 mm	4 -114.3 mm	BR31011
	Exc. GS; Rear Drum Brake; Floating Type	Floating	Drum	206 mm	65.02 mm	4 -114.3 mm	BD35004
1989	Exc. LS; Rear Disc Brake	Solid	Rotor	265 mm	49 mm	4 -114.3 mm	BR31011

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MITSUBISHI

MONTERO

FRONT

07-2 /00	From 2/00	Vented	Rotor	290 mm	46.3 mm	6 -139.7 mm	BR31287
1 /00-95	3.5L; To 01/00	Vented	Rotor	276 mm	45.2 mm	6 -108 mm	BR31240
96-92	3.0L	Vented	Rotor	276 mm	45.1 mm	6 -108 mm	BR31239
1994		Vented	Rotor	276 mm	45.2 mm	6 -108 mm	BR31170
91-89	3.0L	Vented	Rotor	277 mm	45.1 mm	6 -108 mm	BR3280
89-88	Exc. LS; 2.6L	Vented	Rotor	258 mm	45.2 mm	6 -108 mm	BR3279
87-83		Vented	Rotor	255 mm	45 mm	6 -108 mm	BR3248

REAR

07-2 /00	From 2/00	Vented	Rotor	300 mm	72.2 mm	6 -139.7 mm	BR31288
1 /00-92	To 1/00	Solid	Rotor	315 mm	84.2 mm	6 -139.7 mm	BR31143
91-83		Floating	Drum	303 mm	83 mm	6 -139.7 mm	BD3544

MONTERO SPORT

FRONT

04-00	w/ 16 Inch Wheels	Vented	Rotor	313.9 mm	45.3 mm	6 -108 mm	BR31291
	w/ 15 Inch Wheels	Vented	Rotor	276 mm	45.1 mm	6 -108 mm	BR31239
99-97		Vented	Rotor	276 mm	45.1 mm	6 -108 mm	BR31239

REAR

04-97	w/ Rear Disc Brake	Solid	Rotor	315 mm	84.2 mm	6 -139.7 mm	BR31143
	w/ Rear Drum Brake	Floating	Drum	330.3 mm	93.9 mm	6 -139.7 mm	BD35080

OUTLANDER

FRONT

11-07		Vented	Rotor	294 mm	46 mm	5 -114.3 mm	BR31346
06-05		Vented	Rotor	294mm	46mm	5 -114.3 mm	BR900590
04-03		Vented	Rotor	276 mm	45.7 mm	5 -114.3 mm	BR5399

REAR

2011	w/ Solid Rear Rotors	Solid	Rotor	301.86	59.25	5 -114.3 mm	BR900594
11-08	4 Cyl. (Vented Rotors)	Vented	Rotor	302 mm	59.8 mm	5 -4.5"	BR900750
10-07	V6	Solid	Rotor	301.86	59.25	5 -114.3 mm	BR900594
06-05		Solid	Rotor	261.9 mm	60.2 mm	5 -114.3 mm	BR31147
04-03		Floating	Drum	278 mm	60 mm	5 -114.3 mm	BD35101

PRECIS

FRONT

93-88	w/ Vented Rotors	Vented	Rotor	242 mm	40.5 mm	4 -104 mm	BR3172
89-87	w/ Solid Rotors	Solid	Rotor	229 mm	39.4 mm	4 -104 mm	BR3170
1987	LS; A/T	Vented	Rotor	242 mm	40.5 mm	4 -104 mm	BR3172

REAR

93-92		Hub/ Bearing	Drum	216 mm	71.7 mm	4 -114.3 mm	BD35025
91-90		Hub/ Bearing	Drum	216 mm	71.7 mm	4 -114.3 mm	BD35000
1989		Hub/ Bearing	Drum	216 mm	71.12 mm	4 -114.3 mm	BD3574
1988		Hub / Bearing	Drum	216 mm	71 mm	4 -114.3	BD3567

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

MITSUBISHI

PRECIS

REAR

1987	LS; A/T	Hub / Bearing	Drum	216 mm	71 mm	4 -114.3	BD3567
------	---------	------------------	------	--------	-------	----------	--------

RAIDER

FRONT

10-06		Vented	Rotor	12.28"	2.6"	5 -5.5"	BR53025
-------	--	--------	-------	--------	------	---------	---------

REAR

09-06		Floating	Drum	14.25"	4.42	5 -5.5"	BD920118
-------	--	----------	------	--------	------	---------	----------

RVR (CANADA)

FRONT

12-10		Vented	Rotor	294 mm	46 mm	5 -114.3 mm	BR31346
-------	--	--------	-------	--------	-------	-------------	---------

REAR

12-10		Vented	Rotor	302 mm	59.8 mm	5 -4.5"	BR900750
-------	--	--------	-------	--------	---------	---------	----------

SIGMA

FRONT

90-88		Vented	Rotor	257 mm	45.6 mm	4 -114 mm	BR31060
-------	--	--------	-------	--------	---------	-----------	---------

SPACE STAR (MEXICO)

REAR

06-03		Solid	Rotor	260 mm	41 mm	4 -114.3 mm	BR34212
-------	--	-------	-------	--------	-------	-------------	---------

STARION

FRONT

89-83	Non Intercooled (4 Lug)	Vented	Rotor	256 mm	35 mm	4 -100 mm	BR3275
	w/ Intercooler (5 Lug Wheel)	Vented	Rotor	276 mm	66 mm	5 -114.3 mm	BR31087

REAR

89-83	w/ Intercooler (5 Lug Wheel)	Vented	Rotor	266 mm	47 mm	5 -114.3 mm	BR31028
-------	------------------------------	--------	-------	--------	-------	-------------	---------

TREDIA

FRONT

88-84		Vented	Rotor	242 mm	34 mm	4 -104 mm	BR3158
1983		Solid	Rotor	243 mm	34 mm	4 -104 mm	BR3160

REAR

88-83		Hub/ Bearing	Drum	235 mm	72.39 mm	4 -114.3 mm	BD3563
-------	--	-----------------	------	--------	----------	-------------	--------

VAN

FRONT

90-87		Vented	Rotor	258 mm	33.5 mm	5 -104 mm	BR3281
-------	--	--------	-------	--------	---------	-----------	--------

NISSAN

1200

REAR

73-71		Floating	Drum	240 mm	58 mm	4 -114.3 mm	BD3527
-------	--	----------	------	--------	-------	-------------	--------

200SX

FRONT

1998	1.6L; w/ Rear Drum Brake	Vented	Rotor	232 mm	45.2 mm	4 -100 mm	BR31123
	w/ Rear Disc Brake	Vented	Rotor	246.7 mm	45.2 mm	4 -100 mm	BR31169
97-95	2.0L SE-R; w/ Rear Disc Brake	Vented	Rotor	246.7 mm	45.2 mm	4 -100 mm	BR31169
	1.6L	Vented	Rotor	232 mm	45.2 mm	4 -100 mm	BR31123
88-5 /86	4 Cyl.	Vented	Rotor	250 mm	22 mm	4 -95 mm	BR3183
	V6	Vented	Rotor	274 mm	35.6 mm	5 -103 mm	BR3210
4 /86-84		Vented	Rotor	250 mm	22 mm	4 -95 mm	BR3183
79-77		Solid	Rotor	277 mm	29.5 mm	5 -118 mm	BR3125

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
NISSAN							
200SX				REAR			
98-95	w/ Rear Disc Brake	Solid	Rotor	234 mm	39.5 mm	4 -100 mm	BR31148
	1.6L w/ Rear Drum Brake	Floating	Drum	220 mm	57.5 mm	4 -100 mm	BD3536
88-5 /86	V6	Solid	Rotor	290 mm	47 mm	5 -114.3 mm	BR31136
	4 Cyl.	Solid	Rotor	258 mm	47 mm	4 -114.3 mm	BR3152
4 /86-11/84		Solid	Rotor	258 mm	47 mm	4 -114.3 mm	BR3152
10/84-84	w/ Rear Disc Brake	Solid	Rotor	258 mm	47 mm	4 -114.3 mm	BR3152
	w/ Rear Drum Brake	Floating	Drum	266 mm	62.5 mm	4 -114.3 mm	BD3521
83-82		Solid	Rotor	258 mm	47 mm	4 -114.3 mm	BR3152
81-80		Solid	Rotor	269 mm	68.5 mm	4 -114.3 mm	BR3197
79-77		Floating	Drum	266 mm	62.5 mm	4 -114.3 mm	BD3521
210				FRONT			
82-79		Solid	Rotor	277 mm	29.5 mm	5 -118 mm	BR3125
				REAR			
82-79		Floating	Drum	240 mm	58 mm	4 -114.3 mm	BD3527
240SX				FRONT			
98-97	5 Lug	Vented	Rotor	257 mm	49.2 mm	5 -114.3 mm	BR31230
	w/o ABS; 4 Lug	Vented	Rotor	257 mm	49 mm	4 -114.3 mm	BR3264
96-94	w/o ABS; 4 Lug	Vented	Rotor	252 mm	49.2 mm	4 -114.3 mm	BR3215
	5 Lug	Vented	Rotor	251.8 mm	49.2 mm	5 -114.3 mm	BR31155
93-89	w/o ABS	Vented	Rotor	252 mm	49.2 mm	4 -114.3 mm	BR3215
	ABS	Vented	Rotor	257 mm	49 mm	4 -114.3 mm	BR3264
				REAR			
98-94	5 Lug	Solid	Rotor	258 mm	46.5 mm	5 -114.3 mm	BR31156
	w/o ABS; 4 Lug	Solid	Rotor	258 mm	46.5 mm	4 -114.3 mm	BR31063
93-89		Solid	Rotor	258 mm	46.5 mm	4 -114.3 mm	BR31063
1989	SE	Solid	Rotor	258 mm	46.5 mm	4 -114.3 mm	BR31063
260Z				FRONT			
1974		Solid	Rotor	271 mm	43.5 mm	4 -103 mm	BR3131
280Z				FRONT			
78-75		Solid	Rotor	271 mm	43.5 mm	4 -103 mm	BR3131
280ZX				FRONT			
83-79		Vented	Rotor	252 mm	29 mm	4 -103 mm	BR3130
				REAR			
83-82		Solid	Rotor	258 mm	47 mm	4 -114.3 mm	BR3152
81-79		Solid	Rotor	269 mm	68.5 mm	4 -114.3 mm	BR3197
300ZX				FRONT			
96-7 /90	From 7/90	Vented	Rotor	279.9 mm	53.8 mm	5 -114.3 mm	BR31126
6 /90-90	To 6/90	Vented	Rotor	280 mm	54 mm	5 -114.3 mm	BR31125
89-87	Turbo	Vented	Rotor	274 mm	35.6 mm	5 -103 mm	BR3210

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

NISSAN

300ZX

FRONT

85-84	Non-Turbo	Vented	Rotor	275 mm	35.5 mm	4 -103 mm	BR3243
-------	-----------	--------	-------	--------	---------	-----------	--------

REAR

96-90		Vented	Rotor	297 mm	64 mm	5 -114.3 mm	BR31097
89-87		Solid	Rotor	282 mm	57.5 mm	5 -114.3 mm	BR31026
86-84	Turbo	Solid	Rotor	290 mm	47 mm	5 -114.3 mm	BR31136
85-84	Non-Turbo	Solid	Rotor	290 mm	47 mm	4 -114.3 mm	BR3256

310

FRONT

82-79		Solid	Rotor	239 mm	38.8 mm	4 -96 mm	BR3129
-------	--	-------	-------	--------	---------	----------	--------

350Z

FRONT

09-06	Exc. Brembo Brake Package	Vented	Rotor	320 mm	49.2 mm	5 -114.3 mm	BR31341
09-03	w/ Brembo Package	Vented	Rotor	324 mm	49 mm	5 -114.3 mm	BR900400
05-03	w/ Std Brakes	Vented	Rotor	295.7 mm	49.2 mm	5 -114.3 mm	BR31350

REAR

09-06	Exc. Brembo Brake Package	Vented	Rotor	307.6 mm	66.58 mm	5 -114.3 mm	BR31387
09-03	w/ Brembo Package	Vented	Rotor	322 mm	63.6 mm	5 -114.3	BR900716
05-03	w/ Std Brakes	Vented	Rotor	291.8 mm	62 mm	5 -114.3 mm	BR31349

370Z

FRONT

12-09	Exc. Sport Package	Vented	Rotor	320 mm	49.2 mm	5 -114.3 mm	BR31341
	Sport Package	Vented	Rotor	355 mm	52 mm	5 -114.3 mm	BR900720

REAR

12-09	Sport Package	Vented	Rotor	350 mm	64 mm	5 -114.3 mm	BR900722
	Exc. Sport Package	Vented	Rotor	307.6 mm	66.58 mm	5 -114.3 mm	BR31387

510

FRONT

81-78		Solid	Rotor	277 mm	29.5 mm	5 -118 mm	BR3125
-------	--	-------	-------	--------	---------	-----------	--------

REAR

81-68		Floating	Drum	266 mm	62.5 mm	4 -114.3 mm	BD3521
-------	--	----------	------	--------	---------	-------------	--------

520 PICKUP

FRONT

68-65		Floating	Drum	288 mm	59.5 mm	6 -139.7 mm	BD3539
-------	--	----------	------	--------	---------	-------------	--------

REAR

68-65		Floating	Drum	288 mm	59.5 mm	6 -139.7 mm	BD3539
-------	--	----------	------	--------	---------	-------------	--------

521 PICKUP

FRONT

72-69		Floating	Drum	288 mm	59.5 mm	6 -139.7 mm	BD3539
-------	--	----------	------	--------	---------	-------------	--------

REAR

72-69		Floating	Drum	288 mm	59.5 mm	6 -139.7 mm	BD3539
-------	--	----------	------	--------	---------	-------------	--------

610

FRONT

76-75		Solid	Rotor	277 mm	29.5 mm	5 -118 mm	BR3125
-------	--	-------	-------	--------	---------	-----------	--------

REAR

76-73		Floating	Drum	266 mm	62.5 mm	4 -114.3 mm	BD3521
-------	--	----------	------	--------	---------	-------------	--------

620 PICKUP

FRONT

79-78		Solid	Rotor	271 mm	43.3 mm	6 -103 mm	BR3153
77-72		Floating	Drum	288 mm	59.5 mm	6 -139.7 mm	BD3539

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
NISSAN							
620 PICKUP		REAR					
79-72		Floating	Drum	288 mm	59.5 mm	6 -139.7 mm	BD3539
710		FRONT					
77-76		Solid	Rotor	277 mm	29.5 mm	5 -118 mm	BR3125
		REAR					
77-74		Floating	Drum	266 mm	62.5 mm	4 -114.3 mm	BD3521
720 PICKUP		FRONT					
86-83	2WD	Vented	Rotor	250 mm	30 mm	6 -103 mm	BR3118
	4WD	Vented	Rotor	267 mm	39.2 mm	6 -124 mm	BR3114
10/82-80	To 10/82	Solid	Rotor	271 mm	43.3 mm	6 -103 mm	BR3153
		REAR					
1986	DIESEL	Floating	Drum	300 mm	73 mm	6 -139.7 mm	BD3509
	GAS	Floating	Drum	290 mm	69 mm	6 -139.7 mm	BD3599
85-11/82	From 11/82	Floating	Drum	290 mm	69 mm	6 -139.7 mm	BD3599
85-7 /81	From 7/81	Floating	Drum	290 mm	69 mm	6 -139.7 mm	BD3599
1980		Floating	Drum	288 mm	59.5 mm	6 -139.7 mm	BD3539
810		FRONT					
1981		Vented	Rotor	250 mm	22 mm	4 -95 mm	BR3183
		REAR					
1981		Solid	Rotor	269 mm	68.5 mm	4 -114.3 mm	BR3197
80-77		Floating	Drum	266 mm	62.5 mm	4 -114.3 mm	BD3521
ALMERA (MEXICO)		FRONT					
05-01	257mm Rotor	Vented	Rotor	257 mm	45.2 mm	4 -100 mm	BR31130
	246mm Rotor	Vented	Rotor	246.7 mm	45.2 mm	4 -100 mm	BR31169
		REAR					
05-01	w/ Rear Disc Brakes	Solid	Rotor	302 mm	58.7 mm	5 -114.3 mm	BR31353
ALTIMA		FRONT					
13-07		Vented	Rotor	295.6 mm	49.4 mm	5 -114.3 mm	BR900410
06-05	SE-R; 320mm Rotor	Vented	Rotor	320 mm	49.2 mm	5 -114.3 mm	BR31375
	Exc. SE-R; 296mm Rotor	Vented	Rotor	296 mm	49.2 mm	5 -114.3 mm	BR31306
04-02		Vented	Rotor	296 mm	49.2 mm	5 -114.3 mm	BR31306
01-93		Vented	Rotor	280 mm	49.2 mm	4 -114.3 mm	BR31057
		REAR					
13-02		Solid	Rotor	291.7 mm	62 mm	5 -114.3 mm	BR31312
01-93	w/ Rear Disc Brake	Solid	Rotor	258 mm	44.5 mm	4 -114.3 mm	BR31046
	w/ Rear Drum Brake	Floating	Drum	266 mm	62.5 mm	4 -114.3 mm	BD3521
ARMADA		FRONT					
13-08	350mm Outside Diameter ; Center Hub Hole 90mm	Vented	Rotor	350 mm	43.6 mm	6 -139.7	BR900542
08-3 /05	w/ 350mm Front Rotors; From 3/05 ; Center Hub Hole 82mm	Vented	Rotor	350 mm	43.6 mm	6 -139.7 mm	BR900418

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

NISSAN

ARMADA

FRONT

10/06-3 /05	w/ Bosch Front Calipers; 3/05 To 10/06	Vented	Rotor	318.5	43.3	6 -139.7	BR900286
3 /05-05	To 3/05	Vented	Rotor	320 mm	43.3 mm	6 -139.7 mm	BR31328

REAR

13-05		Solid	Rotor	291.8 mm	62 mm	5 -139.7 mm	BR31329
-------	--	-------	-------	----------	-------	-------------	---------

AXXESS

FRONT

91-89		Vented	Rotor	257 mm	49 mm	4 -114.3 mm	BR3264
-------	--	--------	-------	--------	-------	-------------	--------

REAR

91-89	2WD; w/o 3rd Seat	Floating	Drum	266 mm	62.5 mm	4 -114.3 mm	BD3521
	2WD; w/ 3rd Seat	Floating	Drum	296 mm	62.4 mm	4 -114.3 mm	BD35055
	4WD	Floating	Drum	296 mm	62.4 mm	4 -114.3 mm	BD35055

B210

FRONT

78-76		Solid	Rotor	277 mm	29.5 mm	5 -118 mm	BR3125
-------	--	-------	-------	--------	---------	-----------	--------

REAR

78-74		Floating	Drum	240 mm	58 mm	4 -114.3 mm	BD3527
-------	--	----------	------	--------	-------	-------------	--------

CUBE

FRONT

12-09		Vented	Rotor	279.5 mm	44.35 mm	4 -114.3 mm	BR900414
-------	--	--------	-------	----------	----------	-------------	----------

REAR

13-09		Floating	Drum	264.6 mm	60.4 mm	4 -114.3 mm	BD920114
-------	--	----------	------	----------	---------	-------------	----------

D21 PICKUP

FRONT

93-92	Exc. SE; 2.4L; 2WD	Vented	Rotor	250 mm	37 mm	6 -103 mm	BR3132
93-90	4WD	Vented	Rotor	276.7 mm	39.2 mm	6 -124 mm	BR3214
	3.0L; 2WD	Vented	Rotor	259.6 mm	36.9 mm	6 -103 mm	BR31025
1990	2.4L; 4WD	Vented	Rotor	259.6 mm	36.9 mm	6 -103 mm	BR31025
90-86	2.4L; 2WD; 250 mm Front Rotor	Vented	Rotor	250 mm	37 mm	6 -103 mm	BR3132
1989		Vented	Rotor	259.6 mm	36.9 mm	6 -103 mm	BR31025
1988	4WD	Vented	Rotor	276.7 mm	39.2 mm	6 -124 mm	BR3214
88-86	3.0L; 2WD; 277 mm Front Rotor	Vented	Rotor	259.6 mm	36.9 mm	6 -103 mm	BR31025
1986	4WD	Vented	Rotor	276.7 mm	39.2 mm	6 -124 mm	BR3214

REAR

93-92	2WD; Exc. HD; To 1/92	Floating	Drum	300 mm	73 mm	6 -139.7 mm	BD3509
92-90	2WD; except heavy duty	Floating	Drum	300 mm	73 mm	6 -139.7 mm	BD3509
1991	Exc. SE	Floating	Drum	340.5 mm	89.3 mm	6 -139.7 mm	BD35019
90-86		Floating	Drum	300 mm	73 mm	6 -139.7 mm	BD3509
88-86	2WD; except heavy duty	Floating	Drum	300 mm	73 mm	6 -139.7 mm	BD3509
	4WD	Floating	Drum	300 mm	800 mm	6 -139.7 mm	BD3522

F10

FRONT

78-76		Solid	Rotor	239 mm	38.8 mm	4 -96 mm	BR3129
-------	--	-------	-------	--------	---------	----------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
NISSAN							
FRONTIER		FRONT					
13-11	4 Cyl; 283mm Rotor	Vented	Rotor	283	38.5	6 -114.3mm	BR900284
12-11	V6; 295.8mm Rotor	Vented	Rotor	295.8	38.4	6 -114.3mm	BR900282
10-05	2WD; V6	Vented	Rotor	295.8	38.4	6 -114.3mm	BR900282
	4WD; w/ 295.8mm Dia. Front Rotors	Vented	Rotor	295.8	38.4	6 -114.3mm	BR900282
	2WD; 4 Cyl. w/ 283mm Dia. Front Rotors	Vented	Rotor	283	38.5	6 -114.3mm	BR900284
04-03	2WD; V6	Vented	Rotor	283 mm	38 mm	6 -124 mm	BR31158
	4WD	Vented	Rotor	283 mm	38 mm	6 -124 mm	BR31158
04-98	2WD; 4 Cyl.	Vented	Rotor	259.8 mm	40 mm	6 -114.3 mm	BR31259
02-99	2WD; V6	Vented	Rotor	276.7 mm	39.2 mm	6 -124 mm	BR3214
02-98	4WD	Vented	Rotor	276.7 mm	39.2 mm	6 -124 mm	BR3214
REAR							
13-05		Vented	Rotor	285.8 mm	62.05	6 -114.3 mm	BR31410
04-03	2WD; V6	Floating	Drum	340.5 mm	89.3 mm	6 -139.7 mm	BD35019
04-98	4WD	Floating	Drum	340.5 mm	89.3 mm	6 -139.7 mm	BD35019
	2WD; 4 Cyl.	Floating	Drum	300 mm	73 mm	6 -139.7 mm	BD3509
02-99	2WD; V6	Floating	Drum	340.5 mm	89.3 mm	6 -139.7 mm	BD35019
HIKARI (MEXICO)		FRONT					
92-88		Solid	Rotor	240.3 mm	45.1 mm	4 -100 mm	BR3217
JUKE		FRONT					
13-11		Vented	Rotor	296 mm	47 mm	5 -114.3 mm	BR900958
REAR							
13-11		Solid	Rotor	291.7 mm	62 mm	5 -114.3 mm	BR31312
LEAF		REAR					
13-11		Vented	Rotor	291.8 mm	62 mm	5 -114.3 mm	BR31349
LUCINO (MEXICO)		FRONT					
00-96	GSR (246 mm Rotor)	Vented	Rotor	246.7 mm	45.2 mm	4 -100 mm	BR31169
	GSE (232mm Rotor)	Vented	Rotor	232 mm	45.2 mm	4 -100 mm	BR31123
REAR							
00-96		Solid	Rotor	234 mm	39.5 mm	4 -100 mm	BR31148
MAXIMA		FRONT					
13-09		Vented	Rotor	320 mm	50 mm	5 -114.3	BR900712
08-06		Vented	Rotor	320 mm	49.2 mm	5 -114.3 mm	BR31375
05-04		Vented	Rotor	319.6 mm	49.2 mm	5 -114.3 mm	BR31330
03-02		Vented	Rotor	296 mm	49.2 mm	5 -114.3 mm	BR31306
01-00		Vented	Rotor	279.8 mm	49.2 mm	5 -114.3 mm	BR31277
99-89		Vented	Rotor	280 mm	49.1 mm	5 -114.3 mm	BR3218
88-85		Vented	Rotor	274 mm	49.3 mm	4 -114.3 mm	BR3156
84-81		Vented	Rotor	250 mm	22 mm	4 -95 mm	BR3183

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

NISSAN

MAXIMA

REAR

13-09		Vented	Rotor	308 mm	66.7 mm	5 -114.3 mm	BR900714
08-04		Solid	Rotor	291.7 mm	62 mm	5 -114.3 mm	BR31312
03-2 /94	From 2/94	Solid	Rotor	277.6 mm	44.7 mm	5 -114.3 mm	BR31134
94-89	w/ Rear Disc Brake	Solid	Rotor	258 mm	45 mm	5 -114.3 mm	BR31044
	w/ Rear Drum Brake	Floating	Drum	266 mm	65 mm	5 -114.3 mm	BD35013
1988		Solid	Rotor	258 mm	73 mm	4 -114.3 mm	BR31024
87-85		Solid	Rotor	285 mm	74.5 mm	4 -114.3 mm	BR31027
84-81		Floating	Drum	266 mm	62.5 mm	4 -114.3 mm	BD3521

MURANO

FRONT

12-09		Vented	Rotor	320 mm	52 mm	5 -114.3	BR900718
07-04		Vented	Rotor	320 mm	49.2 mm	5 -114.3 mm	BR31341
2003		Vented	Rotor	319.6 mm	49.2 mm	5 -114.3 mm	BR31330

REAR

12-03		Vented	Rotor	307.6 mm	62.1 mm	5 -114.3 mm	BR31348
-------	--	--------	-------	----------	---------	-------------	---------

NV1500

FRONT

13-12		Vented	Rotor	360 mm	96.42 mm	8 -6.5 in	BR901108
-------	--	--------	-------	--------	----------	-----------	----------

REAR

13-12		Vented	Rotor	364 mm	91.9 mm	8 -6.5 in	BR901110
-------	--	--------	-------	--------	---------	-----------	----------

NV2500

FRONT

13-12		Vented	Rotor	360 mm	96.42 mm	8 -6.5 in	BR901108
-------	--	--------	-------	--------	----------	-----------	----------

REAR

13-12		Vented	Rotor	364 mm	91.9 mm	8 -6.5 in	BR901110
-------	--	--------	-------	--------	---------	-----------	----------

NV3500

FRONT

13-12		Vented	Rotor	360 mm	96.42 mm	8 -6.5 in	BR901108
-------	--	--------	-------	--------	----------	-----------	----------

REAR

13-12		Vented	Rotor	364 mm	91.9 mm	8 -6.5 in	BR901110
-------	--	--------	-------	--------	---------	-----------	----------

NX

FRONT

93-91	1.6L	Vented	Rotor	240 mm	45.5 mm	4 -100 mm	BR3216
	2.0L; Rear Disc Brakes; w/o ABS	Vented	Rotor	250 mm	45.32 mm	4 -100 mm	BR3209
	2.0L; Rear Disc Brakes; w/ ABS	Vented	Rotor	257 mm	45.2 mm	4 -100 mm	BR31130

REAR

93-91	2.0L; Rear Disc Brakes; w/ ABS	Solid	Rotor	258 mm	44.5 mm	4 -100 mm	BR31045
	1.6L w/ Rear Disc Brake	Solid	Rotor	234 mm	39.5 mm	4 -100 mm	BR31148
	2.0L; Rear Disc Brakes; w/o ABS	Solid	Rotor	234 mm	39.5 mm	4 -100 mm	BR31148
	w/ Rear Drum Brakes	Floating	Drum	220 mm	57.5 mm	4 -100 mm	BD3536

PATHFINDER

FRONT

12-11	4.0L ; 295.8mm Rotor	Vented	Rotor	295.8	38.4	6 -114.3mm	BR900282
	5.6L ; 319.6mm Rotor	Vented	Rotor	319.6 mm	38.6 mm	6 -114.3 mm	BR900708
10-09	4WD ; 319.6mm Rotor	Vented	Rotor	319.6 mm	38.6 mm	6 -114.3 mm	BR900708
	RWD ; 295.8mm Rotor	Vented	Rotor	295.8	38.4	6 -114.3mm	BR900282

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

NISSAN

PATHFINDER

FRONT

2008	5.6L	Vented	Rotor	319.6 mm	38.6 mm	6 -114.3 mm	BR900708
08-05	Exc. 5.6L	Vented	Rotor	295.8	38.4	6 -114.3mm	BR900282
2004	ARMADA	Vented	Rotor	320 mm	43.3 mm	6 -139.7 mm	BR31328
04-99	Exc. ARMADA	Vented	Rotor	300 mm	38 mm	6 -124 mm	BR31250
98-96		Vented	Rotor	283 mm	38 mm	6 -124 mm	BR31158
95-87		Vented	Rotor	276.7 mm	39.2 mm	6 -124 mm	BR3214

REAR

12-05		Vented	Rotor	307.7 mm	62.88 mm	6 -114.3 mm	BR900294
2004	ARMADA	Solid	Rotor	291.8 mm	62 mm	5 -139.7 mm	BR31329
04-02	Exc. ARMADA	Floating	Drum	340.5 mm	89.3 mm	6 -139.7 mm	BD35093
01-96	Exc. ARMADA	Floating	Drum	340.5 mm	89.3 mm	6 -139.7 mm	BD35019
95-89	w/ Rear Drum Brake	Floating	Drum	300 mm	73 mm	6 -139.7 mm	BD3509
95-88	w/ Rear Disc Brake	Vented	Rotor	285.5 mm	70 mm	6 -139.7 mm	BR31071
88-87	w/ Rear Drum Brake	Floating	Drum	300 mm	800 mm	6 -139.7 mm	BD3522

PICKUP

FRONT

97-95	2.4L; 2WD	Vented	Rotor	250 mm	37 mm	6 -103 mm	BR3132
97-94	4WD	Vented	Rotor	276.7 mm	39.2 mm	6 -124 mm	BR3214
95-94	3.0L; 2WD	Vented	Rotor	259.6 mm	36.9 mm	6 -103 mm	BR31025

REAR

97-94	2WD	Floating	Drum	300 mm	73 mm	6 -139.7 mm	BD3509
	4WD	Floating	Drum	340.5 mm	89.3 mm	6 -139.7 mm	BD35019

PULSAR NX

FRONT

90-87	XE	Solid	Rotor	240.3 mm	45.1 mm	4 -100 mm	BR3217
89-88	SE; DOHC Eng.	Vented	Rotor	250 mm	45.32 mm	4 -100 mm	BR3209
87-83	Exc. XE	Solid	Rotor	240 mm	35 mm	4 -96 mm	BR3110

REAR

90-87		Hub/ Bearing	Drum	236 mm	82 mm	4 -100 mm	BD3510
86-85		Hub/ Bearing	Drum	236 mm	82 mm	4 -114.3 mm	BD3511
84-83	Exc. TURBO; 1.6L	Hub/ Bearing	Drum	220 mm	82 mm	4 -114.3 mm	BD3559
1983	TURBO; 1.5L	Hub/ Bearing	Drum	236 mm	82 mm	4 -114.3 mm	BD3511

QUEST

FRONT

13-04	No 2010 Model Year Vehicles Manufactured	Vented	Rotor	290 mm	49.5 mm	5 -114.3 mm	BR900408
03-93		Vented	Rotor	10.89"	2.06"	5 -4.5"	BR54003

REAR

13-04	No 2010 Model Year Vehicles Manufactured	Vented	Rotor	307.6 mm	62.1 mm	5 -114.3 mm	BR31348
-------	---	--------	-------	----------	---------	-------------	---------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

NISSAN

QUEST

REAR

03-93		Floating	Drum	12.8"	3.44"	5 -4.5"	BD80017
-------	--	----------	------	-------	-------	---------	---------

ROGUE

FRONT

13-08		Vented	Rotor	295.6 mm	43.5 mm	5 -114.3 mm	BR900528
-------	--	--------	-------	----------	---------	-------------	----------

REAR

13-08		Vented	Rotor	291.8 mm	62 mm	5 -114.3 mm	BR31349
-------	--	--------	-------	----------	-------	-------------	---------

SENTRA

FRONT

13-07	Exc. SE-R & SE-R Spec V	Vented	Rotor	279.5 mm	44.35 mm	4 -114.3 mm	BR900414
	SE-R	Vented	Rotor	295.6 mm	43.5 mm	5 -114.3 mm	BR900528
	SE-R Spec V	Vented	Rotor	320 mm	44 mm	5 -114.3 mm	BR900956
06-02	w/ Rear Drum Brake	Vented	Rotor	257 mm	49 mm	4 -114.3 mm	BR31307
	w/ Rear Disc Brake; Exc. SE-R Spec V; 258mm Rotor	Vented	Rotor	280 mm	49.2 mm	4 -114.3 mm	BR31057
01-1 /00	From 1/2000 w/ Rear Disc Brake	Vented	Rotor	280 mm	49.2 mm	4 -114.3 mm	BR31057
	From 1/2000 w/ Rear Drum Brake	Vented	Rotor	257 mm	49 mm	4 -114.3 mm	BR3264
12/99-98	1.6L, E & XE; To 12/99	Vented	Rotor	232 mm	45.2 mm	4 -100 mm	BR31123
	1.6L, GLE, GXE & 2.0L SE; To 12/99	Vented	Rotor	246.7 mm	45.2 mm	4 -100 mm	BR31169
97-95		Vented	Rotor	232 mm	45.2 mm	4 -100 mm	BR31123
94-91	SE-R; w/ ABS; Made in Japan	Vented	Rotor	257 mm	45.2 mm	4 -100 mm	BR31130
	1.6L	Vented	Rotor	240 mm	45.5 mm	4 -100 mm	BR3216
	SE-R; Exc. Made in Japan	Vented	Rotor	250 mm	45.32 mm	4 -100 mm	BR3209
90-87	Exc. Wagon; Solid Front Rotor	Solid	Rotor	240.3 mm	45.1 mm	4 -100 mm	BR3217
	Wagon; Vented Front Rotor	Vented	Rotor	240 mm	45.5 mm	4 -100 mm	BR3216
1986	DIESEL	Vented	Rotor	240 mm	45.5 mm	4 -100 mm	BR3216
86-82	GAS	Solid	Rotor	240 mm	35 mm	4 -96 mm	BR3110

REAR

13-07	w/ Rear Drum Brake	Floating	Drum	264.6 mm	60.4 mm	4 -114.3 mm	BD920114
	SE-R & SE-R Spec V	Solid	Rotor	291.7 mm	62 mm	5 -114.3 mm	BR31312
06-4 /03	SE-R Spec V; From 4/03; 278mm Rotor	Solid	Rotor	278 mm	44.5 mm	4 -114.3 mm	BR31376
06-02	w/ Rear Drum Brake	Floating	Drum	236.2 mm	66.5 mm	4 -114.3 mm	BD80093
	w/ Rear Disc Brake; Exc. SE-R Spec V; 258mm Rotor	Solid	Rotor	258 mm	44.5 mm	4 -114.3 mm	BR31046
01-1 /00	From 1/2000 w/ Rear Disc Brake	Solid	Rotor	258 mm	44.5 mm	4 -114.3 mm	BR31046
	From 1/2000 w/ Rear Drum Brake	Floating	Drum	236.2 mm	66.5 mm	4 -114.3 mm	BD80093
12/99-91	w/ Rear Drum Brakes; To 12/99	Floating	Drum	220 mm	57.5 mm	4 -100 mm	BD3536
	w/ Rear Disc Brakes; To 12/99	Solid	Rotor	234 mm	39.5 mm	4 -100 mm	BR31148
94-91	SE-R; w/ ABS; Made in Japan	Solid	Rotor	258 mm	44.5 mm	4 -100 mm	BR31045

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

NISSAN

SENTRA

REAR

90-86		Hub/ Bearing	Drum	236 mm	82 mm	4 -100 mm	BD3510
1985		Hub/ Bearing	Drum	236 mm	82 mm	4 -114.3 mm	BD3511
84-83	DIESEL	Hub/ Bearing	Drum	236 mm	82 mm	4 -114.3 mm	BD3511
84-82	GAS	Hub/ Bearing	Drum	220 mm	82 mm	4 -114.3 mm	BD3559

STANZA

FRONT

92-90		Vented	Rotor	257 mm	49 mm	4 -114.3 mm	BR3264
89-85		Vented	Rotor	249.7 mm	49.35 mm	4 -114.3 mm	BR3211
84-82		Vented	Rotor	232 mm	31.5 mm	4 -103 mm	BR3112

REAR

92-91	w/ Rear Disc Brakes	Solid	Rotor	258 mm	44.5 mm	4 -114.3 mm	BR31046
	w/ Rear Drum Brakes	Floating	Drum	266 mm	62.5 mm	4 -114.3 mm	BD3521
1990	w/o ABS; Rear Drum Brake	Floating	Drum	266 mm	62.5 mm	4 -114.3 mm	BD3521
	ABS; Rear Disc Brake	Solid	Rotor	258 mm	44.5 mm	4 -114.3 mm	BR31046
89-85	2WD	Hub/ Bearing	Drum	264 mm	78 mm	4 -114.3 mm	BD3586
88-87	4WD	Floating	Drum	266 mm	62.5 mm	4 -114.3 mm	BD3521
1986	4WD	Floating	Drum	297	73	4 -114.3	BD35046

TIIDA (MEXICO)

FRONT

12-07		Vented	Drum	260 mm	44 mm	4 -114.3 mm	BR900960
-------	--	--------	------	--------	-------	-------------	----------

REAR

12-07		Floating	Drum	239 mm	66 mm	4 -114.3 mm	BD920158
-------	--	----------	------	--------	-------	-------------	----------

TITAN

FRONT

13-08		Vented	Rotor	350 mm	43.6 mm	6 -139.7	BR900542
07-3 /05	From 3/05	Vented	Rotor	318.5	43.3	6 -139.7	BR900286
3 /05-04	To 3/05	Vented	Rotor	320 mm	43.3 mm	6 -139.7 mm	BR31328

REAR

13-04		Solid	Rotor	291.8 mm	62 mm	5 -139.7 mm	BR31329
-------	--	-------	-------	----------	-------	-------------	---------

TSURU (MEXICO)

FRONT

12-07	240mm Rotor	Solid	Rotor	240.3 mm	45.1 mm	4 -100 mm	BR3217
06-93	2.0L	Vented	Rotor	250 mm	45.32 mm	4 -100 mm	BR3209
02-93	1.6L w/ Vented Rotors	Vented	Rotor	240 mm	45.5 mm	4 -100 mm	BR3216
92-88	1.6L w/ Solid Rotors	Solid	Rotor	240.3 mm	45.1 mm	4 -100 mm	BR3217
87-84		Solid	Rotor	240 mm	35 mm	4 -96 mm	BR3110

REAR

12-95	w/ Rear Drum Brakes	Floating	Drum	220 mm	57.5 mm	4 -100 mm	BD3536
06-93	2.0L	Solid	Rotor	234 mm	39.5 mm	4 -100 mm	BR31148

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

NISSAN

URVAN (MEXICO)

FRONT

01-00		Vented	Rotor	259.6 mm	36.9 mm	6 -103 mm	BR31025
-------	--	--------	-------	----------	---------	-----------	---------

REAR

09-00		Vented	Rotor	291.8 mm	62 mm	5 -114.3 mm	BR31349
-------	--	--------	-------	----------	-------	-------------	---------

VAN

FRONT

89-87		Vented	Rotor	259.6 mm	57 mm	5 -114.3 mm	BR31211
-------	--	--------	-------	----------	-------	-------------	---------

VERSA

FRONT

13-12	1.6L ; 259 mm Rotor	Vented	Rotor	259.7 mm	44.3 mm	4 -100 mm	BR901112
13-09	1.8L	Vented	Rotor	279.5 mm	44.35 mm	4 -114.3 mm	BR900414
11-09	1.6L	Vented	Rotor	260 mm	44 mm	4 -114.3 mm	BR900960
08-07		Vented	Rotor	279.5 mm	44.35 mm	4 -114.3 mm	BR900414

REAR

13-12	1.6L	Floating	Drum	237 mm	74.8 mm	4 -100 mm	BD920166
13-09	1.8L	Floating	Drum	264.6 mm	60.4 mm	4 -114.3 mm	BD920114
11-09	1.6L	Floating	Drum	239 mm	66 mm	4 -114.3 mm	BD920158
08-07		Floating	Drum	264.6 mm	60.4 mm	4 -114.3 mm	BD920114

XTERRA

FRONT

12-05		Vented	Rotor	295.8	38.4	6 -114.3mm	BR900282
04-00		Vented	Rotor	283 mm	38 mm	6 -124 mm	BR31158

REAR

12-05		Vented	Rotor	285.8 mm	62.05	6 -114.3 mm	BR31410
04-00		Floating	Drum	340.5 mm	89.3 mm	6 -139.7 mm	BD35019

XTRAIL (MEXICO & CANADA)

FRONT

12-08		Vented	Rotor	295.6 mm	43.5 mm	5 -114.3 mm	BR900528
07-02		Vented	Rotor	280 mm	52.84 mm	5 -114.3 mm	BR900932

REAR

12-08		Vented	Rotor	291.8 mm	62 mm	5 -114.3 mm	BR31349
07-02		Vented	Rotor	291.8 mm	62 mm	5 -114.3 mm	BR31349

OLDSMOBILE

442

FRONT

71-69	Front Disc Brake	Vented	Rotor	11"	4"	5 -4.75"	BR5514
71-67	Front Drum Brake	Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799
66-65		Floating	Drum	11.56"	3.5"	5 -4.75"	BD8718

REAR

71-65		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
-------	--	----------	------	--------	-------	----------	--------

98

FRONT

96-91		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
90-85		Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
84-80		Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
79-78	Exc. Heavy Duty	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5542

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

OLDSMOBILE

98

FRONT

79-78	Heavy Duty	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
1977		Vented	Rotor	11.89"	4.65"	5 -5"	BR5524
76-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516

REAR

96-85		Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
84-80		Floating	Drum	12.95"	3.32"	5 -5"	BD8870
79-78	Exc. Heavy Duty	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
	Heavy Duty	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
1977		Floating	Drum	12.95"	3.32"	5 -5"	BD8870
1976		Floating	Drum	14"	4.31"	5 -5"	BD8873
1975	Exc. Heavy Duty	Floating	Drum	14"	4.31"	5 -5"	BD8873
	Heavy Duty	Floating	Drum	14.49"	5.05"	5 -5"	BD8504
74-71	23 lb.	Floating	Drum	14"	4.31"	5 -5"	BD8873
	17 lb.	Floating	Drum	12.95"	3.32"	5 -5"	BD8870

ACHIEVA

FRONT

98-92		Vented	Rotor	10.2"	1.89"	5 -3.94"	BR5580
-------	--	--------	-------	-------	-------	----------	--------

REAR

98-92		Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
-------	--	----------	------	-------	------	----------	--------

ALERO

FRONT

04-99		Vented	Rotor	10.94"	1.92"	5 -4.65"	BR55040
-------	--	--------	-------	--------	-------	----------	---------

REAR

04-99	w/ Rear Disc Brake	Solid	Rotor	10.94"	1.98"	5 -4.65"	BR55039
	w/ Rear Drum Brake	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939

AURORA

FRONT

03-01		Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
99-97		Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
96-95		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014

REAR

03-01		Solid	Rotor	11.07"	1.52"	5 -4.53"	BR55065
99-95		Solid	Rotor	11.07"	1.52"	5 -4.53"	BR5599

BRAVADA

FRONT

04-02		Vented	Rotor	12.01"	2.15"	6 -5"	BR55069
01-97		Vented	Rotor	10.76"	2.15"	5 -4.75"	BR55047
1996		Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
94-91		Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550

REAR

04-02		Vented	Rotor	12.8"	3.35"	6 -5"	BR55073
01-97		Vented	Rotor	11.61"	3.74"	5 -4.75"	BR55038
1996		Floating	Drum	11.97"	3.2"	5 -4.75"	BD8988

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

OLDSMOBILE

BRAVADA

REAR

94-92		Floating	Drum	11.97"	3.2"	5 -4.75"	BD8988
1991		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

CALAIS

FRONT

87-85		Vented	Rotor	9.69"	1.89"	5 -3.94"	BR5558
-------	--	--------	-------	-------	-------	----------	--------

REAR

87-85		Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
-------	--	----------	------	-------	------	----------	--------

CIERA

FRONT

96-95		Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
-------	--	--------	-------	--------	-------	----------	--------

REAR

96-95		Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
-------	--	----------	------	--------	-------	---------	--------

CUSTOM CRUISER

FRONT

92-91		Vented	Rotor	11.86"	4.62"	5 -5"	BR5577
1990		Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
79-78	Wagon; Heavy Duty	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
1977	Wagon; Heavy Duty	Vented	Rotor	11.89"	4.65"	5 -5"	BR5524
76-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516

REAR

92-90		Floating	Drum	14"	4.31"	5 -5"	BD8873
79-77	Wagon; Heavy Duty; 23 lb.	Floating	Drum	14"	4.31"	5 -5"	BD8873
	Wagon; Heavy Duty; 17 lb.	Floating	Drum	12.95"	3.32"	5 -5"	BD8870

CUTLASS

FRONT

99-97		Vented	Rotor	10.94"	1.92"	5 -4.65"	BR55040
87-85	SALON	Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
81-79		Vented	Rotor	10.5"	4.31"	5 -4.75"	BR5549
1978	SALON, SALON BROUGHAM	Vented	Rotor	10.5"	3.92"	5 -4.75"	BR5530
77-73		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
72-69	Front Disc Brake	Vented	Rotor	11"	4"	5 -4.75"	BR5514
72-67	Front Drum Brake	Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799
66-64		Floating	Drum	11.56"	3.5"	5 -4.75"	BD8718

REAR

99-97		Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
87-85	SALON	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
81-78		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
77-76	S, SALON	Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
75-64		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

CUTLASS CALAIS

FRONT

1991		Vented	Rotor	10.2"	1.89"	5 -3.94"	BR5580
1990	Performance Package	Vented	Rotor	10.2"	1.89"	5 -3.94"	BR5580
	Exc. Performance Pkg.	Vented	Rotor	9.69"	1.89"	5 -3.94"	BR5558

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

OLDSMOBILE

CUTLASS CALAIS

FRONT

89-88		Vented	Rotor	9.69"	1.89"	5 -3.94"	BR5558
84-82		Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
81-79		Vented	Rotor	10.5"	4.31"	5 -4.75"	BR5549
1978		Vented	Rotor	10.5"	3.92"	5 -4.75"	BR5530

REAR

91-88		Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
84-78		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

CUTLASS CIERA

FRONT

94-90	Exc. SPECIAL EDITION	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
89-87	CRUISER, CRUISER BROUGHAM, CRUISER SL; Wagon	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
89-85	Exc. CRUISER, CRUISER BROUGHAM, CRUISER SL, S; Sedan; Med & Heavy Duty (115mm Bolt Circle)	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
	Exc. CRUISER, CRUISER BROUGHAM, CRUISER SL, S; Sedan; Light Duty (100mm Bolt Circle)	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
85-84	CRUISER; Wagon	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
1984	BROUGHAM, LS; Sedan; Heavy Duty (115mm Bolt Circle)	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
	BROUGHAM, LS; Sedan; Exc. Heavy Duty (100mm Bolt Circle)	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
1983	BROUGHAM, LS; Exc. Heavy Duty (100mm Bolt Circle)	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
	BROUGHAM, LS; Heavy Duty (115mm Bolt Circle)	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
1982	Exc. Heavy Duty; 9-3/4 Inch Dia.	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
	w/ Heavy Duty Brakes	Vented	Rotor	10.24"	1.97"	5 -3.94"	BR5561

REAR

94-93	Exc. SPECIAL EDITION	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
92-90	Sedan & Wagon; Finned	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
	Exc. CRUISER, CRUISER SL; Sedan; Plain	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
89-87	CRUISER, CRUISER BROUGHAM, CRUISER SL; Wagon	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
89-85	Exc. CRUISER, CRUISER BROUGHAM, CRUISER SL, S; Sedan; Light Duty (100mm Bolt Circle)	Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928
	Exc. CRUISER, CRUISER BROUGHAM, CRUISER SL, S; Sedan; Med & Heavy Duty (115mm Bolt Circle)	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

OLDSMOBILE

CUTLASS CIERA

REAR

85-84	CRUISER; Wagon	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
1984	BROUGHAM, LS; Sedan; Exc. Heavy Duty (100mm Bolt Circle)	Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928
	BROUGHAM, LS; Sedan; Heavy Duty (115mm Bolt Circle)	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
1983	BROUGHAM, LS; Heavy Duty (115mm Bolt Circle)	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
	BROUGHAM, LS; Exc. Heavy Duty (100mm Bolt Circle)	Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928
1982		Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928

CUTLASS CRUISER

FRONT

89-87		Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
1983	Exc. Heavy Duty (100mm Bolt Circle)	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
	Heavy Duty (115mm Bolt Circle)	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
1982	Exc. Heavy Duty; 9-3/4 Inch Dia.	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
81-79		Vented	Rotor	10.5"	4.31"	5 -4.75"	BR5549
1978		Vented	Rotor	10.5"	3.92"	5 -4.75"	BR5530

REAR

89-87		Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
1983	Exc. Heavy Duty (100mm Bolt Circle)	Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928
	Heavy Duty (115mm Bolt Circle)	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
1982		Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928
81-78		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

CUTLASS SUPREME

FRONT

97-96	Full Cast Replacement	Vented	Rotor	11.23"	1.52"	5 -4.5"	BR55013
95-94	286mm Dia.; Full Cast Replacement	Vented	Rotor	11.23"	1.52"	5 -4.5"	BR55013
	267mm Dia.	Vented	Rotor	10.5"	1.44"	5 -4.5"	BR5566
93-89		Vented	Rotor	10.5"	1.44"	5 -4.5"	BR5566
1988	CLASSIC, CLASSIC BROUGHAM; RWD	Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
	Exc. CLASSIC, CLASSIC BROUGHAM; FWD	Vented	Rotor	10.5"	1.44"	5 -4.5"	BR5566
87-82		Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
81-79		Vented	Rotor	10.5"	4.31"	5 -4.75"	BR5549
1978		Vented	Rotor	10.5"	3.92"	5 -4.75"	BR5530
77-73		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
72-71	Front Disc Brake	Vented	Rotor	11"	4"	5 -4.75"	BR5514
	Front Drum Brake	Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

OLDSMOBILE

CUTLASS SUPREME

REAR

1997	SL; W Body; Rear Disc Brake	Solid	Rotor	10.94"	1.1"	5 -4.5"	BR55018
96-94		Solid	Rotor	10.94"	1.1"	5 -4.5"	BR55018
93-89		Solid	Rotor	10.1"	1.12"	5 -4.5"	BR5567
1988	Exc. CLASSIC, CLASSIC BROUGHAM; FWD	Solid	Rotor	10.1"	1.12"	5 -4.5"	BR5567
	CLASSIC, CLASSIC BROUGHAM; RWD	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
87-78		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
77-76		Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
75-71		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

DELTA 88

FRONT

99-98		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
97-93		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
1992		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
91-86		Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
85-79	Sedan; Exc. Heavy Duty	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5542
78-77	Sedan; Exc. Heavy Duty	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
76-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516

REAR

98-86		Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
85-77	Sedan; Exc. Heavy Duty	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
76-71	Exc. Heavy Duty, Commercial; 17 lb.	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
	Exc. Heavy Duty, Commercial; 23 lb.	Floating	Drum	14"	4.31"	5 -5"	BD8873
	Heavy Duty & Commercial	Floating	Drum	14.49"	5.05"	5 -5"	BD8504

F85

FRONT

72-71	Front Drum Brake	Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799
72-69	Front Disc Brake	Vented	Rotor	11"	4"	5 -4.75"	BR5514
70-64	Front Drum Brake Exc. Deluxe & Holiday	Floating	Drum	11.56"	3.5"	5 -4.75"	BD8718

REAR

72-64		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
-------	--	----------	------	--------	-------	----------	--------

FIRENZA

FRONT

88-85		Vented	Rotor	9.69"	1.89"	5 -3.94"	BR5558
84-82		Vented	Rotor	9.72"	1.81"	5 -3.94"	BR5543

REAR

88-82		Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
-------	--	----------	------	-------	------	----------	--------

INTRIGUE

FRONT

02-99		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
-------	--	--------	-------	--------	-------	----------	---------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

OLDSMOBILE

INTRIGUE

FRONT

1998	Light Duty	Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
	Heavy Duty	Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034

REAR

02-98		Solid	Rotor	10.94"	1.98"	5 -4.65"	BR55039
-------	--	-------	-------	--------	-------	----------	---------

JETSTAR 88

FRONT

66-64	Exc. Holiday	Floating	Drum	11.56"	3.5"	5 -4.75"	BD8718
-------	--------------	----------	------	--------	------	----------	--------

REAR

66-64	Exc. Holiday	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
-------	--------------	----------	------	--------	-------	----------	--------

LSS

FRONT

99-98		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
1997		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014

REAR

99-97		Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
-------	--	----------	------	--------	-------	---------	--------

OMEGA

FRONT

84-80		Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
79-75		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
74-73	Front Disc Brake	Vented	Rotor	11"	4"	5 -4.75"	BR5514
	Front Drum Brake	Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799

REAR

84-82		Floating	Drum	9.84"	2.87"	5 -3.94"	BD8921
81-80	Finned	Floating	Drum	9.84"	2.87"	5 -3.94"	BD8921
	Plain	Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
1979		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
78-76	11 Inch Rear Drum Brake	Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
	9-1/2 Inch Rear Drum Brake	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
1975		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
74-73		Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798

REGENCY

FRONT

1998		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
1997		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014

REAR

98-97		Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
-------	--	----------	------	--------	-------	---------	--------

SILHOUETTE

FRONT

04-02	2WD	Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
	AWD	Vented	Rotor	11.81"	2.05"	5 -4.5"	BR55074
01-97		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
96-92		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
91-90		Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

OLDSMOBILE

SILHOUETTE

REAR

04-02	AWD	Solid	Rotor	11.42"	1.83"	5 -4.5"	BR55078
	2WD	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
01-90		Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939

STARFIRE

FRONT

80-76		Vented	Rotor	9.74"	3.97"	4 -4"	BR5525
-------	--	--------	-------	-------	-------	-------	--------

TORONADO

FRONT

1992		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
91-86		Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
85-79	BROUGHAM	Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
78-71		Vented	Rotor	11"	2.28"	5 -5"	BR5512
70-69	Front Disc Brake	Vented	Rotor	11"	2.28"	5 -5"	BR5512
70-67	Front Drum Brake	Floating	Drum	12.6"	3.39"	5 -5"	BD8779
1966		Floating	Drum	12.6"	3.39"	5 -5"	BD8779

REAR

1992		Solid	Rotor	11.07"	1.52"	5 -4.53"	BR5599
91-86		Solid	Rotor	10.02"	1.51"	5 -4.5"	BR5559
85-79	BROUGHAM; Rear Disc Brake	Vented	Rotor	10.5"	2.05"	5 -4.75"	BR5550
83-79	BROUGHAM; Rear Drum Brake	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
78-66		Floating	Drum	12.6"	3.39"	5 -5"	BD8779

VISTA CRUISER

FRONT

75-73		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
72-69	Front Disc Brake	Vented	Rotor	11"	4"	5 -4.75"	BR5514
72-64	Front Drum Brake	Floating	Drum	11.56"	3.5"	5 -4.75"	BD8718

REAR

75-73		Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
-------	--	----------	------	--------	-------	----------	--------

PETERBILT

330; 335

FRONT

10-08	6 Hole Hat Shaped	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606
	5 Hole Hat Shaped	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
	10 Hole Hat Shaped; 3.2" Tall	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102

REAR

10-08	10 Hole Hat Shaped; 3.2" Tall	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
	5 Hole Hat Shaped	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
	6 Hole Hat Shaped	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606

PLYMOUTH

ACCLAIM

FRONT

95-91	w/ 14 Inch Wheels	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
	w/ 15 Inch Wheels	Vented	Rotor	11.11"	1.51"	5 -3.94"	BR5344
1990		Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

PLYMOUTH

ACCLAIM

FRONT

1989		Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5332
------	--	--------	-------	--------	------	----------	--------

REAR

94-91	Rear Disc Brake; w/ 14 Inch Wheels	Solid	Rotor	10.62"	2.01"	5 -3.94"	BR5345
	Rear Disc Brake; w/ 15 Inch Wheels	Vented	Rotor	11.27"	2.03"	5 -3.94"	BR5354
90-89	Rear Drum Brake	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948

BARRACUDA

FRONT

74-73		Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
69-68	Front Drum Brake	Floating	Drum	10.39"	3.33"	5 -4"	BD8190
1966	Front Drum Brake	Floating	Drum	10.39"	3.33"	5 -4"	BD8190

REAR

74-73		Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
72-71	Front Drum Brake; 11 Inch Rear Drum Brake; Heavy Duty	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
72-70	Front Drum Brake; 10 Inch Rear Drum Brake; Exc. Heavy Duty	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
69-68	Front Drum Brake	Floating	Drum	10.35"	2.83"	5 -4"	BD8191
1966	Front Drum Brake	Floating	Drum	10.35"	2.83"	5 -4"	BD8191

BELVEDERE

REAR

1970	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
70-65	10 Inch Rear Drum Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878

BREEZE

FRONT

00-96	w/ 15 Inch Wheels	Vented	Rotor	11.1"	1.25"	5 -3.94"	BR5361
	w/ 14 Inch Wheels	Vented	Rotor	10.25"	1.25"	5 -3.94"	BR5362

REAR

00-96	w/ Rear Disc Brake	Solid	Rotor	10.6"	2.1"	5 -3.94"	BR5370
	w/ Rear Drum Brake	Floating	Drum	10.02"	2.42"	5 -3.94"	BD80013

CARAVELLE

FRONT

89-88		Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
87-85	5 Lug	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
	4 Lug	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327

REAR

89-88		Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
87-85	5 Lug	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
	4 Lug	Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931

CHAMP

REAR

82-79		Hub / Bearing	Drum	216 mm	71 mm	4 -114.3	BD3567
-------	--	------------------	------	--------	-------	----------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

PLYMOUTH

COLT

FRONT

1994	Exc. VISTA, VISTA SE; 2 Door; Med. & High Series	Vented	Rotor	236 mm	45 mm	4 -100 mm	BR31133
	Exc. VISTA, VISTA SE; 2 Door; Economy & Low Series	Solid	Rotor	234 mm	45.1 mm	4 -100 mm	BR31139
94-93	GL; ABS; 4 Door	Vented	Rotor	236 mm	45 mm	4 -100 mm	BR31133
94-92	VISTA, VISTA SE; ABS	Vented	Rotor	257 mm	45.67 mm	4 -114.3 mm	BR31109
1993	Exc. VISTA, VISTA SE; 2 Door	Solid	Rotor	234 mm	45.1 mm	4 -100 mm	BR31139
1992	Exc. 4X4, VISTA, VISTA SE; 2 Door; Made in Japan	Solid	Rotor	234 mm	34 mm	4 -104 mm	BR31102
	4 Door	Vented	Rotor	236 mm	34 mm	4 -104 mm	BR31094
1991	Made in Japan	Solid	Rotor	234 mm	34 mm	4 -104 mm	BR31102
	Made in USA	Vented	Rotor	236 mm	34 mm	4 -104 mm	BR31094
1990	GT; DOHC Eng.	Vented	Rotor	242 mm	34 mm	4 -104 mm	BR3158
90-89	Exc. 100, 100 DL, 100 E, 100 LX, 200 DL, 200 E, 200 LX, VISTA; SOHC Eng.	Solid	Rotor	243 mm	34 mm	4 -104 mm	BR3160
90-85	VISTA, VISTA CUSTOM; 2.0L; 2WD	Vented	Rotor	242 mm	34 mm	4 -104 mm	BR3158
	4WD	Vented	Rotor	266 mm	45.1 mm	4 -114.3 mm	BR3288
88-85	DL, E, PREMIER; 1.5L	Solid	Rotor	243 mm	34 mm	4 -104 mm	BR3160
88-84	DL, GTS, PREMIER, VISTA; 1.6L, 2.0L	Vented	Rotor	242 mm	34 mm	4 -104 mm	BR3158

REAR

1994	GL; 4 Door; Rear Disc Brake	Solid	Rotor	235.9 mm	41.1 mm	4 -100 mm	BR31199
	Exc. GL, VISTA, VISTA SE; 4 Door; Rear Drum Brake	Floating	Drum	214.7 mm	65 mm	4 -100 mm	BD35002
94-93	Exc. VISTA, VISTA SE; 2 Door	Floating	Drum	214.7 mm	65 mm	4 -100 mm	BD35001
94-92	VISTA, VISTA SE; 2WD; w/o ABS; Rear Drum Brake	Floating	Drum	235 mm	64 mm	4 -114.3 mm	BD35032
	VISTA; ABS; Rear Disc Brake	Solid	Rotor	262 mm	60.1 mm	4 -114.3 mm	BR31129
1993	GL; ABS; 4 Door; Rear Disc Brake	Solid	Rotor	235.9 mm	41.1 mm	4 -100 mm	BR31199
1991	Made in USA	Floating	Drum	206 mm	65.02 mm	4 -114.3 mm	BD35004
1990	GT; DOHC Eng.	Solid	Rotor	265 mm	49 mm	4 -114.3 mm	BR31011
90-89	Exc. VISTA; 4WD	Floating	Drum	270 mm	62.5 mm	4 -114.3 mm	BD35010
90-85	DL, VISTA, VISTA CUSTOM; 2WD	Hub/ Bearing	Drum	235 mm	72.39 mm	4 -114.3 mm	BD3563
1989	Exc. Vista	Solid	Rotor	265 mm	49 mm	4 -114.3 mm	BR31011
84-79	Exc. VISTA	Hub / Bearing	Drum	216 mm	71 mm	4 -114.3	BD3567

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

PLYMOUTH

CONQUEST

FRONT

86-84	5 Lug	Vented	Rotor	276 mm	66 mm	5 -114.3 mm	BR31087
	4 Lug	Vented	Rotor	256 mm	35 mm	4 -100 mm	BR3275

REAR

86-84	5 Lug	Vented	Rotor	266 mm	47 mm	5 -114.3 mm	BR31028
-------	-------	--------	-------	--------	-------	-------------	---------

CUDA

FRONT

74-73		Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
-------	--	--------	-------	--------	-------	---------	--------

REAR

74-73		Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
72-70	Exc. Heavy Duty	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878

DUSTER

FRONT

76-73	Front Disc Brake	Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
72-71	Front Drum Brake; Plain	Floating	Drum	10.39"	3.33"	5 -4"	BD8190

REAR

76-74	Front Disc Brake; 10 Inch Rear Drum Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	Front Drum Brake; 9 Inch Rear Drum Brake	Floating	Drum	10.35"	2.83"	5 -4"	BD8191
1973	Exc. Heavy Duty	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
72-71	Exc. Heavy Duty	Floating	Drum	10.35"	2.83"	5 -4"	BD8191

FURY

FRONT

78-77		Vented	Rotor	11.73"	4.84"	5 -4.5"	BR5311
76-2 /76	From 2/76	Vented	Rotor	11.73"	4.84"	5 -4.5"	BR5311
1 /76-76	To 1/76	Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
1975		Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
1974		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5315
1973		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307

REAR

78-75	Sedan	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
78-73	Wagon	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
72-69		Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860

GRAN FURY

FRONT

89-82		Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
81-80		Vented	Rotor	11.73"	4.84"	5 -4.5"	BR5311
77-74		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5315
1973		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307

REAR

89-80	Heavy Duty	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	Exc. Heavy Duty	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
77-72	Wagon	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

PLYMOUTH

GRAND VOYAGER

FRONT

2000	11 Inch Front Disc Brake	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
	10 Inch Front Disc Brake	Vented	Rotor	10.09"	1.5"	5 -3.94"	BR5371
99-96	Exc. LE; 2WD; 10 Inch Front Disc Brake	Vented	Rotor	10.09"	1.5"	5 -3.94"	BR5371
	Exc. LE; 2WD; 11 Inch Front Disc Brake	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
1997	Exc. LE, SE; 2WD; 10 1/4 Inch Front Disc Brake	Vented	Rotor	10.09"	1.5"	5 -3.94"	BR5371
95-91	2WD; w/ 15 Inch Wheels (4 1/2 Inch Bolt Circle); 282mm Dia.	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
	2WD; w/ 14 Inch Wheels (100mm Bolt Circle); 260mm Dia.	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
90-89	w/ 14 Inch Wheels Exc. Heavy Duty Tow Pkg, Ext. WB or Taxi Pkg. (100mm Bolt Circle); 260mm Dia.	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5332
	w/ 14 Inch Wheels (4 1/2 Inch Bolt Circle) w/ Heavy Duty Tow Pkg, Ext. WB, or Taxi Pkg. & All w/ 15 Inch Wheels; 282mm Dia.	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5342
1988	w/ 15 Inch Wheels (4 1/2 Inch Bolt Circle); 282mm Dia.	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5342
	w/ 14 Inch Wheels (100mm Bolt Circle); 260mm Dia.	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5332

REAR

2000	Rear Drum Brake; 2-3/4 Inch Hub Hole	Floating	Drum	12.11"	3.05"	5 -4.5"	BD80021
	Rear Drum Brake; 2-1/4 Inch Hub Hole	Floating	Drum	12.11"	3.05"	5 -3.94"	BD80020
99-96	Exc. LE; 2WD; 2-1/4 Inch Hub Hole	Floating	Drum	12.11"	3.05"	5 -3.94"	BD80020
	Exc. LE; 2WD; 2-3/4 Inch Hub Hole	Floating	Drum	12.11"	3.05"	5 -4.5"	BD80021
1997	AWD	Solid	Rotor	11.41"	2.21"	5 -4.5"	BR5383
95-92	LE, SE; 2WD; ABS; w/ 15 Inch Wheels (4 1/2 Inch Bolt Circle)	Floating	Drum	11.07"	4.15"	5 -4.5"	BD8968
95-91	2WD; w/ 14 Inch Wheels (100mm Bolt Circle)	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
1991	2WD; w/ 15 Inch Wheels (4 1/2 Inch Bolt Circle)	Floating	Drum	11.07"	4.15"	5 -4.5"	BD8968
90-89	w/ 14 Inch Wheels Exc. Heavy Duty Tow Pkg, Ext. WB or Taxi Pkg. (100mm Bolt Circle); Finned	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
	w/ 14 Inch Wheels (4 1/2 Inch Bolt Circle) w/ Heavy Duty Tow Pkg, Ext. WB, or Taxi Pkg. & All w/ 15 Inch Wheels	Floating	Drum	11.07"	4.15"	5 -4.5"	BD8968

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

PLYMOUTH

GRAND VOYAGER

REAR

90-89	w/ 14 Inch Wheels Exc. Heavy Duty Tow Pkg, Ext. WB or Taxi Pkg. (100mm Bolt Circle); Plain	Floating	Drum	10.39"	3.15"	5 -3.94"	BD8953
1988	w/ 14 Inch Wheels (100mm Bolt Circle); Finned	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
	w/ 14 Inch Wheels (100mm Bolt Circle); Plain	Floating	Drum	10.39"	3.15"	5 -3.94"	BD8953
	w/ 15 Inch Wheels (4 1/2 Inch Bolt Circle)	Floating	Drum	11.07"	4.15"	5 -4.5"	BD8968

GTX

REAR

1967		Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
------	--	----------	------	--------	------	---------	--------

HORIZON

FRONT

90-78		Solid	Rotor	9.12"	1.5"	4 -3.94"	BR5328
-------	--	-------	-------	-------	------	----------	--------

REAR

90-83		Floating	Drum	8.78"	2.38"	4 -3.94"	BD8930
-------	--	----------	------	-------	-------	----------	--------

LASER

FRONT

94-93	RS; AWD	Vented	Rotor	276 mm	45.3 mm	5 -114.3 mm	BR31003
	Base & RS; FWD	Vented	Rotor	255.6 mm	45.3 mm	5 -114.3 mm	BR31179
92-90		Vented	Rotor	255.6 mm	45.3 mm	5 -114.3 mm	BR31179

REAR

94-90		Solid	Rotor	265 mm	49 mm	5 -114.3 mm	BR31010
-------	--	-------	-------	--------	-------	-------------	---------

NEON

FRONT

01-00		Vented	Rotor	10.12"	1.5"	5 -3.94"	BR5397
99-96		Vented	Rotor	10.12"	1.5"	5 -3.94"	BR5359
1995	4 Lug	Vented	Rotor	9.42"	1.51"	4 -3.94"	BR5358
	5 Lug	Vented	Rotor	10.12"	1.5"	5 -3.94"	BR5359

REAR

01-96	w/ Rear Drum Brake	Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
01-95	w/ Rear Disc Brake	Solid	Rotor	10.6"	2.1"	5 -3.94"	BR5370
1995	5 Lug; w/ Rear Drum Brake	Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
	4 Lug; w/ Rear Drum Brake	Floating	Drum	8.78"	2.38"	4 -3.94"	BD8930

PB100 VAN

FRONT

80-74		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307
-------	--	--------	-------	--------	-------	---------	--------

REAR

1980	Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
79-74	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	10 Inch Rear Drum Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878

PB150 VAN

FRONT

83-82		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5315
1981		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
PLYMOUTH							
PB150 VAN			REAR				
83-81	Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
PB200 VAN			FRONT				
80-74		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307
			REAR				
1980	Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
79-74	10 Inch Rear Drum Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
PB250 VAN			FRONT				
83-82		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5315
1981		Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307
			REAR				
83-82		Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
1981	Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
PB300 VAN			FRONT				
1980	12 1/8 x w/ 2 Inch Rear Shoes; DRW; Two Piece Hub & Rotor - 1.125 Inch Min. Thk	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
	12 1/8 x w/ 2 Inch Rear Shoes; SRW w/ 3800, 4000 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
	12 1/8 x w/ 2 Inch Rear Shoes; SRW w/ 3600 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
80-79	12 x 2 1/2 Inch Rear Shoe; SRW w/ 3600 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
80-78	12 x 2 1/2 Inch Rear Shoe; SRW w/ 3800, 4000 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
	12 x 2 1/2 Inch Rear Shoe; DRW; Two Piece Hub & Rotor - 1.125 Inch Min. Thk	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
1979	12 1/8 x w/ 2 Inch Rear Shoe; SRW w/ 3600 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
79-78	12 1/8 x w/ 2 Inch Rear Shoe; DRW; Two Piece Hub & Rotor - 1.125 Inch Min. Thk	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
	12 1/8 x w/ 2 Inch Rear Shoe; SRW w/ 3800, 4000 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
77-74	w/ 2 & 3 Inch Rear Shoe; SRW; w/ 3800 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
	w/ 2 & 3 Inch Rear Shoe; DRW; Two Piece Hub & Rotor - 1.125 Inch Min. Thk	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318
	w/ 2 & 3 Inch Rear Shoe; SRW; w/ 3300 lb. FA	Vented	Rotor	12.82"	5.71"	8 -6.5"	BR5313

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

PLYMOUTH

PB300 VAN

REAR

80-78	12 x 2 1/2 Inch Rear Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
77-74	w/ 2 Inch Rear Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
	w/ 3 Inch Rear Shoe	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892

PB350 VAN

FRONT

83-82	w/ 2 & 3 Inch Rear Shoe; w/ 3600 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
	w/ 2 & 3 Inch Rear Shoe; w/ 3800, 4000 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
1981	12 1/8 x w/ 2 Inch Rear Shoes & 12 x 2 1/2 Inch Rear Shoe; SRW w/ 3600 lb. FA	Vented	Rotor	12.81"	5.72"	8 -6.5"	BR5330
	12 1/8 x w/ 2 Inch Rear Shoes & 12 x 2 1/2 Inch Rear Shoe; SRW w/ 3800, 4000 lb. FA	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5319
	12 1/8 x w/ 2 Inch Rear Shoes & 12 x 2 1/2 Inch Rear Shoe; DRW; Two Piece Hub & Rotor - 1.125 Inch Min. Thk	Vented	Rotor	12.82"	2.97"	8 -6.5"	BR5318

REAR

83-82	w/ 2 Inch Rear Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880
	w/ 3 Inch Rear Shoe; SRW	Floating	Drum	14.02"	6.3"	8 -6.5"	BD8892
	w/ 3 Inch Rear Shoe; 9000 lb. GVW	Floating	Drum	13.94"	4.52"	8 -6.5"	BD80004
1981	12 x 2 1/w/ 2 Inch Rear Shoe	Floating	Drum	14.06"	4.02"	8 -6.5"	BD8880

PROWLER

FRONT

01-97		Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
-------	--	--------	-------	--------	------	---------	--------

RELIANT

FRONT

89-88	Std	Vented	Rotor	9.43"	1.5"	5 -3.94"	BR5331
	Heavy Duty	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
87-85	Heavy Duty; 5 Lug	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
	Heavy Duty; 4 Lug	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
	Std; 4 Lug	Vented	Rotor	9.42"	1.51"	4 -3.94"	BR5325
	Std; 5 Lug	Vented	Rotor	9.43"	1.5"	5 -3.94"	BR5331
84-83	Std	Vented	Rotor	9.42"	1.51"	4 -3.94"	BR5325
	Heavy Duty	Vented	Rotor	10.24"	1.51"	4 -3.94"	BR5327
82-81		Vented	Rotor	9.42"	1.51"	4 -3.94"	BR5325

REAR

89-88	Std	Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
	Heavy Duty	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
87-85	Heavy Duty; 5 Lug	Floating	Drum	9.9"	2.65"	5 -3.94"	BD8948
	Std; 5 Lug	Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
	Std; 4 Lug	Floating	Drum	8.78"	2.38"	4 -3.94"	BD8930

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
PLYMOUTH							
RELIANT			REAR				
87-85	Heavy Duty; 4 Lug	Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931
84-83	Std	Floating	Drum	8.78"	2.38"	4 -3.94"	BD8930
	Heavy Duty	Floating	Drum	9.88"	2.66"	4 -3.94"	BD8931
ROADRUNNER			FRONT				
74-73	Pin Type Caliper	Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
			REAR				
74-73	Pin Type Caliper Exc. Heavy Duty	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	Pin Type Caliper Heavy Duty,	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
1970	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	Front Disc Brake; 10 Inch Rear Drum Brake; Exc. Heavy Duty	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
69-68	10 Inch Rear Drum Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
SATELLITE			FRONT				
74-73	Pin & Slider Type Caliper	Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
			REAR				
74-73	Wagon & Police; Pin Type Caliper Heavy Duty,	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	Exc. Wagon & Police; Pin Type Caliper Exc. Heavy Duty	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
1970	Exc. Wagon & Police; Front Disc Brake; 10 Inch Rear Drum Brake; Exc. Heavy Duty	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	Heavy Duty, Wagon & Police; 11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
69-68	10 Inch Rear Drum Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
1967	Wagon Exc. Heavy Duty & Police	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
SCAMP			FRONT				
76-73	Front Disc Brake	Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
			REAR				
76-73	Front Drum Brake; Plain	Floating	Drum	10.35"	2.83"	5 -4"	BD8191
	Front Disc Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
1973	Front Drum Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
SUNDANCE			FRONT				
94-90		Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
1989	Rear Drum Brake	Vented	Rotor	9.43"	1.5"	5 -3.94"	BR5331
	Rear Disc Brake	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
1988	Kelsey-Hayes Calipers	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
	ATE Calipers	Vented	Rotor	9.43"	1.5"	5 -3.94"	BR5331
1987	ATE Calipers Exc. Heavy Duty & Turbo	Vented	Rotor	9.43"	1.5"	5 -3.94"	BR5331
		Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

PLYMOUTH

SUNDANCE

REAR

1994	Rear Drum Brake	Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
	Rear Disc Brake	Solid	Rotor	10.62"	2.01"	5 -3.94"	BR5345
93-91		Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
90-89	Rear Drum Brake	Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947
	Rear Disc Brake	Solid	Rotor	10.62"	2.01"	5 -3.94"	BR5345
88-87		Floating	Drum	9.13"	2.41"	5 -3.94"	BD8947

TRAILDUSTER

FRONT

81-80	2WD	Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307
79-78	4WD; pw100,pw150 except locking hubs	Vented	Rotor	11.75"	2.64"	5 -4.5"	BR5312
	pd100 , pd150	Vented	Rotor	11.75"	4.98"	5 -4.5"	BR5307

REAR

81-80	10 Inch Rear Drum Brake; Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	10 Inch Rear Drum Brake; Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
1979	10 Inch Rear Drum Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
77-74		Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860

TURISMO

FRONT

85-83		Solid	Rotor	9.12"	1.5"	4 -3.94"	BR5328
-------	--	-------	-------	-------	------	----------	--------

REAR

85-83		Floating	Drum	8.78"	2.38"	4 -3.94"	BD8930
-------	--	----------	------	-------	-------	----------	--------

VALIANT

FRONT

76-73	Front Disc Brake	Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
66-60		Floating	Drum	10.39"	3.33"	5 -4"	BD8190

REAR

76-74	Front Drum Brake; Plain	Floating	Drum	10.35"	2.83"	5 -4"	BD8191
76-73	Front Disc Brake	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
1973	V8; Front Drum Brake; Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878
	L6; Front Drum Brake; Plain	Floating	Drum	10.35"	2.83"	5 -4"	BD8191
66-60		Floating	Drum	10.35"	2.83"	5 -4"	BD8191

VOLARE

FRONT

80-76		Vented	Rotor	10.98"	4.85"	5 -4.5"	BR5314
-------	--	--------	-------	--------	-------	---------	--------

REAR

80-76	10 Inch Rear Drum Brake; Finned	Floating	Drum	12.58"	4.39"	5 -4.5"	BD8877
	11 Inch Rear Drum Brake	Floating	Drum	13.62"	4.44"	5 -4.5"	BD8860
	10 Inch Rear Drum Brake; Plain	Floating	Drum	11.61"	3.7"	5 -4.5"	BD8878

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

PLYMOUTH

VOYAGER

FRONT

00-96	11 Inch Front Disc Brake	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
	10 Inch Front Disc Brake	Vented	Rotor	10.09"	1.5"	5 -3.94"	BR5371
95-91	2WD; w/ 15 Inch Wheels (4 1/2 Inch Bolt Circle); 282mm Dia.	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5346
	2WD; w/ 14 Inch Wheels (100mm Bolt Circle); 260mm Dia.	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5329
90-89	w/ 14 Inch Wheels (4 1/2 Inch Bolt Circle) w/ Heavy Duty Tow Pkg, Ext. WB, or Taxi Pkg. & All w/ 15 Inch Wheels; 282mm Dia.	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5342
	w/ 14 Inch Wheels Exc. Heavy Duty Tow Pkg, Ext. WB or Taxi Pkg. (100mm Bolt Circle); 260mm Dia.	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5332
1988	w/ 15 Inch Wheels (4 1/2 Inch Bolt Circle); 282mm Dia.	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5342
	w/ 14 Inch Wheels (100mm Bolt Circle); 260mm Dia.	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5332
1987	Std. Wheelbase Kelsey-Hayes Caliper (100mm Bolt Circle); 260mm Dia.	Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5332
	Extended Wheelbase ATE Front Calipers (4 1/2 Inch Bolt; 282mm Dia.)	Vented	Rotor	11.11"	1.5"	5 -4.5"	BR5342
1986		Vented	Rotor	10.24"	1.5"	5 -3.94"	BR5332
85-84		Vented	Rotor	10.24"	1.5"	4 -3.94"	BR5326

REAR

2000	Rear Drum Brake; 2-3/4 Inch Hub Hole	Floating	Drum	12.11"	3.05"	5 -4.5"	BD80021
	Rear Drum Brake; 2-1/4 Inch Hub Hole	Floating	Drum	12.11"	3.05"	5 -3.94"	BD80020
99-96	2WD; 2-1/4 Inch Hub Hole	Floating	Drum	12.11"	3.05"	5 -3.94"	BD80020
	2WD; 2-3/4 Inch Hub Hole	Floating	Drum	12.11"	3.05"	5 -4.5"	BD80021
95-92	2WD; ABS; w/ 15 Inch Wheels (4 1/2 Inch Bolt Circle); Must Use Old Hub	Floating	Drum	11.07"	4.15"	5 -4.5"	BD8968
95-91	2WD; w/ 14 Inch Wheels (100mm Bolt Circle)	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
1991	2WD; w/ 15 Inch Wheels (4 1/2 Inch Bolt Circle)	Floating	Drum	11.07"	4.15"	5 -4.5"	BD8968
90-89	w/ 14 Inch Wheels Exc. Heavy Duty Tow Pkg, Ext. WB or Taxi Pkg. (100mm Bolt Circle); Finned	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
	w/ 14 Inch Wheels (4 1/2 Inch Bolt Circle) w/ Heavy Duty Tow Pkg, Ext. WB, or Taxi Pkg. & All w/ 15 Inch Wheels	Floating	Drum	11.07"	4.15"	5 -4.5"	BD8968

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

PLYMOUTH

VOYAGER

REAR

90-89	w/ 14 Inch Wheels Exc. Heavy Duty Tow Pkg, Ext. WB or Taxi Pkg. (100mm Bolt Circle); Plain	Floating	Drum	10.39"	3.15"	5 -3.94"	BD8953
1988	w/ 14 Inch Wheels (100mm Bolt Circle); Finned	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
	w/ 14 Inch Wheels (100mm Bolt Circle); Plain	Floating	Drum	10.39"	3.15"	5 -3.94"	BD8953
	w/ 15 Inch Wheels (4 1/2 Inch Bolt Circle)	Floating	Drum	11.07"	4.15"	5 -4.5"	BD8968
1987	Extended Wheelbase ATE Front Calipers (4 1/2 Inch Bolt)	Floating	Drum	11.07"	4.15"	5 -4.5"	BD8968
	Std. Wheelbase Kelsey-Hayes Caliper (100mm Bolt Circle); Plain	Floating	Drum	10.39"	3.15"	5 -3.94"	BD8953
	Std. Wheelbase Kelsey-Hayes Caliper (100mm Bolt Circle); Finned	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
1986	Finned	Floating	Drum	11.02"	4.13"	5 -3.94"	BD8954
	Plain	Floating	Drum	10.39"	3.15"	5 -3.94"	BD8953
85-84	Plain	Floating	Drum	10.31"	3.18"	4 -3.94"	BD8941
	Finned	Floating	Drum	11"	3.91"	4 -3.94"	BD8942

PONTIAC

6000

FRONT

91-90	Sedan	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
1989	LE, SE, STE; Sedan; Rear Drum Brake; JA1; 9-3/4 Inch Dia.	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
89-84	Wagon & Sedan; Rear Disc Brake	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
1988	Sedan; 10 1/4 Inch Rear Drum Brake; JA2 & JA8	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
87-84	Coupe & Sedan; Rear Drum Brake; JA1 & JA8; 9-3/4 Inch Dia.	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
1983	JA1 & JA8; 9-3/4 Inch Dia.	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
	10 1/4 Inch Front Disc Brake; JA2	Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
1982	Light & Med. Duty JA1 & JA8; 9-3/4 Inch Dia.	Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
	w/ Heavy Duty Brakes	Vented	Rotor	10.24"	1.97"	5 -3.94"	BR5561

REAR

1991	Sedan	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
1990	Sedan; Rear Drum Brake	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
90-89	SE, STE; Sedan; Rear Disc Brake	Vented	Rotor	10.44"	1.88"	5 -4.53"	BR55021

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

PONTIAC

6000

REAR

1989	LE, SE, STE; Sedan; Rear Drum Brake; JA1	Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928
89-85	Wagon	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
1988	Sedan; Rear Drum Brake; JA2 & JA8	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
	STE; 2WD; Sedan; Rear Disc Brake	Solid	Rotor	10.3"	1.87"	5 -4.53"	BR5562
87-85	Coupe & Sedan; Rear Drum Brake; JA1	Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928
87-84	SE, STE; Coupe & Sedan; Rear Disc Brake	Solid	Rotor	10.3"	1.87"	5 -4.53"	BR5562
1984	Coupe & Sedan; Rear Drum Brake; JA1 & JA8	Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928
	Exc. STE; Wagon; JA3	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
	Exc. STE; Wagon; JA2	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
1983	JA2	Floating	Drum	10.25"	2.88"	5 -4.5"	BD8943
	JA1 & JA8	Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928
1982	Heavy Duty (JA2) & Light & Med. Duty JA1 & JA8	Floating	Drum	10.16"	2.87"	5 -3.94"	BD8928

AZTEK

FRONT

05-01	FWD	Vented	Rotor	10.83"	2.04"	5 -4.5"	BR55070
	AWD	Vented	Rotor	11.81"	2.05"	5 -4.5"	BR55074

REAR

05-01	w/ Rear Disc Brakes	Solid	Rotor	11.42"	1.83"	5 -4.5"	BR55078
	w/ Rear Drum Brakes	Floating	Drum	11.65"	2.91"	5 -4.5"	BD80105

BONNEVILLE

FRONT

05-04	GXP	Vented	Rotor	12.72"	2.05"	5 -4.5"	BR55105
	SLE	Vented	Rotor	11.93"	2.0"	5 -4.65"	BR900312
05-00	SE	Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
03-00	SLE, SSEi	Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
99-98		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
97-92		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
91-87		Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552
86-82		Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
81-79	Exc. BROUGHAM, SAFARI	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
81-78	11 Inch Rear Drum Brake	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
78-77	9 1/2 Inch Rear Drum Brake	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
1977	11 Inch Rear Drum Brake	Vented	Rotor	11.89"	4.65"	5 -5"	BR5524
76-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

PONTIAC

BONNEVILLE

REAR

05-04	GXP	Solid	Rotor	11.72"	1.53"	5 -4.65"	BR55051
05-00	SE, SLE, SSEi	Solid	Rotor	11.07"	1.52"	5 -4.53"	BR5599
99-87		Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
86-82		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
81-79	Sedan & Wagon; 11 Inch Rear Drum Brake; 17 lb.	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
	Sedan & Wagon; 11 Inch Rear Drum Brake; 23 lb.	Floating	Drum	14"	4.31"	5 -5"	BD8873
78-77	9-1/2 Inch Rear Drum Brake	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
78-73	11 Inch Rear Drum Brake; 23 lb.	Floating	Drum	14"	4.31"	5 -5"	BD8873
	11 Inch Rear Drum Brake; 17 lb.	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
72-71	11 Inch Rear Drum Brake	Floating	Drum	12.95"	3.32"	5 -5"	BD8870

CATALINA

FRONT

81-79	Exc. SAFARI	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
81-78	11 Inch Rear Drum Brake	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
78-77	9 1/2 Inch Rear Drum Brake	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
1977	11 Inch Rear Drum Brake	Vented	Rotor	11.89"	4.65"	5 -5"	BR5524
76-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516

REAR

81-79	Wagon; 11 Inch Rear Drum Brake; 17 lb.	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
	Wagon; 11 Inch Rear Drum Brake; 23 lb.	Floating	Drum	14"	4.31"	5 -5"	BD8873
78-77	9-1/2 Inch Rear Drum Brake	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
78-73	11 Inch Rear Drum Brake; 23 lb.	Floating	Drum	14"	4.31"	5 -5"	BD8873
	11 Inch Rear Drum Brake; 17 lb.	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
72-71	11 Inch Rear Drum Brake	Floating	Drum	12.95"	3.32"	5 -5"	BD8870

FIERO

FRONT

1988		Vented	Rotor	10.43"	1.87"	5 -3.94"	BR55024
87-84		Solid	Rotor	9.69"	3.41"	5 -3.94"	BR5553

REAR

1988		Vented	Rotor	10.43"	1.87"	5 -3.94"	BR55024
87-84		Solid	Rotor	9.7"	1.81"	5 -3.94"	BR5554

FIREBIRD

FRONT

02-98		Vented	Rotor	11.92"	2.04"	5 -4.65"	BR55034
97-93		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
92-88	w/ Performance Pkg.	Vented	Rotor	11.85"	4.65"	5 -4.75"	BR55008
	w/o Performance Pkg.	Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
87-82		Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
81-79		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5542

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
PONTIAC							
FIREBIRD							
FRONT							
1978	Rear Drum Brake	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
77-70		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
1969		Vented	Rotor	11"	4"	5 -4.75"	BR5514
REAR							
02-98		Vented	Rotor	12.01"	2.41"	5 -4.65"	BR55050
97-93	Rear Disc Brake	Vented	Rotor	11.54"	1.87"	5 -4.65"	BR55027
	Rear Drum Brakes	Floating	Drum	11.97"	3.2"	5 -4.75"	BD8988
92-89		Vented	Rotor	11.67"	1.97"	5 -4.75"	BR55022
92-78	Rear Drum Brake	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
1988	w/ Performance Pkg.	Vented	Rotor	11.67"	1.97"	5 -4.75"	BR55022
	w/o Performance Pkg.	Vented	Rotor	10.5"	2.4"	5 -4.75"	BR5551
87-82	Rear Disc Brake	Vented	Rotor	10.5"	2.4"	5 -4.75"	BR5551
81-79	Rear Disc Brake	Vented	Rotor	11.16"	2.2"	5 -4.75"	BR5560
77-74		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
73-70		Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798
69-67		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
G3							
FRONT							
10-07		Vented	Rotor	10.0"	1.61"	4 -100 mm	BR900314
REAR							
10-07		Floating	Drum	230 mm	57.3 mm	4 -100 mm	BD920110
G4 (MEXICO)							
FRONT							
07-05	w/ Rear Drum Brakes	Vented	Rotor	10.08"	1.86"	4 -3.94"	BR55083
	w/ Rear Disc Brakes	Vented	Rotor	11.65"	1.71"	5 -4.34"	BR55093
REAR							
07-05	w/ Rear Disc Brakes	Solid	Rotor	10.63"	1.78"	5 -4.34"	BR55094
	w/ Rear Drum Brakes	Floating	Drum	10.67"	2.89"	4 -3.94"	BD80109
G5, G5 PURSUIT							
FRONT							
10-09	5 Lug Wheels; Rear Disc Brakes	Vented	Rotor	11.65"	1.71"	5 -4.34"	BR55093
	5 Lug Wheels; Rear Drum Brakes	Vented	Rotor	11"	1.85"	5 -4.34"	BR900498
2009	4 Lug Wheels; Rear Drum Brakes	Vented	Rotor	10.07"	1.84"	4 -3.94"	BR900646
08-05	16" 5 Lug Wheels ; With Rear Drum Brakes ; 11" Rotor	Vented	Rotor	11"	1.85"	5 -4.34"	BR900498
	2.4L; 5 Lug Wheels; Rear Disc Brakes	Vented	Rotor	11.65"	1.71"	5 -4.34"	BR55093
	2.2L; 4 Lug Wheels; Rear Drum Brakes	Vented	Rotor	10.08"	1.86"	4 -3.94"	BR55083
REAR							
10-09	5 Lug Wheels; Rear Disc Brakes	Solid	Rotor	10.63"	1.78"	5 -4.34"	BR55094

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

PONTIAC

G5, G5 PURSUIT

REAR

10-09	5 Lug Wheels; Rear Drum Brakes	Floating	Drum	10.78"	2.83"	5 -4.34"	BD920142
2009	4 Lug Wheels; Rear Drum Brakes	Floating	Drum	10.79"	2.83"	4 -3.94"	BD920138
08-05	16" 5 Lug Wheels ; With Rear Drum Brakes ; 11" Rotor	Floating	Drum	10.65"	2.87"	5 -4.34"	BD920108
	2.2L; 4 Lug Wheels; Rear Drum Brakes	Floating	Drum	10.67"	2.89"	4 -3.94"	BD80109
	2.4L; 5 Lug Wheels; Rear Disc Brakes	Solid	Rotor	10.63"	1.78"	5 -4.34"	BR55094

G6

FRONT

10-08		Vented	Rotor	11.65"	1.71"	5 -4.34"	BR55093
07-06	4 Cyl.	Vented	Rotor	10.87"	1.71"	5 -4.34"	BR55095
	V6	Vented	Rotor	11.65"	1.71"	5 -4.34"	BR55093
2005		Vented	Rotor	11.65"	1.71"	5 -4.34"	BR55093

REAR

10-05		Solid	Rotor	10.63"	1.78"	5 -4.34"	BR55094
-------	--	-------	-------	--------	-------	----------	---------

G8

FRONT

2009	6.0L V8	Vented	Rotor	12.65"	2.05"	5 -4.75"	BR900518
	6.2L V8	Vented	Rotor	14"	2"	5 -4.75"	BR900762
09-08	V6	Vented	Rotor	11.28"	2.05"	5 -4.75"	BR900516
2008	V8	Vented	Rotor	12.65"	2.05"	5 -4.75"	BR900518

REAR

09-08	V6	Vented	Rotor	11.88"	2.20"	5 -4.75"	BR900512
	V8	Vented	Rotor	12.75"	2.2"	5 -4.75"	BR900514

GRAND AM

FRONT

05-99		Vented	Rotor	10.94"	1.92"	5 -4.65"	BR55040
98-91		Vented	Rotor	10.2"	1.89"	5 -3.94"	BR5580
1990	Exc. Special Performance Pkg.	Vented	Rotor	9.69"	1.89"	5 -3.94"	BR5558
	w/ Special Performance Pkg.	Vented	Rotor	10.2"	1.89"	5 -3.94"	BR5580
89-85		Vented	Rotor	9.69"	1.89"	5 -3.94"	BR5558
75-73		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519

REAR

05-99	Rear Disc Brake	Solid	Rotor	10.94"	1.98"	5 -4.65"	BR55039
04-99	Rear Drum Brake	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
98-85		Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
75-73	11 Inch Rear Drum Brake	Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
	9-1/2 Inch Rear Drum Brake	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

GRAND LEMANS

FRONT

81-79		Vented	Rotor	10.5"	4.31"	5 -4.75"	BR5549
-------	--	--------	-------	-------	-------	----------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

PONTIAC

GRAND LEMANS

FRONT

1978		Vented	Rotor	10.5"	3.92"	5 -4.75"	BR5530
77-76		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
1975	Exc. SAFARI; Exc. Wagon	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519

REAR

81-78		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
77-76	Exc. Wagon	Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
1975	Exc. SAFARI; Exc. Wagon	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

GRAND PRIX

FRONT

08-05	Exc. GXP	Vented	Rotor	11.69"	2.06"	5 -4.5"	BR55087
	GXP	Vented	Rotor	12.73"	2.05"	5 -4.53"	BR900502
2004		Vented	Rotor	11.69"	2.06"	5 -4.5"	BR55087
03-97		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
96-95	267mm Dia.	Vented	Rotor	10.5"	1.44"	5 -4.5"	BR5566
	286mm Dia.; Full Cast Replacement	Vented	Rotor	11.23"	1.52"	5 -4.5"	BR55013
94-88		Vented	Rotor	10.5"	1.44"	5 -4.5"	BR5566
87-82		Vented	Rotor	10.5"	4.32"	5 -4.75"	BR5547
81-79		Vented	Rotor	10.5"	4.31"	5 -4.75"	BR5549
1978		Vented	Rotor	10.5"	3.92"	5 -4.75"	BR5530
77-73		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
72-70		Vented	Rotor	11"	4"	5 -4.75"	BR5514
1969		Vented	Rotor	11"	4"	5 -4.75"	BR5514

REAR

08-05	Exc. GXP	Solid	Rotor	10.63"	1.46"	5 -4.5"	BR55085
	GXP	Vented	Rotor	304.5 mm	50.8 mm	5 -4.5"	BR900500
2004		Solid	Rotor	10.63"	1.46"	5 -4.5"	BR55085
03-97		Solid	Rotor	10.94"	1.98"	5 -4.65"	BR55039
96-94		Solid	Rotor	10.94"	1.1"	5 -4.5"	BR55018
93-88		Solid	Rotor	10.1"	1.12"	5 -4.5"	BR5567
87-78		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
77-76		Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
75-69		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

GRAND SAFARI

FRONT

1978	11 Inch Rear Drum Brake	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
78-77	9 1/2 Inch Rear Drum Brake	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
1977	11 Inch Rear Drum Brake	Vented	Rotor	11.89"	4.65"	5 -5"	BR5524
76-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

PONTIAC

GRAND SAFARI

REAR

78-77	9-1/2 Inch Rear Drum Brake	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
78-73	11 Inch Rear Drum Brake; 23 lb.	Floating	Drum	14"	4.31"	5 -5"	BD8873
	11 Inch Rear Drum Brake; 17 lb.	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
72-71	11 Inch Rear Drum Brake	Floating	Drum	12.95"	3.32"	5 -5"	BD8870

GRANDVILLE

FRONT

75-71		Vented	Rotor	11.85"	4.88"	5 -5"	BR5516
-------	--	--------	-------	--------	-------	-------	--------

REAR

75-71		Floating	Drum	12.95"	3.32"	5 -5"	BD8870
-------	--	----------	------	--------	-------	-------	--------

GTO

FRONT

06-05		Vented	Rotor	12 9/16	82.89 mm	5 -4.5"	BR900273
2004		Vented	Rotor	11.65"	3.25"	5 -4.72"	BR55088
73-69	Front Disc	Vented	Rotor	11"	4"	5 -4.75"	BR5514
66-64		Floating	Drum	11.56"	3.5"	5 -4.75"	BD8718

REAR

06-05		Vented	Rotor	11.25"	3.15"	5 -4.5"	BR900274
2004		Solid	Rotor	11.26"	3.1"	5 -4.72"	BR55089
73-64		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

J2000

FRONT

84-82		Vented	Rotor	9.72"	1.81"	5 -3.94"	BR5543
-------	--	--------	-------	-------	-------	----------	--------

REAR

84-82		Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
-------	--	----------	------	-------	------	----------	--------

LEMANS

FRONT

93-90	LE, LE AEROCOUPÉ, SE, VALUE LEADER; 1.6L	Vented	Rotor	236 mm	41 mm	4 -100 mm	BR31017
90-89	GSE, SE; 2.0L	Vented	Rotor	256 mm	41.1 mm	4 -100 mm	BR31073
89-88	Exc. GSE; Front Vented Disc Brake	Vented	Rotor	236 mm	41 mm	4 -100 mm	BR31017
	Exc. GSE; Front Solid Disc Brake	Solid	Rotor	236 mm	41 mm	4 -100 mm	BR3254
81-79		Vented	Rotor	10.5"	4.31"	5 -4.75"	BR5549
1978		Vented	Rotor	10.5"	3.92"	5 -4.75"	BR5530
77-73		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
72-69	Front Disc Brake	Vented	Rotor	11"	4"	5 -4.75"	BR5514
66-64	3-1/2 Inch High	Floating	Drum	11.56"	3.5"	5 -4.75"	BD8718

REAR

93-88		Floating	Drum	242 mm	67 mm	4 -100 mm	BD3518
81-78		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
77-76	Exc. Wagon	Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
75-73	Exc. Wagon	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
74-73	Wagon	Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
72-64		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

PONTIAC

MONTANA

FRONT

09-07		Vented	Rotor	11.69"	2.059"	6 -4.5"	BR55118
2006		Vented	Rotor	11.69"	2.059"	6 -4.5"	BR55118
2005	Exc. Special Suspension; SV6 FWD	Vented	Rotor	11.69"	2.06"	5 -4.5"	BR55087
	FWD; Exc. SV6; Rear Drum Brakes	Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
	w/ Special Suspension; SV6	Vented	Rotor	11.81"	2.05"	5 -4.5"	BR55074
04-02	AWD	Vented	Rotor	11.81"	2.05"	5 -4.5"	BR55074
	FWD	Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
01-99		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036

REAR

09-07		Solid	Rotor	11.8"	1.41"	6 -4.5"	BR55119
2006	FWD; Exc. Special Ride & Handling Suspension	Solid	Rotor	11.8"	1.41"	6 -4.5"	BR55119
	FWD & AWD; w/ Special Ride & Handling Suspension	Solid	Rotor	11.82"	1.28"	6 -4.5"	BR900302
2005	Exc. Special Suspension; SV6 FWD	Solid	Rotor	11.8"	1.45"	5 -4.5"	BR900316
	w/ Special Suspension; SV6	Solid	Rotor	11.81"	1.25"	5 -4.5"	BR900370
	FWD; Exc. SV6; Rear Drum Brakes	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
04-02	w/ Rear Drum Brakes	Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
	w/ Rear Disc Brakes	Solid	Rotor	11.42"	1.83"	5 -4.5"	BR55078
01-99		Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939

PARISIENNE

FRONT

1986	9 1/2 Inch Rear Drum Brake; Exc. Heavy Duty & Wagon	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
86-83	Heavy Duty & Wagon; 11 Inch Rear Drum Brake	Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
85-83	9 1/2 Inch Rear Drum Brake; Exc. Heavy Duty & Wagon	Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5542

REAR

86-83	Wagon; 11 Inch Rear Drum Brake; 17 lb.	Floating	Drum	12.95"	3.32"	5 -5"	BD8870
	Wagon; 11 Inch Rear Drum Brake; 23 lb.	Floating	Drum	14"	4.31"	5 -5"	BD8873
85-83	Sedan; 9-1/2 Inch Rear Drum Brake; Exc. Heavy Duty	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839

PHOENIX

FRONT

84-80		Vented	Rotor	9.7"	1.95"	5 -3.94"	BR5548
1979		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5542
78-77		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
PONTIAC							
PHOENIX				REAR			
84-82		Floating	Drum	9.84"	2.87"	5 -3.94"	BD8921
81-80	Finned	Floating	Drum	9.84"	2.87"	5 -3.94"	BD8921
	Plain	Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
79-78		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
1977	9-1/2 Inch Rear Drum	Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
	11 Inch Rear Drum	Floating	Drum	12.76"	3.34"	5 -4.75"	BD8828
SAFARI				FRONT			
89-87		Vented	Rotor	11.86"	4.63"	5 -5"	BR5546
				REAR			
89-87		Floating	Drum	14"	4.31"	5 -5"	BD8873
SOLSTICE				FRONT			
09-06		Vented	Rotor	11.65"	1.7"	5 -4.13"	BR900380
				REAR			
09-06		Solid	Rotor	10.94"	1.65"	5 -4.13"	BR900382
SUNBIRD				FRONT			
94-92		Vented	Rotor	10.2"	1.89"	5 -3.94"	BR5580
91-85		Vented	Rotor	9.69"	1.89"	5 -3.94"	BR5558
80-76		Vented	Rotor	9.74"	3.97"	4 -4"	BR5525
				REAR			
94-85		Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
SUNFIRE				FRONT			
05-95		Vented	Rotor	10.2"	1.89"	5 -3.94"	BR5580
				REAR			
05-03		Floating	Drum	10.67"	2.76"	5 -3.94"	BD80107
02-95		Floating	Drum	9.13"	2.6"	5 -3.94"	BD8898
T1000				FRONT			
87-81		Solid	Rotor	9.69"	3.61"	4 -3.94"	BR5545
				REAR			
87-81		Floating	Drum	9.13"	2.6"	4 -3.94"	BD8895
TEMPEST				FRONT			
70-67	Front Disc Brake	Vented	Rotor	11"	4"	5 -4.75"	BR5514
66-64		Floating	Drum	11.56"	3.5"	5 -4.75"	BD8718
				REAR			
70-64		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
TORRENT				FRONT			
09-07		Vented	Rotor	11.65"	2.05"	5 -4.5"	BR900320
2006		Vented	Rotor	11.65"	2.03"	5 -4.5"	BR55080
				REAR			
09-07		Vented	Rotor	11.93"	2.84"	5 -4.5"	BR900306
2006		Floating	Drum	11.65"	2.91"	5 -4.5"	BD80105

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

PONTIAC

TRANS SPORT

FRONT

98-97		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55036
96-92		Vented	Rotor	10.94"	2.05"	5 -4.65"	BR55014
91-90		Vented	Rotor	10.25"	2.01"	5 -4.53"	BR5552

REAR

98-90		Floating	Drum	10.87"	2.76"	5 -4.5"	BD8939
-------	--	----------	------	--------	-------	---------	--------

VENTURA

FRONT

77-75		Vented	Rotor	11.01"	4.65"	5 -4.75"	BR5519
74-71	Front Disc Brake	Vented	Rotor	11"	4"	5 -4.75"	BR5514
	Front Drum Brake	Floating	Drum	11.54"	3.49"	5 -4.75"	BD8799

REAR

77-75		Floating	Drum	11.81"	2.97"	5 -4.75"	BD8839
74-71		Floating	Drum	11.61"	3.52"	5 -4.75"	BD8798

VIBE

FRONT

10-09	2.4L	Vented	Rotor	296.35 mm	49.6 mm	5 -114.3 mm	BR900340
	1.8L	Vented	Rotor	275 mm	47.2 mm	5 -100 mm	BR900570
08-03		Vented	Rotor	275 mm	49.3 mm	5 -100 mm	BR31270

REAR

10-09	2.4L FWD	Solid	Rotor	279 mm	32 mm	5 -4.5"	BR900346
	2.4L GT & AWD	Solid	Rotor	281 mm	58.4 mm	5 -114.3 mm	BR900754
	1.8L	Solid	Rotor	259 mm	30.9 mm	5 -100 mm	BR900756
08-03	FWD; Rear Drum	Floating	Drum	272 mm	55.2 mm	5 -100 mm	BD80104
06-03	AWD; Rear Drum	Floating	Drum	272 mm	81.5 mm	5 -100 mm	BD80103
	GT FWD	Solid	Rotor	269 mm	55.9 mm	5 -100 mm	BR31269

WAVE (CANADA)

FRONT

09-05		Vented	Rotor	10.0"	1.61"	4 -100 mm	BR900314
-------	--	--------	-------	-------	-------	-----------	----------

REAR

09-05	From VIN # 426447	Floating	Drum	230 mm	57.3 mm	4 -100 mm	BD920110
-------	-------------------	----------	------	--------	---------	-----------	----------

PORSCHE

CAYENNE

FRONT LEFT

12-03	w/ 350mm Front Rotors	Vented	Rotor	350 mm	69 mm	5 -130 mm	BR900474
10-03	w/ 330mm Front Rotors	Vented	Rotor	330 mm	69 mm	5 -130 mm	BR900470

FRONT RIGHT

12-03	w/ 350mm Front Rotors	Vented	Rotor	350 mm	69 mm	5 -130 mm	BR900476
10-03	w/ 330mm Front Rotors	Vented	Rotor	330 mm	69 mm	5 -130 mm	BR900472

REAR

10-03	w/ 330mm Rear Rotors	Vented	Rotor	330 mm	74.8 mm	5 -130 mm	BR900478
-------	----------------------	--------	-------	--------	---------	-----------	----------

SAAB

9-2X

FRONT

06-05	Exc. Aero	Vented	Rotor	276.8 mm	56.7 mm	5 -100 mm	BR31247
-------	-----------	--------	-------	----------	---------	-----------	---------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

SAAB

9-2X

FRONT

06-05	Aero	Vented	Rotor	293.5 mm	56.6 mm	5 -100 mm	BR34203
-------	------	--------	-------	----------	---------	-----------	---------

REAR

06-05		Solid	Rotor	265.5 mm	65.7 mm	5 -100 mm	BR31043
-------	--	-------	-------	----------	---------	-----------	---------

9-3

FRONT

12-06	w/ 302mm Front Rotors	Vented	Rotor	302 mm	45.1 mm	5 -110 mm	BR34267
	w/ 285mm Front Rotor	Vented	Rotor	285 mm	42.1 mm	5 -110 mm	BR900432
05-03	Arc, Aero & Vector	Vented	Rotor	302 mm	45.1 mm	5 -110 mm	BR34267
	Linear	Vented	Rotor	285 mm	42.1 mm	5 -110 mm	BR900432
2003	Convertible	Vented	Rotor	288 mm	42.2 mm	5 -110 mm	BR34140
02-99	Viggen	Vented	Rotor	308 mm	42.1 mm	5 -110 mm	BR34248
	Exc. Viggen	Vented	Rotor	288 mm	42.2 mm	5 -110 mm	BR34140

REAR

12-06	w/ 278mm Rear Rotor	Solid	Rotor	278 mm	41.5 mm	5 -110 mm	BR34268
	w/ 292mm Rear Rotor	Vented	Rotor	292 mm	41.5 mm	5 -110 mm	BR900430
05-03	Arc, Aero & Vector	Vented	Rotor	292 mm	41.5 mm	5 -110 mm	BR900430
	Linear	Solid	Rotor	278 mm	41.5 mm	5 -110 mm	BR34268
2003	Convertible	Solid	Rotor	286 mm	69.2 mm	5 -110 mm	BR34126
02-99		Solid	Rotor	286 mm	69.2 mm	5 -110 mm	BR34126

9-3X

FRONT

12-10	285mm Rotor	Vented	Rotor	285 mm	42.1 mm	5 -110 mm	BR900432
-------	-------------	--------	-------	--------	---------	-----------	----------

REAR

12-10	278mm Rotor	Solid	Rotor	278 mm	41.5 mm	5 -110 mm	BR34268
-------	-------------	-------	-------	--------	---------	-----------	---------

9-5

FRONT

2011	16" Wheels; 296mm Front Rotor	Vented	Rotor	11.65"	2.02"	5 -4.75"	BR900914
11-10	17" Wheels; 320mm Front Rotor	Vented	Rotor	12.6"	2.02"	5 -4.75"	BR900748
09-07		Vented	Rotor	308 mm	42.1 mm	5 -110 mm	BR34248
06-02	w/ 308mm Front Rotor	Vented	Rotor	308 mm	42.1 mm	5 -110 mm	BR34248
	w/ 288mm Front Rotor	Vented	Rotor	288 mm	42.2 mm	5 -110 mm	BR34140
01-00	Aero	Vented	Rotor	308 mm	42.1 mm	5 -110 mm	BR34248
	Exc. Aero	Vented	Rotor	288 mm	42.2 mm	5 -110 mm	BR34140
1999		Vented	Rotor	288 mm	42.2 mm	5 -110 mm	BR34140

REAR

2011	16" Wheels; 296mm Rear Rotor	Solid	Rotor	11.5"	1.9"	5 -4.75"	BR900916
11-10		Vented	Rotor	12.4 "	1.9 "	5 -4.75 "	BR900900
10-02	w/ 286mm Rear Rotor	Solid	Rotor	286 mm	69.2 mm	5 -110 mm	BR34209
09-02	w/ 299 mm Rear Rotor	Vented	Rotor	299 mm	69.2 mm	5 -110 mm	BR901040
01-00		Solid	Rotor	286 mm	69.2 mm	5 -110 mm	BR34209
1999		Solid	Rotor	286 mm	69.2 mm	5 -110 mm	BR34126

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

SAAB

9-7X

FRONT

09-08	6.0L Aero	Vented	Rotor	12.8"	2.1"	6 -5"	BR900700
	5.3i	Vented	Rotor	12.8"	2.14"	6 -5"	BR55079
	4.2i	Vented	Rotor	11.9	2.17	6 -5"	BR55112
07-05		Vented	Rotor	12.8"	2.14"	6 -5"	BR55079

REAR

09-05		Vented	Rotor	12.8"	3.35"	6 -5"	BR55073
-------	--	--------	-------	-------	-------	-------	---------

900

FRONT

98-97		Vented	Rotor	288 mm	42.2 mm	5 -110 mm	BR34140
96-94		Vented	Rotor	284 mm	42 mm	5 -110 mm	BR34062
93-88		Vented	Rotor	280 mm	43.5 mm	4 -108 mm	BR3466
87-85	Exc. S; Vin L	Vented	Rotor	280 mm	70.6 mm	4 -114.3 mm	BR3453
87-81	Exc. Vin L	Solid	Rotor	280 mm	66 mm	4 -114.3 mm	BR3465

REAR

98-97		Solid	Rotor	286 mm	69.2 mm	5 -110 mm	BR34126
96-94		Solid	Rotor	260 mm	69.2 mm	5 -110 mm	BR34063
93-88		Solid	Rotor	258 mm	43.5 mm	4 -108 mm	BR3498
87-79		Solid	Rotor	269.5 mm	66 mm	4 -114.3 mm	BR3497

9000

FRONT

98-90		Vented	Rotor	280 mm	44 mm	4 -108 mm	BR34015
1989	S; Non-Turbo	Vented	Rotor	280 mm	43.5 mm	4 -108 mm	BR3466
89-88	Turbo	Vented	Rotor	280 mm	44 mm	4 -108 mm	BR34015
1987	Exc. S	Vented	Rotor	280 mm	43.5 mm	4 -108 mm	BR3466

REAR

98-86		Solid	Rotor	258 mm	43.5 mm	4 -108 mm	BR3498
-------	--	-------	-------	--------	---------	-----------	--------

99

FRONT

74-73		Solid	Rotor	269.5 mm	66 mm	4 -114.3 mm	BR3497
1971		Solid	Rotor	269.5 mm	66 mm	4 -114.3 mm	BR3497

REAR

80-77	ATE Rear Calipers	Solid	Rotor	269.5 mm	66 mm	4 -114.3 mm	BR3497
1976	ATE & Girling Rear Calipers	Solid	Rotor	269.5 mm	66 mm	4 -114.3 mm	BR3497
1975	Girling Rear Caliper	Solid	Rotor	269.5 mm	66 mm	4 -114.3 mm	BR3497
74-73		Solid	Rotor	269.5 mm	66 mm	4 -114.3 mm	BR3497
1971		Solid	Rotor	269.5 mm	66 mm	4 -114.3 mm	BR3497

SATURN

ASTRA

FRONT

09-08		Vented	Rotor	308 mm	42.1 mm	5 -110 mm	BR34248
-------	--	--------	-------	--------	---------	-----------	---------

REAR

09-08		Solid	Rotor	264 mm	42.2 mm	5 -110 mm	BR901064
-------	--	-------	-------	--------	---------	-----------	----------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

SATURN

AURA

FRONT

09-07		Vented	Rotor	11.65"	1.71"	5 -4.34"	BR55093
-------	--	--------	-------	--------	-------	----------	---------

REAR

09-07		Solid	Rotor	10.63"	1.78"	5 -4.34"	BR55094
-------	--	-------	-------	--------	-------	----------	---------

ION

FRONT

07-04	Redline; 11.65" Rotor; w/ Rear Disc Brakes	Vented	Rotor	11.65"	1.71"	5 -4.34"	BR55093
	Exc. Redline; 10.08" Rotor; w/ Rear Drum Brakes	Vented	Rotor	10.08"	1.86"	4 -3.94"	BR55083
2003		Vented	Rotor	10.08"	1.86"	4 -3.94"	BR55083

REAR

07-04	Red Line	Solid	Rotor	10.63"	1.78"	5 -4.34"	BR55094
	Exc. Red Line	Floating	Drum	10.67"	2.89"	4 -3.94"	BD80109
2003		Floating	Drum	10.67"	2.89"	4 -3.94"	BD80109

L SERIES - LS SEDAN, LW WAGON

FRONT

05-00		Vented	Rotor	288 mm	42.2 mm	5 -110 mm	BR34140
-------	--	--------	-------	--------	---------	-----------	---------

REAR

05-00	w/ Rear Disc Brakes	Solid	Rotor	286 mm	69.2 mm	5 -110 mm	BR34126
03-00	w/ Rear Drum Brakes	Floating	Drum	265 mm	67.8 mm	5 -110 mm	BD80089

OUTLOOK

FRONT

10-07		Vented	Rotor	12.8"	2.25"	6 -5.25"	BR900322
-------	--	--------	-------	-------	-------	----------	----------

REAR

10-07		Vented	Rotor	13"	2.12"	6 -5.25"	BR900378
-------	--	--------	-------	-----	-------	----------	----------

RELAY

FRONT

07-06		Vented	Rotor	11.69"	2.059"	6 -4.5"	BR55118
2005		Vented	Rotor	11.69"	2.06"	5 -4.5"	BR55087

REAR

2007		Solid	Rotor	11.8"	1.41"	6 -4.5"	BR55119
2006	Exc. Special Suspension	Solid	Rotor	11.8"	1.41"	6 -4.5"	BR55119
	w/ Special Suspension	Solid	Rotor	11.82"	1.28"	6 -4.5"	BR900302
2005	FWD	Solid	Rotor	11.8"	1.45"	5 -4.5"	BR900316
	AWD	Solid	Rotor	11.81"	1.25"	5 -4.5"	BR900370

S SERIES - SC COUPE , SL SEDAN , SW WAGON

FRONT

02-91		Vented	Rotor	9.85"	1.71"	4 -3.94"	BR5581
-------	--	--------	-------	-------	-------	----------	--------

REAR

02-91		Floating	Drum	9.57"	2.06"	4 -3.94"	BD8987
-------	--	----------	------	-------	-------	----------	--------

SATURN

REAR

98-91		Solid	Rotor	9.65"	1.63"	4 -3.94"	BR5582
-------	--	-------	-------	-------	-------	----------	--------

SKY

FRONT

10-07		Vented	Rotor	11.65"	1.7"	5 -4.13"	BR900380
-------	--	--------	-------	--------	------	----------	----------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

SATURN

SKY

REAR

10-07		Solid	Rotor	10.94"	1.65"	5 -4.13"	BR900382
-------	--	-------	-------	--------	-------	----------	----------

VUE

FRONT

09-08		Vented	Rotor	11.65"	2.05"	5 -4.5"	BR900320
07-02		Vented	Rotor	11.65"	2.03"	5 -4.5"	BR55080

REAR

09-08		Vented	Rotor	11.93"	2.84"	5 -4.5"	BR900306
07-02		Floating	Drum	11.65"	2.91"	5 -4.5"	BD80105

SCION

FR-S

FRONT

2013	278mm Rotor	Vented	Rotor	276.8 mm	56.7 mm	5 -100 mm	BR31247
	292mm Rotor	Vented	Rotor	292 mm	56.7 mm	5 -100 mm	BR900496

REAR

2013	285mm Solid Rotor	Solid	Rotor	285 mm	64 mm	5 -100 mm	BR900826
	290mm Vented Rotor	Vented	Rotor	290 mm	64 mm	5 -100 mm	BR901072

TC

FRONT

13-11		Vented	Rotor	296.35 mm	49.6 mm	5 -114.3 mm	BR900340
10-05		Vented	Rotor	275 mm	49.3 mm	5 -100 mm	BR31270

REAR

10-05		Solid	Rotor	269 mm	55.9 mm	5 -100 mm	BR31269
-------	--	-------	-------	--------	---------	-----------	---------

XA

FRONT

07-04		Vented	Rotor	255 mm	43.3 mm	4 -100 mm	BR31332
-------	--	--------	-------	--------	---------	-----------	---------

REAR

07-04		Floating	Drum	241.8 mm	52 mm	4 -100 mm	BD920100
-------	--	----------	------	----------	-------	-----------	----------

XB

FRONT

12-08		Vented	Rotor	275 mm	46.57 mm	5 -114.3 mm	BR900344
07-04		Vented	Rotor	255 mm	43.3 mm	4 -100 mm	BR31332

REAR

12-08		Solid	Rotor	279 mm	32 mm	5 -4.5"	BR900346
07-04		Floating	Drum	241.8 mm	52 mm	4 -100 mm	BD920100

XD

FRONT

12-08		Vented	Rotor	275 mm	47.2 mm	5 -100 mm	BR900570
-------	--	--------	-------	--------	---------	-----------	----------

REAR

12-08		Floating	Drum	283.9 mm	65.6 mm	5 -100 mm	BD920128
-------	--	----------	------	----------	---------	-----------	----------

SEAT

ALTEA (MEXICO)

FRONT

10-06	w/ 288mm Front Rotor	Vented	Rotor	288 mm	49.75 mm	5 -112 mm	BR900412
	w/ 312mm Front Rotor	Vented	Rotor	312 mm	49.8 mm	5 -112 mm	BR900468

REAR

10-06	w/ 260mm Rear Rotor	Solid	Rotor	260 mm	48 mm	5 -112 mm	BR900416
	w/ 286mm Rear Rotor	Solid	Rotor	286 mm	48.4 mm	5 -112 mm	BR900466

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

SEAT

CORDOBA (MEXICO)

FRONT

09-01	w/ 256mm , 4 Lug Front Rotors	Vented	Rotor	256 mm	38.6 mm	4 -100 mm	BR3464
	w/ 288mm Front Rotors	Vented	Rotor	288 mm	34.2 mm	5 -100 mm	BR34168
	w/ 280mm Front Rotors	Vented	Rotor	279.7 mm	36.7 mm	5 -100 mm	BR34143

REAR

09-01		Solid	Rotor	232 mm	39.5 mm	5 -100 mm	BR34144
-------	--	-------	-------	--------	---------	-----------	---------

EXEO (MEXICO)

FRONT

11-10	w/ 312mm Front Rotors	Vented	Rotor	312 mm	46.3 mm	5 -112 mm	BR34215
	w/ 320mm Front Rotors	Vented	Rotor	319.8 mm	46.71 mm	5 -112 mm	BR900686

REAR

11-10		Solid	Rotor	288 mm	36 mm	5 -112.2 mm	BR900434
-------	--	-------	-------	--------	-------	-------------	----------

IBIZA (MEXICO)

FRONT

09-02	w/ 256mm , 5 Lug Front Rotors	Vented	Rotor	256 mm	36.3 mm	5 -100 mm	BR34222
08-02	w/ 288mm Front Rotors	Vented	Rotor	288 mm	34.2 mm	5 -100 mm	BR34168
	w/ 280mm Front Rotors	Vented	Rotor	279.7 mm	36.7 mm	5 -100 mm	BR34143
07-02	w/ 256mm , 4 Lug Front Rotors	Vented	Rotor	256 mm	38.6 mm	4 -100 mm	BR3464

REAR

08-02	w/ Rear Disc Brakes	Solid	Rotor	232 mm	39.5 mm	5 -100 mm	BR34144
-------	---------------------	-------	-------	--------	---------	-----------	---------

LEON (MEXICO)

FRONT

10-06	w/ 288mm Front Rotors	Vented	Rotor	288 mm	49.75 mm	5 -112 mm	BR900412
	w/ 345mm Front Rotors	Vented	Rotor	345 mm	50 mm	5 -112 mm	BR900818
	w/ 312mm Front Rotors	Vented	Rotor	312 mm	49.8 mm	5 -112 mm	BR900468
05-01	w/ 280mm Front Rotors	Vented	Rotor	279.7 mm	36.7 mm	5 -100 mm	BR34143
	w/ 256mm Front Rotors	Vented	Rotor	256 mm	36.3 mm	5 -100 mm	BR34222
	w/ 312mm Front Rotors	Vented	Rotor	312 mm	34.2 mm	5 -100 mm	BR34193
	w/ 288mm Front Rotors	Vented	Rotor	288 mm	34.2 mm	5 -100 mm	BR34168

REAR

10-06	w/ 286mm Rear Rotors	Solid	Rotor	286 mm	48.4 mm	5 -112 mm	BR900466
05-01	w/ 232mm Rear Rotors	Solid	Rotor	232 mm	39.5 mm	5 -100 mm	BR34144
	w/ 256mm Rear Rotors	Vented	Rotor	256 mm	36.3 mm	5 -100 mm	BR34222

TOLEDO (MEXICO)

FRONT

2006		Vented	Rotor	288 mm	49.75 mm	5 -112 mm	BR900412
05-01	w/ 312mm Front Rotors	Vented	Rotor	312 mm	34.2 mm	5 -100 mm	BR34193
05-99	w/ 256mm Front Rotors	Vented	Rotor	256 mm	36.3 mm	5 -100 mm	BR34222
	w/ 280mm Front Rotors	Vented	Rotor	279.7 mm	36.7 mm	5 -100 mm	BR34143

REAR

05-01		Solid	Rotor	232 mm	39.5 mm	5 -100 mm	BR34144
	w/ 288mm Front Rotors	Vented	Rotor	288 mm	34.2 mm	5 -100 mm	BR34168

SKODA

FABIA

FRONT

09-00	w/ 256mm Front Rotors	Vented	Rotor	256 mm	36.3 mm	5 -100 mm	BR34222
-------	-----------------------	--------	-------	--------	---------	-----------	---------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

SKODA

LCV PRAKTIK

FRONT

07-02	w/ 256mm Front Rotors	Vented	Rotor	256 mm	36.3 mm	5 -100 mm	BR34222
-------	-----------------------	--------	-------	--------	---------	-----------	---------

OCTAVIA

FRONT

8 /04-96	w/ 280mm Front Rotors; To 8/04	Vented	Rotor	279.7 mm	36.7 mm	5 -100 mm	BR34143
04-96	w/ 256mm Front Rotors	Vented	Rotor	256 mm	36.3 mm	5 -100 mm	BR34222

REAR

10-96		Solid	Rotor	239 mm	33.4 mm	5 -100 mm	BR34221
-------	--	-------	-------	--------	---------	-----------	---------

ROOMSTER

FRONT

09-06	w/ 256mm Front Rotors	Vented	Rotor	256 mm	36.3 mm	5 -100 mm	BR34222
-------	-----------------------	--------	-------	--------	---------	-----------	---------

SMART

FORTWO (INCLUDES CROSSBLADE / ROADSTER / PURE / PASSION)

FRONT

13-02		Solid	Rotor	280 mm	40 mm	3 -108 mm	BR900626
-------	--	-------	-------	--------	-------	-----------	----------

REAR

13-02		Floating	Drum	235 mm	59 mm	3 -108	BD920130
-------	--	----------	------	--------	-------	--------	----------

STERLING

ACTERRA

FRONT

10-08	10 Hole Hat Shaped; 3.2" Tall	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
08-98	5 Hole Hat Shaped	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
	6 Hole Hat Shaped	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606

REAR

10-08	10 Hole Hat Shaped; 3.2" Tall	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
08-98	5 Hole Hat Shaped	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
	6 Hole Hat Shaped	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606

BULLET

REAR

09-08		Vented	Rotor	15.55"	4.87"	10-6.43"	BR900359
-------	--	--------	-------	--------	-------	----------	----------

SUBARU

BAJA

FRONT

06-04	Turbo	Vented	Rotor	292 mm	56.7 mm	5 -100 mm	BR900496
06-03	Exc. Turbo	Vented	Rotor	293.5 mm	56.6 mm	5 -100 mm	BR34203

REAR

06-03		Solid	Rotor	289.7 mm	65.8 mm	5 -100 mm	BR31273
-------	--	-------	-------	----------	---------	-----------	---------

BRAT

FRONT

87-84		Vented	Rotor	230 mm	52 mm	4 -90 mm	BR3191
1983	M/T	Solid	Rotor	229 mm	52 mm	4 -90 mm	BR3155
	A/T	Vented	Rotor	230 mm	52 mm	4 -90 mm	BR3191
1982		Solid	Rotor	229 mm	52 mm	4 -90 mm	BR3155

BRZ

FRONT

2013	278mm Rotor	Vented	Rotor	276.8 mm	56.7 mm	5 -100 mm	BR31247
	292mm Rotor	Vented	Rotor	292 mm	56.7 mm	5 -100 mm	BR900496

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

SUBARU

BRZ

REAR

2013	285mm Rotor	Solid	Rotor	285 mm	64 mm	5 -100 mm	BR900826
	290mm Rotor	Vented	Rotor	290 mm	64 mm	5 -100 mm	BR901072

DL

FRONT

89-85		Vented	Rotor	242 mm	44 mm	4 -90 mm	BR3150
84-83	A/T	Vented	Rotor	230 mm	52 mm	4 -90 mm	BR3191
1983	M/T	Solid	Rotor	229 mm	52 mm	4 -90 mm	BR3155
82-80		Solid	Rotor	229 mm	52 mm	4 -90 mm	BR3155

REAR

89-85	2WD	Hub/ Bearing	Drum	230 mm	83.82 mm	4 -139.7 mm	BD3548
-------	-----	-----------------	------	--------	----------	-------------	--------

FORESTER

FRONT

13-09		Vented	Rotor	292 mm	56.7 mm	5 -100 mm	BR900496
08-3 /02	From 3/02	Vented	Rotor	293.5 mm	56.6 mm	5 -100 mm	BR34203
2 /02-98	To 2/02	Vented	Rotor	276.8 mm	56.7 mm	5 -100 mm	BR31247

REAR

13-09		Solid	Rotor	285 mm	64 mm	5 -100 mm	BR900826
08-3 /02	w/ Rear Drum Brakes; From 3/02	Floating	Drum	277.5 mm	69.6 mm	5 -100 mm	BD35059
	w/ Rear Disc Brakes; From 3/02	Solid	Rotor	265.5 mm	65.7 mm	5 -100 mm	BR31043
2 /02-00	w/ Rear Drum Brakes; To 2/02	Floating	Drum	277.5 mm	69.6 mm	5 -100 mm	BD35059
2 /02-98	w/ Rear Disc Brakes; To 2/02	Solid	Rotor	265.5 mm	65.7 mm	5 -100 mm	BR31043
99-98	L; w/ ABS	Floating	Drum	277.5 mm	69.6 mm	5 -100 mm	BD35059
	Exc. L, S; w/o ABS	Floating	Drum	269.5 mm	63.2 mm	5 -100 mm	BD35011

GL

FRONT

89-85		Vented	Rotor	242 mm	44 mm	4 -90 mm	BR3150
1984	Non-Turbo	Vented	Rotor	230 mm	52 mm	4 -90 mm	BR3191
84-83	Turbo	Vented	Rotor	242 mm	44 mm	4 -90 mm	BR3150
1983	M/T	Solid	Rotor	229 mm	52 mm	4 -90 mm	BR3155
	A/T	Vented	Rotor	230 mm	52 mm	4 -90 mm	BR3191
82-80		Solid	Rotor	229 mm	52 mm	4 -90 mm	BR3155

REAR

89-88	w/ Rear Disc	Solid	Rotor	226 mm	42.5 mm	4 -100 mm	BR3273
89-85	2WD; w/ Rear Drum	Hub/ Bearing	Drum	230 mm	83.82 mm	4 -139.7 mm	BD3548
86-85	w/ Rear Disc	Solid	Rotor	226 mm	42.5 mm	4 -100 mm	BR3273

IMPREZA (COUPE & SEDAN)

FRONT

12-09	2.5i	Vented	Rotor	276.8 mm	56.7 mm	5 -100 mm	BR31247
10-09	2.5 GT	Vented	Rotor	292 mm	56.7 mm	5 -100 mm	BR900496
08-02		Vented	Rotor	276.8 mm	56.7 mm	5 -100 mm	BR31247
01-98	RS	Vented	Rotor	276.8 mm	56.7 mm	5 -100 mm	BR31247

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

SUBARU

IMPREZA (COUPE & SEDAN)

FRONT

01-98	Exc. RS	Vented	Rotor	260 mm	56.8 mm	5 -100 mm	BR31042
1997		Vented	Rotor	260 mm	56.8 mm	5 -100 mm	BR31042
96-93	w/ 14 Inch Wheels	Vented	Rotor	260 mm	56.8 mm	5 -100 mm	BR31042
	w/ 13 Inch Wheels	Vented	Rotor	242.5 mm	53 mm	5 -100 mm	BR31222

REAR

2012		Solid	Rotor	273.7 mm	63.5 mm	5 -100 mm	BR901128
11-08		Solid	Rotor	285 mm	64 mm	5 -100 mm	BR900826
07-02		Solid	Rotor	265.5 mm	65.7 mm	5 -100 mm	BR31043
01-93	w/ Rear Disc Brakes	Solid	Rotor	265.5 mm	65.7 mm	5 -100 mm	BR31043
	w/ Rear Drum Brakes	Floating	Drum	269.5 mm	63.2 mm	5 -100 mm	BD35011

IMPREZA (WAGON)

FRONT

12-02		Vented	Rotor	276.8 mm	56.7 mm	5 -100 mm	BR31247
01-97		Vented	Rotor	260 mm	56.8 mm	5 -100 mm	BR31042
96-93	w/ 13 Inch Wheels	Vented	Rotor	242.5 mm	53 mm	5 -100 mm	BR31222
	w/ 14 Inch Wheels	Vented	Rotor	260 mm	56.8 mm	5 -100 mm	BR31042

REAR

2012		Solid	Rotor	273.7 mm	63.5 mm	5 -100 mm	BR901128
11-08		Solid	Rotor	285 mm	64 mm	5 -100 mm	BR900826
07-04		Solid	Rotor	265.5 mm	65.7 mm	5 -100 mm	BR31043
03-02	w/ Rear Drum Brakes	Floating	Drum	277.5 mm	69.6 mm	5 -100 mm	BD35059
03-93	w/ Rear Disc Brakes	Solid	Rotor	265.5 mm	65.7 mm	5 -100 mm	BR31043
01-93	w/ Rear Drum Brakes	Floating	Drum	269.5 mm	63.2 mm	5 -100 mm	BD35011

IMPREZA OUTBACK

FRONT

11-02	Outback & Outback Sport	Vented	Rotor	276.8 mm	56.7 mm	5 -100 mm	BR31247
01-95		Vented	Rotor	260 mm	56.8 mm	5 -100 mm	BR31042

REAR

11-08	Outback Sport	Solid	Rotor	285 mm	64 mm	5 -100 mm	BR900826
07-03	Outback & Outback Sport	Solid	Rotor	265.5 mm	65.7 mm	5 -100 mm	BR31043
2002	w/ Rear Drum Brakes	Floating	Drum	277.5 mm	69.6 mm	5 -100 mm	BD35059
02-01	w/ Rear Disc Brakes	Solid	Rotor	265.5 mm	65.7 mm	5 -100 mm	BR31043
99-97		Floating	Drum	277.5 mm	69.6 mm	5 -100 mm	BD35059
96-95	w/o ABS; Rear Drum Brakes	Floating	Drum	269.5 mm	63.2 mm	5 -100 mm	BD35011
	w/ ABS; Rear Disc Brakes	Solid	Rotor	265.5 mm	65.7 mm	5 -100 mm	BR31043

IMPREZA WRX, WRX STI

FRONT

12-09	Exc. STi	Vented	Rotor	292 mm	56.7 mm	5 -100 mm	BR900496
12-05	STi	Vented	Rotor	326 mm	53.1 mm	5 -114.3 mm	BR900490
08-02	Exc. STi	Vented	Rotor	293.5 mm	56.6 mm	5 -100 mm	BR34203
2004	STi	Vented	Rotor	326 mm	54 mm	5 -100 mm	BR900488

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

SUBARU

IMPREZA WRX, WRX STI

REAR

12-08	Exc. STi	Solid	Rotor	285 mm	64 mm	5 -100 mm	BR900826
	STi	Vented	Rotor	316 mm	63 mm	5 -114.3 mm	BR900828
07-06	Exc. STi	Vented	Rotor	289.5 mm	67.5 mm	5 -110 mm	BR900492
07-05	STi	Vented	Rotor	316mm	67.5mm	5 -114.3 mm	BR900870
05-02	Exc. STi	Solid	Rotor	265.5 mm	65.7 mm	5 -100 mm	BR31043

JUSTY

FRONT

1994	DL	Vented	Rotor	212 mm	36.5 mm	4 -94 mm	BR3219
94-89	GL, RS	Vented	Rotor	240.4 mm	36.51 mm	4 -94 mm	BR3220
90-87	Exc. RS	Vented	Rotor	212 mm	36.5 mm	4 -94 mm	BR3219

LEGACY

FRONT

13-06	2.5i ; 292mm Rotor	Vented	Rotor	292 mm	56.7 mm	5 -100 mm	BR900496
13-05	GT; 316mm Rotor	Vented	Rotor	316.5 mm	57.1 mm	5 -100 mm	BR900494
2005	2.5i	Vented	Rotor	276.8 mm	56.7 mm	5 -100 mm	BR31247
04-02	L SERIES	Vented	Rotor	276.8 mm	56.7 mm	5 -100 mm	BR31247
	GT	Vented	Rotor	293.5 mm	56.6 mm	5 -100 mm	BR34203
12/01-5 /01	w/ Rear Drum Brakes; 5/01 To 12/01	Vented	Rotor	276.8 mm	56.7 mm	5 -100 mm	BR31247
9 /01-5 /01	w/ Rear Disc Brakes; 5/01 To 9/01	Vented	Rotor	276.8 mm	56.7 mm	5 -100 mm	BR31247
4 /01-00	w/ Rear Disc Brakes; To 4/01	Vented	Rotor	276.8 mm	56.7 mm	5 -100 mm	BR31247
2000	Rear Drum Brake	Vented	Rotor	260 mm	56.8 mm	5 -100 mm	BR31042
99-98	GT, OUTBACK; 2.5L	Vented	Rotor	276.8 mm	56.7 mm	5 -100 mm	BR31247
99-96	w/ 15 Inch Wheels	Vented	Rotor	276.8 mm	56.7 mm	5 -100 mm	BR31247
	w/ 14 Inch Wheels	Vented	Rotor	260 mm	56.8 mm	5 -100 mm	BR31042
98-97	POSTAL; 2.2L	Vented	Rotor	260 mm	56.8 mm	5 -100 mm	BR31042
95-90	Non-Turbo; 260mm Rotor	Vented	Rotor	260 mm	56.8 mm	5 -100 mm	BR31042
94-92	Turbo; 277mm Rotor	Vented	Rotor	276.8 mm	56.7 mm	5 -100 mm	BR31247

REAR

13-10	2.5 GT & 3.6R (290 mm Rotor)	Vented	Rotor	290 mm	64 mm	5 -100 mm	BR901072
	2.5i; 285mm Rotor	Solid	Rotor	285 mm	64 mm	5 -100 mm	BR900826
09-05	Non-Turbo 4 cyl ; Solid Rotor 274 mm	Solid	Rotor	274 mm	67 mm	5 -100 mm	BR900422
	Turbo & 3.0R; Vented Rotor 289.5 mm	Vented	Rotor	289.5 mm	67.5 mm	5 -110 mm	BR900492
04-02	Rear Disc Brakes	Solid	Rotor	289.7 mm	65.8 mm	5 -100 mm	BR31273
2002	Rear Drum Brake	Floating	Drum	269.5 mm	63.22 mm	5 -100 mm	BD35081
12/01-5 /01	w/ Rear Drum Brakes; 5/01 To 12/01	Floating	Drum	269.5 mm	63.2 mm	5 -100 mm	BD35011
9 /01-5 /01	w/ Rear Disc Brakes; 5/01 To 9/01	Solid	Rotor	289.7 mm	65.8 mm	5 -100 mm	BR31273

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
SUBARU							
LEGACY				REAR			
4 /01-00	w/ Rear Disc Brakes; To 4/01	Solid	Rotor	289.7 mm	65.8 mm	5 -100 mm	BR31273
2000	Rear Drum Brake	Floating	Drum	269.5 mm	63.22 mm	5 -100 mm	BD35081
99-94	w/ Rear Drum Brakes	Floating	Drum	269.5 mm	63.2 mm	5 -100 mm	BD35011
99-90	w/ Rear Disc Brakes; Non-Turbo	Solid	Rotor	265.5 mm	65.7 mm	5 -100 mm	BR31043
94-91	Turbo	Vented	Rotor	266 mm	67.5 mm	5 -100 mm	BR31180
LOYALE				FRONT			
94-90		Vented	Rotor	242 mm	44 mm	4 -90 mm	BR3150
				REAR			
94-90	Exc. Turbo; 2WD	Hub/ Bearing	Drum	230 mm	83.82 mm	4 -139.7 mm	BD3548
1990	Turbo	Solid	Rotor	226 mm	42.5 mm	4 -100 mm	BR3273
OUTBACK				FRONT			
13-10	3.6R	Vented	Rotor	316.5 mm	57.1 mm	5 -100 mm	BR900494
	2.5i	Vented	Rotor	292 mm	56.7 mm	5 -100 mm	BR900496
09-06		Vented	Rotor	292 mm	56.7 mm	5 -100 mm	BR900496
2005	Turbo	Vented	Rotor	292 mm	56.7 mm	5 -100 mm	BR900496
	Exc. Turbo	Vented	Rotor	293.5 mm	56.6 mm	5 -100 mm	BR34203
04-01		Vented	Rotor	293.5 mm	56.6 mm	5 -100 mm	BR34203
2000		Vented	Rotor	276.8 mm	56.7 mm	5 -100 mm	BR31247
				REAR			
13-10	2.5i	Solid	Rotor	285 mm	64 mm	5 -100 mm	BR900826
	3.6R	Vented	Rotor	290 mm	64 mm	5 -100 mm	BR901072
09-05		Solid	Rotor	274 mm	67 mm	5 -100 mm	BR900422
04-00		Solid	Rotor	289.7 mm	65.8 mm	5 -100 mm	BR31273
SVX				FRONT			
97-92		Vented	Rotor	302 mm	57 mm	5 -114.3 mm	BR31113
				REAR			
97-92		Solid	Rotor	289.8 mm	65.66 mm	5 -114.3 mm	BR31112
TRIBECA				FRONT			
12-06		Vented	Rotor	315 mm	57 mm	5 -114.3 mm	BR900484
				REAR			
12-06		Vented	Rotor	320	67.7 mm	5 -114.3 mm	BR900486
XT				FRONT			
91-85	242mm Rotor	Vented	Rotor	242 mm	44 mm	4 -90 mm	BR3150
				REAR			
91-85	Rear Disc Brake	Solid	Rotor	226 mm	42.5 mm	4 -100 mm	BR3273
	Rear Drum Brake	Hub/ Bearing	Drum	230 mm	83.82 mm	4 -139.7 mm	BD3548
XT6				FRONT			
91-89	262mm Rotor	Vented	Rotor	262 mm	49.3 mm	5 -100 mm	BR3272

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

SUBARU

XT6

REAR

91-89	4WD	Solid	Rotor	256 mm	60 mm	5 -100 mm	BR3274
-------	-----	-------	-------	--------	-------	-----------	--------

SUZUKI

AERIO

FRONT

07-02		Vented	Rotor	246 mm	50 mm	4 -100 mm	BR31323
-------	--	--------	-------	--------	-------	-----------	---------

REAR

07-02		Floating	Drum	245 mm	56.4 mm	4 -100 mm	BD35084
-------	--	----------	------	--------	---------	-----------	---------

EQUATOR

FRONT

12-11	4.0L	Vented	Rotor	295.8	38.4	6 -114.3mm	BR900282
	2.5L	Vented	Rotor	283	38.5	6 -114.3mm	BR900284
10-09	2WD w/ 283mm Front Rotor	Vented	Rotor	283	38.5	6 -114.3mm	BR900284
	2WD w/ 296mm Front Rotor	Vented	Rotor	295.8	38.4	6 -114.3mm	BR900282
	4WD	Vented	Rotor	295.8	38.4	6 -114.3mm	BR900282

REAR

12-09		Vented	Rotor	285.8 mm	62.05	6 -114.3 mm	BR31410
-------	--	--------	-------	----------	-------	-------------	---------

ESTEEM

FRONT

02-99	1.8L	Vented	Rotor	246 mm	50 mm	4 -100 mm	BR31323
	1.6L	Vented	Rotor	234.9 mm	49.5 mm	4 -100 mm	BR31201
98-95		Vented	Rotor	234.9 mm	49.5 mm	4 -100 mm	BR31201

REAR

02-99		Floating	Drum	245 mm	56.4 mm	4 -100 mm	BD35084
98-95		Floating	Drum	245 mm	56.4 mm	4 -100 mm	BD35035

FORENZA

FRONT

08-04		Vented	Rotor	10"	1.85"	4 -114.3 mm	BR31390
-------	--	--------	-------	-----	-------	-------------	---------

REAR

08-04		Solid	Rotor	10"	2.25"	4 -114.3 mm	BR900630
-------	--	-------	-------	-----	-------	-------------	----------

FORSA

FRONT

88-85		Solid	Rotor	215 mm	33 mm	4 -102 mm	BR3294
-------	--	-------	-------	--------	-------	-----------	--------

GRAND VITARA

FRONT

12-06		Vented	Rotor	277 mm	45.8 mm	5 -114.3 mm	BR900638
05-99		Vented	Rotor	310 mm	29.1 mm	5 -139.7 mm	BR31289

REAR

12-06		Solid	Rotor	308 mm	62 mm	5 -114.3 mm	BR901140
08-06		Floating	Drum	301.8 mm	61.8 mm	5 -114.3 mm	BD920136
05-00		Floating	Drum	262.2 mm	64 mm	5 -139.7 mm	BD80084
1999		Floating	Drum	262 mm	64.9 mm	5 -139.7 mm	BD80083

RENO

FRONT

08-05		Vented	Rotor	10"	1.85"	4 -114.3 mm	BR31390
-------	--	--------	-------	-----	-------	-------------	---------

REAR

08-05		Solid	Rotor	10"	2.25"	4 -114.3 mm	BR900630
-------	--	-------	-------	-----	-------	-------------	----------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
SUZUKI							
SAMURAI		FRONT					
95-88		Solid	Rotor	290 mm	46.2 mm	5 -139.7 mm	BR3222
87-85		Solid	Rotor	290 mm	46.2 mm	5 -139.7 mm	BR3235
SIDEKICK		FRONT					
98-96	2 Door; Convertible	Solid	Rotor	290 mm	46.2 mm	5 -139.7 mm	BR3222
	4 Door 1.6L; Exc. SPORT	Vented	Rotor	287 mm	46 mm	5 -139.7 mm	BR31177
	4 Door 1.8L SPORT	Vented	Rotor	310 mm	46 mm	5 -139.7 mm	BR31188
95-91	2 Door	Solid	Rotor	290 mm	46.2 mm	5 -139.7 mm	BR3222
	4 Door	Vented	Rotor	287 mm	46 mm	5 -139.7 mm	BR31177
90-89		Solid	Rotor	290 mm	46.2 mm	5 -139.7 mm	BR3222
REAR							
98-96	2 Door; Convertible	Floating	Drum	262 mm	61.1 mm	5 -139.7 mm	BD35023
	4 Door 1.6L; Exc. SPORT	Floating	Drum	313.8 mm	67.6 mm	5 -139.7 mm	BD35030
	4 Door 1.8L SPORT	Floating	Drum	313.8 mm	67.6 mm	5 -139.7 mm	BD35030
95-91	2 Door	Floating	Drum	263.3 mm	61 mm	5 -139.7 mm	BD3514
	4 Door	Floating	Drum	296 mm	67 mm	5 -139.7 mm	BD3590
90-89		Floating	Drum	263.3 mm	61 mm	5 -139.7 mm	BD3514
SJ410		FRONT					
85-83		Solid	Rotor	290 mm	46.2 mm	5 -139.7 mm	BR3222
SWIFT		FRONT					
12-06		Vented	Rotor	10.0"	1.61"	4 -100 mm	BR900314
01-95		Vented	Rotor	231.2 mm	50 mm	4 -114.3 mm	BR31015
94-89	GT, GTI	Vented	Rotor	250 mm	47 mm	4 -114.3 mm	BR31077
	Exc. GT, GTI	Vented	Rotor	231.2 mm	50 mm	4 -114.3 mm	BR31015
REAR							
01-95	w/ ABS	Floating	Drum	222 mm	51 mm	4 -114.3 mm	BD35031
	w/o ABS	Hub/ Bearing	Drum	221.8 mm	74 mm	4 -114.3 mm	BD35003
94-90	4 Door	Floating	Drum	245 mm	56.6 mm	4 -114.3 mm	BD35018
94-89	Exc. GT, GTI & 4 Door	Hub/ Bearing	Drum	221.8 mm	74 mm	4 -114.3 mm	BD35003
SX4		FRONT					
12-07		Vented	Rotor	279.88 mm	47.3 mm	5 -114.3 mm	BR900642
REAR							
12-07	w/ Rear Disc Brake	Solid	Rotor	278 mm	43.7 mm	5 -114.3 mm	BR900640
VERONA		FRONT					
06-04		Vented	Rotor	278 mm	47.3 mm	4 -114.3 mm	BR900628
REAR							
06-04		Solid	Rotor	10 7/8"	2.25"	4 -114.3 mm	BR900644

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

SUZUKI

VITARA

FRONT

04-99		Vented	Rotor	286.5 mm	29 mm	5 -139.7 mm	BR55060
-------	--	--------	-------	----------	-------	-------------	---------

REAR

04-99		Floating	Drum	262 mm	64.9 mm	5 -139.7 mm	BD80083
-------	--	----------	------	--------	---------	-------------	---------

X-90

FRONT

98-96		Solid	Rotor	290 mm	46.2 mm	5 -139.7 mm	BR3222
-------	--	-------	-------	--------	---------	-------------	--------

REAR

98-96		Floating	Drum	262 mm	61.1 mm	5 -139.7 mm	BD35023
-------	--	----------	------	--------	---------	-------------	---------

XL-7

FRONT

09-07		Vented	Rotor	11.65"	2.05"	5 -4.5"	BR900320
-------	--	--------	-------	--------	-------	---------	----------

06-01		Vented	Rotor	310 mm	29.1 mm	5 -139.7 mm	BR31289
-------	--	--------	-------	--------	---------	-------------	---------

REAR

09-07		Vented	Rotor	11.93"	2.84"	5 -4.5"	BR900306
-------	--	--------	-------	--------	-------	---------	----------

06-01		Floating	Drum	302 mm	70.14 mm	5 -139.7 mm	BD35099
-------	--	----------	------	--------	----------	-------------	---------

TOYOTA

4RUNNER

FRONT

12-10		Vented	Rotor	338 mm	68.6 mm	6 -139.7 mm	BR900910
-------	--	--------	-------	--------	---------	-------------	----------

09-03	w/ 338mm Front Rotors (17 Inch Wheels)	Vented	Rotor	338 mm	67.43 mm	6 -139.7 mm	BR31326
-------	--	--------	-------	--------	----------	-------------	---------

	w/ 319mm Front Rotors (16 Inch Wheels)	Vented	Rotor	319 mm	67.5 mm	6 -139.7 mm	BR31327
--	--	--------	-------	--------	---------	-------------	---------

02-96	Exc. w/ 16 Inch Wheels or Luxury Edition; 297mm Rotor	Vented	Rotor	296.8 mm	70.5 mm	6 -139.7 mm	BR31165
-------	--	--------	-------	----------	---------	-------------	---------

	w/ 16 Inch Wheels or Luxury Edition; 318.5mm Rotor	Vented	Rotor	318.5 mm	70.5 mm	6 -139.7 mm	BR31204
--	---	--------	-------	----------	---------	-------------	---------

95-92		Vented	Rotor	290.5 mm	65.9 mm	6 -127 mm	BR31055
-------	--	--------	-------	----------	---------	-----------	---------

91-86		Vented	Rotor	289 mm	64.4 mm	6 -127 mm	BR3257
-------	--	--------	-------	--------	---------	-----------	--------

85-84		Solid	Rotor	302 mm	48 mm	6 -139.7 mm	BR3124
-------	--	-------	-------	--------	-------	-------------	--------

REAR

12-10		Vented	Rotor	312 mm	68.3 mm	6 -139.7 mm	BR900912
-------	--	--------	-------	--------	---------	-------------	----------

09-03		Vented	Rotor	312 mm	68.1 mm	6 -139.7 mm	BR31294
-------	--	--------	-------	--------	---------	-------------	---------

02-86		Floating	Drum	342.5 mm	83 mm	6 -139.7 mm	BD3558
-------	--	----------	------	----------	-------	-------------	--------

85-84		Floating	Drum	300 mm	77.5 mm	6 -139.7 mm	BD3502
-------	--	----------	------	--------	---------	-------------	--------

AVALON

FRONT

12-08		Vented	Rotor	296.35 mm	49.6 mm	5 -114.3 mm	BR900340
-------	--	--------	-------	-----------	---------	-------------	----------

07-05		Vented	Rotor	296 mm	49.2 mm	5 -114.3 mm	BR31314
-------	--	--------	-------	--------	---------	-------------	---------

04-00		Vented	Rotor	275 mm	49.2 mm	5 -114.3 mm	BR31050
-------	--	--------	-------	--------	---------	-------------	---------

99-95		Vented	Rotor	275 mm	49.2 mm	5 -114.3 mm	BR31050
-------	--	--------	-------	--------	---------	-------------	---------

REAR

12-08		Solid	Rotor	280.93 mm	67 mm	5 -114.3 mm	BR900342
-------	--	-------	-------	-----------	-------	-------------	----------

07-05		Solid	Rotor	269 mm	65 mm	5 -114.3 mm	BR31322
-------	--	-------	-------	--------	-------	-------------	---------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

TOYOTA

AVALON

REAR

04-00		Solid	Rotor	288 mm	64.8 mm	5 -114.3 mm	BR31268
99-95		Solid	Rotor	291 mm	64.7 mm	5 -114.3 mm	BR31152

CAMRY

FRONT

13-07		Vented	Rotor	296.35 mm	49.6 mm	5 -114.3 mm	BR900340
06-05	SE V6 & XLE V6; 296mm Front Rotor	Vented	Rotor	296 mm	49.2 mm	5 -114.3 mm	BR31314
06-02	Exc. SE V6 and XLE V6; 275mm Front Rotor	Vented	Rotor	275 mm	49.2 mm	5 -114.3 mm	BR31260
04-02	SE V6 & XLE V6 w/ Stepped Hat Rotor	Vented	Rotor	296 mm	49.2 mm	5 -114.3 mm	BR31266
1 /03-02	SE V6 & XLE V6; w/ Plain Hat Rotor; To 1/03	Vented	Rotor	296 mm	49.2 mm	5 -114.3 mm	BR31314
01-00	4 cyl; w/ 14 Inch Wheels (Made In Japan); 255mm Rotor	Vented	Rotor	255 mm	49.3 mm	5 -114.3 mm	BR3291
	4 cyl; w/ 15 Inch Wheels (Made in U.S.A.); 275mm Rotor	Vented	Rotor	275 mm	49.2 mm	5 -114.3 mm	BR31260
	6 cyl; 275mm Rotor	Vented	Rotor	275 mm	49.2 mm	5 -114.3 mm	BR31260
99-92	V6	Vented	Rotor	275 mm	49.2 mm	5 -114.3 mm	BR31050
	L4; 255mm Front Rotor	Vented	Rotor	255 mm	49.3 mm	5 -114.3 mm	BR3291
91-90	DLX, LE; ABS	Vented	Rotor	277.1 mm	48.25 mm	5 -100 mm	BR31065
91-88	w/o ABS;255mm Front Rotor	Vented	Rotor	254.8 mm	47.95 mm	5 -100 mm	BR3286
9 /91-5 /87	Wagon V6; 5/87 To 9/91	Vented	Rotor	277.1 mm	48.25 mm	5 -100 mm	BR31065
1987	w/o ABS; From 5/11/87	Vented	Rotor	254.8 mm	47.95 mm	5 -100 mm	BR3286
	To 5/11/87	Vented	Rotor	255 mm	48 mm	5 -100 mm	BR3236
86-83		Vented	Rotor	243 mm	45.5 mm	5 -100 mm	BR3122

REAR

13-07		Solid	Rotor	280.93 mm	67 mm	5 -114.3 mm	BR900342
06-02	w/ Rear Disc Brakes	Solid	Rotor	269 mm	65 mm	5 -114.3 mm	BR31322
	w/ Rear Drum Brakes	Floating	Drum	282 mm	70.62 mm	5 -114.3 mm	BD35091
01-92	w/ Rear Drum Brakes	Floating	Drum	272 mm	71 mm	5 -114.3 mm	BD3534
	w/ Rear Disc Brakes Exc. 92-96 V6 Wagon	Solid	Rotor	269 mm	64.9 mm	5 -114.3 mm	BR31075
96-92	V6 Wagon	Solid	Rotor	288 mm	64.8 mm	5 -114.3 mm	BR31110
91-88	ALL TRAC	Solid	Rotor	269 mm	59.8 mm	5 -100 mm	BR31091
	DLX, LE; V6	Solid	Rotor	269 mm	64.5 mm	5 -100 mm	BR3267
9 /91-5 /87	Wagon V6; 5/87 To 9/91	Solid	Rotor	269 mm	64.5 mm	5 -100 mm	BR3267
91-87	W/ Rear Drum Brakes	Floating	Drum	272 mm	71 mm	5 -100 mm	BD3524
86-83		Floating	Drum	236 mm	66.5 mm	5 -100 mm	BD3503

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

TOYOTA

CARINA

FRONT

73-72		Solid	Rotor	228 mm	17.5 mm	4 -87 mm	BR3111
-------	--	-------	-------	--------	---------	----------	--------

REAR

73-72		Floating	Drum	273 mm	71 mm	4 -114.3 mm	BD3541
-------	--	----------	------	--------	-------	-------------	--------

CELICA

FRONT

05-02	GT	Vented	Rotor	275 mm	49.3 mm	5 -100 mm	BR31270
05-01	GT-S	Vented	Rotor	275 mm	49.3 mm	5 -100 mm	BR31270
01-00		Vented	Rotor	255 mm	49.4 mm	5 -100 mm	BR31197
2000		Vented	Rotor	275 mm	49.3 mm	5 -100 mm	BR31270
99-94	GT ; 2.2L	Vented	Rotor	275 mm	49.3 mm	5 -100 mm	BR31189
97-94	1.8L	Vented	Rotor	255 mm	49.4 mm	5 -100 mm	BR31197
93-92	GT, ST Coupe & Hatchback; 276.8mm Front Rotor	Vented	Rotor	276.8 mm	46.35 mm	5 -100 mm	BR31078
	GT; Convertible; 255mm Front Rotor	Vented	Rotor	255 mm	46 mm	5 -100 mm	BR3228
93-90	All Trac & All Trac Turbo ; 276.8mm Front Rotor	Vented	Rotor	276.8 mm	46.35 mm	5 -100 mm	BR31078
91-90	ST; 238mm Front Rotor	Vented	Rotor	238 mm	46.5 mm	4 -100 mm	BR31072
	GT & GT-S; 255mm Front Rotor	Vented	Rotor	255 mm	46 mm	5 -100 mm	BR31074
89-88	GTS SPORT; w/o ABS	Vented	Rotor	258 mm	47.2 mm	5 -100 mm	BR3227
	ALL TRAC,GTS SPORT w/ abs	Vented	Rotor	255 mm	46 mm	5 -100 mm	BR3228
89-86	GT, ST, ST SPORT	Vented	Rotor	243 mm	47.9 mm	4 -100 mm	BR3226
87-86	GTS SPORT	Vented	Rotor	258 mm	47.2 mm	5 -100 mm	BR3227
85-82		Vented	Rotor	258 mm	26 mm	4 -100 mm	BR3106
81-76		Solid	Rotor	254 mm	16 mm	4 -97 mm	BR3137
75-71		Solid	Rotor	228 mm	17.5 mm	4 -87 mm	BR3111

REAR

05-02	GT	Floating	Drum	242 mm	52.7 mm	5 -100 mm	BD35089
05-01	GT-S	Solid	Rotor	269 mm	55.9 mm	5 -100 mm	BR31269
01-00		Floating	Drum	242 mm	52.7 mm	5 -100 mm	BD80092
2000		Solid	Rotor	269 mm	55.9 mm	5 -100 mm	BR31269
99-96	Exc. ST	Solid	Rotor	269 mm	64.6 mm	5 -100 mm	BR31193
97-94	Exc. GT	Floating	Drum	235 mm	65.5 mm	5 -100 mm	BD35022
95-94	Exc. ST	Solid	Rotor	269 mm	64.8 mm	5 -100 mm	BR31192
93-90	ALL TRAC, GTS ALL TRAC	Solid	Rotor	288 mm	60 mm	5 -100 mm	BR31081
	GT, ST	Floating	Drum	235 mm	65.5 mm	5 -100 mm	BD3530
93-86	GT, GTS, GTS SPORT	Solid	Rotor	269 mm	64.5 mm	5 -100 mm	BR3267
91-86	GT, ST, ST SPORT	Floating	Drum	235 mm	65.5 mm	4 -100 mm	BD3593
89-88	ALL TRAC	Solid	Rotor	269 mm	59.8 mm	5 -100 mm	BR31091
85-84	GTS	Vented	Rotor	265.8 mm	61 mm	4 -114.3 mm	BR3265

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

TOYOTA

CELICA

REAR

85-71	Exc. GTS	Floating	Drum	273 mm	71 mm	4 -114.3 mm	BD3541
-------	----------	----------	------	--------	-------	-------------	--------

COROLLA

FRONT

13-09	Exc XRS; 275mm	Vented	Rotor	275 mm	47.2 mm	5 -100 mm	BR900570
2010	XRS	Vented	Rotor	275 mm	47.2 mm	5 -100 mm	BR900570
2009	XRS	Vented	Rotor	296.35 mm	49.6 mm	5 -114.3 mm	BR900340
08-03		Vented	Rotor	275 mm	49.3 mm	5 -100 mm	BR31270
02-98		Vented	Rotor	255 mm	48.3 mm	4 -100 mm	BR31056
97-93	Exc. ALL TRAC	Vented	Rotor	255 mm	48.3 mm	4 -100 mm	BR31056
92-88	ALL TRAC	Vented	Rotor	237.9 mm	48 mm	4 -100 mm	BR3289
	FWD WAGON	Vented	Rotor	237.9 mm	48 mm	4 -100 mm	BR3289
	SEDAN	Vented	Rotor	237.9 mm	48 mm	4 -100 mm	BR3289
91-90	GTS COUPE	Vented	Rotor	257.8 mm	47.8 mm	4 -100 mm	BR31001
91-88	COUPE Exc GTS	Vented	Rotor	237.9 mm	48 mm	4 -100 mm	BR3289
89-88	GTS COUPE	Vented	Rotor	237.9 mm	48 mm	4 -100 mm	BR3289
88-87	FX16 & FX16 GTS	Vented	Rotor	243 mm	47 mm	4 -100 mm	BR3251
	FX	Solid	Rotor	243 mm	47.4 mm	4 -100 mm	BR3199
87-85	GTS COUPE	Vented	Rotor	234 mm	38 mm	4 -87 mm	BR3126
87-84	SEDAN FWD	Solid	Rotor	243 mm	47.4 mm	4 -100 mm	BR3199
	COUPE Exc GTS	Vented	Rotor	234 mm	38 mm	4 -87 mm	BR3126
83-80	3TC / 4AC	Solid	Rotor	229 mm	223 mm	4 -87 mm	BR3157
79-71	2TC	Solid	Rotor	228 mm	17.5 mm	4 -87 mm	BR3111

REAR

13-09	w/ Rear Drum Brakes	Floating	Drum	284 mm	56.4 mm	5 -100 mm	BD920146
2010	XRS	Solid	Rotor	259 mm	30.9 mm	5 -100 mm	BR900756
2009	XRS	Solid	Rotor	279 mm	32 mm	5 -4.5"	BR900346
08-03	w/ Rear Drum Brake	Floating	Drum	242 mm	52.7 mm	5 -100 mm	BD80092
06-05	XRS	Solid	Rotor	269 mm	55.9 mm	5 -100 mm	BR31269
02-98		Floating	Drum	235 mm	65.5 mm	4 -100 mm	BD3578
97-93	Exc. ALL TRAC	Floating	Drum	235 mm	65.5 mm	4 -100 mm	BD3578
92-88	FWD WAGON	Floating	Drum	235 mm	65.5 mm	4 -100 mm	BD3593
	SEDAN	Floating	Drum	235 mm	65.5 mm	4 -100 mm	BD3593
	ALL TRAC	Floating	Drum	242 mm	70.5 mm	4 -100 mm	BD3505
91-90	GTS COUPE	Solid	Rotor	242 mm	36 mm	4 -100 mm	BR3268
91-88	COUPE Exc GTS	Floating	Drum	235 mm	65.5 mm	4 -100 mm	BD3593
89-88	GTS COUPE	Solid	Rotor	242 mm	36 mm	4 -100 mm	BR3268
88-87	FX16 & FX16 GTS	Solid	Rotor	242 mm	36 mm	4 -100 mm	BR3268
	FX	Floating	Drum	235 mm	66.5 mm	4 -100 mm	BD3589

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

TOYOTA

COROLLA

REAR

87-85	GTS COUPE	Solid	Rotor	231 mm	47.2 mm	4 -114.3 mm	BR3266
87-84	SEDAN FWD	Floating	Drum	235 mm	66.5 mm	4 -100 mm	BD3589
	COUPE Exc GTS	Floating	Drum	273 mm	71 mm	4 -114.3 mm	BD3541
83-80	3TC / 4AC	Floating	Drum	273 mm	71 mm	4 -114.3 mm	BD3541
79-71	2TC	Floating	Drum	273 mm	71 mm	4 -114.3 mm	BD3541

CORONA

FRONT

82-75		Solid	Rotor	266 mm	42 mm	4 -100 mm	BR3117
1974	w/ 266 mm Brakes	Solid	Rotor	266 mm	42 mm	4 -100 mm	BR3117
73-70	w/ 228 mm Brakes	Solid	Rotor	228 mm	17.5 mm	4 -87 mm	BR3111
1972	w/ 266 mm Brakes	Solid	Rotor	266 mm	42 mm	4 -100 mm	BR3117
70-68	w/ 273 mm Brakes	Floating	Drum	273 mm	71 mm	4 -114.3 mm	BD3541

REAR

82-74		Floating	Drum	273 mm	71 mm	4 -114.3 mm	BD3541
-------	--	----------	------	--------	-------	-------------	--------

CRESSIDA

FRONT

92-89	Luxury	Vented	Rotor	279 mm	68.2 mm	5 -114.3 mm	BR31016
88-86	Sedan	Vented	Rotor	272 mm	40 mm	4 -100 mm	BR3247
87-86	Wagon	Vented	Rotor	248 mm	40 mm	4 -100 mm	BR3252
1985		Vented	Rotor	248 mm	40 mm	4 -100 mm	BR3252
84-83		Vented	Rotor	248 mm	28 mm	4 -100 mm	BR3230
82-81		Vented	Rotor	248 mm	28 mm	4 -100 mm	BR3229
82-78		Solid	Rotor	266 mm	42 mm	4 -100 mm	BR3117

REAR

92-89	Luxury	Vented	Rotor	272 mm	70.35 mm	5 -114.3 mm	BR31032
88-85	Sedan	Vented	Rotor	269 mm	60.2 mm	4 -114.3 mm	BR31013
87-86	Wagon	Floating	Drum	273 mm	71 mm	4 -114.3 mm	BD3541
1985		Floating	Drum	273 mm	71 mm	4 -114.3 mm	BD3541
84-83	Wagon	Floating	Drum	273 mm	71 mm	4 -114.3 mm	BD3541
	Sedan	Vented	Rotor	261 mm	60.3 mm	4 -114.3 mm	BR31022
82-78		Floating	Drum	273 mm	71 mm	4 -114.3 mm	BD3541

ECHO

FRONT

05-01		Vented	Rotor	255 mm	43.2 mm	4 -100 mm	BR31299
2000		Vented	Rotor	235 mm	43.2 mm	4 -100 mm	BR31293

REAR

05-02		Floating	Drum	220 mm	47.3 mm	4 -100 mm	BD35092
01-00		Floating	Drum	220 mm	47.3 mm	4 -100 mm	BD80096

FJ CRUISER

FRONT

13-07		Vented	Rotor	319 mm	67.5 mm	6 -139.7 mm	BR31327
-------	--	--------	-------	--------	---------	-------------	---------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
TOYOTA							
FJ CRUISER				REAR			
13-11		Vented	Rotor	312 mm	68.3 mm	6 -139.7 mm	BR900912
10-07		Vented	Rotor	312 mm	68.1 mm	6 -139.7 mm	BR31294
HIGHLANDER				FRONT			
12-08		Vented	Rotor	328 mm	49.7 mm	5 -114.3 mm	BR900566
07-06	Hybrid	Vented	Rotor	319 mm	49.3 mm	5 -114.3 mm	BR31392
07-03	Exc. Hybrid	Vented	Rotor	296 mm	49.2 mm	5 -114.3 mm	BR31266
02-01		Vented	Rotor	296 mm	49.2 mm	5 -114.3 mm	BR31331
				REAR			
12-08		Solid	Rotor	308.9 mm	70.3 mm	5 -114.3 mm	BR900568
07-04		Solid	Rotor	288 mm	69.5 mm	5 -114.3 mm	BR31356
03-01	4WD	Solid	Rotor	288 mm	60.1 mm	5 -114.3 mm	BR31261
	2WD	Solid	Rotor	288 mm	64.8 mm	5 -114.3 mm	BR31110
LAND CRUISER				FRONT			
13-08		Vented	Rotor	340 mm	84.3 mm	5 -149.6 mm	BR900572
07-98		Vented	Rotor	313 mm	69.7 mm	5 -144 mm	BR31265
97-93	FZJ 80	Vented	Rotor	311.5 mm	58.2 mm	6 -139.7 mm	BR31131
92-90	FJ 80	Vented	Rotor	286 mm	58.2 mm	6 -139.7 mm	BR31031
89-81	Exc. BJ42, BJ60, BJ60LG-MK, BJ60LV-KK, BJ70, HJ60	Vented	Rotor	302 mm	48 mm	6 -139.7 mm	BR3237
				REAR			
13-08	Reorder	Vented	Rotor	345 mm	77 mm	5 -150 mm	BR900338
11-08	Superseded to BR900338	Vented	Rotor	345 mm	77 mm	5 -149.6 mm	BR900574
07-98		Vented	Rotor	329.5 mm	102.4 mm	5 -149.6 mm	BR31264
97-95	w/ Rear Disc Brake	Vented	Rotor	335 mm	102.7 mm	6 -139.7 mm	BR31154
89-81	Exc. BJ42, BJ60, BJ60LG-MK, BJ60LV-KK, BJ70, HJ60	Floating	Drum	344 mm	85.6 mm	6 -139 mm	BD35043
MARK II				FRONT			
76-72		Solid	Rotor	266 mm	42 mm	4 -100 mm	BR3117
MATRIX				FRONT			
12-09	1.8L	Vented	Rotor	275 mm	47.2 mm	5 -100 mm	BR900570
	2.4L	Vented	Rotor	296.35 mm	49.6 mm	5 -114.3 mm	BR900340
08-03		Vented	Rotor	275 mm	49.3 mm	5 -100 mm	BR31270
				REAR			
12-09	2.4L FWD	Solid	Rotor	279 mm	32 mm	5 -4.5"	BR900346
	S AWD & All XRS	Solid	Rotor	281 mm	58.4 mm	5 -114.3 mm	BR900754
	1.8L	Solid	Rotor	259 mm	30.9 mm	5 -100 mm	BR900756
08-03	2WD w/ Rear Drum	Floating	Drum	272 mm	55.2 mm	5 -100 mm	BD80104
06-03	4WD w/ Rear Drum	Floating	Drum	272 mm	81.5 mm	5 -100 mm	BD80103
	w/ Rear Disc Brake	Solid	Rotor	269 mm	55.9 mm	5 -100 mm	BR31269

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

TOYOTA

MR2

FRONT

06-00		Vented	Rotor	255 mm	43.2 mm	4 -100 mm	BR31299
95-93	2.2L	Vented	Rotor	258 mm	47.5 mm	5 -114.3 mm	BR3293
	2.0L	Vented	Rotor	275 mm	47.5 mm	5 -114.3 mm	BR31195
92-91		Vented	Rotor	258 mm	47.5 mm	5 -114.3 mm	BR3293
89-87		Vented	Rotor	257.8 mm	47.8 mm	4 -100 mm	BR31001
86-85		Vented	Rotor	243 mm	47 mm	4 -100 mm	BR3251

REAR

06-00		Vented	Rotor	263 mm	41.2 mm	4 -100 mm	BR31298
95-91	Exc. 93-95 Turbo	Vented	Rotor	263 mm	46.2 mm	5 -114.3 mm	BR31096
89-87		Solid	Rotor	263 mm	40 mm	4 -100 mm	BR31068
86-85		Solid	Rotor	240 mm	40 mm	4 -100 mm	BR31067

PASEO

FRONT

99-96		Vented	Rotor	238 mm	42.94 mm	4 -100 mm	BR3290
95-92		Vented	Rotor	253.9 mm	43.2 mm	4 -100 mm	BR31053

REAR

99-96	w/o ABS	Hub/ Bearing	Drum	207 mm	80.5 mm	4 -100 mm	BD35061
99-93	w/ ABS	Hub/ Bearing	Drum	207 mm	80.5 mm	4 -100 mm	BD920120
95-93	w/o ABS	Hub/ Bearing	Drum	207 mm	80.5 mm	4 -100 mm	BD35014
1992		Hub/ Bearing	Drum	207 mm	80.5 mm	4 -100 mm	BD3576

PICKUP

FRONT

95-91	2WD; 1/2 Ton, Calipers cast F18Q; 254mm Front Rotors	Vented	Rotor	253.4 mm	46 mm	5 -110 mm	BR31049
	2WD; 1/2 Ton, Calipers Cast 17s; 248mm Front Rotors	Vented	Rotor	247.9 mm	46 mm	5 -110 mm	BR3120
95-86	4WD	Vented	Rotor	289 mm	64.4 mm	6 -127 mm	BR3257
94-89	2WD; DRW	Vented	Rotor	262 mm	60 mm	6 -110 mm	BR31079
92-91	2WD; 1 Ton, SRW	Vented	Rotor	257 mm	46.5 mm	5 -110 mm	BR31210
90-89	2WD; 1 Ton; SRW	Vented	Rotor	257 mm	46.5 mm	5 -110 mm	BR31210
	2WD; 1/2 Ton Std	Vented	Rotor	247.9 mm	46 mm	5 -110 mm	BR3120
	2WD; 1/2 Ton Deluxe	Vented	Rotor	253.4 mm	46 mm	5 -110 mm	BR31049
88-87	DRW	Vented	Rotor	256.5 mm	46.6 mm	6 -110 mm	BR31069
	2WD; 1 Ton, Heavy Duty	Vented	Rotor	257 mm	46.5 mm	5 -110 mm	BR31210
88-86	2WD; 1/2 Ton, Except Heavy Duty	Vented	Rotor	247.9 mm	46 mm	5 -110 mm	BR3120
1986	2WD; 1/2 Ton, Base Model	Vented	Rotor	247.9 mm	46 mm	5 -110 mm	BR3120
	2WD; 1/2 Ton, Deluxe Model	Vented	Rotor	257 mm	46.5 mm	5 -110 mm	BR31210

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

TOYOTA

PICKUP

FRONT

1985	2WD; 1 ton, heavy duty	Vented	Rotor	257 mm	46.5 mm	5 -110 mm	BR31210
85-81	4WD	Solid	Rotor	302 mm	48 mm	6 -139.7 mm	BR3124
1984	2WD; 1/2 Ton, Except Heavy Duty	Vented	Rotor	247.9 mm	46 mm	5 -110 mm	BR3120
83-80	2WD; 1 Ton, Heavy Duty	Vented	Rotor	252 mm	26 mm	5 -104 mm	BR3195
83-79	2WD; 1/2 ton,3/4 ton	Solid	Rotor	266 mm	42 mm	5 -104 mm	BR3141
78-11/74	From 11/74	Solid	Rotor	266 mm	42 mm	5 -104 mm	BR3141
74-72		Floating	Drum	302.5 mm	78 mm	5 -114.3 mm	BD3523

REAR

95-89	2WD; 1/2 Ton; SRW	Floating	Drum	305.5 mm	72 mm	5 -114.3 mm	BD3596
95-86	4WD	Floating	Drum	342.5 mm	83 mm	6 -139.7 mm	BD3558
93-89	2WD; DRW; 1 TON; Exc. Cab & Chassis	Floating	Drum	302.5 mm	78 mm	5 -114.3 mm	BD3523
	2WD; DRW; 1 TON; Cab & Chassis	Floating	Drum	302 mm	86.5 mm	6 -154 mm	BD3532
92-89	2WD; 1 Ton; SRW	Floating	Drum	302.5 mm	78 mm	5 -114.3 mm	BD3598
1988	SR5; DRW	Floating	Drum	302 mm	86.5 mm	6 -154 mm	BD3532
88-86	2WD; 1/2 Ton	Floating	Drum	305.5 mm	72 mm	5 -114.3 mm	BD3506
1987	2WD; 1 ton, heavy duty	Floating	Drum	302.5 mm	78 mm	5 -114.3 mm	BD3523
1985	2WD; 1 ton, heavy duty	Floating	Drum	302.5 mm	78 mm	5 -114.3 mm	BD3523
	4WD	Floating	Drum	300 mm	77.5 mm	6 -139.7 mm	BD3502
1984	4WD	Floating	Drum	300 mm	77.5 mm	6 -139.7 mm	BD3502
	2WD; 1/2 Ton	Floating	Drum	305.5 mm	72 mm	5 -114.3 mm	BD3506
83-80	4WD	Floating	Drum	300 mm	77.5 mm	6 -139.7 mm	BD3502
83-79	2WD; 1 ton, heavy duty	Floating	Drum	302.5 mm	78 mm	5 -114.3 mm	BD3523
78-72		Floating	Drum	302.5 mm	78 mm	5 -114.3 mm	BD3523

PREVIA

FRONT

1997		Vented	Rotor	278.9 mm	52.8 mm	5 -114.3 mm	BR31168
96-95	w/ ABS	Vented	Rotor	270.9 mm	52.75 mm	5 -114.3 mm	BR31106
	w/o ABS	Vented	Rotor	278.9 mm	52.8 mm	5 -114.3 mm	BR31168
94-91	w/o ABS; Rear Disc Brakes	Vented	Rotor	278.9 mm	52.8 mm	5 -114.3 mm	BR31168
	w/ ABS; Rear Disc Brakes	Vented	Rotor	270.9 mm	52.75 mm	5 -114.3 mm	BR31106
	w/ Rear Drum Brakes	Vented	Rotor	255 mm	52.8 mm	5 -114.3 mm	BR31048

REAR

97-91	w/ Rear Disc Brakes	Vented	Rotor	291 mm	68.55 mm	5 -114.3 mm	BR31157
	w/ Rear Drum Brakes	Floating	Drum	303.2 mm	73.4 mm	5 -114.3 mm	BD35007

PRIUS

FRONT

13-10		Vented	Rotor	255 mm	50 mm	5 -100 mm	BR900908
09-04		Vented	Rotor	255 mm	49.3 mm	5 -100 mm	BR31377

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

TOYOTA

PRIUS

FRONT

03-01		Vented	Rotor	255 mm	48.3 mm	4 -100 mm	BR31292
-------	--	--------	-------	--------	---------	-----------	---------

REAR

13-10		Solid	Rotor	259 mm	30.9 mm	5 -100 mm	BR900756
2009		Floating	Drum	252 mm	52.3 mm	5 -100 mm	BD920148
08-04		Floating	Drum	242 mm	52.7 mm	5 -100 mm	BD80092
03-01		Floating	Drum	233 mm	51.8 mm	4 -100 mm	BD80094

PRIUS C

FRONT

13-12		Vented	Rotor	254 mm	47 mm	4 -100 mm	BR900348
-------	--	--------	-------	--------	-------	-----------	----------

PRIUS V

FRONT

13-12		Vented	Rotor	275 mm	46.57 mm	5 -114.3 mm	BR900344
-------	--	--------	-------	--------	----------	-------------	----------

RAV4

FRONT

12-06	w/o Third Row Seat; 275mm Rotor	Vented	Rotor	275 mm	46.57 mm	5 -114.3 mm	BR900344
	w/ Third Row Seat; 297mm Rotor	Vented	Rotor	296.35 mm	49.6 mm	5 -114.3 mm	BR900340
05-04		Vented	Rotor	275 mm	49.3 mm	5 -114.3 mm	BR31295
03-01	Exc. ELECTRIC, Vin S	Vented	Rotor	275 mm	49.3 mm	5 -114.3 mm	BR31295
	ELECTRIC, Vin S	Vented	Rotor	302 mm	46.3 mm	5 -114.3 mm	BR31208
00-96		Vented	Rotor	302 mm	46.3 mm	5 -114.3 mm	BR31208

REAR

12-06		Solid	Rotor	281 mm	56 mm	5 -114.3 mm	BR900360
05-04		Solid	Rotor	303 mm	62.4 mm	5 -114.3 mm	BR31361
03-01	Exc. ELECTRIC, Vin S	Floating	Drum	277 mm	64 mm	5 -114.3 mm	BD80111
00-96		Floating	Drum	277 mm	64 mm	5 -114.3 mm	BD35038

SEQUOIA

FRONT

12-08		Vented	Rotor	13 15/16"	3.3"	5 -150 mm	BR900336
07-01		Vented	Rotor	318.7 mm	70.4 mm	6 -139.7 mm	BR31267

REAR

12-08		Vented	Rotor	345 mm	77 mm	5 -150 mm	BR900338
07-01		Vented	Rotor	312 mm	68.1 mm	6 -139.7 mm	BR31294

SIENNA

FRONT

12-11		Vented	Rotor	328 mm	49.7 mm	5 -114.3 mm	BR900566
10-04		Vented	Rotor	296 mm	49.2 mm	5 -114.3 mm	BR31314
03-98		Vented	Rotor	275 mm	49.2 mm	5 -114.3 mm	BR31050

REAR

12-11		Vented	Rotor	308 mm	63.2 mm	5 -114.3 mm	BR901006
10-04	Rear Disc Brake	Solid	Rotor	291 mm	68.5 mm	5 -114.3 mm	BR31357
08-04	Rear Drum Brake	Floating	Drum	306 mm	73.6 mm	5 -114.3 mm	BD35106
03-98		Floating	Drum	335 mm	78.85 mm	5 -114.3 mm	BD35068

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
TOYOTA							
SOLARA							
FRONT							
08-04		Vented	Rotor	296 mm	49.2 mm	5 -114.3 mm	BR31314
03-99		Vented	Rotor	275 mm	49.2 mm	5 -114.3 mm	BR31050
REAR							
08-04		Solid	Rotor	269 mm	65 mm	5 -114.3 mm	BR31322
03-02	w/ Rear Drum Brake	Floating	Drum	282 mm	70.62 mm	5 -114.3 mm	BD35091
03-99	w/ Rear Disc Brake	Solid	Rotor	269 mm	64.9 mm	5 -114.3 mm	BR31075
01-99	w/ Rear Drum Brake	Floating	Drum	272 mm	71 mm	5 -114.3 mm	BD3534
STARLET							
FRONT							
84-81		Solid	Rotor	226 mm	31 mm	4 -84 mm	BR3193
SUPRA							
FRONT							
98-93	Exc. Twin Turbo	Vented	Rotor	296 mm	50.5 mm	5 -114.3 mm	BR31178
92-86		Vented	Rotor	302 mm	53.3 mm	5 -114.3 mm	BR3223
85-82		Vented	Rotor	258 mm	26 mm	4 -100 mm	BR3106
81-79		Solid	Rotor	254 mm	26 mm	4 -100 mm	BR3225
FRONT LEFT							
98-93	Left; Twin Turbo	Vented	Rotor	323 mm	49 mm	5 -114.3 mm	BR31185
FRONT RIGHT							
98-93	Right; Twin Turbo	Vented	Rotor	323 mm	49 mm	5 -114.3 mm	BR31184
REAR							
98-93	Exc. Twin Turbo	Vented	Rotor	306.7 mm	67.35 mm	5 -114.3 mm	BR31153
92-86		Vented	Rotor	291 mm	68.55 mm	5 -114.3 mm	BR31157
85-82		Vented	Rotor	265.8 mm	61 mm	4 -114.3 mm	BR3265
81-79		Solid	Rotor	258 mm	47 mm	4 -114.3 mm	BR31132
T100							
FRONT							
98-93	2WD 1Ton	Vented	Rotor	283.7 mm	51.5 mm	6 -119 mm	BR31173
	2WD 1/2 Ton	Vented	Rotor	279.3 mm	45.5 mm	6 -119 mm	BR31175
	4WD	Vented	Rotor	290.5 mm	65.9 mm	6 -127 mm	BR31055
REAR							
98-93	2WD 1/2 Ton	Floating	Drum	342.5 mm	83 mm	6 -139.7 mm	BD3558
	4WD	Floating	Drum	342.5 mm	83 mm	6 -139.7 mm	BD3558
	2WD 1Ton	Floating	Drum	345 mm	97.5 mm	6 -139.7 mm	BD35028
TACOMA							
FRONT							
12-05	2WD Exc. Pre-Runner; 5 Lug	Vented	Rotor	275 mm	59 mm	5 -114.3 mm	BR900358
	4WD & Pre-Runner; 6 Lug	Vented	Rotor	319 mm	67.5 mm	6 -139.7 mm	BR31327
2004	Pre-Runner & 4WD w/o VSC; 6 Lug (297mm)	Vented	Rotor	296.8 mm	70.5 mm	6 -139.7 mm	BR31165
	5 Lug	Vented	Rotor	253.7 mm	41.1 mm	5 -110 mm	BR31146
	Pre-Runner & 4WD w/ VSC; 6 Lug (319mm)	Vented	Rotor	318.5 mm	70.5 mm	6 -139.7 mm	BR31204
03-01	2WD 2.4L; 5 Lug	Vented	Rotor	253.7 mm	41.1 mm	5 -110 mm	BR31146

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

TOYOTA

TACOMA

FRONT

03-01	2WD 2.7L, 3.4L & 4WD; 6 Lug	Vented	Rotor	296.8 mm	70.5 mm	6 -139.7 mm	BR31165
03-95	4WD	Vented	Rotor	296.8 mm	70.5 mm	6 -139.7 mm	BR31165
00-2 /98	2WD Pre-Runner & Auto w/ Floor Shift; From 2/98; 6 Lug	Vented	Rotor	296.8 mm	70.5 mm	6 -139.7 mm	BR31165
	2WD; Exc. Pre-Runner & Auto w/ Floor Shift; From 2/98; 5 Lug	Vented	Rotor	253.7 mm	41.1 mm	5 -110 mm	BR31146
1 /98-95	2WD; To 1/98	Vented	Rotor	253.7 mm	41.1 mm	5 -110 mm	BR31146

REAR

12-05	4WD & Pre-Runner; 6 Lug	Floating	Drum	306.09 mm	73.78 mm	6 -139.7 mm	BD920104
	2WD Exc. Pre-Runner; 5 Lug	Floating	Drum	306 mm	73.6 mm	5 -114.3 mm	BD35106
2004	5 Lug	Floating	Drum	305.5 mm	72 mm	5 -114.3 mm	BD3506
	Pre-Runner & 4WD w/ VSC; 6 Lug (319mm)	Floating	Drum	342.5 mm	83 mm	6 -139.7 mm	BD3558
	Pre-Runner & 4WD w/o VSC; 6 Lug (297mm)	Floating	Drum	342.5 mm	83 mm	6 -139.7 mm	BD3558
03-01	2WD 2.7L, 3.4L & 4WD; 6 Lug	Floating	Drum	342.5 mm	83 mm	6 -139.7 mm	BD3558
	2WD 2.4L; 5 Lug	Floating	Drum	305.5 mm	72 mm	5 -114.3 mm	BD3506
03-95	4WD	Floating	Drum	342.5 mm	83 mm	6 -139.7 mm	BD3558
00-2 /98	2WD Pre-Runner & Auto w/ Floor Shift; From 2/98; 6 Lug	Floating	Drum	342.5 mm	83 mm	6 -139.7 mm	BD3558
	2WD; Exc. Pre-Runner & Auto w/ Floor Shift; From 2/98; 5 Lug	Floating	Drum	305.5 mm	72 mm	5 -114.3 mm	BD3506
1 /98-95	2WD; To 1/98	Floating	Drum	305.5 mm	72 mm	5 -114.3 mm	BD3506

TERCEL

FRONT

98-91		Vented	Rotor	238 mm	42.94 mm	4 -100 mm	BR3290
90-83		Solid	Rotor	243 mm	39.2 mm	4 -100 mm	BR3108
88-87	4WD Wagon	Solid	Rotor	243 mm	39.2 mm	4 -100 mm	BR3108
82-81		Solid	Rotor	226 mm	29.8 mm	4 -96 mm	BR3175

REAR

99-96	w/o ABS	Hub/ Bearing	Drum	207 mm	80.5 mm	4 -100 mm	BD35061
99-93	w/ ABS	Hub/ Bearing	Drum	207 mm	80.5 mm	4 -100 mm	BD920120
95-93	w/o ABS	Hub/ Bearing	Drum	207 mm	80.5 mm	4 -100 mm	BD35014
92-91		Hub/ Bearing	Drum	207 mm	80.5 mm	4 -100 mm	BD3576
90-89		Hub/ Bearing	Drum	215.5 mm	80 mm	4 -100 mm	BD3597
88-87	SEDAN, HATCHBACK	Hub/ Bearing	Drum	215.5 mm	80 mm	4 -100 mm	BD3597
	4WD Wagon	Floating	Drum	242 mm	70.5 mm	4 -100 mm	BD3505

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

TOYOTA

TERCEL

REAR

87-83	2WD; Wagon	Floating	Drum	235 mm	66.5 mm	4 -100 mm	BD3589
86-83	4WD; Wagon	Floating	Drum	242 mm	70.5 mm	4 -100 mm	BD3505
82-80		Hub	Drum	215 mm	80 mm	4 -114.3 mm	BD3551

TUNDRA

FRONT

13-07		Vented	Rotor	13 15/16"	3.3"	5 -150 mm	BR900336
06-00		Vented	Rotor	318.7 mm	70.4 mm	6 -139.7 mm	BR31267

REAR

13-07		Vented	Rotor	345 mm	77 mm	5 -150 mm	BR900338
06-03		Floating	Drum	342.5 mm	83 mm	6 -139.7 mm	BD35090
02-00		Floating	Drum	342.5 mm	83 mm	6 -139.7 mm	BD3558

VAN

FRONT

89-87	4WD	Vented	Rotor	260.8 mm	44.8 mm	5 -118 mm	BR3249
89-86	2WD	Vented	Rotor	255 mm	41.6 mm	4 -100 mm	BR31213
85-84		Vented	Rotor	255 mm	43.75 mm	4 -94 mm	BR3250

REAR

89-84		Floating	Drum	298 mm	74.1 mm	4 -114.3 mm	BD35044
-------	--	----------	------	--------	---------	-------------	---------

VENZA

FRONT

13-09		Vented	Rotor	324 mm	49.9 mm	5 -114.3 mm	BR900758
-------	--	--------	-------	--------	---------	-------------	----------

REAR

13-09		Solid	Rotor	298 mm	70 mm	5 -114.3 mm	BR900760
-------	--	-------	-------	--------	-------	-------------	----------

YARIS

FRONT

13-06	254mm Rotor; w/ Rear Drum Brakes	Vented	Rotor	254 mm	47 mm	4 -100 mm	BR900348
05-99	w/ 235mm Front Rotors	Vented	Rotor	235 mm	43.2 mm	4 -100 mm	BR31293
	w/ 255mm Front Rotors	Vented	Rotor	255 mm	43.2 mm	4 -100 mm	BR31299

REAR

13-06	w/ Rear Drum Brakes ; 252mm Drum	Floating	Drum	252.05 mm	53.6 mm	4 -100 mm	BD920106
-------	----------------------------------	----------	------	-----------	---------	-----------	----------

VOLKSWAGEN

BEETLE (TYPE 1 AND NEW BEETLE)

FRONT

13-12	2.5L ; 288mm Front Rotor	Vented	Rotor	288 mm	49.75 mm	5 -112 mm	BR900412
	2.0L Turbo; 312mm Front Rotor	Vented	Rotor	312 mm	49.8 mm	5 -112 mm	BR900468
10-08	w/ 280mm Front Rotor	Vented	Rotor	279.7 mm	36.7 mm	5 -100 mm	BR34143
	w/ 288mm Front Rotors	Vented	Rotor	288 mm	34.2 mm	5 -100 mm	BR34168
07-99	1.8L/2.5L	Vented	Rotor	288 mm	34.2 mm	5 -100 mm	BR34168
06-98	1.9L, 2.0L	Vented	Rotor	279.7 mm	36.7 mm	5 -100 mm	BR34143
79-78		Hub	Drum	279 mm	89.3 mm	4 -130 mm	BD3818
79-68	4 X 130 mm Pattern; Also used on disc brake conversions	Solid	Rotor	278 mm	83.8 mm	4 -130 mm	BR901075
77-68		Hub	Drum	263 mm	90 mm	4 -130 mm	BD3806

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

VOLKSWAGEN

BEETLE (TYPE 1 AND NEW BEETLE)

FRONT

67-65		Hub	Drum	263 mm	89.91 mm	5 -196.85	BD3833
64-58		Hub	Drum	262 mm	102.6 mm	5 -196.85 mm	BD3832

REAR

13-12		Solid	Rotor	272 mm	49 mm	5 -112 mm	BR900930
10-98		Solid	Rotor	232 mm	39.5 mm	5 -100 mm	BR34144
79-68		Hub	Drum	262 mm	94.5 mm	4 -130 mm	BD3820
67-58		Hub	Drum	262 mm	94.5 mm	4 -130 mm	BD3834

BORA (MEXICO)

FRONT

10-06	w/ 312mm Front Rotor	Vented	Rotor	312 mm	49.8 mm	5 -112 mm	BR900468
	w/ 288mm Front Rotor	Vented	Rotor	288 mm	49.75 mm	5 -112 mm	BR900412
05-98	w/ 280mm Front Rotors	Vented	Rotor	279.7 mm	36.7 mm	5 -100 mm	BR34143
	4motion; w/ 312mm Front Rotors	Vented	Rotor	312 mm	34.2 mm	5 -100 mm	BR34193
	w/ 288mm Front Rotors	Vented	Rotor	288 mm	34.2 mm	5 -100 mm	BR34168
	w/ 256mm Front Rotors	Vented	Rotor	256 mm	36.3 mm	5 -100 mm	BR34222

REAR

10-06	w/ 260mm Rear Rotor	Solid	Rotor	260 mm	48 mm	5 -112 mm	BR900416
05-98	4motion	Solid	Rotor	239 mm	33.4 mm	5 -100 mm	BR34221
	2WD	Solid	Rotor	232 mm	39.5 mm	5 -100 mm	BR34144

CABRIO

FRONT

02-95		Vented	Rotor	256 mm	38.6 mm	4 -100 mm	BR3464
-------	--	--------	-------	--------	---------	-----------	--------

REAR

02-99		Solid	Rotor	226 mm	71.3 mm	4 -100 mm	BR3483
99-95		Hub/ Bearing	Drum	240 mm	82 mm	4 -100 mm	BD3829

CABRIOLET

FRONT

93-85		Vented	Rotor	239 mm	38.6 mm	4 -100 mm	BR3460
-------	--	--------	-------	--------	---------	-----------	--------

REAR

93-85		Hub/ Bearing	Drum	211.5 mm	75 mm	4 -100 mm	BD3812
-------	--	-----------------	------	----------	-------	-----------	--------

CAMPMOBILE

FRONT

79-73		Solid	Rotor	278 mm	86.3 mm	5 -112 mm	BR3406
-------	--	-------	-------	--------	---------	-----------	--------

REAR

79-71		Floating	Drum	282 mm	77.5 mm	5 -112 mm	BD3810
-------	--	----------	------	--------	---------	-----------	--------

CC

FRONT

13-09	VR6 (345mm Front Rotor)	Vented	Rotor	345 mm	50 mm	5 -112 mm	BR900818
12-09	Exc. VR6	Vented	Rotor	312 mm	49.8 mm	5 -112 mm	BR900468

REAR

13-09	VR6 (310mm Rear Rotor)	Vented	Rotor	310 mm	49 mm	5 -112 mm	BR900820
12-09	Exc. VR6	Solid	Rotor	286 mm	48.4 mm	5 -112 mm	BR900466

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
VOLKSWAGEN							
CORRADO							
FRONT							
95-92	2.8L	Vented	Rotor	280 mm	28.3 mm	5 -100 mm	BR34009
92-90	Exc. SLC; 1.8L	Vented	Rotor	280 mm	39.2 mm	4 -100 mm	BR3482
REAR							
95-92	2.8L	Solid	Rotor	226 mm	71.3 mm	5 -100 mm	BR34011
92-90	Exc. SLC; 1.8L	Solid	Rotor	226 mm	71.3 mm	4 -100 mm	BR3483
CRAFTER (MEXICO)							
FRONT							
11-06		Vented	Rotor	299.6 mm	180.32 mm	6 -130 mm	BR900308
REAR							
11-06	w/ 303mm Rear Rotor	Vented	Rotor	303.2mm	186.33 mm	6 -145 mm	BR900310
	w/ 298mm Rear Rotor	Solid	Rotor	298 mm	190.5 mm	6 -135 mm	BR900332
DASHER							
FRONT							
81-74		Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416
REAR							
81-74		Hub/ Bearing	Drum	240 mm	82 mm	4 -100 mm	BD3814
DERBY (MEXICO)							
FRONT							
11-06		Vented	Rotor	239 mm	38.6 mm	4 -100 mm	BR3460
99-95	w/ 239 mm Vented Front Rotors	Vented	Rotor	239 mm	38.6 mm	4 -100 mm	BR3460
	w/ 239 mm Solid Front Rotors	Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416
REAR							
99-95		Hub/ Bearing	Drum	240 mm	82 mm	4 -100 mm	BD3829
EOS							
FRONT							
13-12		Vented	Rotor	312 mm	49.8 mm	5 -112 mm	BR900468
11-07		Vented	Rotor	312 mm	49.8 mm	5 -112 mm	BR900468
REAR							
13-12		Solid	Rotor	272 mm	49 mm	5 -112 mm	BR900930
11-07		Solid	Rotor	286 mm	48.4 mm	5 -112 mm	BR900466
EUROVAN							
FRONT							
03-01	w/ 313mm Dia. Front Rotors	Vented	Rotor	313 mm	56.3 mm	5 -112 mm	BR34245
00-99	Vented	Vented	Rotor	280 mm	55.3 mm	5 -112 mm	BR34197
1997	Vented	Vented	Rotor	280 mm	55.3 mm	5 -112 mm	BR34197
95-92		Vented	Rotor	280 mm	64.7 mm	5 -112 mm	BR34060
REAR							
00-99		Solid	Rotor	280 mm	40.5 mm	5 -112 mm	BR900118
1997		Solid	Rotor	280 mm	40.5 mm	5 -112 mm	BR900118
FASTBACK							
FRONT							
71-66		Solid	Rotor	278 mm	83.8 mm	4 -130 mm	BR901075
REAR							
71-66		Hub	Drum	262 mm	66.04 mm	4 -130 mm	BD3835

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

VOLKSWAGEN

FOX

FRONT

09-05	w/256 mm Front Rotors	Vented	Rotor	256 mm	36.3 mm	5 -100 mm	BR34222
93-87		Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416

REAR

93-91		Hub/ Bearing	Drum	211.5 mm	75 mm	4 -100 mm	BD3812
90-87	GL; Wagon	Hub/ Bearing	Drum	240 mm	82 mm	4 -100 mm	BD3814
	Sedan	Hub/ Bearing	Drum	211.5 mm	75 mm	4 -100 mm	BD3812

GOL (MEXICO)

REAR

11-09		Hub/ Bearing	Drum	240 mm	82 mm	4 -100 mm	BD3829
-------	--	-----------------	------	--------	-------	-----------	--------

GOLF

FRONT

2013	345mm Rotor	Vented	Rotor	345 mm	50 mm	5 -112 mm	BR900818
13-10	288mm Rotor	Vented	Rotor	288 mm	49.75 mm	5 -112 mm	BR900412
12-08	City Golf (Canada)	Vented	Rotor	279.7 mm	36.7 mm	5 -100 mm	BR34143
06-00	Exc. R32; L4	Vented	Rotor	279.7 mm	36.7 mm	5 -100 mm	BR34143
2005	GTI; Rear Solid Disc Brake	Vented	Rotor	288 mm	34.2 mm	5 -100 mm	BR34168
05-04	GTI; V6	Vented	Rotor	288 mm	34.2 mm	5 -100 mm	BR34168
05-03	1.8L GTI; Rear Vented Disc Brake	Vented	Rotor	312 mm	34.2 mm	5 -100 mm	BR34193
2000	GTI; V6	Vented	Rotor	288 mm	34.2 mm	5 -100 mm	BR34168
1999	GTI; 2.8L; Fr. Ch. # 1J X 000 001	Vented	Rotor	288 mm	34.2 mm	5 -100 mm	BR34168
	GLS, GTI; 2.0L; Fr. Ch. # 1J X 000 001	Vented	Rotor	279.7 mm	36.7 mm	5 -100 mm	BR34143
	GTI; 2.8L; To Ch. # 1H X 240 854	Vented	Rotor	287.7 mm	28.24 mm	5 -100 mm	BR34059
	GLS, GTI; 2.0L; To Ch. # 1H X 240 854	Vented	Rotor	256 mm	38.6 mm	4 -100 mm	BR3464
98-96	GTI VR6; 2.8L	Vented	Rotor	287.7 mm	28.24 mm	5 -100 mm	BR34059
98-92	w/ 256mm Front Vented Rotor	Vented	Rotor	256 mm	38.6 mm	4 -100 mm	BR3464
97-95	w/ 239mm Front Solid Rotor	Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416
1995	GTI VR6; 2.8L	Vented	Rotor	280 mm	28.3 mm	5 -100 mm	BR34009
93-85	Exc. GT, GTI, GTI 16-VALVE, GTI 8-VALVE, III GL	Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416
92-91	GTI 8-VALVE; To Ch. # 1H R 999 9	Vented	Rotor	256 mm	38.6 mm	4 -100 mm	BR3464
	GTI 8-VALVE; Fr. Ch. # 1G L 028 211	Vented	Rotor	239 mm	38.6 mm	4 -100 mm	BR3460
92-85	Exc. GL	Vented	Rotor	239 mm	38.6 mm	4 -100 mm	BR3460

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

VOLKSWAGEN

GOLF

REAR

13-12	310mm Rotor	Vented	Rotor	310 mm	49 mm	5 -112 mm	BR900820
13-10	w/ 272mm Rear Rotors	Solid	Rotor	272 mm	49 mm	5 -112 mm	BR900930
12-10	w/ 260mm Rear Rotors	Solid	Rotor	260 mm	48 mm	5 -112 mm	BR900416
12-08	City Golf (Canada)	Solid	Rotor	232 mm	39.5 mm	5 -100 mm	BR34144
06-99	From Chassis # 1H X 245000 w/ Solid Rear Disc Brakes	Solid	Rotor	232 mm	39.5 mm	5 -100 mm	BR34144
05-03	1.8L GTI; Rear Vented Disc Brake	Vented	Rotor	256 mm	36.3 mm	5 -100 mm	BR34222
2004	R32	Vented	Rotor	256 mm	36.3 mm	5 -100 mm	BR34222
1999	GTI; 2.0L L4; To Ch. # 1H X 240 854	Solid	Rotor	226 mm	71.3 mm	4 -100 mm	BR3483
99-95	GTI VR6 To Chassis # 1H X 240854	Solid	Rotor	226 mm	71.3 mm	5 -100 mm	BR34011
99-90	w/ Rear Drum Brakes	Hub/ Bearing	Drum	240 mm	82 mm	4 -100 mm	BD3814
98-85	Exc. VR6	Solid	Rotor	226 mm	71.3 mm	4 -100 mm	BR3483
89-85	Exc. GTI, GTI 16-VALVE	Hub/ Bearing	Drum	211.5 mm	75 mm	4 -100 mm	BD3812

GTI

FRONT

2012		Vented	Rotor	312 mm	49.8 mm	5 -112 mm	BR900468
11-06		Vented	Rotor	312 mm	49.8 mm	5 -112 mm	BR900468

REAR

2012		Solid	Rotor	272 mm	49 mm	5 -112 mm	BR900930
11-06		Solid	Rotor	286 mm	48.4 mm	5 -112 mm	BR900466

JETTA

FRONT

12-11	w/ 280mm Front Rotors	Vented	Rotor	280 mm	50 mm	5 -112 mm	BR901074
12-1 /05	w/ 312mm Front Rotors; From 1/05	Vented	Rotor	312 mm	49.8 mm	5 -112 mm	BR900468
	w/ 288mm Front Rotors; From 1/05	Vented	Rotor	288 mm	49.75 mm	5 -112 mm	BR900412
05-99	w/ 280mm Front Rotors	Vented	Rotor	279.7 mm	36.7 mm	5 -100 mm	BR34143
2004	w/ 312mm Front Rotors	Vented	Rotor	312 mm	34.2 mm	5 -100 mm	BR34193
04-99	288mm Front Rotor	Vented	Rotor	288 mm	34.2 mm	5 -100 mm	BR34168
98-96	GLX	Vented	Rotor	287.7 mm	28.24 mm	5 -100 mm	BR34059
98-89	w/ 256mm Front Vented Rotor	Vented	Rotor	256 mm	38.6 mm	4 -100 mm	BR3464
1997	TDI	Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416
1995	III GLX	Vented	Rotor	280 mm	28.3 mm	5 -100 mm	BR34009
95-80	Except GLI	Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416
92-90	Exc. GLI 16-VALVE; w/o ABS	Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416
	GLI Exc. 16V; ABS; Rear Disc Brake; w/ 239mm Front Vented Rotor	Vented	Rotor	239 mm	38.6 mm	4 -100 mm	BR3460

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

VOLKSWAGEN

JETTA

FRONT

88-87	GLI 16-VALVE	Vented	Rotor	239 mm	38.6 mm	4 -100 mm	BR3460
-------	--------------	--------	-------	--------	---------	-----------	--------

REAR

12-11	w/ Rear Drum Brakes	Floating	Drum	290 mm	66 mm	5 -112 mm	BD920164
	w/ 272 mm Rear Rotors	Solid	Rotor	272 mm	49 mm	5 -112 mm	BR900930
10-1 /05	w/ 260mm Rear Rotors; From 1/05	Solid	Rotor	260 mm	48 mm	5 -112 mm	BR900416
	w/ 286mm Rear Rotors; From 1/05	Solid	Rotor	286 mm	48.4 mm	5 -112 mm	BR900466
05-99	232mm O.D.	Solid	Rotor	232 mm	39.5 mm	5 -100 mm	BR34144
12/04-3 /04	VR6; 3/04 To 12/04	Vented	Rotor	256 mm	36.3 mm	5 -100 mm	BR34222
98-96	L4; 226mm O.D.	Solid	Rotor	226 mm	71.3 mm	4 -100 mm	BR3483
98-95	GLX, III GLX; V6	Solid	Rotor	226 mm	71.3 mm	5 -100 mm	BR34011
98-89	w/ Rear Drum Brakes	Hub/ Bearing	Drum	240 mm	82 mm	4 -100 mm	BD3829
92-87	w/ Rear Disc Brakes	Solid	Rotor	226 mm	71.3 mm	4 -100 mm	BR3483
88-80	w/ Rear Drum Brakes	Hub/ Bearing	Drum	211.5 mm	75 mm	4 -100 mm	BD3812

JETTA CITY

FRONT

09-07	280mm Diameter	Vented	Rotor	279.7 mm	36.7 mm	5 -100 mm	BR34143
-------	----------------	--------	-------	----------	---------	-----------	---------

REAR

09-07	232mm Diameter	Solid	Rotor	232 mm	39.5 mm	5 -100 mm	BR34144
-------	----------------	-------	-------	--------	---------	-----------	---------

KARMANN GHIA

FRONT

74-73		Solid	Rotor	278 mm	83.8 mm	4 -130 mm	BR3408
72-65	Front Disc Brake	Solid	Rotor	278 mm	83.8 mm	4 -130 mm	BR3408
	Front Drum Brake	Hub	Drum	263 mm	89.91 mm	5 -196.85	BD3833
64-58		Hub	Drum	262 mm	102.6 mm	5 -196.85 mm	BD3832

REAR

74-73		Hub	Drum	262 mm	94.5 mm	4 -130 mm	BD3820
72-65	Front Drum Brake	Hub	Drum	262 mm	94.5 mm	4 -130 mm	BD3834
	Front Disc Brake	Hub	Drum	262 mm	94.5 mm	4 -130 mm	BD3820
64-58		Hub	Drum	262 mm	94.5 mm	4 -130 mm	BD3834

LUPO (MEXICO)

FRONT

10-04	4 Lug	Vented	Rotor	256 mm	38.6 mm	4 -100 mm	BR3464
-------	-------	--------	-------	--------	---------	-----------	--------

PASSAT

FRONT

13-12		Vented	Rotor	312 mm	49.8 mm	5 -112 mm	BR900468
2010		Vented	Rotor	312 mm	49.8 mm	5 -112 mm	BR900468
2009	Exc. VR6 & 4 Motion	Vented	Rotor	312 mm	49.8 mm	5 -112 mm	BR900468
09-06	V6 (345mm Front Rotor)	Vented	Rotor	345 mm	50 mm	5 -112 mm	BR900818
08-06	4 Cyl Exc. 4 Motion	Vented	Rotor	312 mm	49.8 mm	5 -112 mm	BR900468
05-04	after 3B3427147 : Exc 4-Motion	Vented	Rotor	289 mm	49 mm	5 -112 mm	BR34273

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

VOLKSWAGEN

PASSAT

FRONT

05-02	4 MOTION	Vented	Rotor	288 mm	46.4 mm	5 -112 mm	BR34055
04-02	W8	Vented	Rotor	320 mm	52.4 mm	5 -112 mm	BR34236
04-99	Thru Chassis 3BX124708 Exc.W8	Vented	Rotor	288 mm	46.4 mm	5 -112 mm	BR34055
1998	GLS	Vented	Rotor	282 mm	55.3 mm	5 -112 mm	BR34159
97-96	w/ 5 Lug Vented Rotor	Vented	Rotor	287.7 mm	28.24 mm	5 -100 mm	BR34059
97-90	4 Lug w/ 256mm Vented Front Rotor	Vented	Rotor	256 mm	38.6 mm	4 -100 mm	BR3464
95-93	w/ 5 Lug Vented Rotor	Vented	Rotor	280 mm	28.3 mm	5 -100 mm	BR34009
93-92	SYNCRO	Vented	Rotor	280 mm	39.2 mm	4 -100 mm	BR3482

REAR

13-12		Solid	Rotor	272 mm	49 mm	5 -112 mm	BR900930
2010		Solid	Rotor	286 mm	48.4 mm	5 -112 mm	BR900466
2009	Exc. VR6 & 4 Motion	Solid	Rotor	286 mm	48.4 mm	5 -112 mm	BR900466
09-06	V6 (310mm Rear Rotor)	Vented	Rotor	310 mm	49 mm	5 -112 mm	BR900820
08-06	4 Cyl Exc. 4 Motion	Solid	Rotor	286 mm	48.4 mm	5 -112 mm	BR900466
05-02	4 MOTION	Solid	Rotor	245 mm	47.5 mm	5 -112 mm	BR34167
05-98	FWD	Solid	Rotor	245 mm	63.9 mm	5 -112 mm	BR34023
04-02	W8	Vented	Rotor	269 mm	54 mm	5 -112 mm	BR34275
01-00	4 Motion	Solid	Rotor	245 mm	47.5 mm	5 -112 mm	BR34167
97-93	5 Lug	Solid	Rotor	226 mm	71.3 mm	5 -100 mm	BR34011
97-90	4 Lug w/ 256mm Vented Front Rotor	Solid	Rotor	226 mm	71.3 mm	4 -100 mm	BR3483

POINTER (MEXICO)

FRONT

09-98	w/ Solid Front Rotor	Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416
	w/ Vented Front Rotor	Vented	Rotor	239 mm	38.6 mm	4 -100 mm	BR3460

REAR

09-98		Hub/ Bearing	Drum	240 mm	82 mm	4 -100 mm	BD3829
-------	--	-----------------	------	--------	-------	-----------	--------

POLO (MEXICO)

FRONT

09-02	w/ 256mm Front Rotors	Vented	Rotor	256 mm	36.3 mm	5 -100 mm	BR34222
07-03	1.8L 20 Valve GTI & 1.9L TDI (288mm Rotor)	Vented	Rotor	288 mm	34.2 mm	5 -100 mm	BR34168

QUANTUM

FRONT

88-86	SYNCRO	Vented	Rotor	256 mm	38.6 mm	4 -100 mm	BR3464
88-82	Exc. SYNCRO, WOLFSBURG EDITION	Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416

REAR

88-82	Exc. SYNCRO, WOLFSBURG EDITION	Hub/ Bearing	Drum	240 mm	82 mm	4 -100 mm	BD3814
-------	-----------------------------------	-----------------	------	--------	-------	-----------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

VOLKSWAGEN

R32

FRONT

09-08		Vented	Rotor	345 mm	50 mm	5 -112 mm	BR900818
-------	--	--------	-------	--------	-------	-----------	----------

REAR

09-08		Vented	Rotor	310 mm	49 mm	5 -112 mm	BR900820
-------	--	--------	-------	--------	-------	-----------	----------

RABBIT

FRONT

09-06		Vented	Rotor	288 mm	49.75 mm	5 -112 mm	BR900412
84-75	Exc. GTI SPORT	Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416
1983	GTI SPORT	Vented	Rotor	239 mm	38.6 mm	4 -100 mm	BR3460

REAR

09-06	w/ 260mm Rear Rotors	Solid	Rotor	260 mm	48 mm	5 -112 mm	BR900416
84-75		Hub/ Bearing	Drum	211.5 mm	75 mm	4 -100 mm	BD3812

RABBIT CONVERTIBLE

FRONT

1984		Vented	Rotor	239 mm	38.6 mm	4 -100 mm	BR3460
83-80		Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416

REAR

84-80		Hub/ Bearing	Drum	211.5 mm	75 mm	4 -100 mm	BD3812
-------	--	-----------------	------	----------	-------	-----------	--------

RABBIT PICKUP

FRONT

83-80		Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416
-------	--	-------	-------	--------	---------	-----------	--------

REAR

83-80		Hub/ Bearing	Drum	240 mm	82 mm	4 -100 mm	BD3814
-------	--	-----------------	------	--------	-------	-----------	--------

ROUTAN

FRONT

13-09		Vented	Rotor	11.88"	1.5"	5 -5"	BR900524
-------	--	--------	-------	--------	------	-------	----------

REAR

13-09		Solid	Rotor	12"	1.32"	5 -5"	BR900526
-------	--	-------	-------	-----	-------	-------	----------

SCIROCCO

FRONT

89-85	Exc. 16-VALVE	Vented	Rotor	239 mm	38.6 mm	4 -100 mm	BR3460
88-87	16 Valve	Vented	Rotor	256 mm	38.6 mm	4 -100 mm	BR3464
1984	Front Vented Disc Brake	Vented	Rotor	239 mm	38.6 mm	4 -100 mm	BR3460
	Front Solid Disc Brake	Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416
83-79		Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416
77-75		Solid	Rotor	239 mm	35.1 mm	4 -100 mm	BR3416

REAR

89-79	Exc. 16-VALVE	Hub/ Bearing	Drum	211.5 mm	75 mm	4 -100 mm	BD3812
88-87	16 Valve	Solid	Rotor	226 mm	71.3 mm	4 -100 mm	BR3483
77-75		Hub/ Bearing	Drum	211.5 mm	75 mm	4 -100 mm	BD3812

SEDAN

FRONT

03-95		Vented	Rotor	256 mm	38.6 mm	4 -100 mm	BR3464
-------	--	--------	-------	--------	---------	-----------	--------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
VOLKSWAGEN							
SHARAN (MEXICO)			FRONT				
08-01	w/ 313mm Front Rotors	Vented	Rotor	313 mm	56.3 mm	5 -112 mm	BR34245
SQUAREBACK			FRONT				
71-66		Solid	Rotor	278 mm	83.8 mm	4 -130 mm	BR901075
			REAR				
71-66		Hub	Drum	262 mm	66.04 mm	4 -130 mm	BD3835
SUPER BEETLE			FRONT				
79-71	Also used on disc brake conversions	Hub	Drum	279 mm	89.3 mm	4 -130 mm	BD3818
		Solid	Rotor	278 mm	83.8 mm	4 -130 mm	BR901075
			REAR				
79-71		Hub	Drum	262 mm	94.5 mm	4 -130 mm	BD3820
THING			FRONT				
74-73		Hub	Drum	263 mm	89.91 mm	5 -196.85	BD3833
			REAR				
74-73			Drum			-	BD920005
TIGUAN			FRONT				
13-09		Vented	Rotor	312 mm	49.8 mm	5 -112 mm	BR900468
			REAR				
13-09		Solid	Rotor	286 mm	48.4 mm	5 -112 mm	BR900466
TOUAREG			FRONT LEFT				
12-04	w/ 330mm Front Rotors	Vented	Rotor	330 mm	69 mm	5 -130 mm	BR900470
11-04	w/ 350mm Front Rotors	Vented	Rotor	350 mm	69 mm	5 -130 mm	BR900474
			FRONT RIGHT				
12-04	w/ 330mm Front Rotors	Vented	Rotor	330 mm	69 mm	5 -130 mm	BR900472
11-04	w/ 350mm Front Rotors	Vented	Rotor	350 mm	69 mm	5 -130 mm	BR900476
			REAR				
12-04		Vented	Rotor	330 mm	74.8 mm	5 -130 mm	BR900478
TYPE 2 BUS/ TRANSPORTER			FRONT				
79-73		Solid	Rotor	278 mm	86.3 mm	5 -112 mm	BR3406
			REAR				
79-71		Floating	Drum	282 mm	77.5 mm	5 -112 mm	BD3810
70-68			Drum			-	BD9168
67-64		Floating	Drum	284.30 mm	121.52 mm	5 -200.01 mm	BD920103
TYPE 3 (SQUAREBACK / FASTBACK)			FRONT				
71-66		Solid	Rotor	278 mm	83.8 mm	4 -130 mm	BR901075
			REAR				
73-66		Hub	Drum	262 mm	66.04 mm	4 -130 mm	BD3835
65-64		Hub	Drum	262 mm	66.04 mm	4 -130 mm	BD920001
VANAGON			FRONT				
91-86	Exc. SYNCRO	Solid	Rotor	258 mm	95.5 mm	5 -112 mm	BR3421
	BUS; 4WD	Solid	Rotor	258 mm	57.5 mm	5 -112 mm	BR3481

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

VOLKSWAGEN

VANAGON

FRONT

85-81		Solid	Rotor	278 mm	118.7 mm	5 -112 mm	BR3452
-------	--	-------	-------	--------	----------	-----------	--------

REAR

91-81	Exc. SYNCRO	Floating	Drum	285.5 mm	78 mm	5 -112 mm	BD3824
-------	-------------	----------	------	----------	-------	-----------	--------

VOLVO

164

REAR

1975		Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
------	--	-------	-------	--------	---------	-----------	--------

240

FRONT

93-90		Vented	Rotor	263 mm	67.5 mm	5 -108 mm	BR3472
-------	--	--------	-------	--------	---------	-----------	--------

REAR

93-90		Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
-------	--	-------	-------	--------	---------	-----------	--------

242

FRONT

84-82	Vented	Vented	Rotor	263 mm	67.5 mm	5 -108 mm	BR3472
	Front Solid Disc Brake	Solid	Rotor	263 mm	65 mm	5 -108 mm	BR3446
81-76	Front Vented Disc Brake; Girling System	Solid	Rotor	263 mm	65 mm	5 -108 mm	BR3446
	Girling System; NON-VENTED	Vented	Rotor	263 mm	67.5 mm	5 -108 mm	BR3472
1975	Front Non-Vented Disc Brake; Girling System	Vented	Rotor	263 mm	67.5 mm	5 -108 mm	BR3472
	ATE & Girling System; VENTED	Solid	Rotor	263 mm	65 mm	5 -108 mm	BR3446

REAR

84-75		Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
-------	--	-------	-------	--------	---------	-----------	--------

244

FRONT

89-88		Vented	Rotor	263 mm	67.5 mm	5 -108 mm	BR3472
87-82	Vented	Vented	Rotor	263 mm	67.5 mm	5 -108 mm	BR3472
	Solid	Solid	Rotor	263 mm	65 mm	5 -108 mm	BR3446
81-75	Girling System; VENTED	Vented	Rotor	263 mm	67.5 mm	5 -108 mm	BR3472
	Front Non-Vented Disc Brake; Girling System	Solid	Rotor	263 mm	65 mm	5 -108 mm	BR3446
1975	ATE System	Solid	Rotor	263 mm	65 mm	5 -108 mm	BR3446

REAR

89-75		Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
-------	--	-------	-------	--------	---------	-----------	--------

245

FRONT

89-88		Vented	Rotor	263 mm	67.5 mm	5 -108 mm	BR3472
87-82	Vented	Vented	Rotor	263 mm	67.5 mm	5 -108 mm	BR3472
	Front Solid Disc Brake	Solid	Rotor	263 mm	65 mm	5 -108 mm	BR3446
84-82	Exc. GLT	Solid	Rotor	263 mm	65 mm	5 -108 mm	BR3446
81-75	Girling System; Vented	Vented	Rotor	263 mm	67.5 mm	5 -108 mm	BR3472
	Girling System; Non Vented	Solid	Rotor	263 mm	65 mm	5 -108 mm	BR3446
1975	ATE System	Solid	Rotor	263 mm	65 mm	5 -108 mm	BR3446

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
VOLVO							
245 REAR							
89-75		Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
262 FRONT							
81-78		Vented	Rotor	263 mm	67.5 mm	5 -108 mm	BR3472
1976		Vented	Rotor	263 mm	67.5 mm	5 -108 mm	BR3472
REAR							
81-78		Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
1976		Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
264 FRONT							
82-76		Vented	Rotor	263 mm	67.5 mm	5 -108 mm	BR3472
REAR							
82-76		Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
265 FRONT							
81-76		Vented	Rotor	263 mm	67.5 mm	5 -108 mm	BR3472
REAR							
81-76		Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
740 FRONT							
92-91	ABS; (Frt. Calipers have single inlet)	Vented	Rotor	280 mm	56.3 mm	5 -108 mm	BR34018
1991	w/o ABS; (Frt. Calipers have 2 inlets)	Vented	Rotor	287 mm	56 mm	5 -108 mm	BR3488
90-88	ABS; (Frt. Calipers have single inlet); 287mm Dia.	Vented	Rotor	287 mm	56 mm	5 -108 mm	BR3488
	w/o ABS; (Frt. Calipers have 2 inlets); 261mm Dia.	Vented	Rotor	262.5 mm	56 mm	5 -108 mm	BR3487
87-85	GLE; w/o ABS; (Frt. Calipers have 2 inlets)	Vented	Rotor	262.5 mm	72 mm	5 -108 mm	BR3485
	GLE; ABS; (Frt. Calipers have single inlet)	Vented	Rotor	287 mm	72 mm	5 -108 mm	BR34069
REAR							
92-91		Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
90-88	ATE	Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
	Girling	Solid	Rotor	265 mm	53 mm	5 -108 mm	BR34039
87-85	GLE	Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
745 FRONT							
1985	w/o ABS; (Frt. Calipers have 2 inlets)	Vented	Rotor	262.5 mm	72 mm	5 -108 mm	BR3485
	ABS; (Frt. Calipers have single inlet)	Vented	Rotor	287 mm	72 mm	5 -108 mm	BR34069
REAR							
1985		Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
760 FRONT							
90-88	ABS; (Frt. Calipers have single inlet); 287mm Dia.	Vented	Rotor	287 mm	56 mm	5 -108 mm	BR3488

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
-------------	-------------	------	-------------	----------------	----------------	-------------	-------------

VOLVO

760

FRONT

1987	ABS; (Frt. Calipers have single inlet)	Vented	Rotor	287 mm	72 mm	5 -108 mm	BR34069
86-85	w/o ABS; (Frt. Calipers have 2 inlets)	Vented	Rotor	262.5 mm	72 mm	5 -108 mm	BR3485
84-83	w/o ABS; (Frt. Calipers have 2 inlets); 261mm Dia.	Vented	Rotor	262.5 mm	72 mm	5 -108 mm	BR3485
	ABS; (Frt. Calipers have single inlet); w/ Hub	Vented	Rotor	287 mm	72 mm	5 -108 mm	BR34069

REAR

90-88	Girling	Solid	Rotor	265 mm	53 mm	5 -108 mm	BR34039
	ATE	Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
87-83		Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489

780

FRONT

1991	Bendix / DBA	Vented	Rotor	287 mm	56 mm	5 -108 mm	BR3488
	Girling	Vented	Rotor	280 mm	56.3 mm	5 -108 mm	BR34018
90-87		Vented	Rotor	287 mm	56 mm	5 -108 mm	BR3488

REAR

91-88		Solid	Rotor	265 mm	53 mm	5 -108 mm	BR34039
1987		Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489

850

FRONT

97-94		Vented	Rotor	280 mm	50.3 mm	5 -108 mm	BR34057
1993		Vented	Rotor	280 mm	50.3 mm	4 -108 mm	BR34156

REAR

97-94		Solid	Rotor	295 mm	72 mm	5 -108 mm	BR34061
1993		Solid	Rotor	294.6 mm	72 mm	4 -108 mm	BR34155

940

FRONT

95-91		Vented	Rotor	280 mm	56.3 mm	5 -108 mm	BR34018
-------	--	--------	-------	--------	---------	-----------	---------

REAR

1995	w/ IRS Girling	Solid	Rotor	265 mm	70.9 mm	5 -108 mm	BR34058
95-94	w/o IRS w/ ATE	Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
1994	w/ IRS Girling	Solid	Rotor	265 mm	53 mm	5 -108 mm	BR34039
93-91	w/ IRS	Solid	Rotor	265 mm	53 mm	5 -108 mm	BR34039
	w/o IRS	Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489

960

FRONT

97-95		Vented	Rotor	280 mm	50.3 mm	5 -108 mm	BR34057
94-92		Vented	Rotor	280 mm	56.3 mm	5 -108 mm	BR34018

REAR

97-95	Multi Link Suspension	Solid	Rotor	265 mm	70.9 mm	5 -108 mm	BR34058
	w/o Multi Link Suspension	Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
1994	w/o IRS w/ ATE	Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
	w/ IRS Girling	Solid	Rotor	265 mm	53 mm	5 -108 mm	BR34039

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
VOLVO							
960							
REAR							
93-92	w/ IRS	Solid	Rotor	265 mm	53 mm	5 -108 mm	BR34039
	w/o IRS	Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
C30							
FRONT							
12-08	300mm	Vented	Rotor	300 mm	48.7mm	5 -108 mm	BR900704
REAR							
12-08		Solid	Rotor	280 mm	41 mm	5 -108 mm	BR900552
C70							
FRONT							
12-06	300mm Front Rotor	Vented	Rotor	300 mm	48.7mm	5 -108 mm	BR900704
	w/ 320mm Front Rotors	Vented	Rotor	320mm	49mm	5 -108 mm	BR900990
04-99	w/ 300mm Dia. Rotor	Vented	Rotor	302 mm	50.2 mm	5 -108 mm	BR34241
04-98	w/ 280mm Dia. Rotor	Vented	Rotor	280 mm	50.3 mm	5 -108 mm	BR34057
REAR							
12-06		Solid	Rotor	280 mm	41 mm	5 -108 mm	BR900552
04-98		Solid	Rotor	295 mm	72 mm	5 -108 mm	BR34061
DL							
FRONT							
1984	Vented	Vented	Rotor	263 mm	67.5 mm	5 -108 mm	BR3472
	Solid	Solid	Rotor	263 mm	65 mm	5 -108 mm	BR3446
REAR							
1984		Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
GLE							
FRONT							
1984	Solid	Solid	Rotor	263 mm	65 mm	5 -108 mm	BR3446
	Vented	Vented	Rotor	263 mm	67.5 mm	5 -108 mm	BR3472
REAR							
1984		Solid	Rotor	281 mm	73.5 mm	5 -108 mm	BR3489
S40							
FRONT							
11-05	w/ 300mm Front Rotor	Vented	Rotor	300 mm	48.7mm	5 -108 mm	BR900704
	w/ 320mm Front Rotors	Vented	Rotor	320mm	49mm	5 -108 mm	BR900990
04-99		Vented	Rotor	281 mm	45.6 mm	4 -114.3 mm	BR34210
99-95		Vented	Rotor	281 mm	45.6 mm	4 -114.3 mm	BR34210
REAR							
11-05		Solid	Rotor	280 mm	41 mm	5 -108 mm	BR900552
04-99		Solid	Rotor	260 mm	41 mm	4 -114.3 mm	BR34212
99-95		Solid	Rotor	260 mm	41 mm	4 -114.3 mm	BR34212
S60							
FRONT							
13-11	w/ 316mm Front Rotors	Vented	Rotor	316mm	52mm	5 -108 mm	BR900852
	w/ 300mm Front Rotors	Vented	Rotor	300mm	53mm	5 -108 mm	BR900854
09-08	2.5T	Vented	Rotor	305 mm	50.3 mm	5 -108 mm	BR34208
	T5	Vented	Rotor	315.7 mm	50.3 mm	5 -108 mm	BR34255
07-02	T5, 16 Inch & 17 Inch Wheels	Vented	Rotor	305 mm	50.3 mm	5 -108 mm	BR34208
07-01	Exc. R & T5, 15 Inch Wheels	Vented	Rotor	286 mm	50.2 mm	5 -108 mm	BR34207

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

VOLVO

S60

REAR

13-11	w/ 302mm Rear Vented Rotors	Vented	Rotor	302mm	41mm	5 -108 mm	BR900856
	w/ 302mm Rear Solid Rotors	Solid	Rotor	302mm	42mm	5 -108 mm	BR900858
09-01	Exc. R	Solid	Rotor	288 mm	64.8 mm	5 -108 mm	BR34206

S70

FRONT

00-98	16 Inch Wheels	Vented	Rotor	302 mm	50.2 mm	5 -108 mm	BR34241
	15 Inch Wheels	Vented	Rotor	280 mm	50.3 mm	5 -108 mm	BR34057

REAR

00-99	AWD; To Chassis #596635	Solid	Rotor	283.5 mm	62 mm	5 -108 mm	BR34142
00-98	2WD	Solid	Rotor	295 mm	72 mm	5 -108 mm	BR34061

S80

FRONT

12-08	w/ 300mm Front Rotor	Vented	Rotor	300mm	53mm	5 -108 mm	BR900854
12-07	w/ 336 mm Front Rotor	Vented	Rotor	336mm	52.5mm	5 -108 mm	BR900860
	w/ 315mm Front Rotor	Vented	Rotor	316mm	52mm	5 -108 mm	BR900852
06-99	w/ 286mm Front Rotor	Vented	Rotor	286 mm	50.2 mm	5 -108 mm	BR34207
	305mm Front Rotor	Vented	Rotor	305 mm	50.3 mm	5 -108 mm	BR34208

REAR

12-07	w/ 302 mm Rear Solid Rotor	Solid	Rotor	302mm	42mm	5 -108 mm	BR900858
	w/ 302 mm Rear Vented Rotor	Vented	Rotor	302mm	41mm	5 -108 mm	BR900856
06-99		Solid	Rotor	288 mm	64.8 mm	5 -108 mm	BR34206

S90

FRONT

98-97		Vented	Rotor	280 mm	50.3 mm	5 -108 mm	BR34057
-------	--	--------	-------	--------	---------	-----------	---------

REAR

98-97		Solid	Rotor	277 mm	71 mm	5 -108 mm	BR34141
-------	--	-------	-------	--------	-------	-----------	---------

V40

FRONT

04-00		Vented	Rotor	281 mm	45.6 mm	4 -114.3 mm	BR34210
-------	--	--------	-------	--------	---------	-------------	---------

REAR

04-00		Solid	Rotor	260 mm	41 mm	4 -114.3 mm	BR34212
-------	--	-------	-------	--------	-------	-------------	---------

V50

FRONT

11-05	w/ 320mm Front Rotors	Vented	Rotor	320mm	49mm	5 -108 mm	BR900990
	w/ 300mm Front Rotor	Vented	Rotor	300 mm	48.7mm	5 -108 mm	BR900704

REAR

11-05		Solid	Rotor	280 mm	41 mm	5 -108 mm	BR900552
-------	--	-------	-------	--------	-------	-----------	----------

V70

FRONT

10-08	w/ 300mm Front Rotors	Vented	Rotor	300mm	53mm	5 -108 mm	BR900854
	w/ 336mm Front Rotors	Vented	Rotor	336mm	52.5mm	5 -108 mm	BR900860
07-01	Exc. 2.5T, R, T5; 286mm Front Rotors	Vented	Rotor	286 mm	50.2 mm	5 -108 mm	BR34207
05-02	T5; w/ 305mm Front Rotors	Vented	Rotor	305 mm	50.3 mm	5 -108 mm	BR34208
00-98	Exc. R; w/ 16 Inch Wheels	Vented	Rotor	302 mm	50.2 mm	5 -108 mm	BR34241
	Exc. R; w/ 15 Inch Wheels	Vented	Rotor	280 mm	50.3 mm	5 -108 mm	BR34057

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
VOLVO							
V70							
REAR							
10-08	w/ Solid Rear Rotors	Solid	Rotor	302mm	42mm	5 -108 mm	BR900858
	w/ Vented Rear Rotors	Vented	Rotor	302mm	41mm	5 -108 mm	BR900856
07-01	Exc. R (including AWD XC)	Solid	Rotor	288 mm	64.8 mm	5 -108 mm	BR34206
00-98	2WD; w/ 295mm Rear Rotors	Solid	Rotor	295 mm	72 mm	5 -108 mm	BR34061
99-98	AWD; Exc. R	Solid	Rotor	283.5 mm	62 mm	5 -108 mm	BR34142
V70 XC AWD							
FRONT							
02-01		Vented	Rotor	286 mm	50.2 mm	5 -108 mm	BR34207
00-98	w/ 302mm Front Rotors	Vented	Rotor	302 mm	50.2 mm	5 -108 mm	BR34241
	w/ 280mm Front Rotors	Vented	Rotor	280 mm	50.3 mm	5 -108 mm	BR34057
REAR							
02-01		Solid	Rotor	288 mm	64.8 mm	5 -108 mm	BR34206
00-99	w/ 283.5mm Rear Rotors; Girling Calipers	Solid	Rotor	283.5 mm	62 mm	5 -108 mm	BR34142
1998		Solid	Rotor	283.5 mm	62 mm	5 -108 mm	BR34142
V90							
FRONT							
98-97		Vented	Rotor	280 mm	50.3 mm	5 -108 mm	BR34057
REAR							
98-97	w/ 15 Inch Wheels	Solid	Rotor	265 mm	53 mm	5 -108 mm	BR34039
	w/ 16 Inch Wheels	Solid	Rotor	277 mm	71 mm	5 -108 mm	BR34141
XC60							
FRONT							
13-10		Vented	Rotor	328mm	52.5mm	5 -108 mm	BR900992
REAR							
13-10		Vented	Rotor	302mm	51mm	5 -108 mm	BR900994
XC70							
FRONT							
12-08	w/ 300mm Front Rotors	Vented	Rotor	300mm	53mm	5 -108 mm	BR900854
	w/ 336mm Front Rotors	Vented	Rotor	336mm	52.5mm	5 -108 mm	BR900860
	w/ 316mm Front Rotors	Vented	Rotor	316mm	52mm	5 -108 mm	BR900852
07-03	w/ 286mm Front Rotors	Vented	Rotor	286 mm	50.2 mm	5 -108 mm	BR34207
	w/ 305mm Front Rotors	Vented	Rotor	305 mm	50.3 mm	5 -108 mm	BR34208
REAR							
12-08	w/ Solid Rear Rotors	Solid	Rotor	302mm	42mm	5 -108 mm	BR900858
	w/ Vented Rear Rotors	Vented	Rotor	302mm	41mm	5 -108 mm	BR900856
07-03		Solid	Rotor	288 mm	64.8 mm	5 -108 mm	BR34206
XC90							
FRONT							
13-10	w/ 328mm Front Rotors	Vented	Rotor	328mm	51.7mm	5 -108 mm	BR900996
13-03	w/ 336mm Front Rotors	Vented	Rotor	335.5	51.2	5 -108mm	BR900742
	w/ 316mm Front Rotors	Vented	Rotor	315.7 mm	50.3 mm	5 -108 mm	BR34255
REAR							
13-03		Vented	Rotor	307.7 mm	64.8 mm	5 -108 mm	BR34256

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

WORKHORSE

P32, P42

FRONT

03-95	4 Wheel Disc w/ 10 Stud Rotor	Vented	Rotor	13.74"	4.38"	10-7.25"	BR55003
	w/ 13 Inch x 3 1/2 Inch Rear Brakes w/ DRW w/ AWAL	Vented	Rotor	12.5"	7.69"	8 -6.5"	BR55025
	4 Wheel Disc w/ 5 Stud Rotor	Vented	Rotor	13.85"	2.93"	5 -6.34"	BR55029
	w/ 13 Inch x 2 1/2 Inch Rear Brakes w/ AWAL	Vented	Rotor	12.5"	5.19"	8 -6.5"	BR55030
	w/ 13 Inch x 2 1/2 Inch Rear Brakes w/ 2 Wheel ABS	Vented	Rotor	12.5"	5.17"	8 -6.5"	BR5521
	w/ 13 Inch x 3 1/2 Inch Rear Brakes w/ SRW	Vented	Rotor	12.5"	5.17"	8 -6.5"	BR5521
	w/ 13 Inch x 3 1/2 Inch Rear Brakes w/ DRW w/ Ind Front Suspension	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
94-85	SRW w/ 13 Inch x 3 1/2 Inch Rear Brakes	Vented	Rotor	12.5"	5.17"	8 -6.5"	BR5521
	DRW w/ 13 Inch x 3 1/2 Inch Rear Brakes w/ Ind Rear Suspension	Vented	Rotor	12.51"	7.68"	8 -6.5"	BR5520
	w/ 13 Inch x 2 1/2 Inch Rear Brakes	Vented	Rotor	12.5"	4.76"	8 -6.5"	BR5535
	w/ 4 Wheel Disc	Vented	Rotor	14.24"	3.2"	8 -6.5"	BR55001

REAR

03-97	w/ Rear Disc & Dual Piston Caliper	Vented	Rotor	13.58"	4.37"	10-7.25"	BR55031
03-85	w/ Rear Disc & Single Piston Caliper	Vented	Rotor	13.74"	4.38"	10-7.25"	BR55003
	w/ 13 Inch x 2 1/2 Inch Rear Brakes	Behind the Hub	Drum	15.31"	5.59"	8 -6.5"	BD8851
	w/ 13 Inch x 3 1/2 Inch Rear Brakes	Floating	Drum	15"	7.29"	8 -6.5"	BD8997

W20, W21, W22

FRONT

09-01	6 Hole Hat Shaped	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606
	10 Hole Hat Shaped; 3.2" Overall Height; 15 Diameter	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
	5 Hole Hat Shaped	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902

REAR

09-01	5 Hole Hat Shaped	Vented	Rotor	15 "	3.5 "	5 -6.75 "	BR900902
	10 Hole Hat Shaped; 3.2" Overall Height; 15 Diameter	Vented	Rotor	15 "	3.21"	10-7.25 in	BR901102
	6 Hole Hat Shaped	Vented	Rotor	15"	3.5"	6 -8.75"	BR5606

W24, W25

FRONT

09-01	10 Hole Hat Shaped	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
--------------	--------------------	--------	-------	---------	-------	-----------	----------

APPLICATIONS

Mk/Mdl Year	Application	Type	Rotor/ Drum	Outer Diameter	Overall Height	Lug Pattern	Part Number
----------------	-------------	------	----------------	-------------------	-------------------	----------------	----------------

WORKHORSE

W24, W25

REAR

09-01	10 Hole Hat Shaped	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
-------	--------------------	--------	-------	---------	-------	-----------	----------

W62, UFO

FRONT

09-01	10 Hole Hat Shaped	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
-------	--------------------	--------	-------	---------	-------	-----------	----------

REAR

09-01	10 Hole Hat Shaped	Vented	Rotor	15.35 "	4.2 "	10-7.25 "	BR900906
-------	--------------------	--------	-------	---------	-------	-----------	----------

YUGO

ALL MODELS

FRONT

91-86	GV,GVL,GVS,GVX,CABRIO	Solid	Rotor	227 mm	45.7 mm	4 -98 mm	BR3422
-------	-----------------------	-------	-------	--------	---------	----------	--------

DURRA

INTERNATIONAL®

